Norwegian State Pollution Monitoring Programme

Report 775/99

Client	Norwegian Pollution Control Authority
Contractor	NIVA

Joint Assessment and Monitoring Programme (JAMP)

Contaminants in shellfish 1993 - 1997

Norwegian biota data



NIVA Norwegian Institute for Water Research

TA 1667/1999

Norwegian Institute for Water Research

REPORT

Main Office	Regional Office, Sørlandet	Regional Office, Østlandet	Regional Office,Vestlandet	Akvaplan-NIVA A/S
P.O. Box 173, Kjelsås N-0411 Oslo Norway Phone (47) 22 18 51 00 Telefax (47) 22 18 52 00	Televeien 1 N-4890 Grimstad Norway Phone (47) 37 29 50 55 Telefax (47) 37 04 45 13	Sandvikaveien 41 N-2312 Ottestad Norway Phone (47) 62 57 64 00 Telefax (47) 62 57 66 53	Nordnesboder 5 N-5008 Bergen Norway Phone (47) 55 30 22 50 Telefax (47) 55 30 22 51	Søndre Tollbugate 3 N-9000 Tromsø Norway Phone (47) 77 68 52 80 Telefax (47) 77 68 05 09

Title	Serial No.	Date
Joint Assessment and Monitoring Programme (JAMP). Contaminants in shellfish 1993-1997 Norwegian biota data (Norwegian State Pollution Monitoring Programme Report no. 775/99. TA-no. 1667/1999)	4083-99	1999.11.10
	Report No. Sub-No. O-80106	Pages Price 206
Author(s) Norman W. Green Gunnar Severinsen	Topic group Marine ecology	Distribution
	Geographical area Oslofjord to Varangerfjord	Printed NIVA

Client(s)	Client ref.
Norwegian Pollution Control Authority (SFT)	

Abstract

This report is a compilation of data on contaminant concentrations in marine organisms used in the Norwegian contribution to the Joint Assessment and Monitoring Programme (JAMP) and concerns mainly selected metals organochlorines, polycyclic aromatic hydrocarbons that were collected during the period 1993-1997

4 keywords, Norwegian	4 keywords, English
1. Miljøgifter	1. Micropollutants
2. Organismer	2. Organisms
3. Marin	3. Marine
4. Norge	4. Norway

Norman W. Green
Project manager

ISBN 82-577-3689-9

Bjørn Braaten
Head of research department

CONTAMINANTS

Norwegian Institute for Water Research

O-80106

JOINT ASSESSMENT AND MONITORING PROGRAMME (JAMP),

CONTAMINANTS IN SHELLFISH 1993-1997

Norwegian biota data

Oslo, 10 November 1999

Project co-ordinater: Norman W. Green

Foreword

This report presents the Norwegian data for contaminants in organisms 1993-1997 compiled for the Joint Assessment and Monitoring Programme (JAMP). JAMP is administered by the Oslo and Paris Commissions (OSPAR) and their Environmental Assessment and Monitoring Committee (ASMO). JAMP receives guidance from the International Council for the Exploration of the Sea (ICES).

The Norwegian JMP was carried out by the Norwegian Institute for Water Research (NIVA) by contract from the Norwegian State Pollution Control Authority (SFT, NIVA contract 80106). Norwegian Institute for Air Research (NILU) has also contributed.

The Norwegian contribution to the JAMP was initiated by SFT in 1981 as part of the national monitoring programme. Three main areas have been investigated: the Oslofjord and adjacent areas (Hvaler-Singlefjord area and Langesundsfjord, 1981-), Sørfjord/Hardangerfjord (1983-84, 1987-) and Orkdalsfjord area (1984-89, 1991-93, 1995-96).

Initiated by the North Sea Task Force Monitoring Master Plan in 1990, Arendal, Lista and Bømlo-Sotra areas have also been monitored. On the initiative of SFT and NIVA "reference" or merely diffusely contaminated areas from Bergen to Lofoten have been monitored since 1992 and from Lofoten to Norwegian-Russian border from 1994.

The report is one of three data reports covering this period (1993-1997):

1. *Contaminants in shellfish 1993-1997,*
   SFT report no.775/99, NIVA report no. 4083-99
2. *Contaminants in fish 1993-1997*
   SFT report no. 776/99, NIVA report no. 4084-99
3. *Summary statistics for contaminants in shellfish and fish 1981-1997*
   SFT report no. 777/99, NIVA report no. 4085-99

Because of their similarity, appendices A, B and C concerning abbreviations, maps and station positions, respectively, are common for all three reports.

Thanks are due to my colleagues at NIVA and NILU for helping to compile this data. These have been credited earlier in the annual JAMP National Comments.

Oslo, 10 November 1999

Project co-ordinator *Norman W. Green*

Contents

1. Background	**1**
2. Sampling	**2**
3. Analyses	**3**
4. Comment on QA and detection limit	**4**
5. Comment on raw data	**4**
6. References	**5**
Appendix A. Maps	**9**
Appendix B. Station positions	**23**
Appendix C. Abbreviations	**37**
Appendix D. Shellfish - Raw data	**47**

1. Background

The Oslo and Paris commissions were established in the seventies with the aim to protect the marine environment against anthropogenic contamination. The Oslo commission focuses on problems relating to dumping at sea in the Northeast Atlantic and Baltic areas. The Paris commission focuses on discharges from land based sources. Together, the commission (Oslo and Paris Commission - OSPAR), govern the "Joint Assessment and Monitoring Programme" (JAMP). JAMP commenced in 1995 as a continuation of the "Joint Monitoring Programme" (JMP). It receives guidance from the "International Council for the Exploration of the Sea" (ICES). Norway and other European countries, which are members of OSPAR have committed themselves to protection of the marine environment of the North East Atlantic for preventing and elimination pollution, protecting human health and ensuring sound and healthy marine ecosystems (OSPAR 1998).

The Norwegian contribution to JAMP focuses on three JAMP areas: Oslofjord-area (including the Hvaler area, Singlefjord and Langesundsfjord), Sørfjord/Hardangerfjord and the Orkdalsfjord areas. During 1990-95 Norway has also included Arendal and Lista areas. The results have previously been presented for 1981-83 (only Oslofjord; Enger *et al.* 1984, 1985), 1984-85 (Green 1988), 1986 (Green 1987; SFT 1987), 1987 (SFT 1988), 1988 (Green 1989b; SFT 1989), 1989 (Green 1991, SFT 1990), 1990 (Green 1992, JMG 1994), 1991 (Green 1993a), 1992 (Green 1994, Green & Knutzen 1994), 1993 (Green 1995a), 1994 (Green 1995b), 1995 (Green 1997a), 1996 (Green 1997b) and 1997 (Green *et al.* 1999). The results have been incorporated in European JMG regional assessments of sediment (JMG 1993) and biota (ICES 1988, JMG 1992) and temporal trends in biota (ICES 1989; 1991; ASMO 1994). An overview of the analytical methods (1981-1992) has been presented (Green 1993b). The raw data has been presented for sediment 1986-1992 (Green & Klungsøyr 1994; Green & Rønningen 1995) and biota 1981-1992 (Green & Rønningen 1994a, b). The results for 1981-1992 have been assessed by Green *et al.* (1995). An evaluation of "background" levels of contaminants in biota based on JMP data has been done by Knutzen & Green (1995).

2. Sampling

The JAMP stations monitored 1993-1997 by Norway are spread from the Swedish border to Varangerfjorden (**Appendices A and B**).

The sampling of biota follows the OSPAR guidelines (1997) as closely as possible. These have replaced relevant portions of earlier guidelines (ICES 1986, 1992 including revisions up to 1994). For historical reasons three sizes of **mussels** (*Mytilus edulis*) have been sampled from most of the stations. The size classes were: 2-3, 3-4 and, 4-5cm. Fifty individuals were collected for each class. Often there is insufficient material, ca. 50g wet weight is necessary for reanalyses of all variables for the 2-3cm size class and when necessary 100 individuals are collected. In 1992 a stricter ICES approach was applied for new 1992 stations (north of the Bømlo area). For these stations 3 pooled samples of 20 individuals each are collected (ICES 1992) in the size range of 3-4 or 4-5 cm. There is some evidence that the effect of shell length (WGSAEM 1993; Bjerkeng & Green 1994) and difference in bulk sample size (Bjerkeng & Green 1994) by the two methods are of little or no significance. Pending further investigation, all mussel samples from the new stations are collected according to the stricter ICES method.

To clean the intestinal canal (depuration) the mussels are kept alive for 12-24 hours in sea water collected in close proximity to the station (about 15 litres). The shells are spread on a perforated polyethylene platform and submerged in the seawater in a container. The container used are lined with polyethylene plastic bags. The bags are replaced for each station sample. The temperature is kept at ambient conditions. Following depuration the mussels are shucked and frozen. The depuration is omitted if there is sufficient evidence that the process has no significant influence on the body burden of the contaminants measured (cf., Green 1989a, Green *et al* 1996.).

3. Analyses

JAMP (OSPAR 1990) agreed that the concentration of at least cadmium, copper, mercury, lead, zinc and polychlorinated hydrocarbons should be monitored in biota. In these investigations many other contaminants have also been quantified. A complete list of variables used is given in by **Appendix C**.

An overview of the contaminants and associated analytical methods has been given by Green (1993b). A brief summary follows. All analyses were performed at the Norwegian Institute for Water Research (NIVA). After treatment with saltpetre concentrations of cadmium, copper and lead were determined by Perkin-Elmer 2380 or 4100 graphite furnace atomic absorption electrothermal spectrometry whereas concentrations of zinc were determined using Perkin-Elmer 560 flame atomic absorption spectrometer with a hollow cathode lamp or an electrodeless discharge lamp as a light source (APHA 1989; Borge *et al.* 1981; Welz 1984). Mercury concentrations were determined by cold-vapour atomic absorption spectrometry using a Coleman Model MAS-50 prior to 1988 and a Perkin-Elmer 1100 B with gold trap for the 1988-1996 samples (cf., Borge *et al.* 1981; Welz *et al.* 1984) and without the gold trap for 1997. Organochlorines were determined in the extractable fat portion of the liver or fillet. Concentrations were determined by a Hewlett-Packard 5890 series II with Electron Capture Detector using a silica capillary column (Brevik 1978; Pedersen-Bjergaard *et al.* 1996).

JAMP prefers that seven individual isomers of PCB are quantified (Table 1). In addition, it is favourable and practical to quantify DDE, DDD, HCB, and the remaining HCH-isomers in connection with the analysis of chlorinated compounds. The methods applied at NIVA permit in addition, determinations of pentachlorbenzene (5-CB), octachlorstyrene (OCS), CB-156 (2 3 4 5-3'4'), CB-209 (2 3 4 5 6 - 2'3'4'5'6') and CB-105 (2 3 4 - 3'4') and, all p,p isomers of DDT and its derivatives.

Table 1. Suggested PCB-isomers which are to be quantified in biota (ICES 1986).

IUPAC/CB no.	Structure
28	2 4 - 4'
52	2 5 - 2'5'
101	2 4 5 - 2'5'
118	2 4 5 - 3'4'
138	2 3 4 - 2'4'5'
153	2 4 5 - 2'4'5'
180	2 3 4 5 - 2'4'5'

The **mussels** are analysed for all contaminants. The shell length of each mussel is measured. On a bulk basis the total shell weight, total soft tissue weight, dry weight and % fat content is measured.

4. Comment on QA and detection limit

Concerning quality assurance (QA) analytical labs have been routinely involved in international and national intercalibration exercises. In addition the laboratories have (more regularly in recent years) analysed standard reference material in connection with analyses of the samples used in monitoring. The results of intercalibration exercises and analyses of the standard reference material is discussed in part in the annual National Comments.

The detection limits are approximations based on 3 times the standard deviation of the 'blank' or near zero concentration of a solution. Day-to-day variations in the analytical instrument may lead to minor variation in detection limits.

5. Comment on raw data

The raw data for shellfish 1993-1997 is shown in **Appendix D**. Special attention should be made to notes and comments preceding the Appendix.

The data is stored in SYBASE version 11.5 with ACCESS 1997 as front end. The tables are generated using NIVA's TABSYS version 2.4.

6. References

Titles translated to English in square brackets [ ] are not official.

Ahlborg, U.G., 1989. Nordic risk assessment of PCDDs and PCDFs. Chemosphere 19:603-608.

Ahlborg, U.G., Brouwer, A, Fingerhut, M.A., Jacobson, J.L., Jacobson, S.W:, Kennedy, S.W., Kettrup, A.F., Koeman, J.H., Poiger, H., Rappe, C., Safe, S.H., Schlatter, C., Seegal, R.F., Tuomisto, J., van den Berg, M., 1992. Impact of polychlorinated dibenzo-p-dioxins, dibenzofurans, and biphenyls on human and envirommental health, with special emphasis on application of the toxic equivalency factor concept *European Journal and Pharmacology . Environmental Toxicology and Pharmacology Section* 228 (1992) 179-199

Ahlborg, U.G., Becking G.B., Birnbaum, L.S., Brouwer, A, Derks, H.J.G.M., Feely, M., Golor, G., Hanberg, A., Larsen, J.C., J.C., Liem, A.K.G., Safe, S.H., Schlatter, C., Wärn, F., Younes, M., Yrjänheikki, E., 1994. Toxic equivalency factors for dioxin-like PCBs. Report on a WHO-ECEH and IPSC consultation , December 1993. Chemosphere 28:1049-1067.

APHA, 1989. APHA, AWWA, WPCF: Standards Methods for the Examination of Water and Waste Water. 17th edition. 1989.

ASMO, 1994. Draft assessment of temporal trends monitoring data for 1983-91: Trace metals and organic contaminants in biota. Environmental Assessment and Monitoring Committee (ASMO). Document ASMO(2) 94/6/1.

Bjerkeng, B., Green, N. W., 1994. Shell length and metal concentrations in mussels (*Mytilus edulis*). Report of the Working Group on Statistical Aspects of Environmental Monitoring, St. Johns 26-29, April 1994. International Council for the Exploration of the Sea. C.M. 1994 ENV:6 Annex 11.

Borge, H., Edin A., Holm, K., Skøld, E., 1981. Determinations of metals in fish liver by flameless atomic absorption spectrophotometry. *Water Research* 15:1291-1295.

Brevik, E., 1978. Gas chromatographic method for the determination of organochlorine pesticides in human milk. *Bull. Environ. Contam. & Toxicol.* 19 (1978) 281.

Enger, B., Frøslie, A., Kirkerud, L., Knutzen, J., Madsen, L., Martinsen, K., Norheim, G., 1984. Overvåking av PCB, kvikksølv og kadmium i sjøvannsmiljø. Oslofjordområdet 1981-82. [Investigations of PCB, mercury and cadmium in the marine environment. Oslofjord area 1981-82.] Norwegian Pollution Control Authority, Monitoring report no. 119/84. Norwegian Institute for Water Research project 80106, report number 1583, 24 pp.. ISBN number 82-577-0736-8.

Enger, B., Håstein, T., Kirkerud, L., Martinsen, K., Norheim, G., 1985. Overvåking av PCB, kvikksølv og kadmium i sjøvannsmiljø. Oslofjordområdet 1982-83. SFT overvåkingsrapport nr. 183/85. NIVA O-80106 (løpenummer 1717), 24 sider. [Investigations of PCB, mercury and cadmium in the marine environment. Oslofjord area 1982-83.] Norwegian Pollution Control Authority, Monitoring report no. 183/85. Norwegian Institute for Water Research project 80106, report number 1717, 24 pp.. ISBN number 82-577-0905-0.

Green, N.W., 1987. Joint Monitoring Programme (JMP). National comments to the Norwegian data for 1986. NIVA-project 80106, report 30.8.87, 40 pp.. (Also in documents MON 6/3/1-E and MON 6/3/1 Corr.1-E of the sixth meeting of JMG's Ad Hoc Working Group on Monitoring (MON).)

Green, N.W., 1988. Felles europeisk overvåkingsprogram (JMP) i Norge. Overvåking av miljøgifter i sjøvannsmiljø. Oslofjord- området, Sørfjorden, Hardangerfjorden og Orkdalsfjord- området 1984-1985. NIVA project 80106, report number 2139. 76 pp..

Green, N.W., 1989a. The effect of depuration on mussels analyses. Report of the 1989 meeting of the working group on statistical aspects of trend monitoring. The Hague, 24-27 April 1989. ICES-report C.M.1989/E:13 Annex 6:52-58.

Green, N.W., 1989b. Joint Monitoring Programme (JMP). National Comments to the Norwegian Data for 1988. NIVA project 80106, report 27.10.89. 32pp.. (Also as document JMG 15/3/8-E.)

Green, N.W., 1991. Joint Monitoring Programme (JMP). National Comments to the Norwegian Data for 1989. NIVA project 80106, report 25.01.91. 27pp.. (Also as document JMG 16 info 13.)

Green, N.W., 1992. Joint Monitoring Programme (JMP) and North Sea Task Force - Master Monitoring Plan (NSTF/MMP) (contaminants only) National comments to the Norwegian Data for 1990, with special emphasis on contaminants in biota. NIVA project 80106, report 18.01.92 65pp. (Also as document JMG 17/3/18.).

Green, N.W., 1993a. Joint Monitoring Programme (JMP) National comments to the Norwegian Data for 1991. NIVA project 80106, report 22.01.93 74. (Also as document JMG 18/3/8-E(L).).

Green, N.W., 1993b. Joint Monitoring Programme - JMP. Overview of analytical methods employed by JMP in Norway 1981-1992. Norwegian Institute for Water Research. Project O-80106 report number 2971, 41 pp.. ISBN number 82-577-2390-8.

Green, N.W., 1994. Joint Monitoring Programme (JMP) National comments to the Norwegian Data for 1992. NIVA project 80106, report 18.01.94 85s.. (Also as document JMG 19/7/4-E(L).).

Green, N.W., 1995a. Joint Monitoring Programme (JMP) National comments to the Norwegian Data for 1993. NIVA project 80106, report 5.01.95 123s.. (Also as document SIME 95/6/1).

Green, N.W., 1995b. Joint Monitoring Programme (JMP) National comments to the Norwegian Data for 1994. NIVA project 80106, report 25.12.95 109.. (Also as document SIME 96/19/1).

Green, N.W., 1997a. Joint Assessment and Monitoring Programme (JAMP) National Comments to the Norwegian Data for 1995. Norwegian Pollution Control Authority, Monitoring report no. 685/97 TA no. 1405/1997. Norwegian Institute for Water Research project 80106, report number 3597-97, 124 pp.. ISBN number 82-577-3152-8. (Also as document SIME 97/5/5).

Green, N.W., 1997b. Joint Assessment and Monitoring Programme (JAMP) National Comments to the Norwegian Data for 1996. Norwegian Pollution Control Authority, Monitoring report no. 716/97 TA no. 1489/1997. Norwegian Institute for Water Research project 80106, report number 3730-97, 129 pp.. ISBN number 82-577-3299-0. (Also as document SIME (2) 97/3/16 Add.1).

Green, N.W., Berge, J.A, Helland, A., Hylland, K., Knutzen, J., Walday, M., 1999. Joint Assessment and Monitoring Programme (JAMP) National Comments regarding the Norwegian Data for 1997. Norwegian Pollution Control Authority, Monitoring report no. 752/99 TA no. 1611/1999. Norwegian Institute for Water Research project 80106, report number 3980-99, 129 pp.. ISBN number 82-577-3576-0. (Also presented as SIME document (1999)).

Green, N.W., Bjerkeng B., Berge J.A., 1996. Depuration (12h) of metals, PCB and PAH concentrations by blue mussels (*Mytilus edulis*). Report of the Working Group on the Statistical Aspects of Environmental Monitoring. Stockholm 18-22 March 1996. ICES C.M.1996/D:1 Annex 13:108-117.

Green, N.W., Klungsøyr, J., 1994. Norwegian 1990 sediment data for the North Sea Task Force (NSTF) and the Joint Monitoring Group (JMG). A joint report by Norwegian Institute for Water Research (NIVA) and Institute of Marine Research (IMR). NIVA project O-80106 (report number 3110), 17 pp + Annexes. ISBN-82-577-2585-4

Green, N.W., Knutzen, J., 1994. Miljøgiftsundersøkelse i indre Oslofjord. Delrapport nr. 2. Miljøgifter i organismer 1992 [Contaminants in the inner Oslofjord. Sub-report no.2. Contaminants in organisms 1992]. Norwegian Pollution Control Authority, Monitoring report no. 541/93 TA no. 1002/1994. Norwegian Institute for Water Research project 921315, report number 2972, 54 pp.. ISBN number 82-577-2401-7.

Green, N.W., Knutzen, J., Helland, A., Brevik, E.M., 1995. Overvåking av miljøgifter i sedimenter og organismer 1981-92. "Joint Monitoring Programme (JMP)". Statlig program for forurensningsovervåking rapport nr. 593/95 TA nr. 1172/1995 NIVA-rapport O-80106 (l.nr. 3184), 195 s. ISBN-82-577-2676-1.

Green, N.W., Rønningen, A., 1994a. Contaminants in shellfish and fish. 1981-92. Joint Monitoring Programme (JMP) Norwegian biota data. Norwegian Pollution Control Authority, Monitoring report no. 585/94 TA no. 1156/1994. NIVA project O-80106/, (report number 3175), 351 pp.. ISBN number 82-577-2656-7.

Green, N.W., Rønningen A., 1994b. Summary statistics of contaminants in shellfish and fish 1981-92. Joint Monitoring Programme (JMP) Norwegian biota data. Norwegian Pollution Control Authority, Monitoring report no. 584/94 TA no. 1155/1994. NIVA project O-80106/, (report number 3176), 167 pp.. ISBN number 82-577-2657-5.

Green, N.W., Rønningen, A., 1995. Contaminants in sediment 1986-92. The Joint Monitoring Programme (JMP) NIVA samples. Norwegian biota data. Norwegian Pollution Control Authority, Monitoring report no. 599/95 TA no. 1180/1995. NIVA project O-80106/, (report number 3192), 97 pp.. ISBN number 82-577-2679-6.

IARC, 1987. IARC [International Agency for Research on Cancer] monographs on the evaluation of the carcinogenic risk of chemicals to humans. Overall evaluations of carcinogenicity: an updating of IARC monographs. Vol., 1-42. Suppl. 7. Lyon.

ICES, 1986. Interim reporting format for contaminants in fish and shellfish, JMP-version. ICES, May 1986.

ICES, 1988. Results of 1985 baseline study of contaminants in fish and shellfish. ICES Cooperative Research Report no. 151, 366 pp..

ICES, 1989. Statistical analysis of the ICES Cooperative Monitoring Programme data on contaminants in fish muscle tissue (1978.1985) for determination of temporal trends. ICES Cooperative Research Report no. 162, 147 pp..

ICES, 1991. Statistical analysis of the ICES Cooperative Monitoring Programme data on contaminants in fish liver tissue and *Mytilus edulis* (1978.1988) for determination of temporal trends. ICES Cooperative Research Report no. 176, 189 pp..

ICES, 1992. ICES Environmental data reporting formats, Version 2.1 - January 1992.

JMG, 1992. Results of the 1990 supplementary baseline study of contaminants in fish and shellfish.. Seventeenth Meeting of the Joint Monitoring Group. Uppsala: 20-24 January 1992. JMG 17/3/13-E. 25pp. plus appendices.

JMG, 1993. Oslo and Paris Conventions for the Prevention of Marine Pollution,. Eighteenth Meeting of the Joint Monitoring Group. The Hague: 25-29 January 1993. Draft report on the results of the 1990/1991 baseline study of contaminants in sediments JMG 18/3/7-E. 33pp. plus tables, figures and appendices.

JMG, 1994. Oslo and Paris Conventions for the Prevention of Marine Pollution,. Eighteenth Meeting of the Joint Monitoring Group. The Hague: 25-29 January 1994. Draft report on the results of the 1990/1991 baseline study of contaminants in sediments JMG 18/3/7-E. 33pp. plus tables, figures and appendices.

Knutzen, J., Green, N.W., 1995. Bakgrunnsnivåer av en del miljøgifter i fisk, blåskjell og reker. Data fra utvalgte norske prøvesteder innen den felles overvåking under Oslo-/Paris-kommisjonene 1990-1993. [Background levels of some micropollutants in fish, the blue mussel and shrimps. Data from selected Norwegian sampling sites within the joint monitoring of the Oslo-/Paris Commissions 1990-1993]. Norwegian Pollution Control Authority, Monitoring report no. 594/94 TA no. 1173/1994. NIVA project O-80106/E-91412, (report number 3302, 105 pp).. ISBN number 82-577-2678-8.

OSPAR, 1990. Oslo and Paris Conventions. Principles and methodology of the Joint Monitoring Programme. [Monitoring manual for participants of the Joint Monitoring Programme (JMP) and North Sea Monitoring Master Plan (NSMMP)]. March 1990

OSPAR, 1997. JAMP [Joint Assessment and Monitoring Programme] Guidelines for Monitoring Contaminants in Biota (version 9.6.97) Oslo and Paris Commissions 40 pp.

OSPAR, 1998. JAMP [Joint Assessment and Monitoring Programme] Guidelines for Contaminant-specific Biological Effects Monitoring (version23 2.98) Oslo and Paris Commissions 38 pp.

Pedersen-Bjergaard, Semb, S.I., Brevik, E.M., Greibrokk, T., 1996. Capillary gas chromatography combined with atomic emission detection for the analysis of polychlorinated biphenyls. *J. Chromatogr. A*, 723(1996):337-347.

SFT, 1987. Overvåkingsresultater 1986. (Chapter) 8. Felles europeisk overvåkingsprogram (JMP) i Norge: Overvåking av PCB, DDT- derivater, kadmium, kvikksølv, kobber, bly og sink. Norwegian Pollution Control Authority (SFT) Report 288/87:84- 85.

SFT, 1988. Overvåkingsresutater 1987. (Chapter) 8. Felles europeisk overvåkingsprogram (JMP) i Norge: Overvåking av PCB, DDT- derivater, kadmium, kvikksølv, kobber, bly og sink. Norwegian Pollution Control Authority (SFT) Report 330/88:96- 97.

SFT, 1989. Overvåkingsresultater 1988. (Chapter) 8. Overvåking av miljøgifter: Joint Monitoring Programme (JMP). Norwegian Pollution Control Authority (SFT) Report 379/89:98-101.

SFT, 1990. Overvåkingsresultater 1989. (Chapter) 8 Overvåking av miljøgifter - Joint Monitoring Programme (JMP). Norwegian Pollution Control Authority (SFT) Report 433/90:116-119.

Welz, B., 1984. *Atomabsorbtion Spektrometrie.* 3 Auflage, Verlag Chemie Weinheim.

Welz, B., Melcher, M., Sinemus, H.W., Maier, D., 1984. Pico-trace determination of mercury using the amalgamation technique. *Atomic Spectrosc.* 1984(5):37-42.

WGSAEM, 1993. The length effect on contaminant concentrations in mussels. Section 13.2. in the Report of the Working Group on Statistical Aspects of Environmental Monitoring, Copenhagen 27-30, April 1993. International Council for the Exploration of the Sea. C-M- 1993/ENV:6 Ref.: D and E, 61 pp.

Appendix A.
Maps

NOTES

For a few station the positions of sampling has varied in order to collect sufficient material (e.g., st. 36B and 98A) or investigate local geographical variations (e.g., in the inner Oslofjord and Sørfjord). Hence, the same station name may appear more than once on a map.

The letter A following the station identification number indicates that blue mussels were sampled. The letter B indicates sampling for cod and the letter F indicates sampling for flatfish. This system for fish is not consistent for some older stations (30, 33, 52 and 67) where only the letter B is used indicating that either cod or flatfish or both were sampled.

The letter I preceding the station identification number indicates an INDEX station for evaluating a "pollution" index. The letter R indicates a station for evaluating a "reference" index. Only blue mussels are used for these indices. The indices are based on a selection of JAMP and INDEX stations (cf., Green *et al.* 1999).

The maps are generated using ArcView GIS version 3.1.



JAMP stations in Norway. Numbers refer to detail maps below.



MAP 1


NORWAY
OSLOFJORDEN
FREDRIKSTAD
SANDEFJORD
HALDEN
I021 Kjøkø, south
02A Fugleskjær
I022 West Dømholmen
I024 Kirkøy, north west
I023 Singlekalven, south
I011 Kråkenebbet
01A Sponvika
36F Færder area
73A Lyngholmen
36B Færder
36B Færder
36A Færder
03A Tisler
SKAGERRAK
SWEDEN
10°15'
10°30'
10°45'
11°
11°15'
11°30'
58°45'
59°15'

MAP 2


I711 Steinholmen
I712 Gjemesholmen
71A Bjørkøya (Risøyodd.)
LANGESUND
74A Oddneskjær
RISØR
76A Risøy
77B Borøy area
77A Flostafjord
77C Borøy area
ARENDAL
79A Gjerdsvoldsøyen east
8°30
8°45
9°
9°15
9°30
9°45
58°45'
59°

MAP 3


FLEKKEFJORD
FEDAFJORDEN
LISTA
FARSUND
15B/F
Ulerø area
15A Gåsøy
14A Aavigen
MANDAL
LINDESNES
I131 Lastad
I133 Odderø, west
KRISTIANSAND
I132
Fiskåtangen
13A Langøsund
6°45'
7°
7°15'
7°30'
7°45'
8°
58°15'
58°
57°45'

MAP 4


LEIRVIK
22F Boreyfjorden
BØMLOFJORDEN
22A Espevær, west
22C Bømlofjord
SAUDA
I201 Ekkjegrunn (G1)
I205 Bølsnes (G5)
SAUDAFJORDEN
HAUGESUND
5°
5°15'
5°30'
5°45'
6°
6°15'
6°30'
59°45'
59°30'
59°15'
59°

MAP 5


I241
Nordnes
I243
Hegreneset
BERGEN
I242
Valheimneset
ØYSTESE
63A Ranaskjær
57A
Krossanes
SØRFJORDEN
67B Strandebarm
67B Strandebarm
65A Vikingneset
56A Kvalnes
53B Inner Sørfjord
53B Inner Sørfjord
53B Inner Sørfjord
52A Eitrheimsneset
53B Inner Sørfjord
51A Byrkjenes
ODDA
HARDANGERFJORDEN
69A Lille Terøy

MAP 6


I241
Nordnes
I243
Hegreneset
BERGEN
I242
Valheimneset
24A Vardøy
KORSFJORDEN
SELBJØRNSFJORDEN
23B Karihavet area
23A Austvik
69A Lille Terøy

MAP 7


4°30
4°45
5°
5°15
5°30
5°45
6°
61°30'
61°15'
FLORØ
STAVFJORDEN
25A Hinnøy
FØRDE
DALSFJORDEN

MAP 8


4°45
5°
5°15
5°30
5°45
6°
6°15
62°15'
62°
ULTSTEINVIK
VARTDALSFJORDEN
27A Grinden
28A Eiksundet
STADLANDET
VANYLVS-
FJORDEN
MÅLØY
26A Hamnen

MAP 9


KRISTIANSUND
MOLDE
I912 Honnhammer
TINGVOLLS-
FJORDEN
I911 Horvika
SUNNDALS-
FJORDEN
SUNNDALSØRA

MAP 10


88A Rødberg
TRONDHEIMSFJORDEN
87A Ingdalsbukt
86A Geitnes
82A Flakk
80A/I80A
Østmarknes
TRONDHEIM
80A
Biologisk stasjon
ORKDALSFJORDEN
83A
Frøsetskjær
85A Geitstrand
84A Trossavika
HOMMELVIK

MAP 11


HITRA
SMØLA
91A Nerdvika
91A Nerdvika
TRONDHEIMSLEIA
KRISTIANSUND

MAP 12


93A Sætervik
92B Stokken area
FROHAVET
92A Stokken
HARSVIK
92A Stokken
FOSNA

MAP 13


VEFSNFJORDEN
VEGA
94A
Landfast
BRØNØYSUND

MAP 14


GLOMFJORD
95A Flatskjær
I962 Koksverktomta (B2)
MO I RANA
96A/R096 Breiviken, Tomma
I969 Bjørnbærviken (B9)
RANAFJORDEN

MAP 15


98A Svolvær området
SVOLVÆR
98B/F Lille Molla
98X Skrova
98A Svolvær området
VESTFJORDEN
99A Brunvær
97A Klakholmen
97A Klakholmen
13°45'
14°
14°15'
14°30'
14°45'
15°
15°15'
15°30'
15°45'
68°15'45'
68°
67°45'

MAP 16


ANDØYA
41A Fensneset, Grytøya
HARSTAD
VÅGSFJORDEN
15°45'
16°
16°15'
16°30'
16°45'
17°
17°15'
17°30'
69°
68°45'

MAP 17


17°15'
17°30'
17°45'
18°
18°15'
18°30'
18°45'
19°
19°15'
69°45'
69°30'
69°15'
TROMSØ
KVALØY
MALANGEN
42A Tennskjær

MAP 18


20°30'
20°45'
21°
21°15'
21°30'
21°45'
22°
22°15'
22°30'
22°45'
70°30'
70°15'
70°
SØRØY
44A Elenheimsundet
HASVIK
SØRØYSUNDET
LOPPHAVET
FUGLØYSUNDET
KVÆANGEN
43B/F Kvænangen, Olderfjord
43A Lyngneset, Langfjord
SKJERVØY
20°15'

MAP 19


45B Hammerfest area
REVSBOTN
45A Ytre Sauhammeset
HAMMERFEST
SØRØYSUNDET
SØRØY

MAP 20


HØNNINGSVÅG
46A Smines ved Altesula
47A Kifjordneset
LAKSFJORDEN
PORSANGEN

MAP 21


BERLEVÅG
TANAFJORDEN
48A Trollfjorden
BÅTSFJORD
49A Nordfjorden
SYLTEFJORDEN
VARANGER PENINSULA

MAP 22


VADSØ
10A Skagodden
VARANGERFJORDEN
10B Varangerfjorden
10F Skogerøy
11X
Brashavn
11A Sildkroneset, Bøkfj
KIRKENES
FINLAND
NORWAY
RUSSIA

MAP 23

Appendix B.
Station positions

HEADING EXPLANTIONS

jmpco: JAMP area (J99 indicates no designation)
jmpst: JAMP station number

species:
BROS BRO - Torsk (*Brosme brosme*)
GADU MOR - Atlantic cod (*Gadus morhua*)
GLYP CYN - Witch (*Glyptocephalus cynoglossus*)
LIMA LIM - Dab (*Limanda limanda*)
LEPI WHI - Megrim (*Lepidorhombus whiff-iagonis*)
MICR KIT - Lemon sole (*Microstomus kitt*)
MYTI EDU - Blue Mussel (*Mytilus edulis*)
PAND BOR - Prawn (*Pandalus borealis*)
PLAT FLE - Flounder (*Platichthys flesus*)
PLEU PLA - Plaice (*Pleuronectes platessa*)

myear: first year of sampling season

latdg: latitude - degrees
latmi: latitude - minutes
londg: longitude - degrees
lonmi: longitude - minutes

jmpco	jmpst	station name	species	myear	sampling date	latdg	latmi	londg	lonmi	ICES area
J26	01A	Sponvika	MYTI EDU	1982	19821014	59	5.10	11	12.50	47G13
J26	01A	Sponvika	MYTI EDU	1985	19851016	59	5.10	11	13.90	47G13
J26	01A	Sponvika	MYTI EDU	1990	19901106	59	5.40	11	12.50	47G13
J26	02A	Fugleskjær	MYTI EDU	1982	19821014	59	6.90	10	59.00	47G09
J26	02A	Fugleskjær	MYTI EDU	1985	19851015	59	6.90	10	59.00	47G09
J26	02A	Fugleskjær	MYTI EDU	1990	19901106	59	6.60	10	59.30	47G09
J26	03A	Tisler	MYTI EDU	1982	19821014	58	59.00	10	57.80	46G07
J26	03A	Tisler	MYTI EDU	1985	19851015	58	58.80	10	57.50	46G07
J26	03A	Tisler	MYTI EDU	1990	19901106	58	59.00	10	57.80	46G07
J99	10A	Skagodden	MYTI EDU	1994	19940826	70	4.19	30	9.83	69J03
J99	10A	Skagodden	MYTI EDU	1995	19950830	70	4.19	30	9.83	69J03
J99	10A	Skagodden	MYTI EDU	1996	19960905	70	4.19	30	9.83	69J03
J99	10A	Skagodden	MYTI EDU	1997	19971130	70	4.19	30	9.83	69J03
J99	10B	Varangerfjorden	BROS BRO	1994	19941130	69	56.00	29	40.00	68H97
J99	10B	Varangerfjorden	GADU MOR	1994	19941130	69	56.00	29	40.00	68H97
J99	10B	Varangerfjorden	GADU MOR	1995	19951115	69	56.00	29	40.00	68H97
J99	10B	Varangerfjorden	GADU MOR	1996	19970215	69	56.00	29	40.00	68H97
J99	10B	Varangerfjorden	GADU MOR	1997	19971115	69	56.00	29	40.00	68H97
J99	10F	Skogerøy	PLEU PLA	1997	19980218	69	55.00	29	51.00	68H97
J99	11A	Sildkroneset,Bøkfj	MYTI EDU	1994	19940825	69	47.02	30	11.10	68J02
J99	11A	Sildkroneset,Bøkfj	MYTI EDU	1995	19950830	69	47.02	30	11.10	68J02
J99	11A	Sildkroneset,Bøkfj	MYTI EDU	1996	19960905	69	47.02	30	11.10	68J02
J99	11A	Sildkroneset,Bøkfj	MYTI EDU	1997	19970922	69	47.02	30	11.10	68J02
J99	11X	Brashavn	MYTI EDU	1997	19970920	69	53.92	29	44.65	68H97
J99	13A	Langøsund	MYTI EDU	1990	19901104	57	59.80	7	34.60	44F74
J99	13A	Langøsund	MYTI EDU	1991	19911007	57	59.80	7	34.60	44F74
J99	14A	Aavigen	MYTI EDU	1990	19901103	58	2.20	7	13.20	45F73
J99	14A	Aavigen	MYTI EDU	1991	19911006	58	2.20	7	13.20	45F73
J99	15A	Gåsøy	MYTI EDU	1990	19901103	58	2.60	6	54.80	45F69
J99	15A	Gåsøy	MYTI EDU	1991	19911006	58	2.60	6	54.80	45F69
J99	15A	Gåsøy	MYTI EDU	1993	19930910	58	3.07	6	53.16	45F69
J99	15A	Gåsøy	MYTI EDU	1994	19941027	58	3.07	6	53.16	45F69
J99	15A	Gåsøy	MYTI EDU	1995	19950923	58	3.07	6	53.16	45F69
J99	15A	Gåsøy	MYTI EDU	1996	19960926	58	3.07	6	53.16	45F69
J99	15A	Gåsøy	MYTI EDU	1997	19971007	58	3.07	6	53.16	45F69
J99	15B	Ullerø area	GADU MOR	1990	19901103	58	3.00	6	43.00	45F69
J99	15B	Ullerø area	GADU MOR	1991	19911025	58	3.00	6	43.00	45F69
J99	15B	Ullerø area	GADU MOR	1992	19921215	58	3.00	6	43.00	45F69
J99	15B	Ullerø area	GADU MOR	1993	19931201	58	3.00	6	43.00	45F69
J99	15B	Ullerø area	GADU MOR	1994	19941200	58	3.00	6	43.00	45F69
J99	15B	Ullerø area	GADU MOR	1995	19951201	58	3.00	6	43.00	45F69
J99	15B	Ullerø area	GADU MOR	1996	19970120	58	3.00	6	43.00	45F69
J99	15B	Ullerø area	GADU MOR	1997	19971006	58	3.00	6	43.00	45F69
J99	15F	Ullerø area	LIMA LIM	1991	19911025	58	3.00	6	43.00	45F69
J99	15F	Ullerø area	LIMA LIM	1993	19931201	58	3.00	6	43.00	45F69
J99	15F	Ullerø area	LIMA LIM	1994	19941000	58	3.00	6	43.00	45F69
J99	15F	Ullerø area	LIMA LIM	1995	19951201	58	3.00	6	43.00	45F69
J99	15F	Ullerø area	LIMA LIM	1996	19961231	58	3.00	6	43.00	45F69
J99	15F	Ullerø area	LIMA LIM	1997	19970924	58	3.00	6	43.00	45F69
J99	15F	Ullerø area	MICR KIT	1994	19941001	58	3.00	6	43.00	45F69
J99	15F	Ullerø area	PLEU PLA	1992	19921215	58	3.00	6	43.00	45F69
J99	15F	Ullerø area	PLEU PLA	1993	19931201	58	3.00	6	43.00	45F69

jmpco	jmpst	station name	species	myear	sampling date	latdg	latmi	londg	lonmi	ICES area
J99	22A	Espevær, west	MYTI EDU	1990	19901029	59	35.20	5	8.50	48F53
J99	22A	Espevær, west	MYTI EDU	1991	19910930	59	35.20	5	8.50	48F53
J99	22A	Espevær, west	MYTI EDU	1992	19920906	59	35.20	5	8.50	48F53
J99	22A	Espevær, west	MYTI EDU	1993	19930907	59	35.20	5	8.50	48F53
J99	22A	Espevær, west	MYTI EDU	1994	19941025	59	35.20	5	8.50	48F53
J99	22A	Espevær, west	MYTI EDU	1995	19950918	59	35.20	5	8.50	48F53
J99	22A	Espevær, west	MYTI EDU	1996	19960924	59	35.20	5	8.50	48F53
J99	22A	Espevær, west	MYTI EDU	1997	19971004	59	35.20	5	8.50	48F53
J99	22C	Bømlofjord	PAND BOR	1990	19901022	59	34.00	5	11.00	48F53
J99	22F	Borøyfjorden	LIMA LIM	1990	19901021	59	43.00	5	21.00	48F55
J99	22F	Borøyfjorden	LIMA LIM	1991	19910901	59	43.00	5	21.00	48F55
J99	22F	Borøyfjorden	LIMA LIM	1992	19921215	59	43.00	5	21.00	48F55
J99	22F	Borøyfjorden	LIMA LIM	1994	19941100	59	43.00	5	21.00	48F55
J99	22F	Borøyfjorden	LIMA LIM	1995	19951231	59	43.00	5	21.00	48F55
J99	22F	Borøyfjorden	MICR KIT	1993	19940214	59	43.00	5	21.00	48F55
J99	22F	Borøyfjorden	PLEU PLA	1996	19970226	59	43.00	5	21.00	48F55
J99	22F	Borøyfjorden	PLEU PLA	1997	19980115	59	43.00	5	21.00	48F55
J99	23A	Austvik	MYTI EDU	1990	19901029	59	52.20	5	6.60	48F51
J99	23A	Austvik	MYTI EDU	1991	19910930	59	52.20	5	6.60	48F51
J99	23B	Karihavet area	GADU MOR	1990	19901007	59	55.00	5	7.00	48F51
J99	23B	Karihavet area	GADU MOR	1991	19910930	59	55.00	5	7.00	48F51
J99	23B	Karihavet area	GADU MOR	1992	19921215	59	55.00	5	7.00	48F51
J99	23B	Karihavet area	GADU MOR	1993	19931015	59	55.00	5	7.00	48F51
J99	23B	Karihavet area	GADU MOR	1994	19941000	59	55.00	5	7.00	48F51
J99	23B	Karihavet area	GADU MOR	1995	19951201	59	55.00	5	7.00	48F51
J99	23B	Karihavet area	GADU MOR	1996	19961120	59	55.00	5	7.00	48F51
J99	23B	Karihavet area	GADU MOR	1997	19971003	59	55.00	5	7.00	48F51
J99	23B	Karihavet area	MICR KIT	1994	19941000	59	55.00	5	7.00	48F51
J99	23B	Karihavet area	MICR KIT	1995	19951101	59	55.00	5	7.00	48F51
J99	23B	Karihavet area	PLAT FLE	1994	19941000	59	55.00	5	7.00	48F51
J99	23B	Karihavet area	PLEU PLA	1994	19941000	59	55.00	5	7.00	48F51
J99	24A	Vardøy	MYTI EDU	1990	19901030	60	10.20	5	0.80	49F52
J99	24A	Vardøy	MYTI EDU	1991	19911001	60	10.20	5	0.80	49F52
J99	25A	Hinnøy	MYTI EDU	1992	19920903	61	22.20	4	52.80	51F47
J99	25A	Hinnøy	MYTI EDU	1993	19930905	61	22.20	4	52.80	51F47
J99	26A	Hamnen	MYTI EDU	1992	19920902	61	52.70	5	13.60	52F51
J99	26A	Hamnen	MYTI EDU	1993	19930904	61	52.70	5	13.60	52F51
J99	27A	Grinden	MYTI EDU	1992	19920902	62	12.20	5	25.40	53F55
J99	28A	Eiksundet	MYTI EDU	1992	19920901	62	14.90	5	54.50	53F58
J99	28A	Eiksundet	MYTI EDU	1993	19930903	62	15.00	5	51.60	53F58
J26	301	Akershuskaia	MYTI EDU	1992	19921102	59	54.23	10	45.47	48G07
J26	302	Ormøya	MYTI EDU	1992	19921102	59	52.69	10	45.46	48G07
J26	303	Malmøya	MYTI EDU	1992	19921102	59	51.78	10	45.95	48G07
J26	304	Gåsøya	MYTI EDU	1992	19921102	59	51.11	10	35.51	48G04
J26	305	Lysaker	MYTI EDU	1992	19921102	59	54.36	10	38.60	48G04
J26	306	Håøya	MYTI EDU	1992	19921106	59	42.69	10	33.35	48G05

jmpco	jmpst	station name	species	myear	sampling date	latdg	latmi	londg	lonmi	ICES area
J26	30A	Gressholmen	MYTI EDU	1984	19841011	59	52.50	10	43.00	48G07
J26	30A	Gressholmen	MYTI EDU	1985	19851029	59	52.50	10	43.00	48G07
J26	30A	Gressholmen	MYTI EDU	1986	19861020	59	52.50	10	43.00	48G07
J26	30A	Gressholmen	MYTI EDU	1987	19871012	59	52.50	10	43.00	48G07
J26	30A	Gressholmen	MYTI EDU	1988	19881107	59	52.50	10	43.00	48G07
J26	30A	Gressholmen	MYTI EDU	1989	19891018	59	52.50	10	43.00	48G07
J26	30A	Gressholmen	MYTI EDU	1990	19901107	59	52.50	10	43.00	48G07
J26	30A	Gressholmen	MYTI EDU	1991	19911009	59	52.50	10	43.00	48G07
J26	30A	Gressholmen	MYTI EDU	1992	19921102	59	52.50	10	43.00	48G07
J26	30A	Gressholmen	MYTI EDU	1993	19930915	59	52.50	10	43.00	48G07
J26	30A	Gressholmen	MYTI EDU	1994	19941030	59	52.50	10	43.00	48G07
J26	30A	Gressholmen	MYTI EDU	1995	19950926	59	52.50	10	43.00	48G07
J26	30A	Gressholmen	MYTI EDU	1996	19961003	59	52.50	10	43.00	48G07
J26	30A	Gressholmen	MYTI EDU	1997	19971014	59	52.75	10	43.00	48G07
J26	30B	Oslo City area	GADU MOR	1984	19841126	59	52.00	10	39.00	48G04
J26	30B	Oslo City area	GADU MOR	1985	19851111	59	52.00	10	39.00	48G04
J26	30B	Oslo City area	GADU MOR	1986	19861119	59	44.00	10	32.00	48G05
J26	30B	Oslo City area	GADU MOR	1987	19871111	59	44.00	10	32.00	48G05
J26	30B	Oslo City area	GADU MOR	1988	19890116	59	44.00	10	32.00	48G05
J26	30B	Oslo City area	GADU MOR	1989	19891113	59	52.00	10	39.00	48G04
J26	30B	Oslo City area	GADU MOR	1990	19901204	59	44.00	10	32.00	48G05
J26	30B	Oslo City area	GADU MOR	1991	19911003	59	44.00	10	32.00	48G05
J26	30B	Oslo City area	GADU MOR	1992	19921230	59	49.00	10	33.00	48G05
J26	30B	Oslo City area	GADU MOR	1993	19931106	59	49.00	10	33.00	48G05
J26	30B	Oslo City area	GADU MOR	1994	19941000	59	49.00	10	33.00	48G05
J26	30B	Oslo City area	GADU MOR	1995	19951106	59	49.00	10	33.00	48G05
J26	30B	Oslo City area	GADU MOR	1996	19970115	59	48.50	10	32.50	48G05
J26	30B	Oslo City area	GADU MOR	1996	19970116	59	42.80	10	34.70	48G05
J26	30B	Oslo City area	GADU MOR	1996	19970118	59	47.00	10	35.50	48G05
J26	30B	Oslo City area	GADU MOR	1996	19970122	59	48.50	10	32.50	48G05
J26	30B	Oslo City area	GADU MOR	1996	19970203	59	48.50	10	32.50	48G05
J26	30B	Oslo City area	GADU MOR	1997	19980115	59	48.50	10	32.50	48G05
J26	30B	Oslo City area	GADU MOR	1997	19980116	59	44.00	10	33.20	48G05
J26	30B	Oslo City area	GADU MOR	1997	19980117	59	47.00	10	35.50	48G05
J26	30B	Oslo City area	GADU MOR	1997	19980121	59	48.50	10	32.50	48G05
J26	30B	Oslo City area	GADU MOR	1997	19980202	59	48.50	10	32.50	48G05
J26	30F	Oslo City area	PLEU PLA	1992	19921215	59	47.00	10	34.00	48G05
J26	30F	Oslo City area	PLEU PLA	1994	19950118	59	47.00	10	34.00	48G05
J26	30F	Oslo City area	PLEU PLA	1995	19951106	59	47.00	10	34.00	48G05
J26	30G	Spro	PAND BOR	1995	19951106	59	45.80	10	34.50	48G05
J26	30H	Storegrunn	PAND BOR	1995	19951106	59	48.50	10	33.50	48G05
J26	30X	West of Nesodden	GADU MOR	1992	19930314	59	48.50	10	36.00	48G05
J26	31A	Solbergstrand	MYTI EDU	1981	19811229	59	36.90	10	39.40	48G06
J26	31A	Solbergstrand	MYTI EDU	1983	19830302	59	36.90	10	39.40	48G06
J26	31A	Solbergstrand	MYTI EDU	1983	19831012	59	36.90	10	39.40	48G06
J26	31A	Solbergstrand	MYTI EDU	1984	19841011	59	36.90	10	39.40	48G06
J26	31A	Solbergstrand	MYTI EDU	1985	19851024	59	36.90	10	39.40	48G06
J26	31A	Solbergstrand	MYTI EDU	1986	19861020	59	36.90	10	39.40	48G06
J26	31A	Solbergstrand	MYTI EDU	1987	19871105	59	36.90	10	39.40	48G06
J26	31A	Solbergstrand	MYTI EDU	1988	19881102	59	36.90	10	39.40	48G06
J26	31A	Solbergstrand	MYTI EDU	1989	19891018	59	36.90	10	39.40	48G06

jmpco	jmpst	station name	species	myear	sampling date	latdg	latmi	londg	lonmi	ICES area
J26	31A	Solbergstrand	MYTI EDU	1990	19901107	59	36.90	10	39.40	48G06
J26	31A	Solbergstrand	MYTI EDU	1991	19911009	59	36.90	10	39.40	48G06
J26	31A	Solbergstrand	MYTI EDU	1992	19921106	59	36.90	10	39.40	48G06
J26	31A	Solbergstrand	MYTI EDU	1993	19930915	59	36.90	10	39.40	48G06
J26	31A	Solbergstrand	MYTI EDU	1994	19941029	59	36.90	10	39.40	48G06
J26	31A	Solbergstrand	MYTI EDU	1995	19950925	59	36.90	10	39.40	48G06
J26	31A	Solbergstrand	MYTI EDU	1996	19961002	59	36.90	10	39.40	48G06
J26	31A	Solbergstrand	MYTI EDU	1997	19971013	59	36.90	10	39.40	48G06
J26	31B	Solbergstrand	GADU MOR	1981	19811223	59	36.90	10	39.40	48G06
J26	31B	Solbergstrand	GADU MOR	1982	19821200	59	36.90	10	39.40	48G06
J26	31B	Solbergstrand	PLAT FLE	1981	19811223	59	36.90	10	39.40	48G06
J26	31C	Solbergstrand	PAND BOR	1984	19841210	59	36.90	10	39.40	48G06
J26	32A	Rødtangen	MYTI EDU	1981	19811027	59	31.50	10	25.60	48G06
J26	32A	Rødtangen	MYTI EDU	1982	19821015	59	31.50	10	25.60	48G06
J26	32A	Rødtangen	MYTI EDU	1985	19851017	59	31.50	10	25.60	48G06
J26	33B	Sande (east side)	PLAT FLE	1983	19831229	59	31.70	10	21.00	48G06
J26	33B	Sande (east side)	PLAT FLE	1985	19851113	59	31.70	10	21.00	48G06
J26	33B	Sande (east side)	PLAT FLE	1986	19861119	59	31.70	10	21.00	48G06
J26	33B	Sande (east side)	PLAT FLE	1987	19871110	59	31.70	10	21.00	48G06
J26	33B	Sande (east side)	PLAT FLE	1988	19881001	59	31.70	10	21.00	48G06
J26	33B	Sande (east side)	PLAT FLE	1989	19891018	59	31.70	10	21.00	48G06
J26	33B	Sande (east side)	PLAT FLE	1990	19901113	59	31.70	10	21.00	48G06
J26	33B	Sande (east side)	PLAT FLE	1991	19911023	59	31.70	10	21.00	48G06
J26	33B	Sande (east side)	PLAT FLE	1992	19921012	59	31.70	10	21.00	48G06
J26	33B	Sande (east side)	PLAT FLE	1993	19931001	59	31.70	10	21.00	48G06
J26	33B	Sande (east side)	PLAT FLE	1994	19941000	59	31.70	10	21.00	48G06
J26	33B	Sande (east side)	PLAT FLE	1995	19951015	59	31.70	10	21.00	48G06
J26	33B	Sande (east side)	PLAT FLE	1996	19961001	59	31.70	10	21.00	48G06
J26	33B	Sande (east side)	PLAT FLE	1996	19961101	59	31.70	10	21.00	48G06
J26	33B	Sande (east side)	PLAT FLE	1996	19961201	59	31.70	10	21.00	48G06
J26	33B	Sande (east side)	PLAT FLE	1997	19971015	59	31.70	10	21.00	48G06
J26	33B	Sande (east side)	PLAT FLE	1997	19971115	59	31.70	10	21.00	48G06
J26	33B	Sande (east side)	PLAT FLE	1997	19971215	59	31.70	10	21.00	48G06
J26	33C	Sande	PAND BOR	1986	19861124	59	31.70	10	21.00	48G06
J26	33X	Sande (west side)	PLAT FLE	1990	19901106	59	31.70	10	20.40	48G06
J26	35A	Mølen	MYTI EDU	1981	19811027	59	29.20	10	30.10	47G04
J26	35A	Mølen	MYTI EDU	1982	19821015	59	29.20	10	30.10	47G04
J26	35A	Mølen	MYTI EDU	1983	19831007	59	29.20	10	30.10	47G04
J26	35A	Mølen	MYTI EDU	1984	19841017	59	29.20	10	30.10	47G04
J26	35A	Mølen	MYTI EDU	1985	19851017	59	29.20	10	30.10	47G04
J26	35A	Mølen	MYTI EDU	1986	19861020	59	29.20	10	30.10	47G04
J26	35A	Mølen	MYTI EDU	1987	19871105	59	29.20	10	30.10	47G04
J26	35A	Mølen	MYTI EDU	1988	19881103	59	29.20	10	30.10	47G04
J26	35A	Mølen	MYTI EDU	1989	19891018	59	29.20	10	30.10	47G04
J26	35A	Mølen	MYTI EDU	1990	19901107	59	29.20	10	30.10	47G04
J26	35A	Mølen	MYTI EDU	1991	19911009	59	29.20	10	30.10	47G04
J26	35A	Mølen	MYTI EDU	1992	19921106	59	29.20	10	30.10	47G04
J26	35A	Mølen	MYTI EDU	1993	19930914	59	29.20	10	30.10	47G04
J26	35A	Mølen	MYTI EDU	1994	19941029	59	29.20	10	30.10	47G04
J26	35A	Mølen	MYTI EDU	1995	19950925	59	29.20	10	30.10	47G04
J26	35A	Mølen	MYTI EDU	1996	19961002	59	29.20	10	30.10	47G04
J26	35A	Mølen	MYTI EDU	1997	19971013	59	29.20	10	30.10	47G04
J26	35C	Homlmestrand-Mølen	PAND BOR	1982	19821008	59	29.00	10	27.00	47G04
J26	35C	Homlmestrand-Mølen	PAND BOR	1988	19881117	59	29.00	10	27.00	47G04
J26	35C	Homlmestrand-Mølen	PAND BOR	1990	19901112	59	29.00	10	27.00	47G04

jmpco	jmpst	station name	species	myear	sampling date	latdg	latmi	londg	lonmi	ICES area
J26	36A	Færder	MYTI EDU	1981	19811229	59	1.60	10	31.70	47G06
J26	36A	Færder	MYTI EDU	1983	19830301	59	1.60	10	31.70	47G06
J26	36A	Færder	MYTI EDU	1983	19831006	59	1.60	10	31.70	47G06
J26	36A	Færder	MYTI EDU	1984	19841016	59	1.60	10	31.70	47G06
J26	36A	Færder	MYTI EDU	1985	19851015	59	1.60	10	31.70	47G06
J26	36A	Færder	MYTI EDU	1986	19861020	59	1.60	10	31.70	47G06
J26	36A	Færder	MYTI EDU	1987	19871013	59	1.60	10	31.70	47G06
J26	36A	Færder	MYTI EDU	1988	19881103	59	1.60	10	31.70	47G06
J26	36A	Færder	MYTI EDU	1989	19891018	59	1.60	10	31.70	47G06
J26	36A	Færder	MYTI EDU	1990	19901106	59	1.60	10	31.70	47G06
J26	36A	Færder	MYTI EDU	1991	19911009	59	1.60	10	31.70	47G06
J26	36A	Færder	MYTI EDU	1992	19921106	59	1.60	10	31.70	47G06
J26	36A	Færder	MYTI EDU	1993	19930913	59	1.60	10	31.70	47G06
J26	36A	Færder	MYTI EDU	1994	19941029	59	1.60	10	31.70	47G06
J26	36A	Færder	MYTI EDU	1995	19950925	59	1.60	10	31.70	47G06
J26	36A	Færder	MYTI EDU	1996	19961002	59	1.60	10	31.70	47G06
J26	36A	Færder	MYTI EDU	1997	19971012	59	1.60	10	31.70	47G06
J26	36B	Færder	GADU MOR	1981	19811229	59	2.00	10	32.00	47G06
J26	36B	Færder	GADU MOR	1982	19821200	59	2.00	10	32.00	47G06
J26	36B	Færder	GADU MOR	1983	19831201	59	2.00	10	32.00	47G06
J26	36B	Færder	GADU MOR	1984	19841214	59	2.00	10	32.00	47G06
J26	36B	Færder	GADU MOR	1985	19851216	59	2.00	10	32.00	47G06
J26	36B	Færder	GADU MOR	1986	19870204	59	2.00	10	32.00	47G06
J26	36B	Færder	GADU MOR	1987	19880105	59	2.00	10	32.00	47G06
J26	36B	Færder	GADU MOR	1988	19881213	59	2.00	10	32.00	47G06
J26	36B	Færder	GADU MOR	1989	19891201	59	2.00	10	32.00	47G06
J26	36B	Færder	GADU MOR	1990	19901105	59	2.00	10	27.00	47G06
J26	36B	Færder	GADU MOR	1991	19911201	59	2.00	10	27.00	47G06
J26	36B	Færder	GADU MOR	1992	19921215	59	2.00	10	27.00	47G06
J26	36B	Færder	GADU MOR	1993	19940101	59	2.00	10	27.00	47G06
J26	36B	Færder	GADU MOR	1994	19941220	59	2.00	10	27.00	47G06
J26	36B	Færder	GADU MOR	1995	19951215	59	2.00	10	27.00	47G06
J26	36B	Færder	GADU MOR	1996	19961130	59	2.00	10	27.00	47G06
J26	36B	Færder	GADU MOR	1997	19971012	59	2.00	10	32.00	47G06
J26	36F	Færder area	LIMA LIM	1990	19901101	59	4.00	10	23.00	47G06
J26	36F	Færder area	LIMA LIM	1991	19911201	59	4.00	10	23.00	47G06
J26	36F	Færder area	LIMA LIM	1992	19921215	59	4.00	10	23.00	47G06
J26	36F	Færder area	LIMA LIM	1993	19931201	59	4.00	10	23.00	47G06
J26	36F	Færder area	LIMA LIM	1994	19941200	59	4.00	10	23.00	47G06
J26	36F	Færder area	LIMA LIM	1995	19951115	59	4.00	10	23.00	47G06
J26	36F	Færder area	LIMA LIM	1996	19961215	59	4.00	10	23.00	47G06
J26	36F	Færder area	LIMA LIM	1997	19971012	59	4.00	10	23.00	47G06
J26	40C	Steilene	PAND BOR	1984	19841210	59	49.00	10	33.00	48G05
J26	40C	Steilene	PAND BOR	1992	19921220	59	49.00	10	33.00	48G05
J99	41A	Fensneset,Grytøya	MYTI EDU	1994	19940902	68	56.90	16	38.47	66G64
J99	41A	Fensneset,Grytøya	MYTI EDU	1995	19950907	68	56.90	16	38.47	66G64
J99	41A	Fensneset,Grytøya	MYTI EDU	1996	19960910	68	56.90	16	38.47	66G64
J99	41A	Fensneset,Grytøya	MYTI EDU	1997	19971129	68	56.90	16	38.47	66G64
J99	42A	Tennskjær,Malangen	MYTI EDU	1994	19940901	69	28.60	18	18.00	67G81
J99	42A	Tennskjær,Malangen	MYTI EDU	1995	19950906	69	28.60	18	18.00	67G81
J99	43A	Lyngneset,Langfjord	MYTI EDU	1994	19940901	70	6.20	20	32.79	69H06
J99	43A	Lyngneset,Langfjord	MYTI EDU	1995	19950906	70	6.20	20	32.79	69H06
J99	43A	Lyngneset,Langfjord	MYTI EDU	1997	19971029	70	6.20	20	32.79	69H06
J99	43B	Kvænangen	GADU MOR	1994	19950200	70	9.00	21	22.00	69H16
J99	43B	Kvænangen	GADU MOR	1995	19960215	70	9.00	21	22.00	69H16
J99	43B	Kvænangen	GADU MOR	1996	19961031	70	9.00	21	22.00	69H16
J99	43F	Kvænangen,Olderfjord	LIMA LIM	1996	19961031	70	9.00	21	22.00	69H16
J99	43F	Kvænangen,Olderfjord	MICR KIT	1996	19961031	70	9.00	21	22.00	69H16

jmpco	jmpst	station name	species	myear	sampling date	latdg	latmi	londg	lonmi	ICES area
J99	44A	Elenheimsundet	MYTI EDU	1994	19940831	70	30.97	22	14.80	70H23
J99	44A	Elenheimsundet	MYTI EDU	1995	19950904	70	30.97	22	14.80	70H23
J99	44A	Elenheimsundet	MYTI EDU	1996	19960908	70	30.97	22	14.80	70H23
J99	44A	Elenheimsundet	MYTI EDU	1997	19970928	70	30.97	22	14.80	70H23
J99	45A	Ytre Sauhamnneset	MYTI EDU	1994	19940830	70	45.81	24	19.22	70H42
J99	45A	Ytre Sauhamnneset	MYTI EDU	1995	19950903	70	45.81	24	19.22	70H42
J99	46A	Smines ved Altesula	MYTI EDU	1994	19940830	70	58.38	25	48.14	70H57
J99	46A	Smines ved Altesula	MYTI EDU	1995	19950903	70	58.38	25	48.14	70H57
J99	46A	Smines ved Altesula	MYTI EDU	1996	19960907	70	58.38	25	48.14	70H57
J99	46B	Hammerfest area	GADU MOR	1994	19950216	70	50.00	23	44.00	70H37
J99	46B	Hammerfest area	GADU MOR	1995	19960201	70	50.00	23	44.00	70H37
J99	47A	Kifjordneset	MYTI EDU	1994	19940829	70	52.89	27	22.17	70H74
J99	47A	Kifjordneset	MYTI EDU	1995	19950902	70	52.89	27	22.17	70H74
J99	48A	Trollfjorden i Tanafjord	MYTI EDU	1994	19940828	70	41.61	28	33.28	70H85
J99	48A	Trollfjorden i Tanafjord	MYTI EDU	1995	19950901	70	41.61	28	33.28	70H85
J99	48A	Trollfjorden i Tanafjord	MYTI EDU	1996	19960906	70	41.61	28	33.28	70H85
J99	49A	Nordfjorden,Syltefj.	MYTI EDU	1994	19940827	70	33.10	30	5.17	70J03
J99	49A	Nordfjorden,Syltefj.	MYTI EDU	1995	19950831	70	33.10	30	5.17	70J03
J63	51A	Byrkjenes	MYTI EDU	1987	19870902	60	5.10	6	33.10	49F66
J63	51A	Byrkjenes	MYTI EDU	1988	19881006	60	5.10	6	33.10	49F66
J63	51A	Byrkjenes	MYTI EDU	1995	19951004	60	5.10	6	33.10	49F66
J63	51A	Byrkjenes	MYTI EDU	1996	19960923	60	5.10	6	33.10	49F66
J63	51A	Byrkjenes	MYTI EDU	1997	19970930	60	5.10	6	33.10	49F66
J63	52A	Eitrheimsneset	MYTI EDU	1989	19890928	60	5.80	6	32.20	49F66
J63	52A	Eitrheimsneset	MYTI EDU	1990	19901031	60	5.80	6	32.20	49F66
J63	52A	Eitrheimsneset	MYTI EDU	1991	19911002	60	5.80	6	32.20	49F66
J63	52A	Eitrheimsneset	MYTI EDU	1992	19920906	60	5.80	6	32.20	49F66
J63	52A	Eitrheimsneset	MYTI EDU	1993	19930906	60	5.80	6	32.20	49F66
J63	52A	Eitrheimsneset	MYTI EDU	1994	19941024	60	5.80	6	32.20	49F66
J63	52A	Eitrheimsneset	MYTI EDU	1995	19950916	60	5.80	6	32.20	49F66
J63	52A	Eitrheimsneset	MYTI EDU	1996	19960923	60	5.80	6	32.20	49F66
J63	52A	Eitrheimsneset	MYTI EDU	1997	19970930	60	5.80	6	32.20	49F66
J63	53B	Inner Sørfjord	GADU MOR	1987	19870222	60	10.00	6	34.00	49F65
J63	53B	Inner Sørfjord	GADU MOR	1988	19881117	60	10.00	6	34.00	49F65
J63	53B	Inner Sørfjord	GADU MOR	1989	19891125	60	10.00	6	34.00	49F65
J63	53B	Inner Sørfjord	GADU MOR	1990	19901014	60	10.00	6	34.00	49F65
J63	53B	Inner Sørfjord	GADU MOR	1991	19911101	60	10.00	6	34.00	49F65
J63	53B	Inner Sørfjord	GADU MOR	1992	19921215	60	10.00	6	34.00	49F65
J63	53B	Inner Sørfjord	GADU MOR	1993	19931001	60	10.00	6	34.00	49F65
J63	53B	Inner Sørfjord	GADU MOR	1994	19941000	60	10.00	6	34.00	49F65
J63	53B	Inner Sørfjord	GADU MOR	1995	19951015	60	10.00	6	34.00	49F65
J63	53B	Inner Sørfjord	GADU MOR	1996	19960807	60	7.30	6	33.50	49F66
J63	53B	Inner Sørfjord	GADU MOR	1996	19960814	60	8.00	6	32.50	49F66
J63	53B	Inner Sørfjord	GADU MOR	1996	19961201	60	7.30	6	33.50	49F66
J63	53B	Inner Sørfjord	GADU MOR	1996	19961202	60	8.00	6	32.50	49F66
J63	53B	Inner Sørfjord	GADU MOR	1997	19970930	60	7.30	6	33.50	49F66
J63	53B	Inner Sørfjord	GADU MOR	1997	19971004	60	8.00	6	32.50	49F66
J63	53B	Inner Sørfjord	GLYP CYN	1987	19870222	60	10.00	6	34.00	49F65
J63	53B	Inner Sørfjord	PLAT FLE	1984	19840317	60	10.00	6	34.00	49F65
J63	53B	Inner Sørfjord	PLAT FLE	1988	19881118	60	10.00	6	34.00	49F65
J63	53B	Inner Sørfjord	PLAT FLE	1989	19891228	60	10.00	6	34.00	49F65

jmpco	jmpst	station name	species	myear	sampling date	latdg	latmi	londg	lonmi	ICES area
J63	53B	Inner Sørfjord	PLAT FLE	1990	19901012	60	10.00	6	34.00	49F65
J63	53B	Inner Sørfjord	PLAT FLE	1991	19911003	60	10.00	6	34.00	49F65
J63	53B	Inner Sørfjord	PLAT FLE	1992	19921215	60	10.00	6	34.00	49F65
J63	53B	Inner Sørfjord	PLAT FLE	1993	19930925	60	10.00	6	34.00	49F65
J63	53B	Inner Sørfjord	PLAT FLE	1994	19941000	60	10.00	6	34.00	49F65
J63	53B	Inner Sørfjord	PLAT FLE	1995	19951015	60	10.00	6	34.00	49F65
J63	53B	Inner Sørfjord	PLAT FLE	1996	19960811	60	7.30	6	33.50	49F66
J63	53B	Inner Sørfjord	PLAT FLE	1996	19960812	60	5.00	6	32.00	49F66
J63	53B	Inner Sørfjord	PLAT FLE	1996	19960820	60	8.00	6	32.50	49F66
J63	53B	Inner Sørfjord	PLAT FLE	1997	19970817	60	7.30	6	33.50	49F66
J63	53B	Inner Sørfjord	PLAT FLE	1997	19970818	60	5.00	6	32.00	49F66
J63	53B	Inner Sørfjord	PLAT FLE	1997	19971001	60	8.00	6	32.50	49F66
J63	53B	Inner Sørfjord	SALM TRU	1990	19901001	60	10.00	6	34.00	49F65
J63	56A	Kvalnes	MYTI EDU	1987	19870902	60	13.40	6	36.10	49F65
J63	56A	Kvalnes	MYTI EDU	1988	19881006	60	13.40	6	36.10	49F65
J63	56A	Kvalnes	MYTI EDU	1988	19881007	60	13.40	6	36.10	49F65
J63	56A	Kvalnes	MYTI EDU	1989	19890929	60	13.40	6	36.10	49F65
J63	56A	Kvalnes	MYTI EDU	1990	19901101	60	13.40	6	36.10	49F65
J63	56A	Kvalnes	MYTI EDU	1991	19911002	60	13.40	6	36.10	49F65
J63	56A	Kvalnes	MYTI EDU	1992	19920906	60	13.40	6	36.10	49F65
J63	56A	Kvalnes	MYTI EDU	1993	19930906	60	13.40	6	36.10	49F65
J63	56A	Kvalnes	MYTI EDU	1994	19941023	60	13.40	6	36.10	49F65
J63	56A	Kvalnes	MYTI EDU	1995	19950917	60	13.40	6	36.10	49F65
J63	56A	Kvalnes	MYTI EDU	1996	19960922	60	13.40	6	36.10	49F65
J63	56A	Kvalnes	MYTI EDU	1997	19971001	60	13.40	6	36.10	49F65
J63	57A	Krossanes	MYTI EDU	1987	19870903	60	23.20	6	41.20	49F67
J63	57A	Krossanes	MYTI EDU	1988	19881006	60	23.20	6	41.20	49F67
J63	57A	Krossanes	MYTI EDU	1989	19890929	60	23.20	6	41.20	49F67
J63	57A	Krossanes	MYTI EDU	1990	19901101	60	23.20	6	41.20	49F67
J63	57A	Krossanes	MYTI EDU	1991	19911002	60	23.20	6	41.20	49F67
J63	57A	Krossanes	MYTI EDU	1992	19920905	60	23.20	6	41.20	49F67
J63	57A	Krossanes	MYTI EDU	1993	19930907	60	23.20	6	41.20	49F67
J63	57A	Krossanes	MYTI EDU	1994	19941023	60	23.20	6	41.20	49F67
J63	57A	Krossanes	MYTI EDU	1995	19950917	60	23.20	6	41.20	49F67
J63	57A	Krossanes	MYTI EDU	1996	19960922	60	23.20	6	41.20	49F67
J63	57A	Krossanes	MYTI EDU	1997	19971001	60	23.20	6	41.20	49F67
J62	63A	Ranaskjær	MYTI EDU	1987	19870901	60	25.10	6	24.50	49F64
J62	63A	Ranaskjær	MYTI EDU	1988	19881007	60	25.10	6	24.50	49F64
J62	63A	Ranaskjær	MYTI EDU	1989	19890927	60	25.10	6	24.50	49F64
J62	63A	Ranaskjær	MYTI EDU	1990	19901101	60	25.10	6	24.50	49F64
J62	63A	Ranaskjær	MYTI EDU	1991	19911002	60	25.10	6	24.50	49F64
J62	63A	Ranaskjær	MYTI EDU	1992	19920905	60	25.10	6	24.50	49F64
J62	63A	Ranaskjær	MYTI EDU	1993	19930906	60	25.10	6	24.50	49F64
J62	63A	Ranaskjær	MYTI EDU	1994	19941023	60	25.10	6	24.50	49F64
J62	63A	Ranaskjær	MYTI EDU	1995	19950917	60	25.10	6	24.50	49F64
J62	63A	Ranaskjær	MYTI EDU	1996	19960922	60	25.10	6	24.50	49F64
J62	63A	Ranaskjær	MYTI EDU	1997	19971001	60	25.10	6	24.50	49F64
J62	65A	Vikingneset	MYTI EDU	1987	19870901	60	14.50	6	9.60	49F62
J62	65A	Vikingneset	MYTI EDU	1988	19881007	60	14.50	6	9.60	49F62
J62	65A	Vikingneset	MYTI EDU	1988	19881008	60	14.50	6	9.60	49F62
J62	65A	Vikingneset	MYTI EDU	1989	19890927	60	14.50	6	9.60	49F62

jmpco	jmpst	station name	species	myear	sampling date	latdg	latmi	londg	lonmi	ICES area
J62	65A	Vikingneset	MYTI EDU	1990	19901030	60	14.50	6	9.60	49F62
J62	65A	Vikingneset	MYTI EDU	1991	19911001	60	14.50	6	9.60	49F62
J62	65A	Vikingneset	MYTI EDU	1992	19920905	60	14.50	6	9.60	49F62
J62	65A	Vikingneset	MYTI EDU	1993	19930907	60	14.50	6	9.60	49F62
J62	65A	Vikingneset	MYTI EDU	1994	19941023	60	14.50	6	9.60	49F62
J62	65A	Vikingneset	MYTI EDU	1995	19950915	60	14.50	6	9.60	49F62
J62	65A	Vikingneset	MYTI EDU	1996	19960922	60	14.50	6	9.60	49F62
J62	65A	Vikingneset	MYTI EDU	1997	19971002	60	14.50	6	9.60	49F62
J62	67B	Strandebarm	GADU MOR	1987	19871125	60	16.00	6	2.00	49F62
J62	67B	Strandebarm	GADU MOR	1988	19881011	60	16.00	6	2.00	49F62
J62	67B	Strandebarm	GADU MOR	1989	19891015	60	16.00	6	2.00	49F62
J62	67B	Strandebarm	GADU MOR	1990	19901009	60	16.00	6	2.00	49F62
J62	67B	Strandebarm	GADU MOR	1991	19911023	60	16.00	6	2.00	49F62
J62	67B	Strandebarm	GADU MOR	1992	19921201	60	16.00	6	2.00	49F62
J62	67B	Strandebarm	GADU MOR	1993	19931101	60	16.00	6	2.00	49F62
J62	67B	Strandebarm	GADU MOR	1994	19941203	60	16.00	6	2.00	49F62
J62	67B	Strandebarm	GADU MOR	1995	19951101	60	16.00	6	2.00	49F62
J62	67B	Strandebarm	GADU MOR	1996	19960817	60	16.00	6	2.00	49F62
J62	67B	Strandebarm	GADU MOR	1996	19961031	60	16.00	6	2.00	49F62
J62	67B	Strandebarm	GADU MOR	1997	19970930	60	16.00	6	2.00	49F62
J62	67B	Strandebarm	LEPI WHI	1984	19840200	60	16.00	6	2.00	49F62
J62	67B	Strandebarm	LEPI WHI	1987	19871125	60	16.00	6	2.00	49F62
J62	67B	Strandebarm	LEPI WHI	1988	19881011	60	16.00	6	2.00	49F62
J62	67B	Strandebarm	LEPI WHI	1989	19891208	60	16.00	6	2.00	49F62
J62	67B	Strandebarm	LEPI WHI	1990	19901101	60	16.00	6	2.00	49F62
J62	67B	Strandebarm	LEPI WHI	1991	19911030	60	16.00	6	2.00	49F62
J62	67B	Strandebarm	LEPI WHI	1992	19921201	60	16.00	6	2.00	49F62
J62	67B	Strandebarm	LEPI WHI	1993	19931101	60	16.00	6	2.00	49F62
J62	67B	Strandebarm	LEPI WHI	1994	19941104	60	16.00	6	2.00	49F62
J62	67B	Strandebarm	LEPI WHI	1995	19951101	60	16.00	6	2.00	49F62
J62	67B	Strandebarm	LEPI WHI	1996	19961001	60	16.00	6	2.00	49F62
J62	67B	Strandebarm	LEPI WHI	1997	19970901	60	16.00	6	2.00	49F62
J62	67B	Strandebarm	PLAT FLE	1996	19960817	60	13.10	5	59.50	49F58
J62	69A	Lille Terøy	MYTI EDU	1992	19920905	59	58.79	5	45.35	48F57
J62	69A	Lille Terøy	MYTI EDU	1993	19930906	59	58.79	5	45.35	48F57
J62	69A	Lille Terøy	MYTI EDU	1994	19941025	59	58.79	5	45.35	48F57
J62	69A	Lille Terøy	MYTI EDU	1995	19950915	59	58.79	5	45.35	48F57
J62	69A	Lille Terøy	MYTI EDU	1996	19960921	59	58.79	5	45.35	48F57
J62	69A	Lille Terøy	MYTI EDU	1997	19970929	59	58.79	5	45.35	48F57
J26	71A	Bjørkøya (Risøyodd.)	MYTI EDU	1981	19810317	59	1.40	9	45.40	47F99
J26	71A	Bjørkøya (Risøyodd.)	MYTI EDU	1982	19821110	59	1.40	9	45.40	47F99
J26	71A	Bjørkøya (Risøyodd.)	MYTI EDU	1983	19831109	59	1.40	9	45.40	47F99
J26	71A	Bjørkøya (Risøyodd.)	MYTI EDU	1984	19841108	59	1.40	9	45.40	47F99
J26	71A	Bjørkøya (Risøyodd.)	MYTI EDU	1985	19851024	59	1.40	9	45.40	47F99
J26	71A	Bjørkøya (Risøyodd.)	MYTI EDU	1986	19861021	59	1.40	9	45.40	47F99
J26	71A	Bjørkøya (Risøyodd.)	MYTI EDU	1987	19871022	59	1.40	9	45.40	47F99
J26	71A	Bjørkøya (Risøyodd.)	MYTI EDU	1988	19881103	59	1.40	9	45.40	47F99
J26	71A	Bjørkøya (Risøyodd.)	MYTI EDU	1989	19891010	59	1.40	9	45.40	47F99
J26	71A	Bjørkøya (Risøyodd.)	MYTI EDU	1990	19901105	59	1.40	9	45.40	47F99
J26	71A	Bjørkøya (Risøyodd.)	MYTI EDU	1991	19911008	59	1.40	9	45.40	47F99
J26	71A	Bjørkøya (Risøyodd.)	MYTI EDU	1992	19921112	59	1.40	9	45.40	47F99
J26	71A	Bjørkøya (Risøyodd.)	MYTI EDU	1993	19930913	59	1.40	9	45.40	47F99
J26	71A	Bjørkøya (Risøyodd.)	MYTI EDU	1994	19941028	59	1.40	9	45.40	47F99
J26	71A	Bjørkøya (Risøyodd.)	MYTI EDU	1995	19950924	59	1.40	9	45.40	47F99
J26	71A	Bjørkøya (Risøyodd.)	MYTI EDU	1996	19960929	59	1.40	9	45.40	47F99
J26	71A	Bjørkøya (Risøyodd.)	MYTI EDU	1997	19971010	59	1.40	9	45.40	47F99
J26	73A	Lyngholmen	MYTI EDU	1990	19901105	59	2.60	10	18.10	47G03
J26	74A	Oddneskjær	MYTI EDU	1990	19901105	58	57.30	9	52.10	46F97

jmpco	jmpst	station name	species	myear	sampling date	latdg	latmi	londg	lonmi	ICES area
J99	76A	Risøy	MYTI EDU	1990	19901105	58	43.60	9	17.00	46F92
J99	76A	Risøy	MYTI EDU	1991	19911008	58	43.60	9	17.00	46F92
J99	76A	Risøy	MYTI EDU	1992	19921021	58	43.60	9	17.00	46F92
J99	76A	Risøy	MYTI EDU	1993	19930913	58	43.60	9	17.00	46F92
J99	76A	Risøy	MYTI EDU	1996	19960928	58	43.60	9	17.00	46F92
J99	76A	Risøy	MYTI EDU	1997	19971016	58	43.60	9	17.00	46F92
J99	77A	Flostafjord	MYTI EDU	1990	19901104	58	31.50	8	56.90	46F89
J99	77A	Flostafjord	MYTI EDU	1991	19911007	58	31.50	8	56.90	46F89
J99	77B	Borøy area	GADU MOR	1990	19901104	58	33.00	9	1.00	46F93
J99	77B	Borøy area	GADU MOR	1991	19911001	58	33.00	9	1.00	46F93
J99	77B	Borøy area	LIMA LIM	1991	19911101	58	33.00	9	1.00	46F93
J99	77C	Borøy area	PAND BOR	1990	19901104	58	29.00	9	10.00	45F91
J99	79A	Gjerdsvoldsøyen east	MYTI EDU	1990	19901104	58	24.80	8	45.30	45F87
J99	79A	Gjerdsvoldsøyen east	MYTI EDU	1991	19911007	58	24.80	8	45.30	45F87
J65	80A	Østmarknes	MYTI EDU	1984	19841024	63	27.50	10	27.50	55G04
J65	80A	Østmarknes	MYTI EDU	1985	19851104	63	27.50	10	27.50	55G04
J65	81A	Biologisk Stasjon	MYTI EDU	1984	19841024	63	26.50	10	21.40	55G04
J65	82A	Flakk	MYTI EDU	1984	19841024	63	27.10	10	12.60	55G01
J65	82A	Flakk	MYTI EDU	1985	19851104	63	27.10	10	12.60	55G01
J65	82A	Flakk	MYTI EDU	1986	19861117	63	27.10	10	12.60	55G01
J65	82A	Flakk	MYTI EDU	1987	19871021	63	27.10	10	12.60	55G01
J65	82A	Flakk	MYTI EDU	1988	19881117	63	27.10	10	12.60	55G01
J65	82A	Flakk	MYTI EDU	1989	19891024	63	27.10	10	12.60	55G01
J65	82A	Flakk	MYTI EDU	1991	19911101	63	27.10	10	12.60	55G01
J65	82A	Flakk	MYTI EDU	1992	19920830	63	27.10	10	12.60	55G01
J65	82A	Flakk	MYTI EDU	1993	19930901	63	27.10	10	12.60	55G01
J65	82A	Flakk	MYTI EDU	1995	19950911	63	27.10	10	12.60	55G01
J65	82A	Flakk	MYTI EDU	1996	19960918	63	27.10	10	12.60	55G01
J65	83A	Frøsetskjær	MYTI EDU	1984	19841024	63	25.50	10	7.80	55G01
J65	84A	Trossavika	MYTI EDU	1984	19841023	63	20.80	9	57.80	55F97
J65	84A	Trossavika	MYTI EDU	1985	19851104	63	20.80	9	57.80	55F97
J65	84A	Trossavika	MYTI EDU	1986	19861117	63	20.80	9	57.80	55F97
J65	84A	Trossavika	MYTI EDU	1987	19871021	63	20.80	9	57.80	55F97
J65	84A	Trossavika	MYTI EDU	1988	19881117	63	20.80	9	57.80	55F97
J65	84A	Trossavika	MYTI EDU	1989	19891024	63	20.80	9	57.80	55F97
J65	84A	Trossavika	MYTI EDU	1991	19911101	63	20.80	9	57.80	55F97
J65	84A	Trossavika	MYTI EDU	1992	19920830	63	20.80	9	57.80	55F97
J65	84A	Trossavika	MYTI EDU	1993	19930901	63	20.80	9	57.80	55F97
J65	84A	Trossavika	MYTI EDU	1995	19950911	63	20.80	9	57.80	55F97
J65	84A	Trossavika	MYTI EDU	1996	19960918	63	20.80	9	57.80	55F97
J65	84B	Trossavika	GADU MOR	1984	19841000	63	20.80	9	57.80	55F97
J65	84B	Trossavika	GADU MOR	1985	19851127	63	20.80	9	57.80	55F97
J65	84B	Trossavika	GADU MOR	1986	19861118	63	20.80	9	57.80	55F97
J65	84B	Trossavika	GADU MOR	1987	19871020	63	20.80	9	57.80	55F97
J65	84B	Trossavika	GADU MOR	1988	19881117	63	20.80	9	57.80	55F97
J65	84B	Trossavika	MELA AEG	1986	19861118	63	20.80	9	57.80	55F97
J65	84B	Trossavika	MELA AEG	1987	19871020	63	20.80	9	57.80	55F97
J65	84B	Trossavika	MELA AEG	1988	19881117	63	20.80	9	57.80	55F97
J65	84B	Trossavika	MERL MNG	1987	19871020	63	20.80	9	57.80	55F97
J65	84B	Trossavika	MERL MNG	1988	19881117	63	20.80	9	57.80	55F97
J65	84B	Trossavika	MICR KIT	1988	19881117	63	20.80	9	57.80	55F97
J65	84B	Trossavika	POLL POL	1985	19851127	63	20.80	9	57.80	55F97
J65	84B	Trossavika	POLL POL	1986	19861118	63	20.80	9	57.80	55F97
J65	84B	Trossavika	POLL POL	1988	19881117	63	20.80	9	57.80	55F97
J65	84B	Trossavika	POLL VIR	1988	19881117	63	20.80	9	57.80	55F97
J65	85A	Geitstrand	MYTI EDU	1984	19841023	63	21.90	9	56.30	55F97
J65	86A	Geitnes	MYTI EDU	1984	19841023	63	26.60	9	59.20	55F97

jmpco	jmpst	station name	species	myear	sampling date	latdg	latmi	londg	lonmi	ICES area
J65	87A	Ingdalsbukt	MYTI EDU	1984	19841023	63	27.80	9	54.80	55F97
J65	87A	Ingdalsbukt	MYTI EDU	1985	19851104	63	27.80	9	54.80	55F97
J65	87A	Ingdalsbukt	MYTI EDU	1986	19861117	63	27.80	9	54.80	55F97
J65	87A	Ingdalsbukt	MYTI EDU	1987	19871021	63	27.80	9	54.80	55F97
J65	87A	Ingdalsbukt	MYTI EDU	1988	19881117	63	27.80	9	54.80	55F97
J65	87A	Ingdalsbukt	MYTI EDU	1989	19891024	63	27.80	9	54.80	55F97
J65	87A	Ingdalsbukt	MYTI EDU	1991	19911101	63	27.80	9	54.80	55F97
J65	87A	Ingdalsbukt	MYTI EDU	1992	19920830	63	27.80	9	54.80	55F97
J65	87A	Ingdalsbukt	MYTI EDU	1993	19930901	63	27.80	9	54.80	55F97
J65	87A	Ingdalsbukt	MYTI EDU	1995	19950911	63	27.80	9	54.80	55F97
J65	87A	Ingdalsbukt	MYTI EDU	1996	19960918	63	27.80	9	54.80	55F97
J65	88A	Rødberg	MYTI EDU	1984	19841023	63	29.20	10	0.00	55G01
J65	88A	Rødberg	MYTI EDU	1985	19851104	63	29.20	10	0.00	55G01
J99	91A	Nerdvika	MYTI EDU	1992	19920831	63	23.80	8	17.60	55F81
J99	91A	Nerdvika	MYTI EDU	1993	19930901	63	21.20	8	9.60	55F81
J99	91A	Nerdvika	MYTI EDU	1994	19941019	63	21.20	8	9.60	55F81
J99	92A	Stokken	MYTI EDU	1992	19920829	64	4.60	10	0.70	57G03
J99	92A	Stokken	MYTI EDU	1993	19930831	64	4.60	10	0.70	57G03
J99	92A	Stokken	MYTI EDU	1994	19941018	64	4.60	10	0.70	57G03
J99	92A	Stokken	MYTI EDU	1995	19950911	64	4.60	10	0.70	57G03
J99	92A	Stokken	MYTI EDU	1996	19960917	64	4.60	10	0.70	57G03
J99	92A	Stokken	MYTI EDU	1997	19971015	64	2.21	10	1.10	57G03
J99	92B	Stokken area	GADU MOR	1993	19940207	64	9.85	9	53.00	57F99
J99	92B	Stokken area	GADU MOR	1994	19950100	64	9.85	9	53.00	57F99
J99	92B	Stokken area	GADU MOR	1995	19951001	64	9.85	9	53.00	57F99
J99	92B	Stokken area	GADU MOR	1996	19961115	64	9.85	9	53.00	57F99
J99	92B	Stokken area	LIMA LIM	1995	19950927	64	9.85	9	53.00	57F99
J99	92B	Stokken area	PLEU PLA	1995	19950927	64	9.85	9	53.00	57F99
J99	93A	Sætervik	MYTI EDU	1992	19920829	64	23.50	10	28.00	57G04
J99	93A	Sætervik	MYTI EDU	1993	19930831	64	23.68	10	29.00	57G04
J99	94A	Landfast	MYTI EDU	1992	19920828	65	38.40	12	0.50	60G23
J99	94A	Landfast	MYTI EDU	1993	19930829	65	38.40	12	0.50	60G23
J99	95A	Flatskjær	MYTI EDU	1992	19920827	66	42.60	13	15.80	62G32
J99	95A	Flatskjær	MYTI EDU	1993	19930828	66	42.60	13	15.80	62G32
J99	96A	Breiviken	MYTI EDU	1992	19920827	66	17.60	12	50.50	61G28
J99	96A	Breiviken	MYTI EDU	1993	19930828	66	17.60	12	50.50	61G28
J99	97A	Klakholmen	MYTI EDU	1992	19920826	67	39.90	14	44.60	64G49
J99	97A	Klakholmen	MYTI EDU	1993	19930825	67	39.90	14	44.60	64G49
J99	98A	Svolvær området	MYTI EDU	1992	19920825	68	9.40	14	39.30	65G46
J99	98A	Svolvær området	MYTI EDU	1993	19930826	68	9.40	14	39.30	65G46
J99	98A	Svolvær området	MYTI EDU	1997	19971125	68	15.40	14	40.60	65G48
J99	98B	Lille Molla	GADU MOR	1992	19921201	68	12.00	14	48.00	65G48
J99	98B	Lille Molla	GADU MOR	1993	19931115	68	12.00	14	48.00	65G48
J99	98B	Lille Molla	GADU MOR	1994	19941100	68	12.00	14	48.00	65G48
J99	98B	Lille Molla	GADU MOR	1995	19951101	68	12.00	14	48.00	65G48
J99	98B	Lille Molla	GADU MOR	1996	19961115	68	12.00	14	48.00	65G48
J99	98B	Lille Molla	GADU MOR	1997	19971201	68	12.00	14	48.00	65G48
J99	98B	Lille Molla	LIMA LIM	1993	19931115	68	12.00	14	48.00	65G48
J99	98F	Lille Molla	GLYP CYN	1995	19951101	68	12.00	14	48.00	65G48
J99	98F	Lille Molla	LIMA LIM	1994	19941001	68	12.00	14	48.00	65G48
J99	98F	Lille Molla	LIMA LIM	1995	19951101	68	12.00	14	48.00	65G48
J99	98F	Lille Molla	LIMA LIM	1996	19961215	68	12.00	14	48.00	65G48
J99	98F	Lille Molla	MICR KIT	1994	19941001	68	12.00	14	48.00	65G48
J99	98F	Lille Molla	MICR KIT	1995	19951101	68	12.00	14	48.00	65G48
J99	98F	Lille Molla	PLEU PLA	1993	19931115	68	12.00	14	48.00	65G48
J99	98F	Lille Molla	PLEU PLA	1995	19951101	68	12.00	14	48.00	65G48
J99	98F	Lille Molla	PLEU PLA	1997	19971115	68	12.00	14	48.00	65G48

jmpco	jmpst	station name	species	myear	sampling date	latdg	latmi	londg	lonmi	ICES area
J99	98X	Skrova	MYTI EDU	1994	19940902	68	10.50	14	40.15	65G48
J99	98X	Skrova	MYTI EDU	1995	19950908	68	10.50	14	40.15	65G48
J99	98X	Skrova	MYTI EDU	1996	19960911	68	10.50	14	40.15	65G48
J99	99A	Brunvær	MYTI EDU	1992	19920826	68	0.30	15	5.60	65G53
J99	99A	Brunvær	MYTI EDU	1993	19930826	68	0.30	15	5.60	65G53
J26	I001	Sponvikskansen	MYTI EDU	1995	19951024	59	5.40	11	12.50	47G13
J26	I001	Sponvikskansen	MYTI EDU	1996	19961001	59	5.40	11	12.50	47G13
J26	I011	Kråkenebbet	MYTI EDU	1995	19951024	59	6.10	11	17.30	47G13
J26	I011	Kråkenebbet	MYTI EDU	1996	19961001	59	6.10	11	17.30	47G13
J26	I021	Kjøkø,south	MYTI EDU	1995	19951026	59	7.80	10	57.10	47G09
J26	I021	Kjøkø,south	MYTI EDU	1996	19960930	59	7.80	10	57.10	47G09
J26	I021	Kjøkø,south	MYTI EDU	1997	19971012	59	7.79	10	57.10	47G09
J26	I022	West Damholmen	MYTI EDU	1995	19951025	59	6.20	10	57.90	47G09
J26	I022	West Damholmen	MYTI EDU	1996	19960930	59	6.20	10	57.90	47G09
J26	I022	West Damholmen	MYTI EDU	1997	19971013	59	6.20	10	57.90	47G09
J26	I023	Singlekalven, south	MYTI EDU	1995	19951024	59	5.70	11	8.20	47G13
J26	I023	Singlekalven, south	MYTI EDU	1996	19961001	59	5.70	11	8.20	47G13
J26	I023	Singlekalven, south	MYTI EDU	1997	19971013	59	5.70	11	8.20	47G13
J26	I024	Kirkøy, north west	MYTI EDU	1995	19951025	59	4.90	10	59.20	47G09
J26	I024	Kirkøy, north west	MYTI EDU	1996	19960930	59	4.90	10	59.20	47G09
J26	I024	Kirkøy, north west	MYTI EDU	1997	19971012	59	4.90	10	59.20	47G09
J65	I080	Østmerknes	MYTI EDU	1995	19951025	63	27.50	10	27.50	55G04
J65	I080	Østmerknes	MYTI EDU	1996	19960917	63	27.50	10	27.50	55G04
J99	I131	Lastad	MYTI EDU	1995	19951029	58	3.30	7	42.40	45F79
J99	I131	Lastad	MYTI EDU	1996	19960926	58	3.30	7	42.40	45F79
J99	I131	Lastad	MYTI EDU	1997	19971008	58	3.30	7	42.40	45F79
J99	I132	Fiskåtangen	MYTI EDU	1995	19951029	58	7.70	7	58.60	45F79
J99	I132	Fiskåtangen	MYTI EDU	1996	19960927	58	7.70	7	58.60	45F79
J99	I132	Fiskåtangen	MYTI EDU	1997	19971008	58	7.70	7	58.60	45F79
J99	I133	Odderø,west	MYTI EDU	1995	19951029	58	7.90	8	0.20	45F83
J99	I133	Odderø,west	MYTI EDU	1996	19960928	58	7.90	8	0.20	45F83
J99	I133	Odderø,west	MYTI EDU	1997	19971008	58	7.90	8	0.20	45F83
J99	I201	Ekkjegrunn (G1)	MYTI EDU	1995	19951021	59	38.65	6	21.38	48F66
J99	I201	Ekkjegrunn (G1)	MYTI EDU	1996	19961026	59	38.65	6	21.38	48F66
J99	I201	Ekkjegrunn (G1)	MYTI EDU	1997	19971031	59	38.65	6	21.38	48F66
J99	I205	Bølsnes (G5)	MYTI EDU	1995	19951021	59	35.50	6	18.30	48F63
J99	I205	Bølsnes (G5)	MYTI EDU	1997	19971031	59	35.50	6	18.30	48F63
J99	I241	Nordnes	MYTI EDU	1995	19951113	60	24.10	5	18.20	49F51
J99	I241	Nordnes	MYTI EDU	1996	19960921	60	24.10	5	18.20	49F51
J99	I241	Nordnes	MYTI EDU	1997	19970929	60	24.10	5	18.20	49F51
J99	I242	Valheimneset	MYTI EDU	1995	19951114	60	23.70	5	16.10	49F51
J99	I242	Valheimneset	MYTI EDU	1996	19960921	60	23.70	5	16.10	49F51
J99	I242	Valheimneset	MYTI EDU	1997	19970929	60	23.70	5	16.10	49F51
J99	I243	Hegreneset	MYTI EDU	1995	19951115	60	24.90	5	18.50	49F51
J99	I243	Hegreneset	MYTI EDU	1996	19960921	60	24.90	5	18.50	49F51
J99	I243	Hegreneset	MYTI EDU	1997	19970929	60	24.90	5	18.50	49F51
J26	I301	Akershuskaia	MYTI EDU	1995	19951002	59	54.23	10	45.47	48G07
J26	I301	Akershuskaia	MYTI EDU	1996	19961003	59	54.23	10	45.47	48G07
J26	I301	Akershuskaia	MYTI EDU	1997	19971014	59	54.23	10	45.47	48G07
J26	I304	Gåsøya	MYTI EDU	1995	19951002	59	51.11	10	35.51	48G04
J26	I304	Gåsøya	MYTI EDU	1996	19961003	59	51.11	10	35.51	48G04
J26	I304	Gåsøya	MYTI EDU	1997	19971014	59	51.11	10	35.51	48G04
J26	I306	Håøya	MYTI EDU	1995	19951003	59	42.69	10	33.35	48G05
J26	I306	Håøya	MYTI EDU	1996	19961003	59	42.69	10	33.35	48G05
J26	I306	Håøya	MYTI EDU	1997	19971014	59	42.69	10	33.35	48G05

jmpco	jmpst	station name	species	myear	sampling date	latdg	latmi	londg	lonmi	ICES area
J26	I307	Ramtonholmen	MYTI EDU	**1995**	19951003	59	44.70	10	31.40	48G05
J26	I307	Ramtonholmen	MYTI EDU	**1996**	19961003	59	44.70	10	31.40	48G05
J26	I307	Ramtonholmen	MYTI EDU	**1997**	19971014	59	44.70	10	31.40	48G05
J99	I711	Steinholmen	MYTI EDU	**1995**	19951101	59	3.15	9	40.70	47F99
J99	I711	Steinholmen	MYTI EDU	**1996**	19961122	59	3.15	9	40.70	47F99
J99	I711	Steinholmen	MYTI EDU	**1997**	19971010	59	3.15	9	40.70	47F99
J99	I712	Gjemesholmen	MYTI EDU	**1995**	19951101	59	2.75	9	42.47	47F99
J99	I712	Gjemesholmen	MYTI EDU	**1996**	19960929	59	2.75	9	42.47	47F99
J99	I712	Gjemesholmen	MYTI EDU	**1997**	19971010	59	2.75	9	42.47	47F99
J99	I911	Horvika	MYTI EDU	**1995**	19951027	62	44.10	8	31.40	54F85
J99	I911	Horvika	MYTI EDU	**1996**	19960915	62	44.10	8	31.40	54F85
J99	I912	Honnhammer	MYTI EDU	**1995**	19951027	62	51.20	8	9.70	54F81
J99	I912	Honnhammer	MYTI EDU	**1996**	19960915	62	51.20	8	9.70	54F81
J99	I912	Honnhammer	MYTI EDU	**1997**	19980120	62	51.20	8	9.70	54F81
J99	I962	Koksverktomta (B2)	MYTI EDU	**1995**	19951102	66	19.57	14	8.38	61G42
J99	I962	Koksverktomta (B2)	MYTI EDU	**1996**	19960914	66	19.57	14	8.38	61G42
J99	I962	Koksverktomta (B2)	MYTI EDU	**1997**	19971113	66	19.57	14	8.38	61G42
J99	I969	Bjørnbærviken (B9)	MYTI EDU	**1995**	19951102	66	16.79	14	2.13	61G42
J99	I969	Bjørnbærviken (B9)	MYTI EDU	**1996**	19960914	66	16.79	14	2.13	61G42
J99	I969	Bjørnbærviken (B9)	MYTI EDU	**1997**	19971113	66	16.79	14	2.13	61G42
J99	R096	Breiviken, Tomma	MYTI EDU	**1995**	19951105	66	17.60	12	50.50	61G28
J99	R096	Breiviken, Tomma	MYTI EDU	**1996**	19960913	66	17.60	12	50.50	61G28

Appendix C. Abbreviations

Abbreviation[1]	English	*Norwegian*
ELEMENTS		
Al	aluminium	*aluminium*
As	arsenic	*arsen*
Cd	cadmium	*kadmium*
Co	cobalt	*kobolt*
Cr	chromium	*krom*
Cu	copper	*kobber*
Fe	iron	*jern*
Hg	mercury	*kvikksølv*
Li	lithium	*litium*
Mn	manganese	*mangan*
Ni	nickel	*nikkel*
Pb	lead	*bly*
Pb210	lead-210	*bly-210*
Se	selenium	*selen*
Ti	titanium	*titan*
Zn	zinc	*sink*
PAHs		
PAH	polycyclic aromatic hydrocarbons	*polysykliske aromatiske hydrokarboner*
ACNE	acenaphthene	*acenaften*
ACNLE	acenaphthylene	*acenaftylen*
ANT	anthracene	*antracen*
BAA [3]	benz[*a*]anthracene	*benz[a]antracen*
BAP [3]	benzo[*a*]pyrene	*benzo[a]pyren*
BBF [3]	benzo[*b*]fluoranthene	*benzo[b]fluoranten*
BBJKF	benzo[*b,j,k*]fluoranthene	*benzo[b,j,k]fluoranten*
BBKF	benzo[*b+k*]fluoranthene	*benzo[b+k]fluoranten*
BEP	benzo[*e*]pyrene	*benzo[e]pyren*
BGHIP	benzo[*ghi*]perylene	*benzo[ghi]perylen*
BIPN [2]	biphenyl	*bifenyl*
BBJKF [3]	benzo[b+j,k]fluoranthene	*benzo[b+j,k]fluorantren*
BJKF [3]	benzo[*j,k*]fluoranthene	*benzo[j,k]fluorantren*
CHR	chrysene	*chrysen*
CHRTR	chrysene+triphenyl	*chrysen+trifenylen*
COR	coronene	*coronen*
DBAHA [3]	dibenz[*a,h*]anthracene	*dibenz[a,h]anthracen*
DBA3A [3]	dibenz[*a,c/a,h*]anthracene	*dibenz[a,c/a,h]antracen*
DBP [3]	dibenzopyrenes	*dibenzopyren*
DBT	dibenzothiophene	*dibenzothiofen*
DBTC1	C_1-dibenzothiophenes	*C_1-dibenzotiofen*
DBTC2	C_2-dibenzothiophenes	*C_2-dibenzotiofen*
DBTC3	C_3-dibenzothiophenes	*C_3-dibenzotiofen*
FLE	fluorene	*fluoren*
FLU	fluoranthene	*fluoranten*

Abbreviation[1]	English	*Norwegian*
PAHs (cont.)		
ICDP [3]	indeno[*1,2,3-cd*]pyrene	*indeno[1,2,3-cd]pyren*
NAPTM [2]	2,3,5-trimethylnaphthalene	*2,3,5-trimetylnaftalen*
NAP [2]	naphthalene	*naftalen*
NAPC1 [2]	C_1-naphthalenes	*C_1-naftalen*
NAPC2 [2]	C_2-naphthalenes	*C_2-naftalen*
NAPC3 [2]	C_3-naphthalenes	*C_3-naftalen*
NAP1M [2]	1-methylnaphthalene	*1-metylnaftalen*
NAP2M [2]	2-methylnaphthalene	*2-metylnaftalen*
NAPDI [2]	2,6-dimethylnaphthalene	*2,6-dimetylnaftalen*
PA	phenanthrene	*fenantren*
PAC1	C_1-phenanthrenes	*C_1-fenantren*
PAC2	C_2-phenanthrenes	*C_2-fenantren*
PAM1	1-methylphenanthrene	*1-metylfenantren*
PER	perylene	*perylen*
PYR	pyrene	*pyren*
DI-Σn	sum of "n" dicyclic "PAH"s (footnote 2)	*sum "n" disykliske "PAH" (fotnote 2)*
P-Σn	sum "n" PAH	*sum "n" PAH*
PK-Σn	sum carcinogen PAH's (footnote 3)	*sum kreftfremkallende PAH (fotnote 3)*
PAHΣΣ	DI-Σn + P-Σn etc.	*DI-Σn + P-Σn mm..*
SPAH	"total" PAH, specific compounds not quantified (outdated analytical method)	*"total" PAH, spesifikk forbindelser ikke kvantifisert (foreldret metode)*
PCBs		
PCB	polychlorinated biphenyls	*polyklorerte bifenyler*
CB	individual chlorobiphenyls (CB)	*enkelte klorobifenyl*
CB28	CB28 (IUPAC)	*CB28 (IUPAC)*
CB31	CB31 (IUPAC)	*CB31 (IUPAC)*
CB44	CB44 (IUPAC)	*CB44 (IUPAC)*
CB52	CB52 (IUPAC)	*CB52 (IUPAC)*
CB77 [4]	CB77 (IUPAC)	*CB77 (IUPAC)*
CB81 [4]	CB81 (IUPAC)	*CB81 (IUPAC)*
CB95	CB95 (IUPAC)	*CB95 (IUPAC)*
CB101	CB101 (IUPAC)	*CB101 (IUPAC)*
CB105	CB105 (IUPAC)	*CB105 (IUPAC)*
CB110	CB110 (IUPAC)	*CB110 (IUPAC)*
CB118	CB118 (IUPAC)	*CB118 (IUPAC)*
CB126 [4]	CB126 (IUPAC)	*CB126 (IUPAC)*
CB128	CB128 (IUPAC)	*CB128 (IUPAC)*
CB138	CB138 (IUPAC)	*CB138 (IUPAC)*
CB149	CB149 (IUPAC)	*CB149 (IUPAC)*
CB153	CB153 (IUPAC)	*CB153 (IUPAC)*
CB156	CB156 (IUPAC)	*CB156 (IUPAC)*
CB169 [4]	CB169 (IUPAC)	*CB169 (IUPAC)*

Abbreviations (cont'd.)

Abbreviation[1]	English	*Norwegian*
PCBs (cont.)		
CB170	CB170 (IUPAC)	*CB170 (IUPAC)*
CB180	CB180 (IUPAC)	*CB180 (IUPAC)*
CB194	CB194 (IUPAC)	*CB194 (IUPAC)*
CB209	CB209 (IUPAC)	*CB209 (IUPAC)*
CB-Σ7	CB: 28+52+101+118+138+153+180	*CB: 28+52+101+118+138+153+180*
CB-ΣΣ	sum of CBs, includes CB-Σ7	*sum CBer, inkluderer CB-Σ7*
TECBW	Sum of CB-toxicity equivalents after WHO model, see **TEQ**	*Sum CB- toksitets ekvivalenter etter WHO modell, se **TEQ***
TECBS	Sum of CB-toxicity equivalents after SAFE model, see **TEQ**	*Sum CB-toksitets ekvivalenter etter SAFE modell, se **TEQ***
DIOXINs		
TCDD	2, 3, 7, 8-tetrachloro-dibenzo dioxin	*2, 3, 7, 8-tetrakloro-dibenzo dioksin*
CDDST	Sum of tetrachloro-dibenzo dioxins	*Sum tetrakloro-dibenzo dioksiner*
CDD1N	1, 2, 3, 7, 8-pentachloro-dibenzo dioxin	*1, 2, 3, 7, 8-pentakloro-dibenzo dioksin*
CDDSN	Sum of pentachloro-dibenzo dioxins	*Sum pentakloro-dibenzo dioksiner*
CDD4X	1, 2, 3, 4, 7, 8-hexachloro-dibenzo dioxin	*1, 2, 3, 4, 7, 8-heksakloro-dibenzo dioksin*
CDD6X	1, 2, 3, 6, 7, 8-hexachloro-dibenzo dioxin	*1, 2, 3, 6, 7, 8-heksakloro-dibenzo dioksin*
CDD9X	1, 2, 3, 7, 8, 9-hexachloro-dibenzo dioxin	*1, 2, 3, 7, 8, 9-heksakloro-dibenzo dioksin*
CDDSX	Sum of hexachloro-dibenzo dioxins	*Sum heksakloro-dibenzo dioksiner*
CDD6P	1, 2, 3, 4, 6, 7, 8-heptachloro-dibenzo dioxin	*1, 2, 3, 4, 6, 7, 8-heptakloro-dibenzo dioksin*
CDDSH	Sum of heptachloro-dibenzo dioxins	*Sum heptakloro-dibenzo dioksiner*
CDDO	Octachloro-dibenzo dioxin	*Oktakloro-dibenzo dioksin*
PCDD	Sum of polychlorinated dibenzo-p-dioxins	*Sum polyklorinaterte-dibenzo-p-dioksiner*
CDF2T	2, 3, 7, 8-tetrachloro-dibenzofuran	*2, 3, 7, 8-tetrakloro-dibenzofuran*
CDFST	Sum of tetrachloro-dibenzofurans	*Sum tetrakloro-dibenzofuraner*
CDFDN	1, 2, 3, 7, 8/1, 2, 3, 4, 8-pentachloro-dibenzofuran	*1, 2, 3, 7, 8/1, 2, 3, 4, 8-pentakloro-dibenzofuran*
CDF2N	2, 3, 4, 7, 8-pentachloro-dibenzofurans	*2, 3, 4, 7, 8-pentakloro-dibenzofuran*
CDFSN	Sum of pentachloro-dibenzofurans	*Sum pentakloro-dibenzofuraner*
CDFDX	1, 2, 3, 4, 7, 8/1, 2, 3, 4, 7, 9-hexachloro-dibenzofuran	*1, 2, 3, 4, 7, 8/1, 2, 3, 4, 7, 9-heksakloro-dibenzofuran*
CDF6X	1, 2, 3, 6, 7, 8-hexachloro-dibenzofuran	*1, 2, 3, 6, 7, 8-heksakloro-dibenzofuran*
CDF9X	1, 2, 3, 7, 8, 9-hexachloro-dibenzofuran	*1, 2, 3, 7, 8, 9-heksakloro-dibenzofuran*
CDF4X	2, 3, 4, 6, 7, 8-hexachloro-dibenzofuran	*2, 3, 4, 6, 7, 8-heksakloro-dibenzofuran*
CDFSX	Sum of hexachloro-dibenzofurans	*Sum heksakloro-dibenzofuraner*
CDF6P	1, 2, 3, 4, 6, 7, 8-heptachloro-dibenzofuran	*1, 2, 3, 4, 6, 7, 8-heptakloro-dibenzofuran*
CDF9P	1, 2, 3, 4, 7, 8, 9-heptachloro-dibenzofuran	*1, 2, 3, 4, 7, 8, 9-heptakloro-dibenzofuran*
CDFSP	Sum of heptachloro-dibenzofurans	*Sum heptakloro-dibenzofuraner*
CDFO	Octachloro-dibenzofurans	*Octakloro-dibenzofuran*
PCDF	Sum of polychlorinated dibenzo-furans	*Sum polyklorinated dibenzo-furaner*
CDDFS	Sum of PCDD and PCDF	*Sum PCDD og PCDF*

Abbreviations (cont'd.)

Abbreviation[1]	English	*Norwegian*
DIOXINS (cont.)		
TCDDN	Sum of TCDD-toxicity equivalents after Nordic model, see **TEQ**	*Sum TCDD- toksitets ekvivalenter etter Nordisk modell, se **TEQ***
TCDDI	Sum of TCDD-toxicity equivalents after international model, see **TEQ**	*Sum TCDD-toksitets ekvivalenter etter internasjonale modell, se **TEQ***
PESTICIDES		
ALD	aldrin	*aldrin*
DIELD	dieldrin	*dieldrin*
ENDA	endrin	*endrin*
CCDAN	cis-chlordane (=α-chlordane)	*cis-chlordan (=α-chlordan)*
TCDAN	trans-chlordane (=γ-chlordane)	*trans-chlordan (=γ-chlordan)*
OCDAN	oxy-chlordane	*oxy-chlordan*
TNONC	trans-nonachlor	*trans-nonaklor*
TCDAN	trans-chlordane	*trans-chlordan*
OCS	octachlorostyrene	*octaklorstyren*
QCB	pentachlorobenzene	*pentaklorbenzen*
DDD	dichlorodiphenyldichloroethane 1,1-dichloro-2,2-bis-(4-chlorophenyl)ethane	*diklordifenyldikloretan 1,1-dikloro-2,2-bis-(4-klorofenyl)etan*
DDE	dichlorodiphenyldichloroethylene (principle metabolite of DDT) 1,1-dichloro-2,2-bis-(4-chlorophenyl)ethylene*	*diklordifenyldikloretylen (hovedmetabolitt av DDT) 1,1-dikloro-2,2-bis-(4-klorofenyl)etylen*
DDT	dichlorodiphenyltrichloroethane 1,1,1-trichloro-2,2-bis-(4-chlorophenyl)ethane	*diklordifenyltrikloretan 1,1,1-trikloro-2,2-bis-(4-klorofenyl)etan*
DDEOP	o,p'-DDE	*o,p'-DDE*
DDEPP	p,p'-DDE	*p,p'-DDE*
DDTOP	o,p'-DDT	*o,p'-DDT*
DDTPP	p,p'-DDT	*p,p'-DDT*
TDEPP	p,p'-DDD	*p,p'-DDD*
DDTEP	p,p'-DDE + p,p'-DDT	*p,p'-DDE + p,p'-DDT*
DD-nΣ	sum of DDT and metabolites, n = number of compounds	*sum DDT og metabolitter, n = antall forbindelser*

Abbreviations (cont'd.)

Abbreviation[1]	English	*Norwegian*
HCB	hexachlorobenzene	*heksaklorbenzen*
HCHG	lindane γ HCH = gamma hexachlorocyclohexane (γ BHC = gamma benzenehexachloride, outdated synonym)	*lindan* *γ HCH = gamma heksaklorsykloheksan* *(γ BHC = gamma benzenheksaklorid, foreldret betegnelse)*
HCHA	α HCH = alpha HCH	*α HCH = alpha HCH*
HCHB	β HCH = beta HCH	*β HCH = beta HCH*
HC-nΣ	sum of HCHs, n = count	*sum av HCHs, n = antall*
EOCl	extractable organically bound chlorine	*ekstraherbart organisk bundet klor*
EPOCl	extractable persistent organically bound chlorine	*ekstraherbart persistent organisk bundet klor*
NTOT	total organic nitrogen	*total organisk nitrogen*
CTOT	total organic carbon	*total organisk karbon*
CORG	organic carbon	*organisk karbon*
GSAMT	grain size	*kornfordeling*
MOCON	moisture content	*vanninnhold*

Abbreviations (cont'd.)

Abbreviation[1]	English	*Norwegian*
INSTITUTES		
IFEN	Institute for Energy Technology	*Institutt for energiteknikk*
FIER	Institute for Nutrition, Fisheries Directorate	*Fiskeridirektoratets Ernæringsinstitutt*
FORC	FORCE Institutes, Div. for Isotope Technique and Analysis [DK]	*FORCE Institutterne, Div. for Isotopteknik og Analyse [DK]*
IMRN	Institute of Marine Research (IMR)	*Havforskningsinstituttet*
NACE	Nordic Analytical Center	*Nordisk Analyse Center*
NILU	Norwegian Institute for Air Research	*Norsk institutt forluftforskning*
NIVA	Norwegian Institute for Water Research	*Norsk institutt for vannforskning*
SERI	Swedish Environmental Research Institute	*Institutionen för vatten- och luftvårdsforskning*
VETN	Norwegian Veterinary Institute	*Veterinærinstituttet*
SIIF	Fondation for Scientific and Industrial Research at the Norwegian Institute of Technology - SINTEF (a division, previously: Center for Industrial Research SI)	*Stiftelsen for industriell og teknisk forskning ved Norges tekniske høgskole- SINTEF (en avdeling, tidligere: Senter for industriforskning SI)*

1) After: ICES Environmental Data Reporting Formats. International Council for the Exploration of the Sea. July 1996 and supplementary codes related to non-ortho and mono-ortho PCB's and "dioxins" (ICES pers. comm.)

2) Indicates "PAH" compounds that are dicyclic and not truly PAH's typically identified during the analyses of PAH, include naphthalenes and "biphenyls".

3) Indicates PAH compounds potentially cancerogenic for humans according to IARC (1987), i.e., categories 2A+2B (possibly and probably carcinogenic).

4) Indicates non ortho- co-planer PCB compounds ie., those that lack Cl in positions 1, 1', 5, and 5'

*) The Pesticide Index, second edition. The Royal Society of Chemistry, 1991.

Other abbreviations *andre forkortelser*

	English	*Norwegian*
TEQ	"Toxicity equivalency factors" for the most toxic compounds within the following groups:	*"Toxisitetsekvivalentfaktorer" for de giftigste forbindelsene innen følgende grupper.*
	• polychlorinated dibenzo-p-dioxins and dibenzofurans (**PCDD/PCDFs**). Equivalents calculated after Nordic model (Ahlborg *et al.*, 1989) [1] or international model (Int./EPA, cf. Ahlborg *et al.*, 1992) [2]	• *polyklorerte dibenzo-p-dioksiner og dibenzofuraner (**PCDD/PCDF**). Ekvivalentberegning etter nordisk modell (Ahlborg et al., 1989) [1] eller etter internasjonal modell (Int./EPA, cf. Ahlborg et al., 1992) [2]*
	• non-ortho and mono-ortho substituted chlorobiphenyls after WHO model (Ahlborg *et al.*, 1994) [3] or Safe (1994, cf., NILU pers. comm.)	• *non-orto og mono-orto substituerte klorobifenyler etter WHO modell (Ahlborg et al., 1994) [3] eller Safe (1994, cf., NILU pers. medd.)*
ppm	parts per million, mg/kg	*deler pr. milliondeler, mg/kg*
ppb	parts per billion, µg/kg	*deler pr. milliarddeler, µg/kg*
ppp	parts per trillion, ng/kg	*deler pr. tusen-milliarddeler, ng/kg*
d.w.	dry weight basis	*tørrvekt basis*
w.w.	wet weight or fresh weight basis	*våtvekt eller friskvekt basis*

[1]) Ahlborg, U.G., 1989. Nordic risk assessment of PCDDs and PCDFs. Chemosphere 19:603-608.

[2]) Ahlborg, U.G., Brouwer, A, Fingerhut, M.A., Jacobson, J.L., Jacobson, S.W:, Kennedy, S.W., Kettrup, A.F., Koeman, J.H., Poiger, H., Rappe, C., Safe, S.H., Schlatter, C., Seegal, R.F., Tuomisto, J., van den Berg, M., 1992. Impact of polychlorinated dibenzo-p-dioxins, dibenzofurans, and biphenyls on human and envirommental healrth, with special emphasis on application of the toxic euivalency factor concept *European Journal og Pharmacology . Environmental Toxicology and Pharmacology Section* 228 (1992) 179-199

[3]) Ahlborg, U.G., Becking G.B., Birnbaum, L.S., Brouwer, A, Derks, H.J.G.M., Feely, M., Golor, G., Hanberg, A., Larsen, J.C., J.C., Liem, A.K.G., Safe, S.H., Schlatter, C., Wärn, F., Younes, M., Yrjänheikki, E., 1994. Toxic equivalency factors for dioxin-like PCBs. Report on a WHO-ECEH and IPSC consultation , December 1993. Chemosphere 28:1049-1067.

Appendix D.
SHELLFISH 1993-1997
RAW DATA

NOTES

This appendix presents concentrations of the contaminants found in shellfish. All data are on a original basis; that is, the basis on which the sample was analysed. Three units of measure are used: **ppm** (parts per million, mg/kg), **ppb** (parts per billion, µg/kg) and **ppp** (parts per trillion, ng/kg). The numeric values shown have been printed with a fixed number of digits and do not necessarily indicate analytical precision. Refer also to the comments preceding the table.

The data is sorted in the order of::

Species	Alphabetically by ICES code; Latin, English and Norwegian name follow.
Tissue	Softbody, tail muscle
Sample area	Geographically beginning with those stations near the Swedish border and continuing around the coast to the Russian border (cf., maps, Appendix A). The sample area code refers to the official JAMP designation and for some areas this may be undefined (J99).

Note that the results from bulked samples and individuals are treated separately.

The abbreviations for analytical laboratory and variable name are explained in Appendix C. Analysis codes have been described Green (1993b). An overview of variables, detection limits and data count are given in recent JAMP annual reports (cf., Green *et al* 1999.).

10/11-99

REPORT INFORMATION : " S H E L L F I S H ".

Table-File-Name : I:\TBX\JMG\BIO\TAB-0SHL.TB1

Limit-CheckFile :)LIM\NO-LIMIT.SHL

Weight basis : "ORGINAL".

Table SORT-Mode : 1. SPECIES.
: 2. TISSUE.
: 3. LOCALITY-index. (Predefined sequence)
: 4. DATE
: 5. SAMPLE-TYPE (Indiv.,Bulked,Homogenate)

NOTES :

+ The detection limits given here are approximations based on 3 times the standard deviation of the "blank" or near zero concentration of a solution.
Day to day variations in the analytical instrument may lead to different detection limits.

+ Method codes are explained in: Green,N.W.,1993. Overview of Analytical Methods Employed by JMP in Norway 1981-92. NIVA project 80106.

+ NB ! The numeric values shown have been printed with a FIXED number of digits, and do not necessarily indicate analytical precision.

+ If a numeric value is suspect, the value is ignored in parameter statistics. (Unless all observations are suspect).
If value can not be converted to basis for this table, the value is printed in the orginal basis but not included in any parameter statistics unless all values are in orginal basis.

+ For "Σ" variables (e.g. CB_Σ7, DD_Σn) , all the "<"-values (less than the detection limits) are counted only once.
If two or more different "<"-values are present, the maximum of the least questionable (suspect) "<"-value is used.
Any missing "Σ"-elements are ignored.

+ If replicates are analyzed, the mean value of the replicates is counted in parameter statistics.

+ If value is prefixed "<<", the number of "<" values is greater or equal to 25% of computed observations.
Standard Deviation values are prefixed the character "~" if any "<" values are included.

+ Footnotes consist of 4 parts:
1: a letter code (e.g ? or a/A)
The letter code may include one or more characters indicating possible matching letters referenced before or after numbers.
When more letters are given, the syntax "A:D" means any of "A,B,C or D" while syntax "a/A" means any of "a" or "A" is referencing.
2: a count (in paranthesis)
3: a "!" or ">"
"!" refer to notes BEFORE numeric values.
">" refer to notes AFTER numeric values.
4: The footnote explanation.

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J26 Oslofjorden, Tissue : Whole SOFT BODY.
Locality : 30A Gressholmen, Latitude: 59°52.50N, Longitude: 10°43.00E.
Catch,date : 1993-0915, Count: 150, Sample type: Bulked.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>					312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!
Detection Limit. =>				Mean	0.050	0.010	0.005	0.030	1.00	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	!	!	0.10	0.10	!
Samp/ Shell-length -wght No of				Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn
Repl. Min:Max,Mean mean shell				g	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g							w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 20:29	26.0	0.90	50	0.50	17.50	1.20	0.220	1.480	0.016	0.440	22.30	0.20	s1.50	1.00	s2.20	1.40	1.60	1.90	0.10	<0.10	<0.10	s<7.7	s<10.0	0.7	s0.50	s1.20
02/ 1 30:39	35.0	2.60	50	1.47	20.70	1.50	0.200	1.380	0.012	0.420	20.60	0.20	s1.30	1.50	s1.70	1.80	2.00	2.40	0.10	<0.10	<0.10	s<9.3	s<11.1	0.8	s0.60	s1.40
03/ 1 40:49	45.0	5.80	50	2.94	18.50	1.20	0.260	1.220	0.013	0.420	19.30	0.20	s1.70	1.20	s1.90	1.40	1.50	1.70	0.10	<0.10	<0.10	s<7.8	s<9.8	0.6	s0.50	s1.10
Mean	35.3	3.10	50.0	1.64	18.90	1.30	0.227	1.360	0.014	0.427	20.73	0.20	s1.50	1.23	s1.93	1.53	1.70	2.00	0.10	<<0.10	<<0.10	s<<8.3	s<<10.3	0.7	s0.53	s1.23
Minimum	26.0	0.90	50	0.50	17.50	1.20	0.200	1.220	0.012	0.420	19.30	0.20	s1.30	1.00	s1.70	1.40	1.50	1.70	0.10	<0.10	<0.10	s<7.7	s<9.8	0.6	s0.50	s1.10
Maximum	45.0	5.80	50	2.94	20.70	1.50	0.260	1.480	0.016	0.440	22.30	0.20	s1.70	1.50	s2.20	1.80	2.00	2.40	0.10	<0.10	<0.10	s<9.3	s<11.1	0.8	s0.60	s1.40
St.dev.	9.5	2.49	0.0	1.23	1.64	0.17	0.031	0.131	0.002	0.012	1.50	0.00	0.20	0.25	0.25	0.23	0.26	0.36	0.00	~0.00	~0.00	~0.9	~0.7	0.1	0.06	0.15
Count	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

s/q(36) ! Suspect value(s)

Tab.width cont'd MYTI EDU, SB, J26, 30A Gressholmen, 1993-0915.

. Analytical Lab. =>	NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>	341	341	!	341	341	341
Detection Limit. =>	0.10	0.10	!	0.10	0.10	0.10
Samp/ Shell-length -wght No of	HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl. Min:Max,Mean mean shell	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 20:29 26.0 0.90 50	<0.10	0.30	<0.40	<0.10	<0.10	<0.10
02/ 1 30:39 35.0 2.60 50	0.10	0.30	0.40	<0.10	<0.10	<0.10
03/ 1 40:49 45.0 5.80 50	0.10	0.30	0.40	<0.10	<0.10	<0.10
Mean 35.3 3.10 50.0	<<0.10	0.30	<<0.40	<<.10	<<.10	<<.10
Minimum 26.0 0.90 50	<0.10	0.30	<0.40	<0.10	<0.10	<0.10
Maximum 45.0 5.80 50	0.10	0.30	0.40	<0.10	<0.10	<0.10
St.dev. 9.5 2.49 0.0	~0.00	0.00	~0.00	~0.00	~0.00	~0.00
Count 3 3 3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J26 Oslofjorden, Tissue : Whole SOFT BODY.
Locality : 30A Gressholmen, Latitude: 59°52.50N, Longitude: 10°43.00E.
Catch,date : 1994-1030, Count: 150, Sample type: Bulked.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>					312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!
Detection Limit. =>				Mean	0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!
Samp/ Shell-length -wght No of				Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn
Repl. Min:Max,Mean mean shell				g	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g							w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 25:29	27.1		50	0.75	17.30	2.08	0.213	1.760	0.013	0.440	22.20	0.82	2.03	3.16	1.09	2.97	3.44	3.75	s0.22	0.61	<0.05	16.8	s<18.1	1.4	0.78	2.15
02/ 1 30:39	35.1		50	1.76	18.50	1.94	0.196	1.520	0.016	0.430	21.70	0.76	1.87	3.06	1.09	2.99	3.47	3.86	s0.25	0.51	<0.05	16.5	s<17.9	1.3	0.62	1.93
03/ 1 40:49	45.6		50	3.80	19.50	2.05	0.229	1.670	0.020	0.530	21.70	0.71	1.92	3.07	1.05	2.83	3.42	3.76	s0.26	0.43	<0.05	16.1	s<17.5	1.2	0.60	1.81
Mean	35.9		50.0	2.10	18.43	2.02	0.213	1.650	0.016	0.467	21.87	0.76	1.94	3.10	1.08	2.93	3.44	3.79	s0.24	0.52	<<0.05	16.5	s<<17.9	1.3	0.67	1.96
Minimum	27.1		50	0.75	17.30	1.94	0.196	1.520	0.013	0.430	21.70	0.71	1.87	3.06	1.05	2.83	3.42	3.75	s0.22	0.43	<0.05	16.1	s<17.5	1.2	0.60	1.81
Maximum	45.6		50	3.80	19.50	2.08	0.229	1.760	0.020	0.530	22.20	0.82	2.03	3.16	1.09	2.99	3.47	3.86	s0.26	0.61	<0.05	16.8	s<18.1	1.4	0.78	2.15
St.dev.	9.3		0.0	1.55	1.10	0.07	0.017	0.121	0.004	0.055	0.29	0.06	0.08	0.06	0.02	0.09	0.03	0.06	0.02	0.09	~0.00	0.3	~0.3	0.1	0.10	0.17
Count	3		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

s/q(12) ! Suspect value(s)

Tab.width cont'd **MYTI EDU, SB, J26, 30A Gressholmen, 1994-1030.**

. Analytical Lab. ⇒			NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. ⇒			341	341	!	341	341	341
____ Detection Limit.____ ⇒			0.05	0.05	!	0.05	0.05	0.05
Samp/ Repl. no.	Shell-length Min:Max, mm:mm	Mean mm	-wght mean g	No of shell	HCHA ppb w.wt	HCHG ppb w.wt	HC Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt
01/ 1	25:29	27.1		50	0.11	0.30	0.41	0.05	<0.05	<0.05
02/ 1	30:39	35.1		50	0.12	0.32	0.44	<0.05	0.05	<0.05
03/ 1	40:49	45.6		50	0.10	0.28	0.38	0.05	<0.05	<0.05
Mean		35.9		50.0	0.11	0.30	0.41	<<.05	<<.05	<<.05
Minimum		27.1		50	0.10	0.28	0.38	<0.05	<0.05	<0.05
Maximum		45.6		50	0.12	0.32	0.44	0.05	<0.05	<0.05
St.dev.		9.3		0.0	0.01	0.02	0.03	~0.00	~0.00	~0.00
Count		3		3	3	3	3	3	3	3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J26 Oslofjorden**, Tissue : **Whole SOFT BODY.**
Locality : **30A Gressholmen**, Latitude: 59°52.50N, Longitude: 10°43.00E.
Catch,date : **1995-0926**, Count: 150, Sample type: **Bulked.**

. Analytical Lab. ⇒					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	NIVA	Σ(*)
. Analysis Code. ⇒					312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	!	!	341	340	341	!
____ Detection Limit.____ ⇒					0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	0.05	!
Samp/ Repl. no.	Shell-length Min:Max, mm:mm	Mean mm	-wght mean g	No of shell	Dry %	Fat %	Cd ppm w.wt	Cu ppm w.wt	Hg ppm w.wt	Pb ppm w.wt	Zn ppm w.wt	CB28 ppb w.wt	CB52 ppb w.wt	CB101 ppb w.wt	CB105 ppb w.wt	CB118 ppb w.wt	CB138 ppb w.wt	CB153 ppb w.wt	CB156 ppb w.wt	CB180 ppb w.wt	CB209 ppb w.wt	CB Σ7 ppb w.wt	CB ΣΣ ppb w.wt	DDEPP ppb w.wt	DDTPP ppb w.wt	TDEPP ppb w.wt	DD Σn ppb w.wt
01/ 1	20:29	27.4		50	17.70	0.52	0.154	1.570	0.012	0.290	21.80	0.37	0.84	1.49	0.85	1.94	1.76	1.85	0.18	0.17	<0.05	8.4	<9.5	0.5	miss	0.25	0.76
02/ 1	30:39	34.6		50	20.90	1.85	0.147	1.450	0.012	0.300	22.60	0.95	2.61	4.12	2.08	5.07	4.48	4.87	0.46	0.38	<0.05	22.5	<25.1	1.3	miss	0.68	1.95
03/ 1	40:49	44.4		50	22.80	1.83	0.177	1.420	0.011	0.360	24.80	0.95	2.30	3.68	1.93	4.64	4.17	4.48	0.45	0.38	<0.05	20.6	<23.0	1.3	miss	0.73	2.03
Mean		35.5		50.0	20.47	1.40	0.159	1.480	0.012	0.317	23.07	0.76	1.92	3.10	1.62	3.88	3.47	3.73	0.36	0.31	<<0.05	17.2	<<19.2	1.0	.	0.55	1.58
Minimum		27.4		50	17.70	0.52	0.147	1.420	0.011	0.290	21.80	0.37	0.84	1.49	0.85	1.94	1.76	1.85	0.18	0.17	<0.05	8.4	<9.5	0.5	.	0.25	0.76
Maximum		44.4		50	22.80	1.85	0.177	1.570	0.012	0.360	24.80	0.95	2.61	4.12	2.08	5.07	4.48	4.87	0.46	0.38	<0.05	22.5	<25.1	1.3	.	0.73	2.03
St.dev.		8.5		0.0	2.58	0.76	0.016	0.079	0.001	0.038	1.55	0.33	0.95	1.41	0.67	1.70	1.49	1.64	0.16	0.12	~0.00	7.6	~8.5	0.4	.	0.26	0.71
Count		3		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	.	3	3

miss(7) ! Missing value.

Tab.width cont'd **MYTI EDU, SB, J26, 30A Gressholmen, 1995-0926.**

. Analytical Lab. ⇒					NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. ⇒					341	341	!	341	341	341	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309
____ Detection Limit.____ ⇒					0.05	0.05	!	0.05	0.05	0.05	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Samp/ Repl. no.	Shell-length Min:Max, mm:mm	Mean mm	-wght mean g	No of shell	HCHA ppb w.wt	HCHG ppb w.wt	HC Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt	NAP ppb w.wt	NAP2M ppb w.wt	NAP1M ppb w.wt	BIPN ppb w.wt	NAPDI ppb w.wt	NAPIM ppb w.wt	ACNLE ppb w.wt	ACNE ppb w.wt	FLE ppb w.wt	PA ppb w.wt	ANT ppb w.wt	PAM1 ppb w.wt	FLU ppb w.wt	PYR ppb w.wt	BAA ppb w.wt	CHRT R ppb w.wt	BJKF F ppb w.wt	BBJK ppb w.wt
01/ 1	20:29	27.4		50	<0.05	0.12	<0.17	<0.05	<0.05	<0.05	<0.5	7.4	4.0	1.0	2.2	0.5	0.7	1.1	1.8	4.8	6.3	4.1	10.8	9.2	2.3	5.4	miss	2.5
02/ 1	30:39	34.6		50	0.09	0.31	0.40	<0.05	<0.05	<0.05	<0.5	<0.5	<0.5	<0.5	0.8	3.8	<0.5	<0.5	1.4	3.0	3.4	6.0	9.8	8.2	1.0	3.3	miss	2.9
03/ 1	40:49	44.4		50	0.09	0.35	0.44	<0.05	<0.05	<0.05	<0.5	<0.5	<0.5	<0.5	0.8	3.1	<0.5	<0.5	1.3	3.5	2.5	5.3	8.6	6.7	1.3	3.2	miss	2.8
Mean		35.5		50.0	<<0.08	0.26	<<0.34	<<.05	<<.05	<<.05	<<0.5	<<2.8	<<1.7	<<0.7	1.3	2.5	<<0.6	<<0.7	1.5	3.8	4.1	5.1	9.7	8.0	1.5	4.0	.	2.7
Minimum		27.4		50	<0.05	0.12	<0.17	<0.05	<0.05	<0.05	<0.5	<0.5	<0.5	<0.5	0.8	0.5	<0.5	<0.5	1.3	3.0	2.5	4.1	8.6	6.7	1.0	3.2	.	2.5
Maximum		44.4		50	0.09	0.35	0.44	<0.05	<0.05	<0.05	<0.5	7.4	4.0	1.0	2.2	3.8	0.7	1.1	1.8	4.8	6.3	6.0	10.8	9.2	2.3	5.4	.	2.9
St.dev.		8.5		0.0	~0.02	0.12	~0.15	~0.00	~0.00	~0.00	~0.0	~4.0	~2.0	~0.3	0.8	1.7	~0.1	~0.3	0.3	0.9	2.0	1.0	1.1	1.3	0.7	1.2	.	0.2
Count		3		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	.	3

. Analytical Lab. =>	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. =>	309	309	309	309	309	309	!	!	!	!
Detection Limit. =>	0.20	0.20	0.20	0.20	0.20	0.20	!	!	!	!
Samp/ Shell-length -wght No of	BEP	BAP	PER	ICDP	DBA3A	BGHIP	DI Σn	P Σn	PK Σn	PAHΣΣ
Repl. Min:Max,Mean mean shell	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 20:29 27.4 50	5.9	1.4	0.8	1.2	<0.5	2.6	<15.6	<61.4	<7.9	<76.5
02/ 1 30:39 34.6 50	5.2	0.7	0.6	0.9	<0.5	2.1	<5.1	<49.0	<6.0	<53.6
03/ 1 40:49 44.4 50	4.7	0.7	0.5	0.8	miss	2.2	<4.4	<44.6	5.6	<48.5
Mean 35.5 50.0	5.3	0.9	0.6	1.0	<<0.5	2.3	<<8.4	<<51.7	<<6.5	<<59.5
Minimum 27.4 50	4.7	0.7	0.5	0.8	<0.5	2.1	<4.4	<44.6	5.6	<48.5
Maximum 44.4 50	5.9	1.4	0.8	1.2	<0.5	2.6	<15.6	<61.4	<7.9	<76.5
St.dev. 8.5 0.0	0.6	0.4	0.2	0.2	~0.0	0.3	~6.3	~8.7	~1.2	~14.9
Count 3 3	3	3	3	3	2	3	3	3	3	3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J26 Oslofjorden**, Tissue : **Whole SOFT BODY.**
Locality : **30A Gressholmen**, Latitude: 59°52.50N, Longitude: 10°43.00E.
Catch,date : **1996-1003**, Count: 210, Sample type: **Bulked.**

. Analytical Lab. =>				NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NILU	NILU	NILU	NILU	Σ(*)
. Analysis Code. =>				312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	841	841	841	841	!
Detection Limit. =>				0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.00	0.00	0.00	0.00	!
Samp/ Shell-length -wght No of	Mean Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB77	CB81	CB126	CB169	CB Σ4
Repl. Min:Max,Mean mean shell	g	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppp	ppp	ppp	ppp	ppp
no. mm:mm mm g				w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 25:29 28.0 1.09 50	0.75	18.40	1.57	0.150	1.680	0.013	0.390	22.60	0.57	2.04	3.88	1.75	3.85	4.45	4.85	0.36	0.51	<0.05	.	.	.	.	.
02/ 1 30:39 34.0 2.23 50	1.50	19.90	1.80	0.140	1.530	0.013	0.390	21.50	0.63	2.22	4.40	1.95	4.41	5.10	5.70	0.41	0.47	<0.05	.	.	.	.	.
03/ 1 40:49 45.0 5.28 50	3.71	20.00	1.97	0.160	1.470	0.014	0.490	22.80	0.49	2.04	3.79	1.48	3.59	4.10	4.63	0.28	0.28	<0.05	.	.	.	.	.
04/ 1 33:49 41.5 4.22 60	2.67	18.90	1.60	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	314.00	7.03	11.50	s0.66	s333.19
Mean 37.1 3.21 52.5	2.16	19.30	1.74	0.150	1.560	0.013	0.423	22.30	0.56	2.10	4.02	1.73	3.95	4.55	5.06	0.35	0.42	<<0.05	314.00	7.03	11.50	s0.66	s333.19
Minimum 28.0 1.09 50	0.75	18.40	1.57	0.140	1.470	0.013	0.390	21.50	0.49	2.04	3.79	1.48	3.59	4.10	4.63	0.28	0.28	<0.05	314.00	7.03	11.50	s0.66	s333.19
Maximum 45.0 5.28 60	3.71	20.00	1.97	0.160	1.680	0.014	0.490	22.80	0.63	2.22	4.40	1.95	4.41	5.10	5.70	0.41	0.51	<0.05	314.00	7.03	11.50	s0.66	s333.19
St.dev. 7.6 1.89 5.0	1.30	0.78	0.19	0.010	0.108	0.001	0.058	0.70	0.07	0.10	0.33	0.24	0.42	0.51	0.57	0.07	0.12	~0.00	.	.	.	.	.
Count 4 4 4	4	4	4	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	1	1	1	1	1

s/q(41) ! Suspect value(s)
i (1) ! Suspect or ambiguous basis-value(s) ignored in statistics.

. Analytical Lab. =>	Σ(*)	Σ(*)	Σ(*)	Σ(*)	NIVA	NIVA	NIVA	Σ(*)	NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>	!	!	!	!	341	340	341	!	341	341	!	341	341	341	309	309	309	309	309	309	309	309	309
Detection Limit. =>	!	!	!	!	0.10	0.05	0.05	!	0.05	0.05	!	0.05	0.05	0.05	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Samp/ Shell-length -wght No of	TECBW	TECBS	CB Σ7	CB ΣΣ	DDEPP	DDTPP	TDEPP	DD Σn	HCHA	HCHG	HC Σn	HCB	QCB	OCS	NAP	NAPC1	NAPC2	NAPC3	BIPN	ACNLE	ACNE	FLE	PA
Repl. Min:Max,Mean mean shell	ppp	ppp	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 25:29 28.0 1.09 50	.	.	20.2	<22.3	0.5	<0.05	0.22	<0.76	<0.05	0.15	<0.20	<0.05	<0.05	<0.05	2.8	9.6	7.1	6.9	0.8	1.1	2.5	1.7	3.1
02/ 1 30:39 34.0 2.23 50	.	.	22.9	<25.3	0.5	<0.05	0.23	<0.79	<0.05	0.13	<0.18	<0.05	<0.05	<0.05	1.6	7.8	6.0	8.0	0.6	0.8	1.8	1.6	2.7
03/ 1 40:49 45.0 5.28 50	.	.	18.9	<20.7	0.3	<0.05	0.19	<0.58	<0.05	0.11	<0.16	<0.05	<0.05	<0.05	2.8	6.7	5.7	9.2	0.5	0.7	1.7	1.5	3.0
04/ 1 33:49 41.5 4.22 60	s1.31	s4.32	.	s0.3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Mean 37.1 3.21 52.5	s1.31	s4.32	20.7	<<22.8	0.4	<<0.05	0.21	<<0.71	<<0.05	0.13	<<0.18	<<.05	<<.05	<<.05	2.4	8.0	6.3	8.0	0.6	0.9	2.0	1.6	2.9
Minimum 28.0 1.09 50	s1.31	s4.32	18.9	<20.7	0.3	<0.05	0.19	<0.58	<0.05	0.11	<0.16	<0.05	<0.05	<0.05	1.6	6.7	5.7	6.9	0.5	0.7	1.7	1.5	2.7
Maximum 45.0 5.28 60	s1.31	s4.32	22.9	<25.3	0.5	<0.05	0.23	<0.79	<0.05	0.15	<0.20	<0.05	<0.05	<0.05	2.8	9.6	7.1	9.2	0.8	1.1	2.5	1.7	3.1
St.dev. 7.6 1.89 5.0	.	.	2.1	~2.3	0.1	~0.00	0.02	~0.11	~0.00	0.02	~0.02	~0.00	~0.00	~0.00	0.7	1.5	0.7	1.2	0.2	0.2	0.4	0.1	0.2
Count 4 4 4	1	1	3	i3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J26, 30A Gressholmen, 1996-1003.**

. Analytical Lab. ⇒	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)	NILU	NILU	NILU
. Analysis Code. ⇒	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	!	!	!	!	841	841	841
____ Detection Limit.____ ⇒	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	!	!	!	!	0.00	0.00	0.00
Samp/ Shell-length -wght No of	PAC1	PAC2	ANT	FLU	PYR	BAA	CHR	BBJK	BEP	BAP	PER	ICDP	DBA3A	BGHIP	DBTC 1	DBTC 2	DBTC 3	DI_Σn	P_Σn	PK_Σn	PAHΣΣ	TCDD	CDDST	CDD1N
Repl. Min:Max,Mean mean shell	ppb	ppb	ppb	ppb	ppb	ppb	ppb	F ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppp	ppp	ppp
no. mm:mm mm g	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 25:29 28.0 1.09 50	19.0	29.0	0.9	14.0	12.0	1.5	7.5	3.1	5.7	0.9	0.8	1.2	<0.5	2.1	2.6	6.4	15.0	27.2	<130.6	<31.2	<157.8	.	.	.
02/ 1 30:39 34.0 2.23 50	13.0	21.0	0.8	12.0	9.7	1.4	5.9	2.2	4.7	0.7	0.6	0.8	<0.5	1.8	2.3	6.2	11.0	24.0	<101.5	<25.1	<125.5	.	.	.
03/ 1 40:49 45.0 5.28 50	24.0	29.0	0.8	12.0	10.7	1.5	6.0	2.3	5.2	0.7	0.6	0.9	<0.5	1.7	1.7	5.0	14.0	24.9	<123.5	<26.6	<148.4	.	.	.
04/ 1 33:49 41.5 4.22 60	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	0.05	0.43	0.04
Mean 37.1 3.21 52.5	18.7	26.3	0.8	12.7	10.8	1.5	6.5	2.5	5.2	0.8	0.7	1.0	<<0.5	1.9	2.2	5.9	13.3	25.4	<<118.5	<<27.6	<<143.9	0.05	0.43	0.04
Minimum 28.0 1.09 50	13.0	21.0	0.8	12.0	9.7	1.4	5.9	2.2	4.7	0.7	0.6	0.8	<0.5	1.7	1.7	5.0	11.0	24.0	<101.5	<25.1	<125.5	0.05	0.43	0.04
Maximum 45.0 5.28 60	24.0	29.0	0.9	14.0	12.0	1.5	7.5	3.1	5.7	0.9	0.8	1.2	<0.5	2.1	2.6	6.4	15.0	27.2	<130.6	<31.2	<157.8	0.05	0.43	0.04
St.dev. 7.6 1.89 5.0	5.5	4.6	0.1	1.2	1.2	0.1	0.9	0.5	0.5	0.1	0.1	0.2	~0.0	0.2	0.5	0.8	2.1	1.7	~15.2	~3.2	~16.6	.	.	.
Count 4 4 4	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	1	1	1

Tab.width cont'd **MYTI EDU, SB, J26, 30A Gressholmen, 1996-1003.**

. Analytical Lab. ⇒	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU
. Analysis Code. ⇒	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841
____ Detection Limit.____ ⇒	0.00	2000000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Samp/ Shell-length -wght No of	CDDSN	0.0	CDD6X	CDD9X	CDDSX	CDD6P	CDDSP	CDDO	PCDD	CDF2T	CDFST	CDFDN	CDF2N	CDFSN	CDFDX	CDF6X	CDF9X	CDF4X	CDFSX	CDF6P	CDF9P	CDFSP
Repl. Min:Max,Mean mean shell	ppp	CDD4X	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp
no. mm:mm mm g	w.wt	ppp w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 25:29 28.0 1.09 50	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
02/ 1 30:39 34.0 2.23 50	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
03/ 1 40:49 45.0 5.28 50	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
04/ 1 33:49 41.5 4.22 60	s0.04	<0.02	s0.06	0.06	0.14	0.50	0.92	1.65	3.18	1.48	8.28	0.24	0.19	0.98	s0.08	s0.06	1.69	0.14	1.92	2.11	<0.08	2.53
Mean 37.1 3.21 52.5	s0.04	<0.02	s0.06	0.06	0.14	0.50	0.92	1.65	3.18	1.48	8.28	0.24	0.19	0.98	s0.08	s0.06	1.69	0.14	1.92	2.11	<0.08	2.53
Minimum 28.0 1.09 50	s0.04	<0.02	s0.06	0.06	0.14	0.50	0.92	1.65	3.18	1.48	8.28	0.24	0.19	0.98	s0.08	s0.06	1.69	0.14	1.92	2.11	<0.08	2.53
Maximum 45.0 5.28 60	s0.04	<0.02	s0.06	0.06	0.14	0.50	0.92	1.65	3.18	1.48	8.28	0.24	0.19	0.98	s0.08	s0.06	1.69	0.14	1.92	2.11	<0.08	2.53
St.dev. 7.6 1.89 5.0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Count 4 4 4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

Tab.width cont'd **MYTI EDU, SB, J26, 30A Gressholmen, 1996-1003.**

. Analytical Lab. ⇒	NILU	NILU	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. ⇒	841	841	!	!	!
____ Detection Limit.____ ⇒	0.00	0.00	!	!	!
Samp/ Shell-length -wght No of	CDFO	PCDF	CDDFS	TCDDI	TCDDN
Repl. Min:Max,Mean mean shell	ppp	ppp	ppp	ppp	ppp
no. mm:mm mm g	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 25:29 28.0 1.09 50	.	.	.	.	.
02/ 1 30:39 34.0 2.23 50	.	.	.	.	.
03/ 1 40:49 45.0 5.28 50	.	.	.	.	.
04/ 1 33:49 41.5 4.22 60	1.24	15.00	3.45	s<0.56	s<0.56
Mean 37.1 3.21 52.5	1.24	15.00	3.45	s<0.56	s<0.56
Minimum 28.0 1.09 50	1.24	15.00	3.45	s<0.56	s<0.56
Maximum 45.0 5.28 60	1.24	15.00	3.45	s<0.56	s<0.56
St.dev. 7.6 1.89 5.0	.	.	.	.	.
Count 4 4 4	1	1	1	1	1

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J26 Oslofjorden, Tissue : Whole SOFT BODY.
Locality : 30A Gressholmen, Latitude: 59°52.75N, Longitude: 10°43.00E.
Catch,date : 1997-1014, Count: 200, Sample type: Bulked.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>					312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	!	!	341	340	341
_____ Detection Limit._____ =>					0.050	0.010	0.005	0.040	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	0.05
Samp/ Shell-length -wght No of				Mean	___	___	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB Σ7	CB ΣΣ	DDEPP	DDTPP	TDEPP
Repl. Min:Max,Mean mean shell				Weight	Dry	Fat	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g				g	%	%	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	20:29	24.8	1.05	100	0.61	18.30	2.11	0.203	1.630	0.011	0.620	29.20	0.82	2.42	4.55	2.18	4.30	5.41	5.27	0.58	0.71	<0.05	23.5	<26.3	1.3	2.24	1.64
02/ 1	30:39	34.8	2.66	50	1.79	18.20	1.64	0.156	1.760	0.011	0.490	22.90	0.61	1.94	4.04	1.96	4.06	5.23	5.28	0.51	0.52	<0.05	21.7	<24.2	1.0	1.94	1.05
03/ 1	40:49	44.4	5.32	50	3.41	18.70	1.88	0.158	1.770	0.014	0.480	23.60	0.68	2.10	4.36	2.16	4.53	5.80	5.84	0.56	0.57	<0.05	23.9	<26.7	1.1	2.09	1.11
Mean		34.7	3.01	66.7	1.94	18.40	1.88	0.172	1.720	0.012	0.530	25.23	0.70	2.15	4.32	2.10	4.30	5.48	5.46	0.55	0.60	<<0.05	23.0	<<25.7	1.1	2.09	1.27
Minimum		24.8	1.05	50	0.61	18.20	1.64	0.156	1.630	0.011	0.480	22.90	0.61	1.94	4.04	1.96	4.06	5.23	5.27	0.51	0.52	<0.05	21.7	<24.2	1.0	1.94	1.05
Maximum		44.4	5.32	100	3.41	18.70	2.11	0.203	1.770	0.014	0.620	29.20	0.82	2.42	4.55	2.18	4.53	5.80	5.84	0.58	0.71	<0.05	23.9	<26.7	1.3	2.24	1.64
St.dev.		9.8	2.16	28.9	1.41	0.26	0.24	0.027	0.078	0.002	0.078	3.45	0.11	0.24	0.26	0.12	0.24	0.29	0.33	0.04	0.10	~0.00	1.2	~1.3	0.1	0.15	0.32
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J26, 30A Gressholmen, 1997-1014.

. Analytical Lab. =>					Σ(*)	NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>					!	341	341	!	341	341	341
_____ Detection Limit._____ =>					!	0.05	0.05	!	0.05	0.05	0.05
Samp/ Shell-length -wght No of					DD Σn	HCHA	HCHG	HC Σn	HCB	QCB	OCS
Repl. Min:Max,Mean mean shell					ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g					w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	20:29	24.8	1.05	100	5.14	0.19	0.52	0.71	0.09	<0.05	<0.05
02/ 1	30:39	34.8	2.66	50	3.96	0.12	0.28	0.40	0.05	<0.05	<0.05
03/ 1	40:49	44.4	5.32	50	4.30	0.12	0.30	0.42	0.05	<0.05	<0.05
Mean		34.7	3.01	66.7	4.47	0.14	0.37	0.51	0.06	<<.05	<<.05
Minimum		24.8	1.05	50	3.96	0.12	0.28	0.40	0.05	<0.05	<0.05
Maximum		44.4	5.32	100	5.14	0.19	0.52	0.71	0.09	<0.05	<0.05
St.dev.		9.8	2.16	28.9	0.61	0.04	0.13	0.17	0.02	~0.00	~0.00
Count		3	3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J26 Oslofjorden, Tissue : Whole SOFT BODY.
Locality : 31A Solbergstrand, Latitude: 59°36.90N, Longitude: 10°39.40E.
Catch,date : 1993-0915, Count: 150, Sample type: Bulked.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>					312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!
_____ Detection Limit._____ =>					0.050	0.010	0.005	0.030	1.00	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	!	!	0.10	0.10	!
Samp/ Shell-length -wght No of				Mean	___	___	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB Σ7	CB ΣΣ	DDEPP	TDEPP	DD Σn
Repl. Min:Max,Mean mean shell				Weight	Dry	Fat	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g				g	%	%	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	20:29	25.0	1.00	50	0.53	22.40	1.10	0.190	1.270	0.010	0.230	21.60	0.10	s1.30	0.50	s0.80	0.60	0.50	0.70	<0.10	<0.10	<0.10	s<3.8	s<4.6	0.4	s0.50	s0.90
02/ 1	30:39	35.0	2.80	50	1.55	22.50	1.70	0.210	1.340	0.009	0.220	19.30	0.20	s1.30	0.70	s0.80	0.80	0.60	0.80	<0.10	<0.10	<0.10	s<4.5	s<5.3	0.5	s0.60	s1.10
03/ 1	40:48	44.0	5.80	50	3.19	21.20	1.60	0.240	1.160	0.011	0.250	21.40	0.10	s2.50	0.50	s0.60	0.60	0.50	0.70	<0.10	<0.10	<0.10	s<5.0	s<5.6	0.4	s0.50	s0.90
Mean		34.7	3.20	50.0	1.76	22.03	1.47	0.213	1.257	0.010	0.233	20.77	0.13	s1.70	0.57	s0.73	0.67	0.53	0.73	<<0.10	<<0.10	<<0.10	s<<4.4	s<<5.2	0.4	s0.53	s0.97
Minimum		25.0	1.00	50	0.53	21.20	1.10	0.190	1.160	0.009	0.220	19.30	0.10	s1.30	0.50	s0.60	0.60	0.50	0.70	<0.10	<0.10	<0.10	s<3.8	s<4.6	0.4	s0.50	s0.90
Maximum		44.0	5.80	50	3.19	22.50	1.70	0.240	1.340	0.011	0.250	21.60	0.20	s2.50	0.70	s0.80	0.80	0.60	0.80	<0.10	<0.10	<0.10	s<5.0	s<5.6	0.5	s0.60	s1.10
St.dev.		9.5	2.42	0.0	1.34	0.72	0.32	0.025	0.091	0.001	0.015	1.27	0.06	0.69	0.12	0.12	0.12	0.06	0.06	~0.00	~0.00	~0.00	~0.6	~0.5	0.1	0.06	0.12
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

s/q(36) ! Suspect value(s)

Tab.width cont'd **MYTI EDU, SB, J26, 31A Solbergstrand, 1993-0915.**

. Analytical Lab. =>				NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>				341	341	!	341	341	341
____ Detection Limit.____ =>				0.10	0.10	!	0.10	0.10	0.10
Samp/ Shell-length -wght No of				HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl. Min:Max,Mean mean shell				ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g				w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	20:29	25.0	1.00 50	0.10	0.30	0.40	<0.10	<0.10	<0.10
02/ 1	30:39	35.0	2.80 50	0.10	0.40	0.50	<0.10	<0.10	<0.10
03/ 1	40:48	44.0	5.80 50	0.10	0.30	0.40	<0.10	<0.10	<0.10
Mean		34.7	3.20 50.0	0.10	0.33	0.43	<<.10	<<.10	<<.10
Minimum		25.0	1.00 50	0.10	0.30	0.40	<0.10	<0.10	<0.10
Maximum		44.0	5.80 50	0.10	0.40	0.50	<0.10	<0.10	<0.10
St.dev.		9.5	2.42 0.0	0.00	0.06	0.06	~0.00	~0.00	~0.00
Count		3	3 3	3	3	3	3	3	3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J26 Oslofjorden**, Tissue : **Whole SOFT BODY.**
Locality : **31A Solbergstrand**, Latitude: 59°36.90N, Longitude: 10°39.40E.
Catch,date : **1994-1029**, Count: 150, Sample type: **Bulked.**

. Analytical Lab. =>							NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>							312	311	310	312	311	341	341	341	341	341	341	341	341	341	!	!	341	341	!
____ Detection Limit.____ =>				Mean			0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!
Samp/ Shell-length -wght No of				Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn
Repl. Min:Max,Mean mean shell				g	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g							w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	24:29	27.2	50	0.84	20.60	2.24	0.184	1.460	0.013	0.360	23.90	0.67	1.55	2.21	0.93	2.18	1.69	2.22	s0.15	0.18	<0.05	10.7	s<11.8	0.7	0.34	1.05
02/ 1	31:39	36.0	50	2.04	21.90	2.39	0.171	1.360	0.011	0.300	21.20	0.65	1.67	2.48	0.81	2.16	1.81	2.46	s0.15	0.21	<0.05	11.4	s<12.5	0.7	0.31	0.98
03/ 1	40:49	44.6	50	3.84	23.40	2.54	0.164	1.410	0.011	0.300	20.80	0.76	1.87	3.20	1.18	2.97	2.64	3.34	s0.22	0.27	<0.05	15.1	s<16.5	0.8	0.35	1.17
Mean		35.9	50.0	2.24	21.97	2.39	0.173	1.410	0.012	0.320	21.97	0.69	1.70	2.63	0.97	2.44	2.05	2.67	s0.17	0.22	<<0.05	12.4	s<<13.6	0.7	0.33	1.07
Minimum		27.2	50	0.84	20.60	2.24	0.164	1.360	0.011	0.300	20.80	0.65	1.55	2.21	0.81	2.16	1.69	2.22	s0.15	0.18	<0.05	10.7	s<11.8	0.7	0.31	0.98
Maximum		44.6	50	3.84	23.40	2.54	0.184	1.460	0.013	0.360	23.90	0.76	1.87	3.20	1.18	2.97	2.64	3.34	s0.22	0.27	<0.05	15.1	s<16.5	0.8	0.35	1.17
St.dev.		8.7	0.0	1.51	1.40	0.15	0.010	0.050	0.001	0.035	1.69	0.06	0.16	0.51	0.19	0.46	0.52	0.59	0.04	0.05	~0.00	2.3	~2.5	0.1	0.02	0.10
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

s/q(12) ! Suspect value(s)

Tab.width cont'd **MYTI EDU, SB, J26, 31A Solbergstrand, 1994-1029.**

. Analytical Lab. =>				NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>				341	341	!	341	341	341
____ Detection Limit.____ =>				0.05	0.05	!	0.05	0.05	0.05
Samp/ Shell-length -wght No of				HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl. Min:Max,Mean mean shell				ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g				w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	24:29	27.2	50	0.12	0.35	0.47	0.05	<0.05	<0.05
02/ 1	31:39	36.0	50	0.14	0.29	0.43	0.06	<0.05	<0.05
03/ 1	40:49	44.6	50	0.12	0.32	0.44	0.05	<0.05	<0.05
Mean		35.9	50.0	0.13	0.32	0.45	0.05	<<.05	<<.05
Minimum		27.2	50	0.12	0.29	0.43	0.05	<0.05	<0.05
Maximum		44.6	50	0.14	0.35	0.47	0.06	<0.05	<0.05
St.dev.		8.7	0.0	0.01	0.03	0.02	0.01	~0.00	~0.00
Count		3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J26 Oslofjorden, Tissue : Whole SOFT BODY.
Locality : 31A Solbergstrand, Latitude: 59°36.90N, Longitude: 10°39.40E.
Catch,date : 1995-0925, Count: 150, Sample type: Bulked.

. Analytical Lab. =>			NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NILU	NILU	NILU	NILU	Σ(*)	Σ(*)
. Analysis Code. =>			312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	841	841	841	841	!	!
____ Detection Limit.____ =>			0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.00	0.00	0.00	0.00	!	!
Samp/ Shell-length -wght No of	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB77	CB81	CB126	CB169	CB_Σ4	TECBW
Repl. Min:Max,Mean mean shell	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppp	ppp	ppp	ppp	ppp	ppp
no. mm:mm mm g			w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 30:39 36.2 50	16.60	0.96	0.219	1.200	0.010	0.290	25.80	0.54	0.97	1.54	0.91	1.79	1.30	1.48	0.12	0.10	<0.05	.	.	.	.	.	.
02/ 1 40:49 43.8 50	15.50	0.99	0.206	1.130	0.010	0.250	22.80	0.55	1.00	1.61	0.93	1.85	1.33	1.54	0.13	0.11	<0.05	162.00	4.65	3.87	0.18	170.70	0.47
Mean 40.0 50.0	16.05	0.98	0.213	1.165	0.010	0.270	24.30	0.55	0.99	1.58	0.92	1.82	1.32	1.51	0.13	0.11	<<0.05	162.00	4.65	3.87	0.18	170.70	0.47
Minimum 36.2 50	15.50	0.96	0.206	1.130	0.010	0.250	22.80	0.54	0.97	1.54	0.91	1.79	1.30	1.48	0.12	0.10	<0.05	162.00	4.65	3.87	0.18	170.70	0.47
Maximum 43.8 50	16.60	0.99	0.219	1.200	0.010	0.290	25.80	0.55	1.00	1.61	0.93	1.85	1.33	1.54	0.13	0.11	<0.05	162.00	4.65	3.87	0.18	170.70	0.47
St.dev. 5.4 0.0	0.78	0.02	0.009	0.049	0.000	0.028	2.12	0.01	0.02	0.05	0.01	0.04	0.02	0.04	0.01	0.01	~0.00	.	.	.	.	.	.
Count 2 2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	1	1	1	1	1	1

miss(2) ! Missing value.

Tab.width cont'd MYTI EDU, SB, J26, 31A Solbergstrand, 1995-0925.

. Analytical Lab. =>	Σ(*)	Σ(*)	Σ(*)	NIVA	NIVA	NIVA	Σ(*)	NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU
. Analysis Code. =>	!	!	!	341	340	341	!	341	341	!	341	341	341	841	841	841	841	841	841	841	841	841
____ Detection Limit.____ =>	!	!	!	0.10	0.05	0.05	!	0.05	0.05	!	0.05	0.05	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Samp/ Shell-length -wght No of	TECBS	CB_Σ7	CB_ΣΣ	DDEPP	DDTPP	TDEPP	DD_Σn	HCHA	HCHG	HC_Σn	HCB	QCB	OCS	TCDD	CDDST	CDD1N	CDDSN	CDD4X	CDD6X	CDD9X	CDDSX	CDD6P	CDDSP
Repl. Min:Max,Mean mean shell	ppp	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp
no. mm:mm mm g	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 30:39 36.2 50	.	7.7	<8.8	0.3	miss	0.09	0.38	0.07	0.13	0.20	<0.05	<0.05	<0.05	.	.	.	.	.	.	.	.	.	.
02/ 1 40:49 43.8 50	2.02	8.0	<9.3	0.3	miss	0.09	0.39	0.06	0.12	0.18	<0.05	<0.05	<0.05	0.02	0.35	<0.02	<0.02	<0.02	0.02	<0.02	0.17	0.08	0.23
Mean 40.0 50.0	2.02	7.9	<<9.0	0.3	.	0.09	0.39	0.07	0.13	0.19	<<.05	<<.05	<<.05	0.02	0.35	<0.02	<0.02	<0.02	0.02	<0.02	0.17	0.08	0.23
Minimum 36.2 50	2.02	7.7	<8.8	0.3	.	0.09	0.38	0.06	0.12	0.18	<0.05	<0.05	<0.05	0.02	0.35	<0.02	<0.02	<0.02	0.02	<0.02	0.17	0.08	0.23
Maximum 43.8 50	2.02	8.0	<9.3	0.3	.	0.09	0.39	0.07	0.13	0.20	<0.05	<0.05	<0.05	0.02	0.35	<0.02	<0.02	<0.02	0.02	<0.02	0.17	0.08	0.23
St.dev. 5.4 0.0	.	0.2	~0.3	0.0	.	0.00	0.01	0.01	0.01	0.01	~0.00	~0.00	~0.00	.	.	.	.	.	.	.	.	.	.
Count 2 2	1	2	2	2	.	2	2	2	2	2	2	2	2	1	1	1	1	1	1	1	1	1	1

Tab.width cont'd MYTI EDU, SB, J26, 31A Solbergstrand, 1995-0925.

. Analytical Lab. =>	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. =>	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	!	!	!
____ Detection Limit.____ =>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	!	!	!
Samp/ Shell-length -wght No of	CDDO	PCDD	CDF2T	CDFST	CDFDN	CDF2N	CDFSN	CDFDX	CDF6X	CDF9X	CDF4X	CDFSX	CDF6P	CDF9P	CDFSP	CDFO	PCDF	CDDFS	TCDDI	TCDDN
Repl. Min:Max,Mean mean shell	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp
no. mm:mm mm g	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 30:39 36.2 50	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
02/ 1 40:49 43.8 50	0.47	1.24	0.45	1.78	0.08	0.06	0.60	0.09	0.04	<0.02	0.02	0.36	0.06	<0.02	0.06	<0.08	2.88	0.29	<0.13	<0.12
Mean 40.0 50.0	0.47	1.24	0.45	1.78	0.08	0.06	0.60	0.09	0.04	<0.02	0.02	0.36	0.06	<0.02	0.06	<0.08	2.88	0.29	<0.13	<0.12
Minimum 36.2 50	0.47	1.24	0.45	1.78	0.08	0.06	0.60	0.09	0.04	<0.02	0.02	0.36	0.06	<0.02	0.06	<0.08	2.88	0.29	<0.13	<0.12
Maximum 43.8 50	0.47	1.24	0.45	1.78	0.08	0.06	0.60	0.09	0.04	<0.02	0.02	0.36	0.06	<0.02	0.06	<0.08	2.88	0.29	<0.13	<0.12
St.dev. 5.4 0.0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Count 2 2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J26 Oslofjorden, Tissue : Whole SOFT BODY.
Locality : 31A Solbergstrand, Latitude: 59°36.90N, Longitude: 10°39.40E.
Catch,date : 1996-1002, Count: 210, Sample type: Bulked.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NILU	NILU	NILU	NILU	Σ(*)
. Analysis Code. =>					312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	841	841	841	841	!
____ Detection Limit.____ =>				Mean	___	___	0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.00	0.00	0.00	0.00	!
Samp/ Shell-length -wght No of				Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB77	CB81	CB126	CB169	CB_Σ4
Repl. Min:Max,Mean mean shell				g	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppp	ppp	ppp	ppp	ppp
no. mm:mm mm g							w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	26:29	28.0	1.87	50	1.24	23.00	2.13	0.180	1.520	0.010	0.240	24.60	0.32	0.89	1.26	0.49	1.23	0.99	1.27	0.07	0.08	<0.05	.	.	.	.	.
02/ 1	30:39	35.0	4.08	50	2.62	22.80	1.86	0.180	1.610	0.009	0.410	20.90	1.03	2.28	3.23	1.59	3.13	2.25	2.48	0.16	0.15	<0.05	.	.	.	.	.
03/ 1	40:49	45.0	7.22	50	4.51	21.80	1.75	0.190	1.410	0.010	0.390	22.50	0.95	2.20	3.10	1.50	3.02	2.13	2.39	0.16	0.16	<0.05	.	.	.	.	.
04/ 1	32:49	42.0	5.60	60	3.42	19.80	1.65	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	230.00	6.28	5.17	s0.31	s241.76
Mean		37.5	4.69	52.5	2.95	21.85	1.85	0.183	1.513	0.010	0.347	22.67	0.77	1.79	2.53	1.19	2.46	1.79	2.05	0.13	0.13	<<0.05	230.00	6.28	5.17	s0.31	s241.76
Minimum		28.0	1.87	50	1.24	19.80	1.65	0.180	1.410	0.009	0.240	20.90	0.32	0.89	1.26	0.49	1.23	0.99	1.27	0.07	0.08	<0.05	230.00	6.28	5.17	s0.31	s241.76
Maximum		45.0	7.22	60	4.51	23.00	2.13	0.190	1.610	0.010	0.410	24.60	1.03	2.28	3.23	1.59	3.13	2.25	2.48	0.16	0.16	<0.05	230.00	6.28	5.17	s0.31	s241.76
St.dev.		7.6	2.28	5.0	1.38	1.46	0.21	0.006	0.100	0.001	0.093	1.86	0.39	0.78	1.10	0.61	1.07	0.70	0.67	0.05	0.04	~0.00	.	.	.	.	.
Count		4	4	4	4	4	4	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	1	1	1	1	1

s/q(41) ! Suspect value(s)
i (1) ! Suspect or ambiguous basis-value(s) ignored in statistics.

Tab.width cont'd MYTI EDU, SB, J26, 31A Solbergstrand, 1996-1002.

. Analytical Lab. =>					Σ(*)	Σ(*)	Σ(*)	Σ(*)	NIVA	NIVA	NIVA	Σ(*)	NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU
. Analysis Code. =>					!	!	!	!	341	340	341	!	341	341	!	341	341	341	841	841	841	841	841	841	841	841
____ Detection Limit.____ =>					!	!	!	!	0.10	0.05	0.05	!	0.05	0.05	!	0.05	0.05	0.05	0.00	0.00	0.00	0.00	2000000	0.00	0.00	0.00	0.00
Samp/ Shell-length -wght No of					TECBW	TECBS	CB_Σ7	CB_ΣΣ	DDEPP	DDTPP	TDEPP	DD_Σn	HCHA	HCHG	HC_Σn	HCB	QCB	OCS	TCDD	CDDST	CDD1N	CDDSN	0.0	CDD6X	CDD9X	CDDSX	CDD6P
Repl. Min:Max,Mean mean shell					ppp	ppp	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppp	ppp	ppp	ppp	CDD4X	ppp	ppp	ppp	ppp
no. mm:mm mm g					w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	ppp w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	26:29	28.0	1.87	50	.	.	6.0	<6.6	0.1	<0.05	<0.05	<0.15	<0.05	0.17	<0.22	<0.05	<0.05	<0.05	.	.	.	.	.	.	.	.	.
02/ 1	30:39	35.0	4.08	50	.	.	14.6	<16.4	0.1	<0.05	0.10	<0.27	<0.05	0.15	<0.20	<0.05	<0.05	<0.05	.	.	.	.	.	.	.	.	.
03/ 1	40:49	45.0	7.22	50	.	.	14.0	<15.7	0.1	<0.05	0.09	<0.25	<0.05	0.12	<0.17	<0.05	<0.05	<0.05	.	.	.	.	.	.	.	.	.
04/ 1	32:49	42.0	5.60	60	s0.64	s2.83	.	s0.2	.	.	.	.	.	.	.	.	.	.	<0.01	0.37	<0.01	<0.01	<0.02	<0.02	<0.02	<0.02	s0.24
Mean		37.5	4.69	52.5	s0.64	s2.83	11.5	<<12.9	0.1	<<0.05	<<0.08	<<0.22	<<0.05	0.15	<<0.20	<<.05	<<.05	<<.05	<0.01	0.37	<0.01	<0.01	<0.02	<0.02	<0.02	<0.02	s0.24
Minimum		28.0	1.87	50	s0.64	s2.83	6.0	<6.6	0.1	<0.05	<0.05	<0.15	<0.05	0.12	<0.17	<0.05	<0.05	<0.05	<0.01	0.37	<0.01	<0.01	<0.02	<0.02	<0.02	<0.02	s0.24
Maximum		45.0	7.22	60	s0.64	s2.83	14.6	<16.4	0.1	<0.05	0.10	<0.27	<0.05	0.17	<0.22	<0.05	<0.05	<0.05	<0.01	0.37	<0.01	<0.01	<0.02	<0.02	<0.02	<0.02	s0.24
St.dev.		7.6	2.28	5.0	.	.	4.7	~5.4	0.0	~0.00	~0.03	~0.06	~0.00	0.03	~0.03	~0.00	~0.00	~0.00	.	.	.	.	.	.	.	.	.
Count		4	4	4	1	1	3	i3	3	3	3	3	3	3	3	3	3	3	1	1	1	1	1	1	1	1	1

Tab.width cont'd MYTI EDU, SB, J26, 31A Solbergstrand, 1996-1002.

Samp/ Repl. no.	Shell-length Min:Max, mm	Mean mm	-wght mean g	No of shell	Analytical Lab.	Analysis Code.	Detection Limit.	CDDSP ppp w.wt	CDDO ppp w.wt	PCDD ppp w.wt	CDF2T ppp w.wt	CDFST ppp w.wt	CDFDN ppp w.wt	CDF2N ppp w.wt	CDFSN ppp w.wt	CDFDX ppp w.wt	CDF6X ppp w.wt	CDF9X ppp w.wt	CDF4X ppp w.wt	CDFSX ppp w.wt	CDF6P ppp w.wt	CDF9P ppp w.wt	CDFSP ppp w.wt	CDFO ppp w.wt	PCDF ppp w.wt	CDDFS ppp w.wt	TCDDI ppp w.wt	TCDDN ppp w.wt
					⇒	⇒	⇒	NILU 841 0.00	NILU 841 0.00	NILU 841 0.00	NILU 841 0.00	NILU 841 0.00	NILU 841 0.00	NILU 841 0.00	NILU 841 0.00	NILU 841 0.00	NILU 841 0.00	NILU 841 0.00	NILU 841 0.00	NILU 841 0.00	NILU 841 0.00	NILU 841 0.00	NILU 841 0.00	NILU 841 0.00	NILU 841 0.00	Σ(*) ! !	Σ(*) ! !	Σ(*) ! !
01/ 1	26:29	28.0	1.87	50				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
02/ 1	30:39	35.0	4.08	50				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
03/ 1	40:49	45.0	7.22	50				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
04/ 1	32:49	42.0	5.60	60				0.24	0.81	1.42	s0.84	2.46	<0.01	s0.14	0.16	<0.02	<0.02	<0.02	<0.02	<0.02	s0.08	<0.08	0.08	<0.10	2.80	0.32	s<0.17	s<0.17
Mean		37.5	4.69	52.5				0.24	0.81	1.42	s0.84	2.46	<0.01	s0.14	0.16	<0.02	<0.02	<0.02	<0.02	<0.02	s0.08	<0.08	0.08	<0.10	2.80	0.32	s<0.17	s<0.17
Minimum		28.0	1.87	50				0.24	0.81	1.42	s0.84	2.46	<0.01	s0.14	0.16	<0.02	<0.02	<0.02	<0.02	<0.02	s0.08	<0.08	0.08	<0.10	2.80	0.32	s<0.17	s<0.17
Maximum		45.0	7.22	60				0.24	0.81	1.42	s0.84	2.46	<0.01	s0.14	0.16	<0.02	<0.02	<0.02	<0.02	<0.02	s0.08	<0.08	0.08	<0.10	2.80	0.32	s<0.17	s<0.17
St.dev.		7.6	2.28	5.0				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Count		4	4	4				1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J26 Oslofjorden, Tissue : Whole SOFT BODY.
Locality : 31A Solbergstrand, Latitude: 59°36.90N, Longitude: 10°39.40E.
Catch,date : 1997-1013, Count: 200, Sample type: Bulked.

Samp/ Repl. no.	Shell-length Min:Max, mm	Mean mm	-wght mean g	No of shell	Analytical Lab.	Analysis Code.	Detection Limit.	Mean Weight g	Dry %	Fat %	Cd ppm w.wt	Cu ppm w.wt	Hg ppm w.wt	Pb ppm w.wt	Zn ppm w.wt	CB28 ppb w.wt	CB52 ppb w.wt	CB101 ppb w.wt	CB105 ppb w.wt	CB118 ppb w.wt	CB138 ppb w.wt	CB153 ppb w.wt	CB156 ppb w.wt	CB180 ppb w.wt	CB209 ppb w.wt	CB_Σ7 ppb w.wt	CB_ΣΣ ppb w.wt	DDEPP ppb w.wt	DDTPP ppb w.wt	TDEPP ppb w.wt
					⇒	⇒	⇒				NIVA 312 0.050	NIVA 311 0.010	NIVA 310 0.005	NIVA 312 0.040	NIVA 311 1.00	NIVA 341 0.05	NIVA 341 0.05	NIVA 341 0.05	NIVA 341 0.05	NIVA 341 0.05	NIVA 341 0.05	NIVA 341 0.05	NIVA 341 0.05	NIVA 341 0.05	NIVA 341 0.05	Σ(*) ! !	Σ(*) ! !	NIVA 341 0.10	NIVA 340 0.05	NIVA 341 0.05
01/ 1	20:29	25.1	1.00	100				0.55	19.40	1.81	0.191	1.180	0.010	0.190	25.80	0.26	0.66	1.03	0.48	0.92	1.02	1.00	0.09	0.12	<0.05	5.0	<5.6	0.7	1.15	0.55
02/ 1	30:39	33.9	2.28	50				1.40	19.90	1.82	0.170	1.140	0.011	0.140	25.40	0.25	0.63	0.98	0.47	0.91	1.02	1.00	0.09	0.11	<0.05	4.9	<5.5	0.7	0.89	0.52
03/ 1	40:49	44.3	5.24	50				3.45	20.50	1.87	0.168	1.270	0.008	0.150	22.30	0.32	0.65	0.94	0.45	0.86	0.93	0.96	0.08	0.09	<0.05	4.8	<5.3	0.6	0.81	0.41
Mean		34.4	2.84	66.7				1.80	19.93	1.83	0.176	1.197	0.010	0.160	24.50	0.28	0.65	0.98	0.47	0.90	0.99	0.99	0.09	0.11	<<0.05	4.9	<<5.5	0.6	0.95	0.49
Minimum		25.1	1.00	50				0.55	19.40	1.81	0.168	1.140	0.008	0.140	22.30	0.25	0.63	0.94	0.45	0.86	0.93	0.96	0.08	0.09	<0.05	4.8	<5.3	0.6	0.81	0.41
Maximum		44.3	5.24	100				3.45	20.50	1.87	0.191	1.270	0.011	0.190	25.80	0.32	0.66	1.03	0.48	0.92	1.02	1.00	0.09	0.12	<0.05	5.0	<5.6	0.7	1.15	0.55
St.dev.		9.6	2.17	28.9				1.49	0.55	0.03	0.013	0.067	0.002	0.026	1.92	0.04	0.02	0.05	0.02	0.03	0.05	0.02	0.01	0.02	~0.00	0.1	~0.2	0.1	0.18	0.07
Count		3	3	3				3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J26, 31A Solbergstrand, 1997-1013.

Samp/ Repl. no.	Shell-length Min:Max, mm	Mean mm	-wght mean g	No of shell	Analytical Lab.	Analysis Code.	Detection Limit.	Σ(*) DD_Σn ppb w.wt	NIVA 341 0.05 HCHA ppb w.wt	NIVA 341 0.05 HCHG ppb w.wt	Σ(*) HC_Σn ppb w.wt	NIVA 341 0.05 HCB ppb w.wt	NIVA 341 0.05 QCB ppb w.wt	NIVA 341 0.05 OCS ppb w.wt
					⇒	⇒	⇒	Σ(*) ! !	NIVA 341 0.05	NIVA 341 0.05	Σ(*) ! !	NIVA 341 0.05	NIVA 341 0.05	NIVA 341 0.05
01/ 1	20:29	25.1	1.00	100				2.41	0.12	0.53	0.65	0.05	<0.05	<0.05
02/ 1	30:39	33.9	2.28	50				2.08	0.12	0.57	0.69	0.06	<0.05	<0.05
03/ 1	40:49	44.3	5.24	50				1.79	0.12	0.51	0.63	0.05	<0.05	<0.05
Mean		34.4	2.84	66.7				2.09	0.12	0.54	0.66	0.05	<<.05	<<.05
Minimum		25.1	1.00	50				1.79	0.12	0.51	0.63	0.05	<0.05	<0.05
Maximum		44.3	5.24	100				2.41	0.12	0.57	0.69	0.06	<0.05	<0.05
St.dev.		9.6	2.17	28.9				0.31	0.00	0.03	0.03	0.01	~0.00	~0.00
Count		3	3	3				3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J26 Oslofjorden, Tissue : Whole SOFT BODY.
Locality : 35A Mølen, Latitude: 59°29.20N, Longitude: 10°30.10E.
Catch,date : 1993-0914, Count: 150, Sample type: Bulked.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>					312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!
____ Detection Limit.____ =>				Mean	0.050	0.010	0.005	0.030	1.00	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	!	!	0.10	0.10	!
Samp/ Shell-length -wght No of				Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn
Repl. Min:Max,Mean mean shell				g	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g							w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 20:29 25.0 1.00 50				0.60	20.50	1.40	0.220	1.300	0.011	0.230	24.30	<0.10	s1.50	0.30	s4.70	0.30	0.50	0.70	<0.10	<0.10	<0.10	s<3.4	s<8.1	0.5	s0.60	s1.10
02/ 1 31:39 35.0 2.70 50				1.65	19.80	1.40	0.220	1.330	0.007	1.030	46.00	<0.10	s1.60	0.20	s3.50	0.30	0.40	0.60	<0.10	<0.10	<0.10	s<3.2	s<6.7	0.4	s0.50	s0.90
03/ 1 40:49 45.0 6.10 50				3.24	19.20	1.40	0.260	1.130	0.013	0.230	18.30	<0.10	s3.00	0.20	s2.10	0.20	0.30	0.50	<0.10	<0.10	<0.10	s<4.3	s<6.4	0.4	s0.50	s0.90
Mean 35.0 3.27 50.0				1.83	19.83	1.40	0.233	1.253	0.010	0.497	29.53	<<0.10	s2.03	0.23	s3.43	0.27	0.40	0.60	<<0.10	<<0.10	<<0.10	s<<3.6	s<<7.1	0.4	s0.53	s0.97
Minimum 25.0 1.00 50				0.60	19.20	1.40	0.220	1.130	0.007	0.230	18.30	<0.10	s1.50	0.20	s2.10	0.20	0.30	0.50	<0.10	<0.10	<0.10	s<3.2	s<6.4	0.4	s0.50	s0.90
Maximum 45.0 6.10 50				3.24	20.50	1.40	0.260	1.330	0.013	1.030	46.00	<0.10	s3.00	0.30	s4.70	0.30	0.50	0.70	<0.10	<0.10	<0.10	s<4.3	s<8.1	0.5	s0.60	s1.10
St.dev. 10.0 2.60 0.0				1.33	0.65	0.00	0.023	0.108	0.003	0.462	14.57	~0.00	0.84	0.06	1.30	0.06	0.10	0.10	~0.00	~0.00	~0.00	~0.6	~0.9	0.1	0.06	0.12
Count 3 3 3				3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

s/q(36) ! Suspect value(s)

Tab.width cont'd MYTI EDU, SB, J26, 35A Mølen, 1993-0914.

. Analytical Lab. =>	NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>	341	341	!	341	341	341
____ Detection Limit.____ =>	0.10	0.10	!	0.10	0.10	0.10
Samp/ Shell-length -wght No of	HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl. Min:Max,Mean mean shell	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 20:29 25.0 1.00 50	0.10	0.30	0.40	<0.10	<0.10	<0.10
02/ 1 31:39 35.0 2.70 50	0.10	0.30	0.40	<0.10	<0.10	<0.10
03/ 1 40:49 45.0 6.10 50	0.10	0.30	0.40	<0.10	<0.10	<0.10
Mean 35.0 3.27 50.0	0.10	0.30	0.40	<<.10	<<.10	<<.10
Minimum 25.0 1.00 50	0.10	0.30	0.40	<0.10	<0.10	<0.10
Maximum 45.0 6.10 50	0.10	0.30	0.40	<0.10	<0.10	<0.10
St.dev. 10.0 2.60 0.0	0.00	0.00	0.00	~0.00	~0.00	~0.00
Count 3 3 3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J26 Oslofjorden, Tissue : Whole SOFT BODY.
Locality : 35A Mølen, Latitude: 59°29.20N, Longitude: 10°30.10E.
Catch,date : 1994-1029, Count: 150, Sample type: Bulked.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>					312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!
____ Detection Limit.____ =>				Mean	0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!
Samp/ Shell-length -wght No of				Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn
Repl. Min:Max,Mean mean shell				g	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g							w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 26:29 27.5 50				0.91	21.80	2.43	0.204	1.440	0.013	0.280	20.70	0.16	0.28	0.48	0.16	0.42	0.63	0.82	<0.05	0.15	<0.05	2.9	<3.1	0.7	0.45	1.16
02/ 1 30:39 33.7 50				1.55	21.40	2.44	0.205	1.440	0.013	0.270	21.10	0.16	0.26	0.44	0.15	0.41	0.63	0.82	<0.05	0.15	<0.05	2.9	<3.1	0.7	0.34	1.01
03/ 1 40:49 46.2 50				3.89	20.50	1.95	0.234	1.330	0.017	0.270	20.00	0.12	0.21	0.39	0.14	0.36	0.52	0.76	<0.05	0.11	<0.05	2.5	<2.7	0.6	0.30	0.89
Mean 35.8 50.0				2.12	21.23	2.27	0.214	1.403	0.014	0.273	20.60	0.15	0.25	0.44	0.15	0.40	0.59	0.80	<<0.05	0.14	<<0.05	2.8	<<3.0	0.7	0.36	1.02
Minimum 27.5 50				0.91	20.50	1.95	0.204	1.330	0.013	0.270	20.00	0.12	0.21	0.39	0.14	0.36	0.52	0.76	<0.05	0.11	<0.05	2.5	<2.7	0.6	0.30	0.89
Maximum 46.2 50				3.89	21.80	2.44	0.234	1.440	0.017	0.280	21.10	0.16	0.28	0.48	0.16	0.42	0.63	0.82	<0.05	0.15	<0.05	2.9	<3.1	0.7	0.45	1.16
St.dev. 9.5 0.0				1.57	0.67	0.28	0.017	0.064	0.002	0.006	0.56	0.02	0.04	0.05	0.01	0.03	0.06	0.03	~0.00	0.02	~0.00	0.3	~0.3	0.1	0.08	0.14
Count 3 3				3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J26, 35A Mølen, 1994-1029.**

. Analytical Lab. =>				NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>				341	341	!	341	341	341
____ Detection Limit.____ =>				0.05	0.05	!	0.05	0.05	0.05
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	HCHA ppb w.wt	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt
01/ 1	26:29	27.5		50	0.13	0.35	0.48	<0.05	<0.05	<0.05
02/ 1	30:39	33.7		50	0.17	0.37	0.54	0.05	<0.05	<0.05
03/ 1	40:49	46.2		50	0.17	0.29	0.46	<0.05	<0.05	<0.05
Mean		35.8		50.0	0.16	0.34	0.49	<<.05	<<.05	<<.05
Minimum		27.5		50	0.13	0.29	0.46	<0.05	<0.05	<0.05
Maximum		46.2		50	0.17	0.37	0.54	<0.05	<0.05	<0.05
St.dev.		9.5		0.0	0.02	0.04	0.04	~0.00	~0.00	~0.00
Count		3		3	3	3	3	3	3	3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J26 Oslofjorden**, Tissue : **Whole SOFT BODY.**
Locality : **35A Mølen**, Latitude: 59°29.20N, Longitude: 10°30.10E.
Catch,date : **1995-0925**, Count: 150, Sample type: **Bulked.**

. Analytical Lab. =>						NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	NIVA	Σ(*)
. Analysis Code. =>						312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	!	!	341	340	341	!
____ Detection Limit.____ =>						0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	0.05	!
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	Dry %	Fat %	Cd ppm w.wt	Cu ppm w.wt	Hg ppm w.wt	Pb ppm w.wt	Zn ppm w.wt	CB28 ppb w.wt	CB52 ppb w.wt	CB101 ppb w.wt	CB105 ppb w.wt	CB118 ppb w.wt	CB138 ppb w.wt	CB153 ppb w.wt	CB156 ppb w.wt	CB180 ppb w.wt	CB209 ppb w.wt	CB_Σ7 ppb w.wt	CB_ΣΣ ppb w.wt	DDEPP ppb w.wt	DDTPP ppb w.wt	TDEPP ppb w.wt	DD_Σn ppb w.wt
01/ 1	20:29	27.1		50	19.10	1.90	0.216	1.380	0.008	0.100	18.10	0.10	0.26	0.32	0.15	0.36	0.45	0.59	0.05	0.09	<0.05	2.2	<2.4	0.5	<0.05	0.18	<0.69
02/ 1	30:39	35.7		50	21.70	2.04	0.194	1.390	0.008	0.110	17.60	0.13	0.37	0.49	0.21	0.48	0.58	0.80	0.06	0.10	<0.05	3.0	<3.3	0.6	<0.05	0.26	<0.95
03/ 1	40:49	44.9		50	22.20	1.97	0.179	1.370	0.008	0.110	18.40	0.16	0.40	0.53	0.24	0.53	0.63	0.87	0.07	0.11	<0.05	3.2	<3.6	0.6	<0.05	0.27	<0.95
Mean		35.9		50.0	21.00	1.97	0.196	1.380	0.008	0.107	18.03	0.13	0.34	0.45	0.20	0.46	0.55	0.75	0.06	0.10	<<0.05	2.8	<<3.1	0.6	<<0.05	0.24	<<0.86
Minimum		27.1		50	19.10	1.90	0.179	1.370	0.008	0.100	17.60	0.10	0.26	0.32	0.15	0.36	0.45	0.59	0.05	0.09	<0.05	2.2	<2.4	0.5	<0.05	0.18	<0.69
Maximum		44.9		50	22.20	2.04	0.216	1.390	0.008	0.110	18.40	0.16	0.40	0.53	0.24	0.53	0.63	0.87	0.07	0.11	<0.05	3.2	<3.6	0.6	<0.05	0.27	<0.95
St.dev.		8.9		0.0	1.66	0.07	0.019	0.010	0.000	0.006	0.40	0.03	0.07	0.11	0.05	0.09	0.09	0.15	0.01	0.01	~0.00	0.5	~0.6	0.1	~0.00	0.05	~0.15
Count		3		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J26, 35A Mølen, 1995-0925.**

. Analytical Lab. =>				NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>				341	341	!	341	341	341
____ Detection Limit.____ =>				0.05	0.05	!	0.05	0.05	0.05
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	HCHA ppb w.wt	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt
01/ 1	20:29	27.1		50	0.12	0.21	0.33	0.06	<0.05	<0.05
02/ 1	30:39	35.7		50	0.13	0.26	0.39	0.06	<0.05	<0.05
03/ 1	40:49	44.9		50	0.12	0.25	0.37	0.06	<0.05	<0.05
Mean		35.9		50.0	0.12	0.24	0.36	0.06	<<.05	<<.05
Minimum		27.1		50	0.12	0.21	0.33	0.06	<0.05	<0.05
Maximum		44.9		50	0.13	0.26	0.39	0.06	<0.05	<0.05
St.dev.		8.9		0.0	0.01	0.03	0.03	0.00	~0.00	~0.00
Count		3		3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J26 Oslofjorden, Tissue : Whole SOFT BODY.
Locality : 35A Mølen, Latitude: 59°29.20N, Longitude: 10°30.10E.
Catch,date : 1996-1002, Count: 200, Sample type: Bulked.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>					312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	341	!	!	341	340	341
____ Detection Limit.____ =>					0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	0.05
Samp/ Shell-length		-wght		No of	Mean	___	___	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	DDTPP	TDEPP
Repl. Min:Max,Mean		mean		shell	Weight	Dry	Fat	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm	mm	g			g	%	%	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 20:29	25.0	1.17	100		0.71	22.80	2.29	0.200	1.620	0.009	0.180	25.00	0.14	0.24	0.44	0.17	0.36	0.51	0.70	<0.05	0.06	<0.05	2.5	<2.7	0.1	<0.05	<0.05
02/ 1 30:39	35.0	2.84	50		2.11	20.90	2.14	0.160	1.450	0.008	0.130	19.70	0.13	0.22	0.41	0.16	0.35	0.51	0.69	<0.05	0.06	<0.05	2.4	<2.6	0.1	<0.05	<0.05
03/ 1 40:49	44.0	5.15	50		4.02	23.90	2.13	0.150	1.570	0.008	0.150	17.70	0.13	0.20	0.37	0.15	0.33	0.48	0.65	<0.05	0.05	<0.05	2.2	<2.4	0.1	<0.05	<0.05
Mean	34.7	3.05	66.7		2.28	22.53	2.19	0.170	1.547	0.008	0.153	20.80	0.13	0.22	0.41	0.16	0.35	0.50	0.68	<<0.05	0.06	<<0.05	2.3	<<2.6	0.1	<<0.05	<<0.05
Minimum	25.0	1.17	50		0.71	20.90	2.13	0.150	1.450	0.008	0.130	17.70	0.13	0.20	0.37	0.15	0.33	0.48	0.65	<0.05	0.05	<0.05	2.2	<2.4	0.1	<0.05	<0.05
Maximum	44.0	5.15	100		4.02	23.90	2.29	0.200	1.620	0.009	0.180	25.00	0.14	0.24	0.44	0.17	0.36	0.51	0.70	<0.05	0.06	<0.05	2.5	<2.7	0.1	<0.05	<0.05
St.dev.	9.5	2.00	28.9		1.66	1.52	0.09	0.026	0.087	0.001	0.025	3.77	0.01	0.02	0.04	0.01	0.02	0.02	0.03	~0.00	0.01	~0.00	0.1	~0.1	0.0	~0.00	~0.00
Count	3	3	3		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J26, 35A Mølen, 1996-1002.

. Analytical Lab. =>					Σ(*)	NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>					!	341	341	!	341	341	341
____ Detection Limit.____ =>					!	0.05	0.05	!	0.05	0.05	0.05
Samp/ Shell-length		-wght		No of	DD_Σn	HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl. Min:Max,Mean		mean		shell	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm	mm	g			w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 20:29	25.0	1.17	100		<0.18	<0.05	0.18	<0.23	<0.05	<0.05	<0.05
02/ 1 30:39	35.0	2.84	50		<0.17	<0.05	0.22	<0.27	<0.05	<0.05	<0.05
03/ 1 40:49	44.0	5.15	50		<0.17	0.05	0.20	0.25	<0.05	<0.05	<0.05
Mean	34.7	3.05	66.7		<<0.17	<<0.05	0.20	<<0.25	<<.05	<<.05	<<.05
Minimum	25.0	1.17	50		<0.17	<0.05	0.18	<0.23	<0.05	<0.05	<0.05
Maximum	44.0	5.15	100		<0.18	0.05	0.22	<0.27	<0.05	<0.05	<0.05
St.dev.	9.5	2.00	28.9		~0.01	~0.00	0.02	~0.02	~0.00	~0.00	~0.00
Count	3	3	3		3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J26 Oslofjorden, Tissue : Whole SOFT BODY.
Locality : 35A Mølen, Latitude: 59°29.20N, Longitude: 10°30.10E.
Catch,date : 1997-1013, Count: 200, Sample type: Bulked.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>					312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	341	!	!	341	340	341
____ Detection Limit.____ =>					0.050	0.010	0.005	0.040	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	0.05
Samp/ Shell-length		-wght		No of	Mean	___	___	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	DDTPP	TDEPP
Repl. Min:Max,Mean		mean		shell	Weight	Dry	Fat	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm	mm	g			g	%	%	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 20:29	24.9	1.09	100		0.66	20.40	3.26	0.219	1.240	0.009	0.150	23.00	0.21	0.48	0.77	0.33	0.63	0.85	0.84	0.09	0.14	<0.05	3.9	<4.4	0.9	1.27	0.61
02/ 1 30:39	34.1	2.65	50		1.73	22.60	2.87	0.217	1.540	0.008	0.150	20.70	0.18	0.40	0.71	0.32	0.61	0.84	0.85	0.09	0.13	<0.05	3.7	<4.2	0.8	1.64	0.53
03/ 1 40:49	44.5	5.66	50		3.69	23.00	2.82	0.222	1.820	0.008	0.130	23.80	0.18	0.35	0.65	0.31	0.58	0.84	0.86	0.09	0.13	<0.05	3.6	<4.0	0.9	0.85	0.65
Mean	34.5	3.13	66.7		2.03	22.00	2.98	0.219	1.533	0.008	0.143	22.50	0.19	0.41	0.71	0.32	0.61	0.84	0.85	0.09	0.13	<<0.05	3.7	<<4.2	0.9	1.25	0.60
Minimum	24.9	1.09	50		0.66	20.40	2.82	0.217	1.240	0.008	0.130	20.70	0.18	0.35	0.65	0.31	0.58	0.84	0.84	0.09	0.13	<0.05	3.6	<4.0	0.8	0.85	0.53
Maximum	44.5	5.66	100		3.69	23.00	3.26	0.222	1.820	0.009	0.150	23.80	0.21	0.48	0.77	0.33	0.63	0.85	0.86	0.09	0.14	<0.05	3.9	<4.4	0.9	1.64	0.65
St.dev.	9.8	2.32	28.9		1.54	1.40	0.24	0.003	0.290	0.001	0.012	1.61	0.02	0.07	0.06	0.01	0.03	0.01	0.01	0.00	0.01	~0.00	0.2	~0.2	0.0	0.40	0.06
Count	3	3	3		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J26, 35A Mølen, 1997-1013.**

. Analytical Lab. ⇒					Σ(*)	NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. ⇒					!	341	341	!	341	341	341
____ Detection Limit.____ ⇒					!	0.05	0.05	!	0.05	0.05	0.05
Samp/ Repl. no.	Shell-length Min:Max, mm:mm	Mean mm	-wght mean g	No of shell	DD_Σn ppb w.wt	HCHA ppb w.wt	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt
01/ 1	20:29	24.9	1.09	100	2.75	0.24	0.92	1.16	0.12	<0.05	<0.05
02/ 1	30:39	34.1	2.65	50	2.99	0.21	0.82	1.03	0.09	<0.05	<0.05
03/ 1	40:49	44.5	5.66	50	2.40	0.27	1.05	1.32	0.12	<0.05	<0.05
Mean		34.5	3.13	66.7	2.71	0.24	0.93	1.17	0.11	<<.05	<<.05
Minimum		24.9	1.09	50	2.40	0.21	0.82	1.03	0.09	<0.05	<0.05
Maximum		44.5	5.66	100	2.99	0.27	1.05	1.32	0.12	<0.05	<0.05
St.dev.		9.8	2.32	28.9	0.30	0.03	0.12	0.15	0.02	~0.00	~0.00
Count		3	3	3	3	3	3	3	3	3	3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J26 Oslofjorden**, Tissue : **Whole SOFT BODY.**
Locality : **36A Færder**, Latitude: 59°01.60N, Longitude: 10°31.70E.
Catch,date : **1993-0913**, Count: 150, Sample type: **Bulked.**

. Analytical Lab. ⇒								NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. ⇒								312	311	310	312	311	341	341	341	341	341	341	341	341	341	!	!	341	341	!
____ Detection Limit.____ ⇒								0.050	0.010	0.005	0.030	1.00	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	!	!	0.10	0.10	!
Samp/ Repl. no.	Shell-length Min:Max, mm:mm	Mean mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	Cd ppm w.wt	Cu ppm w.wt	Hg ppm w.wt	Pb ppm w.wt	Zn ppm w.wt	CB28 ppb w.wt	CB52 ppb w.wt	CB101 ppb w.wt	CB105 ppb w.wt	CB118 ppb w.wt	CB138 ppb w.wt	CB153 ppb w.wt	CB156 ppb w.wt	CB180 ppb w.wt	CB209 ppb w.wt	CB_Σ7 ppb w.wt	CB_ΣΣ ppb w.wt	DDEPP ppb w.wt	TDEPP ppb w.wt	DD_Σn ppb w.wt
01/ 1	20:29	24.0	0.60	50	0.42	18.90	1.40	0.170	1.040	0.008	0.370	16.30	<0.10	s3.30	0.20	s3.60	0.20	0.30	0.30	<0.10	<0.10	<0.10	s<4.4	s<8.0	0.2	s0.20	s0.40
02/ 1	30:39	34.0	1.30	50	1.24	18.70	1.30	0.170	1.120	0.006	0.210	15.70	<0.10	s1.40	0.20	s1.80	0.20	0.20	0.30	<0.10	<0.10	<0.10	s<2.4	s<4.2	0.2	s0.20	s0.40
03/ 1	40:46	42.0	2.00	50	1.96	20.50	1.50	0.180	1.130	0.006	0.170	14.20	<0.10	s1.00	0.20	s2.70	0.20	0.20	0.30	<0.10	<0.10	<0.10	s<2.0	s<4.7	0.2	s0.20	s0.40
Mean		33.3	1.30	50.0	1.21	19.37	1.40	0.173	1.097	0.007	0.250	15.40	<<0.10	s1.90	0.20	s2.70	0.20	0.23	0.30	<<0.10	<<0.10	<<0.10	s<<2.9	s<<5.6	0.2	s0.20	s0.40
Minimum		24.0	0.60	50	0.42	18.70	1.30	0.170	1.040	0.006	0.170	14.20	<0.10	s1.00	0.20	s1.80	0.20	0.20	0.30	<0.10	<0.10	<0.10	s<2.0	s<4.2	0.2	s0.20	s0.40
Maximum		42.0	2.00	50	1.96	20.50	1.50	0.180	1.130	0.008	0.370	16.30	<0.10	s3.30	0.20	s3.60	0.20	0.30	0.30	<0.10	<0.10	<0.10	s<4.4	s<8.0	0.2	s0.20	s0.40
St.dev.		9.0	0.70	0.0	0.77	0.99	0.10	0.006	0.049	0.001	0.106	1.08	~0.00	1.23	0.00	0.90	0.00	0.06	0.00	~0.00	~0.00	~0.00	~1.3	~2.1	0.0	0.00	0.00
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

s/q(36) ! Suspect value(s)

Tab.width cont'd **MYTI EDU, SB, J26, 36A Færder, 1993-0913.**

. Analytical Lab. ⇒					NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. ⇒					341	341	!	341	341	341
____ Detection Limit.____ ⇒					0.10	0.10	!	0.10	0.10	0.10
Samp/ Repl. no.	Shell-length Min:Max, mm:mm	Mean mm	-wght mean g	No of shell	HCHA ppb w.wt	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt
01/ 1	20:29	24.0	0.60	50	0.10	0.30	0.40	<0.10	<0.10	<0.10
02/ 1	30:39	34.0	1.30	50	0.10	0.30	0.40	<0.10	<0.10	<0.10
03/ 1	40:46	42.0	2.00	50	0.10	0.30	0.40	<0.10	<0.10	<0.10
Mean		33.3	1.30	50.0	0.10	0.30	0.40	<<.10	<<.10	<<.10
Minimum		24.0	0.60	50	0.10	0.30	0.40	<0.10	<0.10	<0.10
Maximum		42.0	2.00	50	0.10	0.30	0.40	<0.10	<0.10	<0.10
St.dev.		9.0	0.70	0.0	0.00	0.00	0.00	~0.00	~0.00	~0.00
Count		3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J26 Oslofjorden, Tissue : Whole SOFT BODY.
Locality : 36A Færder, Latitude: 59°01.60N, Longitude: 10°31.70E.
Catch,date : 1994-1029, Count: 150, Sample type: Bulked.

Samp/ Repl. no.	Shell-length Min:Max mm	Mean mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	NIVA 312 0.050 Cd ppm w.wt	NIVA 311 0.010 Cu ppm w.wt	NIVA 310 0.005 Hg ppm w.wt	NIVA 312 0.030 Pb ppm w.wt	NIVA 311 1.00 Zn ppm w.wt	NIVA 341 0.05 CB28 ppb w.wt	NIVA 341 0.05 CB52 ppb w.wt	NIVA 341 0.05 CB101 ppb w.wt	NIVA 341 0.05 CB105 ppb w.wt	NIVA 341 0.05 CB118 ppb w.wt	NIVA 341 0.05 CB138 ppb w.wt	NIVA 341 0.05 CB153 ppb w.wt	NIVA 341 0.05 CB156 ppb w.wt	NIVA 341 0.05 CB180 ppb w.wt	NIVA 341 0.05 CB209 ppb w.wt	Σ(*) ! CB_Σ7 ppb w.wt	Σ(*) ! CB_ΣΣ ppb w.wt	NIVA 341 0.10 DDEPP ppb w.wt	NIVA 341 0.05 TDEPP ppb w.wt	Σ(*) ! DD_Σn ppb w.wt
01/ 1	25:29	27.4		50	0.80	19.50	0.65	0.237	1.110	0.011	0.340	25.30	<0.05	0.09	0.19	0.09	0.20	0.27	0.31	<0.05	<0.05	<0.05	<1.1	<1.2	0.2	0.11	0.31
02/ 1	33:39	36.8		50	1.78	20.80	0.12	0.251	1.170	0.010	0.290	25.20	<0.05	<0.05	<0.05	0.10	0.05	0.06	0.07	<0.05	<0.05	<0.05	<0.2	<0.3	0.1	<0.05	<0.10
03/ 1	40:49	44.8		50	3.06	21.30	1.74	0.274	1.140	0.010	0.250	23.90	<0.05	0.16	0.25	0.10	0.27	0.40	0.48	<0.05	<0.05	<0.05	<1.6	<1.7	0.3	0.19	0.49
Mean		36.3		50.0	1.88	20.53	0.84	0.254	1.140	0.010	0.293	24.80	<<0.05	<<0.10	<<0.16	0.10	0.17	0.24	0.29	<<0.05	<<0.05	<<0.05	<<1.0	<<1.1	0.2	<<0.12	<<0.30
Minimum		27.4		50	0.80	19.50	0.12	0.237	1.110	0.010	0.250	23.90	<0.05	<0.05	<0.05	0.09	0.05	0.06	0.07	<0.05	<0.05	<0.05	<0.2	<0.3	0.1	<0.05	<0.10
Maximum		44.8		50	3.06	21.30	1.74	0.274	1.170	0.011	0.340	25.30	<0.05	0.16	0.25	0.10	0.27	0.40	0.48	<0.05	<0.05	<0.05	<1.6	<1.7	0.3	0.19	0.49
St.dev.		8.7		0.0	1.13	0.93	0.83	0.019	0.030	0.001	0.045	0.78	~0.00	~0.06	~0.10	0.01	0.11	0.17	0.21	~0.00	~0.00	~0.00	~0.7	~0.7	0.1	~0.07	~0.20
Count		3		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J26, 36A Færder, 1994-1029.

Samp/ Repl. no.	Shell-length Min:Max mm	Mean mm	-wght mean g	No of shell	NIVA 341 0.05 HCHA ppb w.wt	NIVA 341 0.05 HCHG ppb w.wt	Σ(*) ! HC_Σn ppb w.wt	NIVA 341 0.05 HCB ppb w.wt	NIVA 341 0.05 QCB ppb w.wt	NIVA 341 0.05 OCS ppb w.wt
01/ 1	25:29	27.4		50	0.05	0.15	0.20	<0.05	<0.05	<0.05
02/ 1	33:39	36.8		50	<0.05	0.08	<0.13	<0.05	<0.05	<0.05
03/ 1	40:49	44.8		50	0.13	0.29	0.42	<0.05	<0.05	<0.05
Mean		36.3		50.0	<<0.08	0.17	<<0.25	<<.05	<<.05	<<.05
Minimum		27.4		50	<0.05	0.08	<0.13	<0.05	<0.05	<0.05
Maximum		44.8		50	0.13	0.29	0.42	<0.05	<0.05	<0.05
St.dev.		8.7		0.0	~0.05	0.11	~0.15	~0.00	~0.00	~0.00
Count		3		3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J26 Oslofjorden, Tissue : Whole SOFT BODY.
Locality : 36A Færder, Latitude: 59°01.60N, Longitude: 10°31.70E.
Catch,date : 1995-0925, Count: 150, Sample type: Bulked.

Samp/ Repl. no.	Shell-length Min:Max mm	Mean mm	-wght mean g	No of shell	Dry %	Fat %	NIVA 312 0.050 Cd ppm w.wt	NIVA 311 0.010 Cu ppm w.wt	NIVA 310 0.005 Hg ppm w.wt	NIVA 312 0.030 Pb ppm w.wt	NIVA 311 1.00 Zn ppm w.wt	NIVA 341 0.05 CB28 ppb w.wt	NIVA 341 0.05 CB52 ppb w.wt	NIVA 341 0.05 CB101 ppb w.wt	NIVA 341 0.05 CB105 ppb w.wt	NIVA 341 0.05 CB118 ppb w.wt	NIVA 341 0.05 CB138 ppb w.wt	NIVA 341 0.05 CB153 ppb w.wt	NIVA 341 0.05 CB156 ppb w.wt	NIVA 341 0.05 CB180 ppb w.wt	NIVA 341 0.05 CB209 ppb w.wt	NILU 841 0.00 CB77 ppp w.wt	NILU 841 0.00 CB81 ppp w.wt	NILU 841 0.00 CB126 ppp w.wt	NILU 841 0.00 CB169 ppp w.wt	Σ(*) ! CB_Σ4 ppp w.wt	Σ(*) ! TECBW ppp w.wt
01/ 1	20:29	26.6		50	20.80	2.14	0.275	1.430	0.007	0.290	24.30	0.06	0.23	0.27	0.13	0.33	0.51	0.70	0.05	0.09	<0.05	.	.	.	.	.	.
02/ 1	30:39	34.9		50	21.00	2.19	0.237	1.620	0.007	0.260	24.20	0.05	0.15	0.27	0.13	0.33	0.54	0.76	0.05	0.08	<0.05	.	.	.	.	.	.
03/ 1	40:49	45.2		50	21.50	2.01	0.252	1.650	0.007	0.250	24.80	0.05	miss	0.30	0.15	0.39	0.61	0.85	0.05	0.09	<0.05	13.50	0.32	1.18	0.18	15.18	0.13
Mean		35.6		50.0	21.10	2.11	0.255	1.567	0.007	0.267	24.43	0.05	0.19	0.28	0.14	0.35	0.55	0.77	0.05	0.09	<<0.05	13.50	0.32	1.18	0.18	15.18	0.13
Minimum		26.6		50	20.80	2.01	0.237	1.430	0.007	0.250	24.20	0.05	0.15	0.27	0.13	0.33	0.51	0.70	0.05	0.08	<0.05	13.50	0.32	1.18	0.18	15.18	0.13
Maximum		45.2		50	21.50	2.19	0.275	1.650	0.007	0.290	24.80	0.06	0.23	0.30	0.15	0.39	0.61	0.85	0.05	0.09	<0.05	13.50	0.32	1.18	0.18	15.18	0.13
St.dev.		9.3		0.0	0.36	0.09	0.019	0.119	0.000	0.021	0.32	0.01	0.06	0.02	0.01	0.03	0.05	0.08	0.00	0.01	~0.00	.	.	.	.	.	.
Count		3		3	3	3	3	3	3	3	3	3	2	3	3	3	3	3	3	3	3	1	1	1	1	1	1

miss(1) ! Missing value.

. Analytical Lab. ⇒	Σ(*)	Σ(*)	Σ(*)	NIVA	NIVA	NIVA	Σ(*)	NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU
. Analysis Code. ⇒	!	!	!	341	340	341	!	341	341	!	341	341	341	841	841	841	841	841	841	841	841	841	841	841
____ Detection Limit.____ ⇒	!	!	!	0.10	0.05	0.05	!	0.05	0.05	!	0.05	0.05	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Samp/ Shell-length -wght No of	TECBS	CB_Σ7	CB_ΣΣ	DDEPP	DDTPP	TDEPP	DD_Σn	HCHA	HCHG	HC_Σn	HCB	QCB	OCS	TCDD	CDDST	CDD1N	CDDSN	CDD4X	CDD6X	CDD9X	CDDSX	CDD6P	CDDSP
Repl. Min:Max,Mean mean shell	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 20:29 26.6 50	.	2.2	<2.4	0.3	<0.05	0.12	<0.51	0.14	0.26	0.40	0.07	<0.05	<0.05	.	.	.	.	.	.	.	.	.	.
02/ 1 30:39 34.9 50	.	2.2	<2.4	0.4	<0.05	0.14	<0.56	0.14	0.28	0.42	0.07	<0.05	<0.05	.	.	.	.	.	.	.	.	.	.
03/ 1 40:49 45.2 50	0.26	2.3	<2.6	0.4	<0.05	0.18	<0.64	0.12	0.26	0.38	<0.05	<0.05	<0.05	0.01	0.33	0.02	0.02	0.01	0.02	0.01	0.16	0.06	0.07
Mean 35.6 50.0	0.26	2.2	<<2.5	0.4	<<0.05	0.15	<<0.57	0.13	0.27	0.40	<<.06	<<.05	<<.05	0.01	0.33	0.02	0.02	0.01	0.02	0.01	0.16	0.06	0.07
Minimum 26.6 50	0.26	2.2	<2.4	0.3	<0.05	0.12	<0.51	0.12	0.26	0.38	<0.05	<0.05	<0.05	0.01	0.33	0.02	0.02	0.01	0.02	0.01	0.16	0.06	0.07
Maximum 45.2 50	0.26	2.3	<2.6	0.4	<0.05	0.18	<0.64	0.14	0.28	0.42	0.07	<0.05	<0.05	0.01	0.33	0.02	0.02	0.01	0.02	0.01	0.16	0.06	0.07
St.dev. 9.3 0.0	.	0.1	~0.1	0.0	~0.00	0.03	~0.07	0.01	0.01	0.02	0.01	~0.00	~0.00	.	.	.	.	.	.	.	.	.	.
Count 3 3	1	3	3	3	3	3	3	3	3	3	3	3	3	1	1	1	1	1	1	1	1	1	1

Tab.width cont'd MYTI EDU, SB, J26, 36A Færder, 1995-0925.

. Analytical Lab. ⇒	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. ⇒	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	!	!	!
____ Detection Limit.____ ⇒	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	!	!	!
Samp/ Shell-length -wght No of	CDDO	PCDD	CDF2T	CDFST	CDF1N	CDF2N	CDFSN	CDF1X	CDF6X	CDF9X	CDF4X	CDFSX	CDF6P	CDF9P	CDFSP	CDFO	PCDF	CDDFS	TCDDI	TCDDN	
Repl. Min:Max,Mean mean shell	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	
no. mm:mm mm g	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	
01/ 1 20:29 26.6 50	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
02/ 1 30:39 34.9 50	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
03/ 1 40:49 45.2 50	0.21	0.79	0.25	2.11	0.05	0.06	0.40	0.04	0.02	<0.01	0.02	0.20	0.05	<0.01	0.05	0.08	2.84	0.12	<0.09	<0.09	
Mean 35.6 50.0	0.21	0.79	0.25	2.11	0.05	0.06	0.40	0.04	0.02	<0.01	0.02	0.20	0.05	<0.01	0.05	0.08	2.84	0.12	<0.09	<0.09	
Minimum 26.6 50	0.21	0.79	0.25	2.11	0.05	0.06	0.40	0.04	0.02	<0.01	0.02	0.20	0.05	<0.01	0.05	0.08	2.84	0.12	<0.09	<0.09	
Maximum 45.2 50	0.21	0.79	0.25	2.11	0.05	0.06	0.40	0.04	0.02	<0.01	0.02	0.20	0.05	<0.01	0.05	0.08	2.84	0.12	<0.09	<0.09	
St.dev. 9.3 0.0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Count 3 3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	

H9

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J26 Oslofjorden, Tissue : Whole SOFT BODY.
Locality : 36A Færder, Latitude: 59°01.60N, Longitude: 10°31.70E.
Catch,date : 1996-1002, Count: 320, Sample type: Bulked.

. Analytical Lab. ⇒				NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NILU	NILU	NILU	NILU	Σ(*)
. Analysis Code. ⇒				312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	841	841	841	841	!
____ Detection Limit.____ ⇒				0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.00	0.00	0.00	0.00	!
Samp/ Shell-length -wght No of	Mean Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB77	CB81	CB126	CB169	CB_Σ4
Repl. Min:Max,Mean mean shell	g	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g				w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 21:29 26.0 0.96 100	0.55	18.00	1.30	0.310	1.630	0.011	0.420	25.80	<0.05	0.06	0.18	0.09	0.23	0.40	0.55	<0.05	<0.05	<0.05	.	.	.	.	.
02/ 1 30:39 35.0 2.32 50	1.37	18.10	1.37	0.290	1.680	0.008	0.370	24.80	<0.05	0.25	0.80	0.33	0.88	0.76	0.77	0.05	<0.05	<0.05	.	.	.	.	.
03/ 1 40:49 45.0 5.29 50	3.57	20.70	1.96	0.210	1.300	0.008	0.370	25.50	0.05	0.12	0.42	0.20	0.51	0.66	0.77	<0.05	<0.05	<0.05	.	.	.	.	.
04/ 1 30:49 41.0 4.09 60	2.44	18.60	1.51	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	27.90	0.70	2.69	0.36	31.65
05/ 1 30:49 41.0 4.07 60	2.35	17.70	1.48	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	24.10	0.62	2.47	s0.31	s27.50
Mean 37.6 3.35 64.0	2.06	18.62	1.52	0.270	1.537	0.009	0.387	25.37	<<0.05	0.14	0.47	0.21	0.54	0.61	0.70	<<0.05	<<0.05	<<0.05	26.00	0.66	2.58	0.36	31.65
Minimum 26.0 0.96 50	0.55	17.70	1.30	0.210	1.300	0.008	0.370	24.80	<0.05	0.06	0.18	0.09	0.23	0.40	0.55	<0.05	<0.05	<0.05	24.10	0.62	2.47	0.36	31.65
Maximum 45.0 5.29 100	3.57	20.70	1.96	0.310	1.680	0.011	0.420	25.80	<0.05	0.25	0.80	0.33	0.88	0.76	0.77	<0.05	<0.05	<0.05	27.90	0.70	2.69	0.36	31.65
St.dev. 7.4 1.70 20.7	1.15	1.21	0.26	0.053	0.206	0.002	0.029	0.51	~0.00	0.10	0.31	0.12	0.33	0.19	0.13	~0.00	~0.00	~0.00	2.69	0.06	0.16	.	.
Count 5 5 5	5	5	5	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	2	2	2	i1	i1

s/q(41) ! Suspect value(s)
i (6) ! Suspect or ambiguous basis-value(s) ignored in statistics.

. Analytical Lab. ⇒					Σ(*)	Σ(*)	Σ(*)	Σ(*)	NIVA	NIVA	NIVA	Σ(*)	NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA	NILU	NILU	NILU	NILU	NILU	NILU	NILU
. Analysis Code. ⇒					!	!	!	!	341	340	341	!	341	341	!	341	341	341	841	841	841	841	841	841	841
____ Detection Limit. ____ ⇒					!	!	!	!	0.10	0.05	0.05	!	0.05	0.05	!	0.05	0.05	0.05	0.00	0.00	0.00	0.00	2000000	0.00	0.00	0.00	0.00
Samp/ Shell-length -wght No of					TECBW	TECBS	CB_Σ7	CB_ΣΣ	DDEPP	DDTPP	TDEPP	DD_Σn	HCHA	HCHG	HC_Σn	HCB	QCB	OCS	TCDD	CDDST	CDD1N	CDDSN	0.0	CDD6X	CDD9X	CDDSX	CDD6P
Repl. Min:Max,Mean mean shell					ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	CDD4X	ppb	ppb	ppb	ppb
no. mm:mm mm g					w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	ppb w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	21:29	26.0	0.96	100	.	.	<1.5	<1.6	0.1	<0.05	<0.05	<0.11	<0.05	0.10	<0.15	<0.05	<0.05	<0.05	.	.	.	.	.	.	.	.	.
02/ 1	30:39	35.0	2.32	50	.	.	<3.5	<3.9	0.1	<0.05	<0.05	<0.13	<0.05	0.10	<0.15	<0.05	<0.05	<0.05	.	.	.	.	.	.	.	.	.
03/ 1	40:49	45.0	5.29	50	.	.	<2.6	<2.8	0.1	<0.05	<0.05	<0.16	0.05	0.18	0.23	<0.05	<0.05	<0.05	.	.	.	.	.	.	.	.	.
04/ 1	30:49	41.0	4.09	60	0.29	0.57	.	0.0	.	.	.	.	.	.	.	.	.	.	<0.01	0.42	<0.01	<0.01	<0.02	<0.02	<0.02	0.30	0.23
05/ 1	30:49	41.0	4.07	60	s0.26	s0.50	.	s0.0	.	.	.	.	.	.	.	.	.	.	<0.01	0.56	<0.01	<0.01	<0.02	<0.02	<0.02	<0.02	s0.17
Mean		37.6	3.35	64.0	0.29	0.57	<<2.5	<<2.1	0.1	<<0.05	<<0.05	<<0.13	<<0.05	0.13	<<0.18	<<.05	<<.05	<<.05	<<0.01	0.49	<<0.01	<<0.01	<<0.02	<<0.02	<<0.02	<<0.16	0.23
Minimum		26.0	0.96	50	0.29	0.57	<1.5	0.0	0.1	<0.05	<0.05	<0.11	<0.05	0.10	<0.15	<0.05	<0.05	<0.05	<0.01	0.42	<0.01	<0.01	<0.02	<0.02	<0.02	<0.02	0.23
Maximum		45.0	5.29	100	0.29	0.57	<3.5	<3.9	0.1	<0.05	<0.05	<0.16	<0.05	0.18	0.23	<0.05	<0.05	<0.05	<0.01	0.56	<0.01	<0.01	<0.02	<0.02	<0.02	0.30	0.23
St.dev.		7.4	1.70	20.7	.	.	~1.0	~1.7	0.0	~0.00	~0.00	~0.03	~0.00	0.05	~0.05	~0.00	~0.00	~0.00	~0.00	0.10	~0.00	~0.00	~0.00	~0.00	~0.00	0.20	.
Count		5	5	5	i1	i1	3	i4	3	3	3	3	3	3	3	3	3	3	2	2	2	2	2	2	2	2	i1

Tab.width cont'd MYTI EDU, SB, J26, 36A Færder, 1996-1002.

. Analytical Lab. ⇒					NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. ⇒					841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	!	!	!
____ Detection Limit. ____ ⇒					0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	!	!	!
Samp/ Shell-length -wght No of					CDDSP	CDDO	PCDD	CDF2T	CDFST	CDF1N	CDF2N	CDFSN	CDFDX	CDF6X	CDF9X	CDF4X	CDFSX	CDF6P	CDF9P	CDFSP	CDFO	PCDF	CDDFS	TCDDI	TCDDN
Repl. Min:Max,Mean mean shell					ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g					w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	21:29	26.0	0.96	100	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
02/ 1	30:39	35.0	2.32	50	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
03/ 1	40:49	45.0	5.29	50	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
04/ 1	30:49	41.0	4.09	60	0.23	0.57	1.52	s0.68	4.06	s0.06	0.10	0.55	s0.04	s0.03	<0.02	<0.02	0.07	s0.07	<0.08	0.07	0.08	4.83	0.30	s<0.14	s<0.14
05/ 1	30:49	41.0	4.07	60	0.17	0.44	1.17	s0.58	3.21	s0.07	0.11	0.32	s0.04	s0.05	<0.02	<0.02	0.09	s0.06	<0.08	0.06	<0.01	3.78	0.23	s<0.14	s<0.14
Mean		37.6	3.35	64.0	0.20	0.51	1.35	s0.63	3.64	s0.07	0.11	0.44	s0.04	s0.04	<<0.02	<<0.02	0.08	s0.07	<<0.08	0.07	<<0.05	4.31	0.27	s<<.14	s<<.14
Minimum		26.0	0.96	50	0.17	0.44	1.17	s0.58	3.21	s0.06	0.10	0.32	s0.04	s0.03	<0.02	<0.02	0.07	s0.06	<0.08	0.06	<0.01	3.78	0.23	s<0.14	s<0.14
Maximum		45.0	5.29	100	0.23	0.57	1.52	s0.68	4.06	s0.07	0.11	0.55	s0.04	s0.05	<0.02	<0.02	0.09	s0.07	<0.08	0.07	0.08	4.83	0.30	s<0.14	s<0.14
St.dev.		7.4	1.70	20.7	0.04	0.09	0.25	0.07	0.60	0.01	0.01	0.16	0.00	0.01	~0.00	~0.00	0.01	0.01	~0.00	0.01	0.05	0.74	0.05	~0.00	~0.00
Count		5	5	5	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J26 Oslofjorden, Tissue : Whole SOFT BODY.
Locality : 36A Færder, Latitude: 59°01.60N, Longitude: 10°31.70E.
Catch,date : 1997-1012, Count: 150, Sample type: Bulked.

. Analytical Lab. ⇒								NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. ⇒								312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	341	!	!	341	340	341
____ Detection Limit. ____ ⇒								0.050	0.010	0.005	0.040	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	0.05
Samp/ Shell-length -wght No of					Mean Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	DDTPP	TDEPP
Repl. Min:Max,Mean mean shell					g	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g								w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	22:29	26.4	0.86	50	0.56	17.50	2.16	0.287	1.200	0.013	0.520	23.70	0.08	0.15	0.36	0.18	0.36	0.58	0.62	0.05	0.07	<0.05	2.2	<2.5	0.4	0.41	0.16
02/ 1	30:39	35.2	2.10	50	1.20	16.10	1.61	0.296	1.100	0.013	0.350	23.40	<0.05	0.07	0.22	0.12	0.26	0.57	0.66	0.05	0.05	<0.05	<1.9	<2.1	0.3	0.34	0.12
03/ 1	40:49	43.3	3.95	50	2.17	17.70	2.05	0.373	1.460	0.013	0.380	25.60	<0.05	0.09	0.33	0.21	0.39	0.88	1.00	0.07	0.06	<0.05	<2.8	<3.1	0.5	0.45	0.19
Mean		35.0	2.30	50.0	1.31	17.10	1.94	0.319	1.253	0.013	0.417	24.23	<<0.06	0.10	0.30	0.17	0.34	0.68	0.76	0.06	0.06	<<0.05	<<2.3	<<2.5	0.4	0.40	0.16
Minimum		26.4	0.86	50	0.56	16.10	1.61	0.287	1.100	0.013	0.350	23.40	<0.05	0.07	0.22	0.12	0.26	0.57	0.62	0.05	0.05	<0.05	<1.9	<2.1	0.3	0.34	0.12
Maximum		43.3	3.95	50	2.17	17.70	2.16	0.373	1.460	0.013	0.520	25.60	0.08	0.15	0.36	0.21	0.39	0.88	1.00	0.07	0.07	<0.05	<2.8	<3.1	0.5	0.45	0.19
St.dev.		8.5	1.56	0.0	0.81	0.87	0.29	0.047	0.186	0.000	0.091	1.19	~0.02	0.04	0.07	0.05	0.07	0.18	0.21	0.01	0.01	~0.00	~0.5	~0.5	0.1	0.06	0.04
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J26, 36A Færder, 1997-1012.**

. Analytical Lab. ⇒	Σ(*)	NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. ⇒	!	341	341	!	341	341	341
____ Detection Limit.____ ⇒	!	0.05	0.05	!	0.05	0.05	0.05
Samp/ Shell-length -wght No of	DD_Σn	HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl. Min:Max,Mean mean shell	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 22:29 26.4 0.86 50	0.94	0.12	0.51	0.63	0.06	<0.05	0.05
02/ 1 30:39 35.2 2.10 50	0.76	0.08	0.35	0.43	<0.05	<0.05	<0.05
03/ 1 40:49 43.3 3.95 50	1.15	0.12	0.51	0.63	0.05	<0.05	<0.05
Mean 35.0 2.30 50.0	0.95	0.11	0.46	0.56	<<.05	<<.05	<<.05
Minimum 26.4 0.86 50	0.76	0.08	0.35	0.43	<0.05	<0.05	<0.05
Maximum 43.3 3.95 50	1.15	0.12	0.51	0.63	0.06	<0.05	0.05
St.dev. 8.5 1.56 0.0	0.20	0.02	0.09	0.12	~0.01	~0.00	~0.00
Count 3 3 3	3	3	3	3	3	3	3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J26 Oslofjorden**, Tissue : **Whole SOFT BODY.**
Locality : **71A Bjørkøya (Risøyodd.)**, Latitude: 59°01.40N, Longitude: 09°45.40E.
Catch,date : **1993-0913**, Count: 150, Sample type: **Bulked.**

. Analytical Lab. ⇒				NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. ⇒				312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!
____ Detection Limit.____ ⇒				0.050	0.010	0.005	0.030	1.00	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	!	!	0.10	0.10	!
Samp/ Shell-length -wght No of	Mean Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn
Repl. Min:Max,Mean mean shell	g	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g				w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 20:29 25.0 0.90 50	0.74	17.90	1.40	0.260	1.410	0.025	0.240	18.50	0.10	s0.60	0.20	s1.70	0.30	0.30	0.60	<0.10	<0.10	0.10	s<2.2	s<4.0	0.3	s0.20	s0.50
02/ 1 30:39 35.0 2.50 50	1.83	19.00	1.60	0.360	1.530	0.025	0.270	23.10	0.10	s0.70	0.20	s1.40	0.30	0.30	0.60	<0.10	<0.10	0.10	s<2.3	s<3.8	0.3	s0.20	s0.50
03/ 1 40:49 45.0 4.80 50	3.48	17.80	1.40	0.350	1.270	0.039	0.290	21.40	<0.10	s0.60	0.20	s1.60	0.30	0.30	0.60	<0.10	<0.10	0.10	s<2.1	s<3.8	0.2	s0.20	s0.40
Mean 35.0 2.73 50.0	2.02	18.23	1.47	0.323	1.403	0.030	0.267	21.00	<<0.10	s0.63	0.20	s1.57	0.30	0.30	0.60	<<0.10	<<0.10	0.10	s<<2.2	s<<3.9	0.3	s0.20	s0.47
Minimum 25.0 0.90 50	0.74	17.80	1.40	0.260	1.270	0.025	0.240	18.50	<0.10	s0.60	0.20	s1.40	0.30	0.30	0.60	<0.10	<0.10	0.10	s<2.1	s<3.8	0.2	s0.20	s0.40
Maximum 45.0 4.80 50	3.48	19.00	1.60	0.360	1.530	0.039	0.290	23.10	0.10	s0.70	0.20	s1.70	0.30	0.30	0.60	<0.10	<0.10	0.10	s<2.3	s<4.0	0.3	s0.20	s0.50
St.dev. 10.0 1.96 0.0	1.38	0.67	0.12	0.055	0.130	0.008	0.025	2.33	0.00	0.06	0.00	0.15	0.00	0.00	0.00	~0.00	~0.00	0.00	~0.1	~0.1	0.1	0.00	0.06
Count 3 3 3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

s/q(36) ! Suspect value(s)

Tab.width cont'd **MYTI EDU, SB, J26, 71A Bjørkøya (Risøyodd.), 1993-0913.**

. Analytical Lab. ⇒	NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. ⇒	341	341	!	341	341	341
____ Detection Limit.____ ⇒	0.10	0.10	!	0.10	0.10	0.10
Samp/ Shell-length -wght No of	HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl. Min:Max,Mean mean shell	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 20:29 25.0 0.90 50	0.20	0.40	0.60	0.70	0.10	<0.10
02/ 1 30:39 35.0 2.50 50	0.20	0.40	0.60	0.70	0.10	<0.10
03/ 1 40:49 45.0 4.80 50	0.20	0.30	0.50	0.70	0.10	<0.10
Mean 35.0 2.73 50.0	0.20	0.37	0.57	0.70	0.10	<<.10
Minimum 25.0 0.90 50	0.20	0.30	0.50	0.70	0.10	<0.10
Maximum 45.0 4.80 50	0.20	0.40	0.60	0.70	0.10	<0.10
St.dev. 10.0 1.96 0.0	0.00	0.06	0.06	0.00	0.00	~0.00
Count 3 3 3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J26 Oslofjorden, Tissue : Whole SOFT BODY.
Locality : 71A Bjørkøya (Risøyodd.), Latitude: 59°01.40N, Longitude: 09°45.40E.
Catch,date : 1994-1028, Count: 150, Sample type: Bulked.

Samp/ Repl. no.	Shell-length Min:Max, mm:mm	Mean mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	NIVA 312 0.050 Cd ppm w.wt	NIVA 311 0.010 Cu ppm w.wt	NIVA 310 0.005 Hg ppm w.wt	NIVA 312 0.030 Pb ppm w.wt	NIVA 311 1.00 Zn ppm w.wt	NIVA 341 0.05 CB28 ppb w.wt	NIVA 341 0.05 CB52 ppb w.wt	NIVA 341 0.05 CB101 ppb w.wt	NIVA 341 0.05 CB105 ppb w.wt	NIVA 341 0.05 CB118 ppb w.wt	NIVA 341 0.05 CB138 ppb w.wt	NIVA 341 0.05 CB153 ppb w.wt	NIVA 341 0.05 CB156 ppb w.wt	NIVA 341 0.05 CB180 ppb w.wt	NIVA 341 0.05 CB209 ppb w.wt	Σ(*) ! CB_Σ7 ppb w.wt	Σ(*) ! CB_ΣΣ ppb w.wt	NIVA 341 0.10 DDEPP ppb w.wt	NIVA 341 0.05 TDEPP ppb w.wt	Σ(*) ! DD_Σn ppb w.wt
01/ 1	24:29	26.9		50	0.93	16.60	1.21	0.296	1.180	0.032	0.300	25.50	0.08	0.13	0.36	0.18	0.43	0.63	0.85	0.16	0.14	0.18	2.6	3.1	0.5	0.27	0.79
02/ 1	30:39	35.3		50	2.05	15.60	1.25	0.308	1.150	0.033	0.300	24.50	0.07	0.13	0.36	0.18	0.43	0.62	0.85	0.15	0.12	0.14	2.6	3.1	0.5	0.25	0.75
03/ 1	40:49	44.5		50	3.57	14.90	1.19	0.304	1.070	0.035	0.320	25.30	0.07	0.13	0.38	0.18	0.46	0.70	0.95	0.16	0.13	0.15	2.8	3.3	0.5	0.28	0.78
Mean		35.6		50.0	2.18	15.70	1.22	0.303	1.133	0.033	0.307	25.10	0.07	0.13	0.37	0.18	0.44	0.65	0.88	0.16	0.13	0.16	2.7	3.2	0.5	0.27	0.77
Minimum		26.9		50	0.93	14.90	1.19	0.296	1.070	0.032	0.300	24.50	0.07	0.13	0.36	0.18	0.43	0.62	0.85	0.15	0.12	0.14	2.6	3.1	0.5	0.25	0.75
Maximum		44.5		50	3.57	16.60	1.25	0.308	1.180	0.035	0.320	25.50	0.08	0.13	0.38	0.18	0.46	0.70	0.95	0.16	0.14	0.18	2.8	3.3	0.5	0.28	0.79
St.dev.		8.8		0.0	1.33	0.85	0.03	0.006	0.057	0.002	0.012	0.53	0.01	0.00	0.01	0.00	0.02	0.04	0.06	0.01	0.01	0.02	0.1	0.1	0.0	0.02	0.02
Count		3		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J26, 71A Bjørkøya (Risøyodd.), 1994-1028.

Samp/ Repl. no.	Shell-length Min:Max, mm:mm	Mean mm	-wght mean g	No of shell	NIVA 341 0.05 HCHA ppb w.wt	NIVA 341 0.05 HCHG ppb w.wt	Σ(*) ! HC_Σn ppb w.wt	NIVA 341 0.05 HCB ppb w.wt	NIVA 341 0.05 QCB ppb w.wt	NIVA 341 0.05 OCS ppb w.wt
01/ 1	24:29	26.9		50	0.09	0.16	0.25	0.24	0.07	<0.05
02/ 1	30:39	35.3		50	0.07	0.14	0.21	0.23	0.05	<0.05
03/ 1	40:49	44.5		50	0.11	0.16	0.27	0.25	0.06	<0.05
Mean		35.6		50.0	0.09	0.15	0.24	0.24	0.06	<<.05
Minimum		26.9		50	0.07	0.14	0.21	0.23	0.05	<0.05
Maximum		44.5		50	0.11	0.16	0.27	0.25	0.07	<0.05
St.dev.		8.8		0.0	0.02	0.01	0.03	0.01	0.01	~0.00
Count		3		3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J26 Oslofjorden, Tissue : Whole SOFT BODY.
Locality : 71A Bjørkøya (Risøyodd.), Latitude: 59°01.40N, Longitude: 09°45.40E.
Catch,date : 1995-0924, Count: 150, Sample type: Bulked.

Samp/ Repl. no.	Shell-length Min:Max, mm:mm	Mean mm	-wght mean g	No of shell	Dry %	Fat %	NIVA 312 0.050 Cd ppm w.wt	NIVA 311 0.010 Cu ppm w.wt	NIVA 310 0.005 Hg ppm w.wt	NIVA 312 0.030 Pb ppm w.wt	NIVA 311 1.00 Zn ppm w.wt	NIVA 341 0.05 CB28 ppb w.wt	NIVA 341 0.05 CB52 ppb w.wt	NIVA 341 0.05 CB101 ppb w.wt	NIVA 341 0.05 CB105 ppb w.wt	NIVA 341 0.05 CB118 ppb w.wt	NIVA 341 0.05 CB138 ppb w.wt	NIVA 341 0.05 CB153 ppb w.wt	NIVA 341 0.05 CB156 ppb w.wt	NIVA 341 0.05 CB180 ppb w.wt	NIVA 341 0.05 CB209 ppb w.wt	Σ(*) ! CB_Σ7 ppb w.wt	Σ(*) ! CB_ΣΣ ppb w.wt	NIVA 341 0.10 DDEPP ppb w.wt	NIVA 340 0.05 DDTPP ppb w.wt	NIVA 341 0.05 TDEPP ppb w.wt	Σ(*) ! DD_Σn ppb w.wt
01/ 1	20:29	27.1		50	16.40	1.14	0.284	1.330	0.025	0.210	22.00	0.05	0.10	0.24	0.14	0.32	0.44	0.59	0.17	0.18	0.19	1.9	2.4	0.3	0.13	0.10	0.49
02/ 1	30:39	36.1		50	15.40	0.44	0.347	1.210	0.031	0.230	23.10	<0.05	0.05	0.11	0.07	0.15	0.21	0.26	0.07	0.07	0.05	<0.9	<1.1	0.1	<0.05	0.05	<0.23
03/ 1	40:49	44.3		50	11.60	0.66	0.390	1.090	0.034	0.270	23.50	<0.05	0.08	0.15	0.09	0.21	0.29	0.35	0.11	0.11	0.08	<1.2	<1.5	0.2	<0.05	0.05	<0.25
Mean		35.8		50.0	14.47	0.75	0.340	1.210	0.030	0.237	22.87	<<0.05	0.08	0.17	0.10	0.23	0.31	0.40	0.12	0.12	0.11	<<1.4	<<1.7	0.2	<<0.08	0.07	<<0.32
Minimum		27.1		50	11.60	0.44	0.284	1.090	0.025	0.210	22.00	<0.05	0.05	0.11	0.07	0.15	0.21	0.26	0.07	0.07	0.05	<0.9	<1.1	0.1	<0.05	0.05	<0.23
Maximum		44.3		50	16.40	1.14	0.390	1.330	0.034	0.270	23.50	0.05	0.10	0.24	0.14	0.32	0.44	0.59	0.17	0.18	0.19	1.9	2.4	0.3	0.13	0.10	0.49
St.dev.		8.6		0.0	2.53	0.36	0.053	0.120	0.005	0.031	0.78	~0.00	0.03	0.07	0.04	0.09	0.12	0.17	0.05	0.06	0.07	~0.5	~0.7	0.1	~0.05	0.03	~0.14
Count		3		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

. Analytical Lab. =>	NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>	341	341	!	341	341	341
Detection Limit. =>	0.05	0.05	!	0.05	0.05	0.05
Samp/ Shell-length -wght No of	HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl. Min:Max,Mean mean shell	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 20:29 27.1 50	0.07	0.13	0.20	0.35	<0.05	<0.05
02/ 1 30:39 36.1 50	0.07	0.11	0.18	0.20	0.05	<0.05
03/ 1 40:49 44.3 50	0.07	0.10	0.17	0.25	<0.05	<0.05
Mean 35.8 50.0	0.07	0.11	0.18	0.27	<<.05	<<.05
Minimum 27.1 50	0.07	0.10	0.17	0.20	<0.05	<0.05
Maximum 44.3 50	0.07	0.13	0.20	0.35	<0.05	<0.05
St.dev. 8.6 0.0	0.00	0.02	0.02	0.08	~0.00	~0.00
Count 3 3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J26 Oslofjorden, Tissue : Whole SOFT BODY.
Locality : 71A Bjørkøya (Risøyodd.), Latitude: 59°01.40N, Longitude: 09°45.40E.
Catch,date : 1996-0929, Count: 260, Sample type: Bulked.

. Analytical Lab. =>				NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NILU	NILU	NILU	NILU	Σ(*)
. Analysis Code. =>				312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	341	841	841	841	841	!
Detection Limit. =>				0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.00	0.00	0.00	0.00	!
Samp/ Shell-length -wght No of	Mean Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB77	CB81	CB126	CB169	CB_Σ4
Repl. Min:Max,Mean mean shell	g	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppp	ppp	ppp	ppp	ppp
no. mm:mm mm g				w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 21:29 25.0 0.67 100	0.46	14.70	1.08	0.300	1.480	0.051	0.480	24.90	<0.05	0.06	0.20	0.11	0.32	0.59	0.82	0.23	s0.26	0.58	.	.	.	.	.
02/ 1 30:39 35.0 1.47 50	1.35	16.30	1.08	0.230	1.210	0.036	0.360	19.10	<0.05	0.08	0.32	0.18	0.61	0.87	1.18	0.41	s0.46	0.44	.	.	.	.	.
03/ 1 40:49 44.0 2.90 50	2.46	16.70	1.45	0.250	1.280	0.037	0.350	20.40	0.06	0.09	0.34	0.18	0.60	0.95	1.29	0.31	s0.36	0.28	.	.	.	.	.
04/ 1 32:49 42.0 2.51 60	1.98	14.30	1.13	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	41.20	2.27	8.85	s3.31	s55.63
Mean 36.5 1.89 65.0	1.56	15.50	1.19	0.260	1.323	0.041	0.397	21.47	<<0.05	0.08	0.29	0.16	0.51	0.80	1.10	0.32	s0.36	0.43	41.20	2.27	8.85	s3.31	s55.63
Minimum 25.0 0.67 50	0.46	14.30	1.08	0.230	1.210	0.036	0.350	19.10	<0.05	0.06	0.20	0.11	0.32	0.59	0.82	0.23	s0.26	0.28	41.20	2.27	8.85	s3.31	s55.63
Maximum 44.0 2.90 100	2.46	16.70	1.45	0.300	1.480	0.051	0.480	24.90	0.06	0.09	0.34	0.18	0.61	0.95	1.29	0.41	s0.46	0.58	41.20	2.27	8.85	s3.31	s55.63
St.dev. 8.6 1.01 23.8	0.86	1.18	0.18	0.036	0.140	0.008	0.072	3.04	~0.01	0.02	0.08	0.04	0.16	0.19	0.25	0.09	0.10	0.15	.	.	.	.	.
Count 4 4 4	4	4	4	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	1	1	1	1	1

s/q (35) ! Suspect value(s)
miss(1) ! Missing value.

. Analytical Lab. =>	Σ(*)	Σ(*)	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)	NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU
. Analysis Code. =>	!	!	!	!	341	341	!	341	341	!	341	341	341	841	841	841	841	841	841	841	841	841	841
Detection Limit. =>	!	!	!	!	0.10	0.05	!	0.05	0.05	!	0.05	0.05	0.05	0.00	0.00	0.00	0.00	2000000	0.00	0.00	0.00	0.00	0.00
Samp/ Shell-length -wght No of	TECBW	TECBS	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn	HCHA	HCHG	HC_Σn	HCB	QCB	OCS	TCDD	CDDST	CDD1N	CDDSN	0.0	CDD6X	CDD9X	CDDSX	CDD6P	CDDSP
Repl. Min:Max,Mean mean shell	ppp	ppp	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppp	ppp	ppp	ppp	CDD4X	ppp	ppp	ppp	ppp	ppp
no. mm:mm mm g	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	ppp w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 21:29 25.0 0.67 100	.	.	s<2.3	s<3.2	0.1	<0.05	<0.12	<0.05	0.08	<0.13	0.56	0.06	<0.05	.	.	.	.	.	.	.	.	.	.
02/ 1 30:39 35.0 1.47 50	.	.	s<3.6	s<4.6	0.1	0.07	0.19	<0.05	miss	<0.05	0.73	0.08	<0.05	.	.	.	.	.	.	.	.	.	.
03/ 1 40:49 44.0 2.90 50	.	.	s3.7	s4.5	0.1	0.07	0.20	<0.05	0.07	<0.12	1.07	0.12	<0.05	.	.	.	.	.	.	.	.	.	.
04/ 1 32:49 42.0 2.51 60	s0.94	s1.46	.	s0.1	.	.	.	.	.	.	.	.	.	0.95	16.70	1.46	11.70	1.17	1.48	1.07	10.40	5.05	8.15
Mean 36.5 1.89 65.0	s0.94	s1.46	s<<3.2	s<<3.1	0.1	<<0.06	<<0.17	<<0.05	0.08	<<0.10	0.79	0.09	<<.05	0.95	16.70	1.46	11.70	1.17	1.48	1.07	10.40	5.05	8.15
Minimum 25.0 0.67 50	s0.94	s1.46	s<2.3	s0.1	0.1	<0.05	<0.12	<0.05	0.07	<0.05	0.56	0.06	<0.05	0.95	16.70	1.46	11.70	1.17	1.48	1.07	10.40	5.05	8.15
Maximum 44.0 2.90 100	s0.94	s1.46	s3.7	s<4.6	0.1	0.07	0.20	<0.05	0.08	<0.13	1.07	0.12	<0.05	0.95	16.70	1.46	11.70	1.17	1.48	1.07	10.40	5.05	8.15
St.dev. 8.6 1.01 23.8	.	.	~0.8	~2.1	0.0	~0.01	~0.04	~0.00	0.01	~0.04	0.26	0.03	~0.00	.	.	.	.	.	.	.	.	.	.
Count 4 4 4	1	1	3	4	3	3	3	3	2	3	3	3	3	1	1	1	1	1	1	1	1	1	1

Tab.width cont'd **MYTI EDU, SB, J26, 71A Bjørkøya (Risøyodd.), 1996-0929.**

Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	Analytical Lab.	Analysis Code.	Detection Limit.	CDDO ppb w.wt	PCDD ppb w.wt	CDF2T ppb w.wt	CDFST ppb w.wt	CDFDN ppb w.wt	CDF2N ppb w.wt	CDFSN ppb w.wt	CDF1X ppb w.wt	CDF6X ppb w.wt	CDF9X ppb w.wt	CDF4X ppb w.wt	CDFSX ppb w.wt	CDF6P ppb w.wt	CDF9P ppb w.wt	CDFSP ppb w.wt	CDFO ppb w.wt	PCDF ppb w.wt	CDDFS ppb w.wt	TCDDI ppb w.wt	TCDDN ppb w.wt
					⇒	⇒	⇒	NILU 841 0.00	NILU 841 0.00	NILU 841 0.00	NILU 841 0.00	NILU 841 0.00	NILU 841 0.00	NILU 841 0.00	NILU 841 0.00	NILU 841 0.00	NILU 841 0.00	NILU 841 0.00	NILU 841 0.00	NILU 841 0.00	NILU 841 0.00	NILU 841 0.00	NILU 841 0.00	NILU 841 0.00	Σ(*) ! !	Σ(*) ! !	Σ(*) ! !
01/ 1	21:29	25.0	0.67	100				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
02/ 1	30:39	35.0	1.47	50				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
03/ 1	40:49	44.0	2.90	50				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
04/ 1	32:49	42.0	2.51	60				13.80	60.80	29.20	164.00	19.30	7.39	105.00	19.00	10.40	5.67	2.44	71.00	43.70	13.60	93.90	128.00	562.00	102.05	14.15	13.38
Mean		36.5	1.89	65.0				13.80	60.80	29.20	164.00	19.30	7.39	105.00	19.00	10.40	5.67	2.44	71.00	43.70	13.60	93.90	128.00	562.00	102.05	14.15	13.38
Minimum		25.0	0.67	50				13.80	60.80	29.20	164.00	19.30	7.39	105.00	19.00	10.40	5.67	2.44	71.00	43.70	13.60	93.90	128.00	562.00	102.05	14.15	13.38
Maximum		44.0	2.90	100				13.80	60.80	29.20	164.00	19.30	7.39	105.00	19.00	10.40	5.67	2.44	71.00	43.70	13.60	93.90	128.00	562.00	102.05	14.15	13.38
St.dev.		8.6	1.01	23.8				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Count		4	4	4				1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J26 Oslofjorden**, Tissue : **Whole SOFT BODY.**
Locality : **71A Bjørkøya (Risøyodd.)**, Latitude: 59°01.40N, Longitude: 09°45.40E.
Catch,date : **1997-1010**, Count: 200, Sample type: **Bulked.**

69

Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	Analytical Lab.	Analysis Code.	Detection Limit.	Mean Weight g	Dry %	Fat %	NIVA 312 0.050 Cd ppm w.wt	NIVA 311 0.010 Cu ppm w.wt	NIVA 310 0.005 Hg ppm w.wt	NIVA 312 0.040 Pb ppm w.wt	NIVA 311 1.00 Zn ppm w.wt	NIVA 341 0.05 CB28 ppb w.wt	NIVA 341 0.05 CB52 ppb w.wt	NIVA 341 0.05 CB101 ppb w.wt	NIVA 341 0.05 CB105 ppb w.wt	NIVA 341 0.05 CB118 ppb w.wt	NIVA 341 0.05 CB138 ppb w.wt	NIVA 341 0.05 CB153 ppb w.wt	NIVA 341 0.05 CB156 ppb w.wt	NIVA 341 0.05 CB180 ppb w.wt	NIVA 341 0.05 CB209 ppb w.wt	Σ(*) ! ! CB_Σ7 ppb w.wt	Σ(*) ! ! CB_ΣΣ ppb w.wt	NIVA 341 0.10 DDEPP ppb w.wt	NIVA 341 0.05 TDEPP ppb w.wt	Σ(*) ! ! DD_Σn ppb w.wt
					⇒	⇒	⇒																							
01/ 1	20:29	24.7	0.54	100				0.42	10.80	0.75	0.227	1.020	0.033	0.320	20.70	<0.05	<0.05	0.13	0.10	0.17	0.28	0.30	0.05	<0.05	<0.05	<0.9	<1.1	0.1	0.17	0.28
02/ 1	30:39	34.7	1.56	50				1.15	10.90	0.75	0.266	0.760	0.034	0.290	21.10	<0.05	0.20	0.11	0.10	0.14	0.25	0.26	0.05	<0.05	<0.05	<1.0	<1.2	0.1	0.15	0.25
03/ 1	40:49	42.9	2.64	50				1.96	10.60	0.86	0.286	1.270	0.034	0.300	20.40	<0.05	<0.05	0.16	0.11	0.24	0.46	0.51	0.09	<0.05	<0.05	<1.4	<1.6	0.1	0.18	0.32
Mean		34.1	1.58	66.7				1.18	10.77	0.79	0.260	1.017	0.034	0.303	20.73	<<0.05	<<0.10	0.13	0.10	0.18	0.33	0.36	0.06	<<0.05	<<0.05	<<1.1	<<1.3	0.1	0.17	0.28
Minimum		24.7	0.54	50				0.42	10.60	0.75	0.227	0.760	0.033	0.290	20.40	<0.05	<0.05	0.11	0.10	0.14	0.25	0.26	0.05	<0.05	<0.05	<0.9	<1.1	0.1	0.15	0.25
Maximum		42.9	2.64	100				1.96	10.90	0.86	0.286	1.270	0.034	0.320	21.10	<0.05	0.20	0.16	0.11	0.24	0.46	0.51	0.09	<0.05	<0.05	<1.4	<1.6	0.1	0.18	0.32
St.dev.		9.1	1.05	28.9				0.77	0.15	0.06	0.030	0.255	0.001	0.015	0.35	~0.00	~0.09	0.03	0.01	0.05	0.11	0.13	0.02	~0.00	~0.00	~0.3	~0.3	0.0	0.02	0.04
Count		3	3	3				3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J26, 71A Bjørkøya (Risøyodd.), 1997-1010.**

Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	Analytical Lab.	Analysis Code.	Detection Limit.	NIVA 341 0.05 HCHA ppb w.wt	NIVA 341 0.05 HCHG ppb w.wt	Σ(*) ! HC_Σn ppb w.wt	NIVA 341 0.05 HCB ppb w.wt	NIVA 341 0.05 QCB ppb w.wt	NIVA 341 0.05 OCS ppb w.wt
					⇒	⇒	⇒						
01/ 1	20:29	24.7	0.54	100				<0.05	0.11	<0.16	0.22	<0.05	<0.05
02/ 1	30:39	34.7	1.56	50				<0.05	0.10	<0.15	0.17	<0.05	<0.05
03/ 1	40:49	42.9	2.64	50				<0.05	0.12	<0.17	0.27	<0.05	<0.05
Mean		34.1	1.58	66.7				<<0.05	0.11	<<0.16	0.22	<<.05	<<.05
Minimum		24.7	0.54	50				<0.05	0.10	<0.15	0.17	<0.05	<0.05
Maximum		42.9	2.64	100				<0.05	0.12	<0.17	0.27	<0.05	<0.05
St.dev.		9.1	1.05	28.9				~0.00	0.01	~0.01	0.05	~0.00	~0.00
Count		3	3	3				3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 76A Risøy, Latitude: 58°43.60N, Longitude: 09°17.00E.
Catch,date : 1993-0913, Count: 150, Sample type: Bulked.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>					312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!
Detection Limit. =>					0.050	0.010	0.005	0.030	1.00	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	!	!	0.10	0.10	!
Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	Cd ppm w.wt	Cu ppm w.wt	Hg ppm w.wt	Pb ppm w.wt	Zn ppm w.wt	CB28 ppb w.wt	CB52 ppb w.wt	CB101 ppb w.wt	CB105 ppb w.wt	CB118 ppb w.wt	CB138 ppb w.wt	CB153 ppb w.wt	CB156 ppb w.wt	CB180 ppb w.wt	CB209 ppb w.wt	CB_Σ7 ppb w.wt	CB_ΣΣ ppb w.wt	DDEPP ppb w.wt	TDEPP ppb w.wt	DD_Σn ppb w.wt
01/ 1	20:29	24.0	0.60	50	0.72	24.40	2.70	0.300	1.360	<.005	0.240	16.60	0.10	s0.20	0.20	s0.70	0.20	0.20	0.30	<0.10	<0.10	<0.10	s<1.3	s<2.0	0.2	s0.20	s0.40
02/ 1	30:39	36.0	1.40	50	1.61	25.20	2.50	0.260	1.630	0.007	0.230	14.20	<0.10	s0.10	0.10	s0.60	0.10	0.10	0.20	<0.10	<0.10	<0.10	s<0.7	s<1.3	0.2	s0.20	s0.40
03/ 1	40:49	43.0	2.10	50	2.69	25.50	2.50	0.280	1.360	0.005	0.200	14.70	0.10	s0.10	0.10	s0.60	0.10	0.20	0.30	<0.10	<0.10	<0.10	s<1.0	s<1.6	0.2	s0.30	s0.50
Mean		34.3	1.37	50.0	1.67	25.03	2.57	0.280	1.450	<<.006	0.223	15.17	<<0.10	s0.13	0.13	s0.63	0.13	0.17	0.27	<<0.10	<<0.10	<<0.10	s<<1.0	s<<1.6	0.2	s0.23	s0.43
Minimum		24.0	0.60	50	0.72	24.40	2.50	0.260	1.360	<.005	0.200	14.20	<0.10	s0.10	0.10	s0.60	0.10	0.10	0.20	<0.10	<0.10	<0.10	s<0.7	s<1.3	0.2	s0.20	s0.40
Maximum		43.0	2.10	50	2.69	25.50	2.70	0.300	1.630	0.007	0.240	16.60	0.10	s0.20	0.20	s0.70	0.20	0.20	0.30	<0.10	<0.10	<0.10	s<1.3	s<2.0	0.2	s0.30	s0.50
St.dev.		9.6	0.75	0.0	0.99	0.57	0.12	0.020	0.156	~.001	0.021	1.27	~0.00	0.06	0.06	0.06	0.06	0.06	0.06	~0.00	~0.00	~0.00	~0.3	~0.4	0.0	0.06	0.06
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

s/q(36) ! Suspect value(s)

Tab.width cont'd MYTI EDU, SB, J99, 76A Risøy, 1993-0913.

. Analytical Lab. =>					NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>					341	341	!	341	341	341
Detection Limit. =>					0.10	0.10	!	0.10	0.10	0.10
Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	HCHA ppb w.wt	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt
01/ 1	20:29	24.0	0.60	50	0.30	0.60	0.90	0.20	<0.10	<0.10
02/ 1	30:39	36.0	1.40	50	0.30	0.50	0.80	0.20	<0.10	<0.10
03/ 1	40:49	43.0	2.10	50	0.30	0.60	0.90	0.20	<0.10	<0.10
Mean		34.3	1.37	50.0	0.30	0.57	0.87	0.20	<<.10	<<.10
Minimum		24.0	0.60	50	0.30	0.50	0.80	0.20	<0.10	<0.10
Maximum		43.0	2.10	50	0.30	0.60	0.90	0.20	<0.10	<0.10
St.dev.		9.6	0.75	0.0	0.00	0.06	0.06	0.00	~0.00	~0.00
Count		3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 76A Risøy, Latitude: 58°43.60N, Longitude: 09°17.00E.
Catch,date : 1996-0928, Count: 200, Sample type: Bulked.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>					312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!
Detection Limit. =>					0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!
Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	Cd ppm w.wt	Cu ppm w.wt	Hg ppm w.wt	Pb ppm w.wt	Zn ppm w.wt	CB28 ppb w.wt	CB52 ppb w.wt	CB101 ppb w.wt	CB105 ppb w.wt	CB118 ppb w.wt	CB138 ppb w.wt	CB153 ppb w.wt	CB156 ppb w.wt	CB180 ppb w.wt	CB209 ppb w.wt	CB_Σ7 ppb w.wt	CB_ΣΣ ppb w.wt	DDEPP ppb w.wt	TDEPP ppb w.wt	DD_Σn ppb w.wt
01/ 1	20:29	26.0	0.88	100	0.57	20.10	1.63	0.260	1.350	0.012	0.160	22.60	0.53	0.24	0.32	0.15	0.32	0.47	0.64	<0.05	0.06	<0.05	2.6	<2.8	0.1	<0.05	<0.11
02/ 1	30:39	35.0	2.18	50	1.49	19.70	1.66	0.230	1.310	0.011	0.140	19.80	0.64	0.28	0.40	0.17	0.38	0.62	0.83	0.05	0.07	<0.05	3.2	<3.5	0.1	<0.05	<0.12
03/ 1	40:49	45.0	4.65	50	1.07	19.30	1.62	0.210	1.080	0.011	0.190	23.90	0.76	0.39	0.57	0.31	0.63	0.83	1.06	0.09	0.11	<0.05	4.4	<4.8	0.6	0.40	0.95
Mean		35.3	2.57	66.7	1.04	19.70	1.64	0.233	1.247	0.011	0.163	22.10	0.64	0.30	0.43	0.21	0.44	0.64	0.84	<<0.06	0.08	<<0.05	3.4	<<3.7	0.2	<<0.17	<<0.39
Minimum		26.0	0.88	50	0.57	19.30	1.62	0.210	1.080	0.011	0.140	19.80	0.53	0.24	0.32	0.15	0.32	0.47	0.64	<0.05	0.06	<0.05	2.6	<2.8	0.1	<0.05	<0.11
Maximum		45.0	4.65	100	1.49	20.10	1.66	0.260	1.350	0.012	0.190	23.90	0.76	0.39	0.57	0.31	0.63	0.83	1.06	0.09	0.11	<0.05	4.4	<4.8	0.6	0.40	0.95
St.dev.		9.5	1.92	28.9	0.46	0.40	0.02	0.025	0.146	0.001	0.025	2.10	0.12	0.08	0.13	0.09	0.16	0.18	0.21	~0.02	0.03	~0.00	0.9	~1.0	0.3	~0.20	~0.48
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J99, 76A Risøy, 1996-0928.**

. Analytical Lab. =>					NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>					341	341	!	341	341	341
____ Detection Limit.____ =>					0.05	0.05	!	0.05	0.05	0.05
Samp/ Repl. no.	Shell-length Min:Max, mm:mm	Mean mm	-wght mean g	No of shell	HCHA ppb w.wt	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt
01/ 1	20:29	26.0	0.88	100	<0.05	0.11	<0.16	<0.05	<0.05	<0.05
02/ 1	30:39	35.0	2.18	50	<0.05	0.12	<0.17	<0.05	<0.05	<0.05
03/ 1	40:49	45.0	4.65	50	0.10	0.48	0.58	<0.05	<0.05	<0.05
Mean		35.3	2.57	66.7	<<0.07	0.24	<<0.30	<<.05	<<.05	<<.05
Minimum		26.0	0.88	50	<0.05	0.11	<0.16	<0.05	<0.05	<0.05
Maximum		45.0	4.65	100	0.10	0.48	0.58	<0.05	<0.05	<0.05
St.dev.		9.5	1.92	28.9	~0.03	0.21	~0.24	~0.00	~0.00	~0.00
Count		3	3	3	3	3	3	3	3	3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J99 Undefined**, Tissue : **Whole SOFT BODY.**
Locality : **76A Risøy**, Latitude: 58°43.60N, Longitude: 09°17.00E.
Catch,date : **1997-1016**, Count: 200, Sample type: **Bulked.**

. Analytical Lab. =>								NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>								312	311	310	312	311	341	341	341	341	341	341	341	341	!	!	341	341	!
____ Detection Limit.____ =>					Mean	___	___	0.050	0.010	0.005	0.040	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!
Samp/ Repl. no.	Shell-length Min:Max, mm:mm	Mean mm	-wght mean g	No of shell	Weight g	Dry %	Fat %	Cd ppm w.wt	Cu ppm w.wt	Hg ppm w.wt	Pb ppm w.wt	Zn ppm w.wt	CB28 ppb w.wt	CB52 ppb w.wt	CB101 ppb w.wt	CB105 ppb w.wt	CB118 ppb w.wt	CB138 ppb w.wt	CB153 ppb w.wt	CB156 ppb w.wt	CB180 ppb w.wt	CB209 ppb w.wt	CB_Σ7 ppb w.wt	CB_ΣΣ ppb w.wt	DDEPP ppb w.wt	TDEPP ppb w.wt	DD_Σn ppb w.wt
01/ 1	20:29	23.2	0.55	100	0.44	17.40	1.85	0.207	1.060	0.015	0.320	23.80	0.61	0.23	0.49	0.26	0.49	0.69	0.69	0.09	0.12	<0.05	3.3	<3.7	0.3	0.22	0.53
02/ 1	30:39	35.0	2.58	50	1.62	17.30	1.36	0.183	1.350	0.012	0.340	18.30	0.52	0.48	0.68	0.37	0.71	0.84	0.84	0.09	0.07	<0.05	4.1	<4.7	0.2	0.12	0.33
03/ 1	40:49	44.9	5.46	50	3.20	17.00	1.39	0.222	1.560	0.014	0.300	22.90	0.39	0.29	0.46	0.25	0.48	0.66	0.68	0.07	0.05	<0.05	3.0	<3.4	0.2	0.10	0.27
Mean		34.4	2.86	66.7	1.75	17.23	1.53	0.204	1.323	0.014	0.320	21.67	0.51	0.33	0.54	0.29	0.56	0.73	0.74	0.08	0.08	<<0.05	3.5	<<3.9	0.2	0.15	0.38
Minimum		23.2	0.55	50	0.44	17.00	1.36	0.183	1.060	0.012	0.300	18.30	0.39	0.23	0.46	0.25	0.48	0.66	0.68	0.07	0.05	<0.05	3.0	<3.4	0.2	0.10	0.27
Maximum		44.9	5.46	100	3.20	17.40	1.85	0.222	1.560	0.015	0.340	23.80	0.61	0.48	0.68	0.37	0.71	0.84	0.84	0.09	0.12	<0.05	4.1	<4.7	0.3	0.22	0.53
St.dev.		10.9	2.47	28.9	1.38	0.21	0.27	0.020	0.251	0.002	0.020	2.95	0.11	0.13	0.12	0.07	0.13	0.10	0.09	0.01	0.04	~0.00	0.6	~0.7	0.1	0.06	0.14
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J99, 76A Risøy, 1997-1016.**

. Analytical Lab. =>					NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>					341	341	!	341	341	341
____ Detection Limit.____ =>					0.05	0.05	!	0.05	0.05	0.05
Samp/ Repl. no.	Shell-length Min:Max, mm:mm	Mean mm	-wght mean g	No of shell	HCHA ppb w.wt	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt
01/ 1	20:29	23.2	0.55	100	0.08	0.41	0.49	0.05	<0.05	<0.05
02/ 1	30:39	35.0	2.58	50	0.06	0.29	0.35	<0.05	<0.05	<0.05
03/ 1	40:49	44.9	5.46	50	0.05	0.25	0.30	<0.05	<0.05	<0.05
Mean		34.4	2.86	66.7	0.06	0.32	0.38	<<.05	<<.05	<<.05
Minimum		23.2	0.55	50	0.05	0.25	0.30	<0.05	<0.05	<0.05
Maximum		44.9	5.46	100	0.08	0.41	0.49	0.05	<0.05	<0.05
St.dev.		10.9	2.47	28.9	0.02	0.08	0.10	~0.00	~0.00	~0.00
Count		3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 15A Gåsøy, Latitude: 58°03.07N, Longitude: 06°53.16E.
Catch,date : 1993-0910, Count: 150, Sample type: Bulked.

. Analytical Lab. =>																								
. Analysis Code. =>				NIVA 312	NIVA 311	NIVA 310	NIVA 312	NIVA 311	NIVA 341	NIVA 341	NIVA 341	NIVA 341	NIVA 341	NIVA 341	NIVA 341	NIVA 341	NIVA 341	NIVA 341	NIVA 341	Σ(*) !	Σ(*) !	NIVA 341	NIVA 341	Σ(*) !
_____ Detection Limit._____ =>				0.050	0.010	0.005	0.030	1.00	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	!	!	0.10	0.10	!
Samp/ Shell-length -wght No of	Mean			Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn
Repl. Min:Max,Mean mean shell	Weight	Dry	Fat	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g	g	%	%	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 21:29 25.0 0.70 50	0.92	20.30	1.90	0.240	1.110	<.005	0.200	14.50	<0.10	s0.10	0.10	s0.40	0.10	0.10	0.20	<0.10	<0.10	<0.10	s<0.7	s<1.1	0.2	s0.20	s0.40
02/ 1 30:39 34.0 1.60 50	1.51	20.50	1.80	0.260	1.150	<.005	0.200	15.70	<0.10	s0.10	0.10	s0.40	0.10	0.10	0.20	<0.10	<0.10	<0.10	s<0.7	s<1.1	0.2	s0.20	s0.40
03/ 1 40:49 44.0 3.40 50	4.09	22.00	1.90	0.250	1.210	<.005	0.190	15.70	<0.10	s0.10	0.10	s0.40	0.10	0.10	0.20	<0.10	<0.10	<0.10	s<0.7	s<1.1	0.2	s0.20	s0.40
Mean 34.3 1.90 50.0	2.17	20.93	1.87	0.250	1.157	<<.005	0.197	15.30	<<0.10	s0.10	0.10	s0.40	0.10	0.10	0.20	<<0.10	<<0.10	<<0.10	s<<0.7	s<<1.1	0.2	s0.20	s0.40
Minimum 25.0 0.70 50	0.92	20.30	1.80	0.240	1.110	<.005	0.190	14.50	<0.10	s0.10	0.10	s0.40	0.10	0.10	0.20	<0.10	<0.10	<0.10	s<0.7	s<1.1	0.2	s0.20	s0.40
Maximum 44.0 3.40 50	4.09	22.00	1.90	0.260	1.210	<.005	0.200	15.70	<0.10	s0.10	0.10	s0.40	0.10	0.10	0.20	<0.10	<0.10	<0.10	s<0.7	s<1.1	0.2	s0.20	s0.40
St.dev. 9.5 1.37 0.0	1.69	0.93	0.06	0.010	0.050	~.000	0.006	0.69	~0.00	0.00	0.00	0.00	0.00	0.00	0.00	~0.00	~0.00	~0.00	~0.0	~0.0	0.0	0.00	0.00
Count 3 3 3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

s/q(36) ! Suspect value(s)

Tab.width cont'd MYTI EDU, SB, J99, 15A Gåsøy, 1993-0910.

. Analytical Lab. =>				NIVA 341	NIVA 341	Σ(*) !	NIVA 341	NIVA 341	NIVA 341
. Analysis Code. =>				0.10	0.10	!	0.10	0.10	0.10
_____ Detection Limit._____ =>				HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Samp/ Shell-length -wght No of				ppb	ppb	ppb	ppb	ppb	ppb
Repl. Min:Max,Mean mean shell				w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
no. mm:mm mm g									
01/ 1 21:29 25.0 0.70 50				0.20	0.40	0.60	0.10	<0.10	<0.10
02/ 1 30:39 34.0 1.60 50				0.20	0.40	0.60	0.10	<0.10	<0.10
03/ 1 40:49 44.0 3.40 50				0.20	0.40	0.60	0.10	<0.10	<0.10
Mean	34.3	1.90	50.0	0.20	0.40	0.60	0.10	<<.10	<<.10
Minimum	25.0	0.70	50	0.20	0.40	0.60	0.10	<0.10	<0.10
Maximum	44.0	3.40	50	0.20	0.40	0.60	0.10	<0.10	<0.10
St.dev.	9.5	1.37	0.0	0.00	0.00	0.00	0.00	~0.00	~0.00
Count	3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 15A Gåsøy, Latitude: 58°03.07N, Longitude: 06°53.16E.
Catch,date : 1994-1027, Count: 150, Sample type: Bulked.

. Analytical Lab. =>																								
. Analysis Code. =>				NIVA 312	NIVA 311	NIVA 310	NIVA 312	NIVA 311	NIVA 341	NIVA 341	NIVA 341	NIVA 341	NIVA 341	NIVA 341	NIVA 341	NIVA 341	NIVA 341	NIVA 341	NIVA 341	Σ(*) !	Σ(*) !	NIVA 341	NIVA 341	Σ(*) !
_____ Detection Limit._____ =>				0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!
Samp/ Shell-length -wght No of	Mean			Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn
Repl. Min:Max,Mean mean shell	Weight	Dry	Fat	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g	g	%	%	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 26:29 27.9 50	0.70	19.90	1.37	0.158	1.140	0.010	0.260	18.00	<0.05	0.07	0.16	0.06	0.16	0.25	0.30	<0.05	<0.05	<0.05	<1.0	<1.1	0.3	0.17	0.48
02/ 1 33:39 36.8 50	1.60	19.00	1.35	0.159	0.990	0.010	0.200	16.90	<0.05	0.07	0.18	0.07	0.19	0.30	0.38	<0.05	0.05	<0.05	<1.2	<1.3	0.3	0.18	0.51
03/ 1 40:49 42.7 50	2.41	19.80	1.43	0.154	1.040	0.009	0.200	16.90	<0.05	0.06	0.18	0.07	0.20	0.32	0.41	<0.05	0.05	<0.05	<1.3	<1.3	0.3	0.22	0.56
Mean 35.8 50.0	1.57	19.57	1.38	0.157	1.057	0.010	0.220	17.27	<<0.05	0.07	0.17	0.07	0.18	0.29	0.36	<<0.05	<<0.05	<<0.05	<<1.2	<<1.2	0.3	0.19	0.52
Minimum 27.9 50	0.70	19.00	1.35	0.154	0.990	0.009	0.200	16.90	<0.05	0.06	0.16	0.06	0.16	0.25	0.30	<0.05	<0.05	<0.05	<1.0	<1.1	0.3	0.17	0.48
Maximum 42.7 50	2.41	19.90	1.43	0.159	1.140	0.010	0.260	18.00	<0.05	0.07	0.18	0.07	0.20	0.32	0.41	<0.05	0.05	<0.05	<1.3	<1.3	0.3	0.22	0.56
St.dev. 7.5 0.0	0.86	0.49	0.04	0.003	0.076	0.001	0.035	0.64	~0.00	0.01	0.01	0.01	0.02	0.04	0.06	~0.00	~0.00	~0.00	~0.1	~0.2	0.0	0.03	0.04
Count 3 3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J99, 15A Gåsøy, 1994-1027.**

. Analytical Lab. =>				NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>				341	341	!	341	341	341
____ Detection Limit.____ =>				0.05	0.05	!	0.05	0.05	0.05
Samp/	Shell-length		-wght	No of	HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl.	Min:Max	Mean	mean	shell	ppb	ppb	ppb	ppb	ppb	ppb
no.	mm:mm	mm	g		w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	26:29	27.9		50	0.07	0.31	0.38	<0.05	<0.05	<0.05
02/ 1	33:39	36.8		50	0.05	0.21	0.26	<0.05	<0.05	<0.05
03/ 1	40:49	42.7		50	0.06	0.21	0.27	<0.05	<0.05	<0.05
Mean		35.8		50.0	0.06	0.24	0.30	<<.05	<<.05	<<.05
Minimum		27.9		50	0.05	0.21	0.26	<0.05	<0.05	<0.05
Maximum		42.7		50	0.07	0.31	0.38	<0.05	<0.05	<0.05
St.dev.		7.5		0.0	0.01	0.06	0.07	~0.00	~0.00	~0.00
Count		3		3	3	3	3	3	3	3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J99 Undefined**, Tissue : **Whole SOFT BODY.**
Locality : **15A Gåsøy**, Latitude: 58°03.07N, Longitude: 06°53.16E.
Catch,date : **1995-0923**, Count: 150, Sample type: **Bulked.**

. Analytical Lab. =>						NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	NIVA	Σ(*)
. Analysis Code. =>						312	311	310	312	311	341	341	341	341	341	341	341	341	341	!	!	341	340	341	!
____ Detection Limit.____ =>						0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	0.05	!
Samp/	Shell-length		-wght	No of	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	DDTPP	TDEPP	DD_Σn
Repl.	Min:Max	Mean	mean	shell	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no.	mm:mm	mm	g				w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	20:29	27.2		50	22.30	2.21	0.366	1.290	0.005	0.190	15.90	0.05	miss	0.13	0.05	0.13	0.18	0.26	<0.05	0.05	<0.05	0.8	<0.9	0.2	<0.05	0.18	<0.45
02/ 1	30:39	34.2		50	23.00	0.21	0.331	1.210	0.005	0.120	14.40	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.1	<0.1	<0.1	<0.05	<0.05	<0.05
03/ 1	40:49	44.7		50	24.50	1.91	0.315	1.220	0.004	0.120	14.30	<0.05	0.12	0.10	<0.05	0.10	0.16	0.22	<0.05	<0.05	<0.05	<0.8	<0.8	0.2	<0.05	0.11	<0.34
Mean		35.4		50.0	23.27	1.44	0.337	1.240	0.005	0.143	14.87	<<0.05	<<0.08	<<0.09	<<0.05	<<0.09	<<0.13	<<0.18	<<0.05	<<0.05	<<0.05	<<0.5	<<0.6	<<0.2	<<0.05	<<0.11	<<0.28
Minimum		27.2		50	22.30	0.21	0.315	1.210	0.004	0.120	14.30	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.1	<0.1	<0.1	<0.05	<0.05	<0.05
Maximum		44.7		50	24.50	2.21	0.366	1.290	0.005	0.190	15.90	0.05	0.12	0.13	0.05	0.13	0.18	0.26	<0.05	0.05	<0.05	0.8	<0.9	0.2	<0.05	0.18	<0.45
St.dev.		8.8		0.0	1.12	1.08	0.026	0.044	0.001	0.040	0.90	~0.00	~0.05	~0.04	~0.00	~0.04	~0.07	~0.11	~0.00	~0.00	~0.00	~0.4	~0.5	~0.1	~0.00	~0.07	~0.21
Count		3		3	3	3	3	3	3	3	3	3	2	3	3	3	3	3	3	3	3	3	3	3	3	3	3

miss(1) ! Missing value.

Tab.width cont'd **MYTI EDU, SB, J99, 15A Gåsøy, 1995-0923.**

. Analytical Lab. =>				NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>				341	341	!	341	341	341
____ Detection Limit.____ =>				0.05	0.05	!	0.05	0.05	0.05
Samp/	Shell-length		-wght	No of	HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl.	Min:Max	Mean	mean	shell	ppb	ppb	ppb	ppb	ppb	ppb
no.	mm:mm	mm	g		w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	20:29	27.2		50	0.13	0.28	0.41	0.05	<0.05	<0.05
02/ 1	30:39	34.2		50	<0.05	0.07	<0.12	<0.05	<0.05	<0.05
03/ 1	40:49	44.7		50	0.12	0.26	0.38	0.05	<0.05	<0.05
Mean		35.4		50.0	<<0.10	0.20	<<0.30	<<.05	<<.05	<<.05
Minimum		27.2		50	<0.05	0.07	<0.12	<0.05	<0.05	<0.05
Maximum		44.7		50	0.13	0.28	0.41	0.05	<0.05	<0.05
St.dev.		8.8		0.0	~0.04	0.12	~0.16	~0.00	~0.00	~0.00
Count		3		3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 15A Gåsøy, Latitude: 58°03.07N, Longitude: 06°53.16E.
Catch,date : 1995-0923, Count: 150, Sample type: Homogenate.

. Analytical Lab. =>				NILU	NILU	NILU	NILU	Σ(*)	Σ(*)	Σ(*)	Σ(*)	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU
. Analysis Code. =>				841	841	841	841	!	!	!	!	841	841	841	841	841	841	841	841	841	841	841	841
____ Detection Limit.____ =>				0.00	0.00	0.00	0.00	!	!	!	!	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Samp/ Shell-length -wght No of	Mean			CB77	CB81	CB126	CB169	CB_Σ4	TECBW	TECBS	CB_ΣΣ	TCDD	CDDST	CDD1N	CDDSN	CDD4X	CDD6X	CDD9X	CDDSX	CDD6P	CDDSP	CDDO	PCDD
Repl. Min:Max,Mean mean shell	Weight	Dry	Fat	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g	g	%	%	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
04/ 1 24:49 35.0 150	0.42	23.30	.	6.49	0.16	0.53	0.13	7.31	0.06	0.12	0.0	0.02	0.21	<0.01	0.06	<0.01	0.02	0.02	0.06	0.08	0.08	0.15	0.56

Tab.width cont'd MYTI EDU, SB, J99, 15A Gåsøy, 1995-0923.

. Analytical Lab. =>	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. =>	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	!	!	!
____ Detection Limit.____ =>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	!	!	!
Samp/ Shell-length -wght No of	CDF2T	CDFST	CDF1N	CDF2N	CDFSN	CDF1X	CDF6X	CDF9X	CDF4X	CDFSX	CDF6P	CDF9P	CDFSP	CDFO	PCDF	CDFS	TCDDI	TCDDN
Repl. Min:Max,Mean mean shell	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
04/ 1 24:49 35.0 150	0.21	1.76	0.06	0.05	0.44	0.05	0.02	<0.01	0.02	0.21	0.04	<0.02	0.04	0.08	2.53	0.12	<0.09	<0.09

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 15A Gåsøy, Latitude: 58°03.07N, Longitude: 06°53.16E.
Catch,date : 1996-0926, Count: 260, Sample type: Bulked.

. Analytical Lab. =>				NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NILU	NILU	NILU	NILU	Σ(*)
. Analysis Code. =>				312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	841	841	841	841	!
____ Detection Limit.____ =>				0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.00	0.00	0.00	0.00	!
Samp/ Shell-length -wght No of	Mean			Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB77	CB81	CB126	CB169	CB_Σ4
Repl. Min:Max,Mean mean shell	Weight	Dry	Fat	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g	g	%	%	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 21:29 26.0 0.63 100	0.53	17.30	1.31	0.280	1.620	0.009	0.180	46.10	<0.05	<0.05	0.06	<0.05	<0.05	0.07	0.11	<0.05	<0.05	<0.05	.	.	.	.	.
02/ 1 30:39 35.0 1.83 50	1.72	16.40	1.11	0.200	1.200	0.008	0.110	38.00	<0.05	<0.05	0.05	<0.05	0.05	0.09	0.13	<0.05	<0.05	<0.05	.	.	.	.	.
03/ 1 40:49 44.0 2.47 50	2.58	17.00	1.25	0.200	1.180	0.008	0.110	33.80	<0.05	<0.05	0.06	<0.05	0.07	0.11	0.16	<0.05	<0.05	<0.05	.	.	.	.	.
04/ 1 37:49 42.0 2.32 60	1.80	16.50	1.10	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	7.33	0.20	s0.87	s0.24	s8.64
Mean 36.8 1.81 65.0	1.66	16.80	1.19	0.227	1.333	0.008	0.133	39.30	<<0.05	<<0.05	0.06	<<0.05	<<0.06	0.09	0.13	<<0.05	<<0.05	<<0.05	7.33	0.20	s0.87	s0.24	s8.64
Minimum 26.0 0.63 50	0.53	16.40	1.10	0.200	1.180	0.008	0.110	33.80	<0.05	<0.05	0.05	<0.05	<0.05	0.07	0.11	<0.05	<0.05	<0.05	7.33	0.20	s0.87	s0.24	s8.64
Maximum 44.0 2.47 100	2.58	17.30	1.31	0.280	1.620	0.009	0.180	46.10	<0.05	<0.05	0.06	<0.05	0.07	0.11	0.16	<0.05	<0.05	<0.05	7.33	0.20	s0.87	s0.24	s8.64
St.dev. 8.1 0.83 23.8	0.85	0.42	0.10	0.046	0.248	0.001	0.040	6.25	~0.00	~0.00	0.01	~0.00	~0.01	0.02	0.03	~0.00	~0.00	~0.00	.	.	.	.	.
Count 4 4 4	4	4	4	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	1	1	1	1	1

s/q(45) ! Suspect value(s)
i (1) ! Suspect or ambiguous basis-value(s) ignored in statistics.

Tab.width cont'd **MYTI EDU, SB, J99, 15A Gåsøy, 1996-0926.**

. Analytical Lab. ⇒					Σ(*)	Σ(*)	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU
. Analysis Code. ⇒					!	!	!	!	341	341	!	341	341	341	841	841	841	841	841	841	841	841	841	841
____ Detection Limit.____ ⇒					!	!	!	!	0.10	0.05	!	0.05	0.05	0.05	0.00	0.00	0.00	0.00	2000000	0.00	0.00	0.00	0.00	0.00
Samp/ Shell-length -wght No of					TECBW	TECBS	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn	HCHA	HCHG	HC_Σn	HCB	QCB	OCS	TCDD	CDDST	CDD1N	CDDSN	0.0	CDD6X	CDD9X	CDDSX	CDD6P	CDDSP
Repl. Min:Max,Mean mean shell					ppp	ppp	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppp	ppp	ppp	ppp	CDD4X	ppp	ppp	ppp	ppp	ppp
no. mm:mm mm g					w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	ppp w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	21:29	26.0	0.63	100	.	.	<0.3	<0.3	<0.1	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	.	.	.	.	.	.	.	.	.	.
02/ 1	30:39	35.0	1.83	50	.	.	<0.4	<0.4	<0.1	<0.05	<0.05	<0.05	0.06	<0.11	<0.05	<0.05	<0.05	.	.	.	.	.	.	.	.	.	.
03/ 1	40:49	44.0	2.47	50	.	.	<0.5	<0.5	<0.1	<0.05	<0.05	<0.05	0.08	<0.13	<0.05	<0.05	<0.05	.	.	.	.	.	.	.	.	.	.
04/ 1	37:49	42.0	2.32	60	s0.09	s0.17	.	s0.0	.	.	.	.	.	.	.	.	.	<0.01	0.36	<0.01	<0.01	<0.02	<0.02	<0.02	<0.02	s0.10	0.10
Mean		36.8	1.81	65.0	s0.09	s0.17	<<0.4	<<0.4	<<0.1	<<0.05	<<0.05	<<0.05	<<0.06	<<0.10	<<.05	<<.05	<<.05	<0.01	0.36	<0.01	<0.01	<0.02	<0.02	<0.02	<0.02	s0.10	0.10
Minimum		26.0	0.63	50	s0.09	s0.17	<0.3	<0.3	<0.1	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.01	0.36	<0.01	<0.01	<0.02	<0.02	<0.02	<0.02	s0.10	0.10
Maximum		44.0	2.47	100	s0.09	s0.17	<0.5	<0.5	<0.1	<0.05	<0.05	<0.05	0.08	<0.13	<0.05	<0.05	<0.05	<0.01	0.36	<0.01	<0.01	<0.02	<0.02	<0.02	<0.02	s0.10	0.10
St.dev.		8.1	0.83	23.8	.	.	~0.1	~0.1	~0.0	~0.00	~0.00	~0.00	~0.02	~0.04	~0.00	~0.00	~0.00	.	.	.	.	.	.	.	.	.	.
Count		4	4	4	1	1	3	i3	3	3	3	3	3	3	3	3	3	1	1	1	1	1	1	1	1	1	1

Tab.width cont'd **MYTI EDU, SB, J99, 15A Gåsøy, 1996-0926.**

. Analytical Lab. ⇒					NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. ⇒					841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	!	!	!
____ Detection Limit.____ ⇒					0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	!	!	!
Samp/ Shell-length -wght No of					CDDO	PCDD	CDF2T	CDFST	CDFDN	CDF2N	CDFSN	CDFDX	CDF6X	CDF9X	CDF4X	CDFSX	CDF6P	CDF9P	CDFSP	CDFO	PCDF	CDDFS	TCDDI	TCDDN
Repl. Min:Max,Mean mean shell					ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp
no. mm:mm mm g					w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	21:29	26.0	0.63	100	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
02/ 1	30:39	35.0	1.83	50	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
03/ 1	40:49	44.0	2.47	50	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
04/ 1	37:49	42.0	2.32	60	0.41	0.87	s0.31	1.16	<0.01	<0.01	0.08	<0.02	<0.02	<0.02	<0.02	<0.02	s0.06	<0.08	0.06	s0.19	1.49	0.16	s<0.04	s<0.04
Mean		36.8	1.81	65.0	0.41	0.87	s0.31	1.16	<0.01	<0.01	0.08	<0.02	<0.02	<0.02	<0.02	<0.02	s0.06	<0.08	0.06	s0.19	1.49	0.16	s<0.04	s<0.04
Minimum		26.0	0.63	50	0.41	0.87	s0.31	1.16	<0.01	<0.01	0.08	<0.02	<0.02	<0.02	<0.02	<0.02	s0.06	<0.08	0.06	s0.19	1.49	0.16	s<0.04	s<0.04
Maximum		44.0	2.47	100	0.41	0.87	s0.31	1.16	<0.01	<0.01	0.08	<0.02	<0.02	<0.02	<0.02	<0.02	s0.06	<0.08	0.06	s0.19	1.49	0.16	s<0.04	s<0.04
St.dev.		8.1	0.83	23.8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Count		4	4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J99 Undefined**, Tissue : **Whole SOFT BODY.**
Locality : **15A Gåsøy**, Latitude: 58°03.07N, Longitude: 06°53.16E.
Catch,date : **1997-1007**, Count: 200, Sample type: **Bulked.**

. Analytical Lab. ⇒								NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. ⇒								312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!
____ Detection Limit.____ ⇒					Mean	___	___	0.050	0.010	0.005	0.040	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!
Samp/ Shell-length -wght No of					Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn
Repl. Min:Max,Mean mean shell					g	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g								w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	21:29	25.6	0.97	100	0.67	18.70	1.36	0.219	0.680	0.012	0.230	22.30	<0.05	<0.05	0.08	0.05	0.09	0.21	0.22	<0.05	<0.05	<0.05	<0.7	<0.7	0.2	0.12	0.31
02/ 1	30:39	34.4	2.16	50	1.65	19.70	1.80	0.210	1.210	0.011	0.220	20.70	<0.05	<0.05	0.11	0.05	0.10	0.23	0.25	<0.05	<0.05	<0.05	<0.7	<0.8	0.2	0.17	0.38
03/ 1	40:49	43.5	4.15	50	3.22	21.60	1.92	0.228	1.730	0.011	0.200	23.10	<0.05	<0.05	0.12	0.05	0.11	0.26	0.29	<0.05	<0.05	<0.05	<0.8	<0.9	0.2	0.16	0.38
Mean		34.5	2.43	66.7	1.85	20.00	1.69	0.219	1.207	0.011	0.217	22.03	<<0.05	<<0.05	0.10	0.05	0.10	0.23	0.25	<<0.05	<<0.05	<<0.05	<<0.7	<<0.8	0.2	0.15	0.36
Minimum		25.6	0.97	50	0.67	18.70	1.36	0.210	0.680	0.011	0.200	20.70	<0.05	<0.05	0.08	0.05	0.09	0.21	0.22	<0.05	<0.05	<0.05	<0.7	<0.7	0.2	0.12	0.31
Maximum		43.5	4.15	100	3.22	21.60	1.92	0.228	1.730	0.012	0.230	23.10	<0.05	<0.05	0.12	0.05	0.11	0.26	0.29	<0.05	<0.05	<0.05	<0.8	<0.9	0.2	0.17	0.38
St.dev.		9.0	1.61	28.9	1.29	1.47	0.29	0.009	0.525	0.001	0.015	1.22	~0.00	~0.00	0.02	0.00	0.01	0.03	0.04	~0.00	~0.00	~0.00	~0.1	~0.1	0.0	0.03	0.04
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J99, 15A Gåsøy, 1997-1007.

. Analytical Lab. =>				NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>				341	341	!	341	341	341
____ Detection Limit.____ =>				0.05	0.05	!	0.05	0.05	0.05
Samp/ Shell-length		-wght	No of	HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl. Min:Max,Mean		mean	shell	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm	mm	g		w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 21:29	25.6	0.97	100	0.05	0.31	0.36	<0.05	0.14	<0.05
02/ 1 30:39	34.4	2.16	50	0.09	0.45	0.54	<0.05	<0.05	<0.05
03/ 1 40:49	43.5	4.15	50	0.10	0.43	0.53	<0.05	<0.05	<0.05
Mean	34.5	2.43	66.7	0.08	0.40	0.48	<<.05	<<.08	<<.05
Minimum	25.6	0.97	50	0.05	0.31	0.36	<0.05	<0.05	<0.05
Maximum	43.5	4.15	100	0.10	0.45	0.54	<0.05	0.14	<0.05
St.dev.	9.0	1.61	28.9	0.03	0.08	0.10	~0.00	~0.05	~0.00
Count	3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J63 Sørfjorden, Tissue : Whole SOFT BODY.
Locality : 51A Byrkjenes, Latitude: 60°05.10N, Longitude: 06°33.10E.
Catch,date : 1995-1004, Count: 57, Sample type: Homogenate.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>					312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	!	!	341	340	341
____ Detection Limit.____ =>				Mean	0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	0.05
Samp/ Shell-length		-wght	No of	Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	DDTPP	TDEPP
Repl. Min:Max,Mean		mean	shell	g	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm	mm	g					w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 24:54	35.0		57	1.26	9.80	1.60	3.610	1.000	0.148	14.600	37.80	0.04	0.08	0.37	0.08	0.25	0.71	1.00	0.07	0.12	s0.12	2.6	s2.8	3.3	1.98	0.71

s/q(2) ! Suspect value(s)

Tab.width cont'd MYTI EDU, SB, J63, 51A Byrkjenes, 1995-1004.

. Analytical Lab. =>				Σ(*)	NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>				!	341	341	!	341	341	341
____ Detection Limit.____ =>				!	0.05	0.05	!	0.05	0.05	0.05
Samp/ Shell-length		-wght	No of	DD_Σn	HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl. Min:Max,Mean		mean	shell	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm	mm	g		w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 24:54	35.0		57	6.01	0.09	0.17	0.26	0.06	0.03	<0.03

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J63 Sørfjorden, Tissue : Whole SOFT BODY.
Locality : 51A Byrkjenes, Latitude: 60°05.10N, Longitude: 06°33.10E.
Catch,date : 1996-0923, Count: 60, Sample type: Bulked.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>					312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!
_____ Detection Limit._____ =>					0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!
Samp/ Shell-length -wght No of					Mean																				
Repl. Min:Max,Mean mean shell					Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	DDTPP	DD_Σn
no. mm:mm mm g					g	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
								w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 40:49	45.0	2.71	20		2.65	14.60	1.72	3.660	1.350	0.132	8.800	33.10	<0.05	0.11	0.21	0.06	0.14	0.36	0.51	<0.05	0.06	<0.05	<1.4	<1.5	0.7	0.23	0.89
02/ 1 40:49	45.0	2.78	20		2.61	15.00	1.63	3.816	1.530	0.107	7.860	33.30	<0.05	0.08	0.20	0.05	0.14	0.35	0.51	<0.05	0.06	<0.05	<1.4	<1.4	1.0	0.37	1.37
03/ 1 40:49	45.0	2.66	20		2.18	15.10	1.64	3.816	1.640	0.136	9.810	33.60	<0.05	0.08	0.22	0.06	0.16	0.41	0.57	<0.05	0.06	<0.05	<1.6	<1.6	1.2	0.36	1.54
Mean	45.0	2.72	20.0		2.48	14.90	1.66	3.764	1.507	0.125	8.823	33.33	<<0.05	0.09	0.21	0.06	0.15	0.37	0.53	<<0.05	0.06	<<0.05	<<1.5	<<1.5	0.9	0.32	1.27
Minimum	45.0	2.66	20		2.18	14.60	1.63	3.660	1.350	0.107	7.860	33.10	<0.05	0.08	0.20	0.05	0.14	0.35	0.51	<0.05	0.06	<0.05	<1.4	<1.4	0.7	0.23	0.89
Maximum	45.0	2.78	20		2.65	15.10	1.72	3.816	1.640	0.136	9.810	33.60	<0.05	0.11	0.22	0.06	0.16	0.41	0.57	<0.05	0.06	<0.05	<1.6	<1.6	1.2	0.37	1.54
St.dev.	0.0	0.06	0.0		0.26	0.26	0.05	0.090	0.146	0.016	0.975	0.25	~0.00	0.02	0.01	0.01	0.01	0.03	0.03	~0.00	0.00	~0.00	~0.1	~0.1	0.3	0.08	0.34
Count	3	3	3		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J63, 51A Byrkjenes, 1996-0923.

. Analytical Lab. =>				NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>				341	341	!	341	341	341	341
_____ Detection Limit._____ =>				0.05	0.05	!	0.05	0.05	0.05	0.05
Samp/ Shell-length -wght No of				HCHA	HCHG	HC_Σn	HCB	QCB	OCS	
Repl. Min:Max,Mean mean shell				ppb	ppb	ppb	ppb	ppb	ppb	
no. mm:mm mm g				w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	
01/ 1 40:49	45.0	2.71	20	0.06	0.15	0.21	<0.05	0.06	<0.05	
02/ 1 40:49	45.0	2.78	20	0.06	0.17	0.23	<0.05	<0.05	<0.05	
03/ 1 40:49	45.0	2.66	20	0.07	0.21	0.28	<0.05	0.05	<0.05	
Mean	45.0	2.72	20.0	0.06	0.18	0.24	<<.05	<<.05	<<.05	
Minimum	45.0	2.66	20	0.06	0.15	0.21	<0.05	<0.05	<0.05	
Maximum	45.0	2.78	20	0.07	0.21	0.28	<0.05	0.06	<0.05	
St.dev.	0.0	0.06	0.0	0.01	0.03	0.04	~0.00	~0.01	~0.00	
Count	3	3	3	3	3	3	3	3	3	

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J63 Sørfjorden, Tissue : Whole SOFT BODY.
Locality : 51A Byrkjenes, Latitude: 60°05.10N, Longitude: 06°33.10E.
Catch,date : 1997-0930, Count: 60, Sample type: Bulked.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>					312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	341	!	!	341	340	341
_____ Detection Limit._____ =>					0.050	0.010	0.005	0.040	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	0.05
Samp/ Shell-length -wght No of					Mean																				
Repl. Min:Max,Mean mean shell					Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	DDTPP	TDEPP
no. mm:mm mm g					g	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
								w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 31:38	34.4	0.77	20		1.43	16.00	1.94	0.868	1.100	0.028	2.700	17.00	0.07	0.11	0.38	0.17	0.36	0.67	0.65	0.10	0.06	<0.05	2.3	<2.6	2.3	2.35	0.37
02/ 1 31:38	34.4	0.82	20		1.45	15.60	1.81	0.936	1.160	0.029	2.800	20.90	0.07	0.11	0.37	0.18	0.35	0.66	0.65	0.10	0.09	<0.05	2.3	<2.6	2.3	2.38	0.40
03/ 1 31:38	34.4	0.76	20		1.33	16.30	1.84	0.888	1.220	0.028	2.800	19.50	0.07	0.11	0.40	0.19	0.38	0.73	0.73	0.11	0.09	<0.05	2.5	<2.9	2.6	2.63	0.40
Mean	34.4	0.78	20.0		1.40	15.97	1.86	0.897	1.160	0.028	2.767	19.13	0.07	0.11	0.38	0.18	0.36	0.69	0.68	0.10	0.08	<<0.05	2.4	<<2.7	2.4	2.45	0.39
Minimum	34.4	0.76	20		1.33	15.60	1.81	0.868	1.100	0.028	2.700	17.00	0.07	0.11	0.37	0.17	0.35	0.66	0.65	0.10	0.06	<0.05	2.3	<2.6	2.3	2.35	0.37
Maximum	34.4	0.82	20		1.45	16.30	1.94	0.936	1.220	0.029	2.800	20.90	0.07	0.11	0.40	0.19	0.38	0.73	0.73	0.11	0.09	<0.05	2.5	<2.9	2.6	2.63	0.40
St.dev.	0.0	0.03	0.0		0.06	0.35	0.07	0.035	0.060	0.001	0.058	1.98	0.00	0.00	0.02	0.01	0.02	0.04	0.05	0.01	0.02	~0.00	0.1	~0.1	0.2	0.15	0.02
Count	3	3	3		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J63, 51A Byrkjenes, 1997-0930.**

. Analytical Lab. =>					Σ(*)	NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>					!	341	341	!	341	341	341
____ Detection Limit.____ =>					!	0.05	0.05	!	0.05	0.05	0.05
Samp/ Repl. no.	Shell-length Min:Max, mm:mm	Mean mm	-wght mean g	No of shell	DD_Σn ppb w.wt	HCHA ppb w.wt	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt
01/ 1	31:38	34.4	0.77	20	5.06	0.10	0.19	0.29	<0.05	<0.05	<0.05
02/ 1	31:38	34.4	0.82	20	5.07	0.10	0.19	0.29	<0.05	<0.05	<0.05
03/ 1	31:38	34.4	0.76	20	5.64	0.11	0.20	0.31	<0.05	<0.05	<0.05
Mean		34.4	0.78	20.0	5.26	0.10	0.19	0.30	<<.05	<<.05	<<.05
Minimum		34.4	0.76	20	5.06	0.10	0.19	0.29	<0.05	<0.05	<0.05
Maximum		34.4	0.82	20	5.64	0.11	0.20	0.31	<0.05	<0.05	<0.05
St.dev.		0.0	0.03	0.0	0.33	0.01	0.01	0.01	~0.00	~0.00	~0.00
Count		3	3	3	3	3	3	3	3	3	3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J63 Sørfjorden**, Tissue : **Whole SOFT BODY.**
Locality : **52A Eitrheimsneset**, Latitude: 60°05.80N, Longitude: 06°32.20E.
Catch,date : **1993-0906**, Count: 100, Sample type: **Bulked.**

. Analytical Lab. =>								NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>								312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!
____ Detection Limit.____ =>					Mean			0.050	0.010	0.005	0.030	1.00	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	!	!	0.10	0.10	!
Samp/ Repl. no.	Shell-length Min:Max, mm:mm	Mean mm	-wght mean g	No of shell	Weight g	Dry %	Fat %	Cd ppm w.wt	Cu ppm w.wt	Hg ppm w.wt	Pb ppm w.wt	Zn ppm w.wt	CB28 ppb w.wt	CB52 ppb w.wt	CB101 ppb w.wt	CB105 ppb w.wt	CB118 ppb w.wt	CB138 ppb w.wt	CB153 ppb w.wt	CB156 ppb w.wt	CB180 ppb w.wt	CB209 ppb w.wt	CB_Σ7 ppb w.wt	CB_ΣΣ ppb w.wt	DDEPP ppb w.wt	TDEPP ppb w.wt	DD_Σn ppb w.wt
01/ 1	20:29	26.0	0.40	50	0.65	11.80	1.10	.	.	.	.	.	<0.10	<0.10	0.20	s0.30	0.20	0.30	0.40	<0.10	<0.10	<0.10	<1.2	s<1.5	2.6	s0.80	s3.40
02/ 1	40:49	49.0	1.70	50	2.73	12.90	1.60	1.890	1.090	0.048	8.450	28.10	<0.10	<0.10	0.30	s0.20	0.20	0.40	0.50	<0.10	<0.10	<0.10	<1.5	s<1.7	3.8	s2.90	s6.70
Mean		37.5	1.05	50.0	1.69	12.35	1.35	1.890	1.090	0.048	8.450	28.10	<<0.10	<<0.10	0.25	s0.25	0.20	0.35	0.45	<<0.10	<<0.10	<<0.10	<<1.4	s<<1.6	3.2	s1.85	s5.05
Minimum		26.0	0.40	50	0.65	11.80	1.10	1.890	1.090	0.048	8.450	28.10	<0.10	<0.10	0.20	s0.20	0.20	0.30	0.40	<0.10	<0.10	<0.10	<1.2	s<1.5	2.6	s0.80	s3.40
Maximum		49.0	1.70	50	2.73	12.90	1.60	1.890	1.090	0.048	8.450	28.10	<0.10	<0.10	0.30	s0.30	0.20	0.40	0.50	<0.10	<0.10	<0.10	<1.5	s<1.7	3.8	s2.90	s6.70
St.dev.		16.3	0.92	0.0	1.47	0.78	0.35	.	.	.	.	.	~0.00	~0.00	0.07	0.07	0.00	0.07	0.07	~0.00	~0.00	~0.00	~0.2	~0.1	0.8	1.48	2.33
Count		2	2	2	2	2	2	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

s/q(20) ! Suspect value(s)

Tab.width cont'd **MYTI EDU, SB, J63, 52A Eitrheimsneset, 1993-0906.**

. Analytical Lab. =>					NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>					341	341	!	341	341	341
____ Detection Limit.____ =>					0.10	0.10	!	0.10	0.10	0.10
Samp/ Repl. no.	Shell-length Min:Max, mm:mm	Mean mm	-wght mean g	No of shell	HCHA ppb w.wt	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt
01/ 1	20:29	26.0	0.40	50	0.10	0.20	0.30	<0.10	<0.10	<0.10
02/ 1	40:49	49.0	1.70	50	<0.10	0.10	<0.20	<0.10	<0.10	<0.10
Mean		37.5	1.05	50.0	<<0.10	0.15	<<0.25	<<.10	<<.10	<<.10
Minimum		26.0	0.40	50	<0.10	0.10	<0.20	<0.10	<0.10	<0.10
Maximum		49.0	1.70	50	0.10	0.20	0.30	<0.10	<0.10	<0.10
St.dev.		16.3	0.92	0.0	0.00	0.07	0.07	~0.00	~0.00	~0.00
Count		2	2	2	2	2	2	2	2	2

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J63 Sørfjorden, Tissue : Whole SOFT BODY.
Locality : 52A Eitrheimsneset, Latitude: 60°05.80N, Longitude: 06°32.20E.
Catch,date : 1994-1024, Count: 150, Sample type: Bulked.

. Analytical Lab. =>				NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>				312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!
_____ Detection Limit._____ =>				0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!
Samp/ Shell-length -wght No of	Mean	___	___	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn
Repl. Min:Max,Mean mean shell	Weight	Dry	Fat	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g	g	%	%	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 25:29 27.6 50	1.00	18.10	1.64	1.577	1.380	0.051	2.370	25.30	<0.05	0.16	0.63	0.16	0.44	1.01	1.21	miss	0.30	<0.05	<3.8	<4.0	2.9	0.66	3.54
02/ 1 32:39 36.2 50	1.99	19.20	1.74	1.526	1.340	0.050	3.140	27.10	0.09	0.16	0.56	0.17	0.43	0.86	0.96	miss	0.23	<0.05	3.3	<3.5	3.7	1.21	4.94
03/ 1 40:49 43.9 50	3.27	19.40	1.90	2.011	1.320	0.063	5.360	31.40	0.09	0.17	0.59	0.17	0.43	0.87	0.95	miss	0.21	<0.05	3.3	<3.5	4.0	1.54	5.51
Mean 35.9 50.0	2.09	18.90	1.76	1.705	1.347	0.055	3.623	27.93	<<0.08	0.16	0.59	0.17	0.43	0.91	1.04	.	0.25	<<0.05	<<3.5	<<3.7	3.5	1.14	4.66
Minimum 27.6 50	1.00	18.10	1.64	1.526	1.320	0.050	2.370	25.30	<0.05	0.16	0.56	0.16	0.43	0.86	0.95	.	0.21	<0.05	3.3	<3.5	2.9	0.66	3.54
Maximum 43.9 50	3.27	19.40	1.90	2.011	1.380	0.063	5.360	31.40	0.09	0.17	0.63	0.17	0.44	1.01	1.21	.	0.30	<0.05	<3.8	<4.0	4.0	1.54	5.51
St.dev. 8.2 0.0	1.14	0.70	0.13	0.267	0.031	0.007	1.552	3.13	~0.02	0.01	0.04	0.01	0.01	0.08	0.15	.	0.05	~0.00	~0.3	~0.3	0.6	0.44	1.01
Count 3 3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	.	3	3	3	3	3	3	3

miss(3) ! Missing value.

Tab.width cont'd MYTI EDU, SB, J63, 52A Eitrheimsneset, 1994-1024.

. Analytical Lab. =>	NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>	341	341	!	341	341	341
_____ Detection Limit._____ =>	0.05	0.05	!	0.05	0.05	0.05
Samp/ Shell-length -wght No of	HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl. Min:Max,Mean mean shell	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 25:29 27.6 50	<0.05	0.06	<0.11	<0.05	<0.05	<0.05
02/ 1 32:39 36.2 50	0.13	0.25	0.38	<0.05	0.05	<0.05
03/ 1 40:49 43.9 50	0.15	0.29	0.44	0.08	0.06	<0.05
Mean 35.9 50.0	<<0.11	0.20	<<0.31	<<.06	<<.05	<<.05
Minimum 27.6 50	<0.05	0.06	<0.11	<0.05	<0.05	<0.05
Maximum 43.9 50	0.15	0.29	0.44	0.08	0.06	<0.05
St.dev. 8.2 0.0	~0.05	0.12	~0.18	~0.02	~0.01	~0.00
Count 3 3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J63 Sørfjorden, Tissue : Whole SOFT BODY.
Locality : 52A Eitrheimsneset, Latitude: 60°05.80N, Longitude: 06°32.20E.
Catch,date : 1995-0916, Count: 150, Sample type: Bulked.

. Analytical Lab. =>			NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	NIVA	Σ(*)
. Analysis Code. =>			312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	341	!	!	341	340	341	!
_____ Detection Limit._____ =>			0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	0.05	!
Samp/ Shell-length -wght No of	___	___	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	DDTPP	TDEPP	DD_Σn
Repl. Min:Max,Mean mean shell	Dry	Fat	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g	%	%	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 20:29 27.2 50	16.00	1.63	3.146	1.120	0.069	2.340	29.10	0.08	0.17	0.39	0.12	0.31	0.63	0.78	0.07	0.11	<0.05	2.5	<2.7	2.5	2.22	0.35	5.02
02/ 1 30:39 35.2 50	15.80	1.71	3.122	1.110	0.069	2.770	31.00	0.08	0.17	0.43	0.12	0.33	0.69	0.84	0.08	0.13	<0.05	2.7	<2.9	2.9	2.32	0.48	5.72
03/ 1 40:49 44.2 50	15.40	1.77	3.389	1.100	0.076	3.750	38.20	0.08	0.18	0.43	0.12	0.33	0.70	0.84	0.07	0.11	<0.05	2.7	<2.9	3.0	2.07	0.60	5.65
Mean 35.5 50.0	15.73	1.70	3.219	1.110	0.071	2.953	32.77	0.08	0.17	0.42	0.12	0.32	0.67	0.82	0.07	0.12	<<0.05	2.6	<<2.8	2.8	2.20	0.48	5.46
Minimum 27.2 50	15.40	1.63	3.122	1.100	0.069	2.340	29.10	0.08	0.17	0.39	0.12	0.31	0.63	0.78	0.07	0.11	<0.05	2.5	<2.7	2.5	2.07	0.35	5.02
Maximum 44.2 50	16.00	1.77	3.389	1.120	0.076	3.750	38.20	0.08	0.18	0.43	0.12	0.33	0.70	0.84	0.08	0.13	<0.05	2.7	<2.9	3.0	2.32	0.60	5.72
St.dev. 8.5 0.0	0.31	0.07	0.148	0.010	0.004	0.723	4.80	0.00	0.01	0.02	0.00	0.01	0.04	0.03	0.01	0.01	~0.00	0.1	~0.1	0.3	0.13	0.13	0.39
Count 3 3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J63, 52A Eitrheimsneset, 1995-0916.

. Analytical Lab. ⇒				NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. ⇒				341	341	!	341	341	341
____ Detection Limit.____ ⇒				0.05	0.05	!	0.05	0.05	0.05
Samp/	Shell-length		-wght	No of	HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl.	Min:Max,Mean		mean	shell	ppb	ppb	ppb	ppb	ppb	ppb
no.	mm:mm	mm	g		w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	20:29	27.2		50	0.07	0.19	0.26	0.05	0.10	<0.05
02/ 1	30:39	35.2		50	0.08	0.20	0.28	0.05	0.09	<0.05
03/ 1	40:49	44.2		50	0.09	0.22	0.31	0.05	0.13	<0.05
Mean		35.5		50.0	0.08	0.20	0.28	0.05	0.11	<<.05
Minimum		27.2		50	0.07	0.19	0.26	0.05	0.09	<0.05
Maximum		44.2		50	0.09	0.22	0.31	0.05	0.13	<0.05
St.dev.		8.5		0.0	0.01	0.02	0.03	0.00	0.02	~0.00
Count		3		3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J63 Sørfjorden, Tissue : Whole SOFT BODY.
Locality : 52A Eitrheimsneset, Latitude: 60°05.80N, Longitude: 06°32.20E.
Catch,date : 1996-0923, Count: 200, Sample type: Bulked.

. Analytical Lab. ⇒							NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. ⇒							312	311	310	312	311	341	341	341	341	341	341	341	341	341	!	!	341	340	341
____ Detection Limit.____ ⇒					Mean		0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	0.05
Samp/	Shell-length		-wght	No of	Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	DDTPP	TDEPP
Repl.	Min:Max,Mean		mean	shell	g	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no.	mm:mm	mm	g					w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	21:29	26.0	0.67	100	0.79	19.20	1.78	3.800	1.430	0.031	1.580	35.10	0.08	0.11	0.36	0.13	0.34	0.44	0.50	0.06	0.09	<0.05	1.9	<2.2	1.8	1.25	1.00
02/ 1	30:39	35.0	1.35	50	2.05	19.10	1.82	3.510	1.200	0.034	1.880	32.10	0.08	0.11	0.33	0.13	0.32	0.43	0.50	0.06	0.08	<0.05	1.9	<2.1	1.8	1.34	0.98
03/ 1	40:49	45.0	2.47	50	4.23	17.20	1.76	3.090	1.060	0.041	2.780	36.60	0.08	0.14	0.36	0.14	0.35	0.50	0.61	0.07	0.11	<0.05	2.2	<2.4	2.0	0.75	1.17
Mean		35.3	1.50	66.7	2.36	18.50	1.79	3.467	1.230	0.035	2.080	34.60	0.08	0.12	0.35	0.13	0.34	0.46	0.54	0.06	0.09	<<0.05	2.0	<<2.2	1.9	1.11	1.05
Minimum		26.0	0.67	50	0.79	17.20	1.76	3.090	1.060	0.031	1.580	32.10	0.08	0.11	0.33	0.13	0.32	0.43	0.50	0.06	0.08	<0.05	1.9	<2.1	1.8	0.75	0.98
Maximum		45.0	2.47	100	4.23	19.20	1.82	3.800	1.430	0.041	2.780	36.60	0.08	0.14	0.36	0.14	0.35	0.50	0.61	0.07	0.11	<0.05	2.2	<2.4	2.0	1.34	1.17
St.dev.		9.5	0.91	28.9	1.74	1.13	0.03	0.357	0.187	0.005	0.624	2.29	0.00	0.02	0.02	0.01	0.02	0.04	0.06	0.01	0.02	~0.00	0.2	~0.2	0.1	0.32	0.10
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J63, 52A Eitrheimsneset, 1996-0923.

. Analytical Lab. ⇒					Σ(*)	NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. ⇒					!	341	341	!	341	341	341
____ Detection Limit.____ ⇒					!	0.05	0.05	!	0.05	0.05	0.05
Samp/	Shell-length		-wght	No of	DD_Σn	HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl.	Min:Max,Mean		mean	shell	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no.	mm:mm	mm	g		w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	21:29	26.0	0.67	100	4.08	0.09	0.52	0.61	<0.05	0.08	<0.05
02/ 1	30:39	35.0	1.35	50	4.13	0.11	0.49	0.60	<0.05	0.09	<0.05
03/ 1	40:49	45.0	2.47	50	3.88	0.10	0.27	0.37	<0.05	0.08	<0.05
Mean		35.3	1.50	66.7	4.03	0.10	0.43	0.53	<<.05	0.08	<<.05
Minimum		26.0	0.67	50	3.88	0.09	0.27	0.37	<0.05	0.08	<0.05
Maximum		45.0	2.47	100	4.13	0.11	0.52	0.61	<0.05	0.09	<0.05
St.dev.		9.5	0.91	28.9	0.13	0.01	0.14	0.14	~0.00	0.01	~0.00
Count		3	3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J63 Sørfjorden, Tissue : Whole SOFT BODY.
Locality : 52A Eitrheimsneset, Latitude: 60°05.80N, Longitude: 06°32.20E.
Catch,date : 1997-0930, Count: 200, Sample type: Bulked.

Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	NIVA 312 0.050 Cd ppm w.wt	NIVA 311 0.010 Cu ppm w.wt	NIVA 310 0.005 Hg ppm w.wt	NIVA 312 0.040 Pb ppm w.wt	NIVA 311 1.00 Zn ppm w.wt	NIVA 341 0.05 CB28 ppb w.wt	NIVA 341 CB52 ppb w.wt	NIVA 341 CB101 ppb w.wt	NIVA 341 CB105 ppb w.wt	NIVA 341 CB118 ppb w.wt	NIVA 341 CB138 ppb w.wt	NIVA 341 CB153 ppb w.wt	NIVA 341 CB156 ppb w.wt	NIVA 341 CB180 ppb w.wt	NIVA 341 CB209 ppb w.wt	Σ(*) ! CB_Σ7 ppb w.wt	Σ(*) ! CB_ΣΣ ppb w.wt	NIVA 341 0.10 DDEPP ppb w.wt	NIVA 340 0.05 DDTPP ppb w.wt	NIVA 341 0.05 TDEPP ppb w.wt
01/ 1	20:29	24.8	0.64	100	0.61	13.90	1.00	1.610	1.130	0.040	2.260	28.70	0.20	<0.05	0.38	0.28	0.48	0.80	0.68	0.13	0.12	<0.05	<2.7	<3.1	1.7	2.50	0.80
02/ 1	30:39	33.7	1.53	50	1.52	15.00	1.00	2.010	1.030	0.039	3.090	37.10	0.17	<0.05	0.36	0.23	0.43	0.79	0.71	0.13	0.10	<0.05	<2.6	<3.0	2.0	1.80	1.20
03/ 1	40:49	44.7	3.07	50	3.33	15.00	1.27	2.600	1.160	0.038	4.490	50.80	0.15	<0.05	0.41	0.24	0.46	0.86	0.81	0.14	0.13	<0.05	<2.9	<3.3	2.8	2.10	1.30
Mean		34.4	1.75	66.7	1.82	14.63	1.09	2.073	1.107	0.039	3.280	38.87	0.17	<<0.05	0.38	0.25	0.46	0.82	0.73	0.13	0.12	<<0.05	<<2.7	<<3.1	2.1	2.13	1.10
Minimum		24.8	0.64	50	0.61	13.90	1.00	1.610	1.030	0.038	2.260	28.70	0.15	<0.05	0.36	0.23	0.43	0.79	0.68	0.13	0.10	<0.05	<2.6	<3.0	1.7	1.80	0.80
Maximum		44.7	3.07	100	3.33	15.00	1.27	2.600	1.160	0.040	4.490	50.80	0.20	<0.05	0.41	0.28	0.48	0.86	0.81	0.14	0.13	<0.05	<2.9	<3.3	2.8	2.50	1.30
St.dev.		10.0	1.23	28.9	1.38	0.64	0.16	0.498	0.068	0.001	1.127	11.16	0.03	~0.00	0.03	0.03	0.03	0.04	0.07	0.01	0.02	~0.00	~0.1	~0.1	0.5	0.35	0.26
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J63, 52A Eitrheimsneset, 1997-0930.

Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	Σ(*) ! DD_Σn ppb w.wt	NIVA 341 0.05 HCHA ppb w.wt	NIVA 341 0.05 HCHG ppb w.wt	Σ(*) ! HC_Σn ppb w.wt	NIVA 341 0.05 HCB ppb w.wt	NIVA 341 0.05 QCB ppb w.wt	NIVA 341 0.05 OCS ppb w.wt
01/ 1	20:29	24.8	0.64	100	5.01	0.07	0.17	0.24	<0.05	<0.05	<0.05
02/ 1	30:39	33.7	1.53	50	4.97	0.07	0.15	0.22	<0.05	<0.05	<0.05
03/ 1	40:49	44.7	3.07	50	6.16	0.10	0.20	0.30	0.05	<0.05	<0.05
Mean		34.4	1.75	66.7	5.38	0.08	0.17	0.25	<<.05	<<.05	<<.05
Minimum		24.8	0.64	50	4.97	0.07	0.15	0.22	<0.05	<0.05	<0.05
Maximum		44.7	3.07	100	6.16	0.10	0.20	0.30	0.05	<0.05	<0.05
St.dev.		10.0	1.23	28.9	0.68	0.02	0.03	0.04	~0.00	~0.00	~0.00
Count		3	3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J63 Sørfjorden, Tissue : Whole SOFT BODY.
Locality : 56A Kvalnes, Latitude: 60°13.40N, Longitude: 06°36.10E.
Catch,date : 1993-0906, Count: 150, Sample type: Bulked.

Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	NIVA 312 0.050 Cd ppm w.wt	NIVA 311 0.010 Cu ppm w.wt	NIVA 310 0.005 Hg ppm w.wt	NIVA 312 0.030 Pb ppm w.wt	NIVA 311 1.00 Zn ppm w.wt	NIVA 341 0.10 CB28 ppb w.wt	NIVA 341 CB52 ppb w.wt	NIVA 341 CB101 ppb w.wt	NIVA 341 CB105 ppb w.wt	NIVA 341 CB118 ppb w.wt	NIVA 341 CB138 ppb w.wt	NIVA 341 CB153 ppb w.wt	NIVA 341 CB156 ppb w.wt	NIVA 341 CB180 ppb w.wt	NIVA 341 CB209 ppb w.wt	Σ(*) ! CB_Σ7 ppb w.wt	Σ(*) ! CB_ΣΣ ppb w.wt	NIVA 341 0.10 DDEPP ppb w.wt	NIVA 341 0.10 TDEPP ppb w.wt	Σ(*) ! DD_Σn ppb w.wt
01/ 1	20:29	25.0	0.60	50	0.52	10.10	0.90	5.120	0.930	0.068	8.670	39.20	<0.10	<0.10	0.30	s0.10	0.10	0.20	0.20	<0.10	<0.10	<0.10	<0.9	s<1.0	4.8	s5.20	s10.00
02/ 1	30:39	34.0	1.60	50	0.92	9.60	0.80	6.410	0.870	0.124	10.500	34.00	<0.10	<0.10	0.20	s0.10	0.10	0.10	0.20	<0.10	<0.10	<0.10	<0.7	s<0.8	4.1	s4.40	s8.50
03/ 1	40:49	44.0	2.80	50	1.84	9.40	0.80	5.610	0.860	0.115	13.500	53.00	<0.10	<0.10	0.30	s0.10	0.10	0.20	0.20	<0.10	<0.10	<0.10	<0.9	s<1.0	5.0	s5.40	s10.40
Mean		34.3	1.67	50.0	1.09	9.70	0.83	5.713	0.887	0.102	10.890	42.07	<<0.10	<<0.10	0.27	s0.10	0.10	0.17	0.20	<<0.10	<<0.10	<<0.10	<<0.8	s<<0.9	4.6	s5.00	s9.63
Minimum		25.0	0.60	50	0.52	9.40	0.80	5.120	0.860	0.068	8.670	34.00	<0.10	<0.10	0.20	s0.10	0.10	0.10	0.20	<0.10	<0.10	<0.10	<0.7	s<0.8	4.1	s4.40	s8.50
Maximum		44.0	2.80	50	1.84	10.10	0.90	6.410	0.930	0.124	13.500	53.00	<0.10	<0.10	0.30	s0.10	0.10	0.20	0.20	<0.10	<0.10	<0.10	<0.9	s<1.0	5.0	s5.40	s10.40
St.dev.		9.5	1.10	0.0	0.68	0.36	0.06	0.651	0.038	0.030	2.439	9.82	~0.00	~0.00	0.06	0.00	0.00	0.06	0.00	~0.00	~0.00	~0.00	~0.1	~0.1	0.5	0.53	1.00
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

s/q(24) ! Suspect value(s)

Tab.width cont'd **MYTI EDU, SB, J63, 56A Kvalnes, 1993-0906.**

. Analytical Lab. ⇒				NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. ⇒				341	341	!	341	341	341
____ Detection Limit.____ ⇒				0.10	0.10	!	0.10	0.10	0.10
Samp/ Shell-length -wght No of				HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl. Min:Max,Mean mean shell				ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g				w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	20:29	25.0	0.60 50	<0.10	0.10	<0.20	<0.10	<0.10	<0.10
02/ 1	30:39	34.0	1.60 50	<0.10	0.10	<0.20	<0.10	<0.10	<0.10
03/ 1	40:49	44.0	2.80 50	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Mean		34.3	1.67 50.0	<<0.10	<<0.10	<<0.17	<<.10	<<.10	<<.10
Minimum		25.0	0.60 50	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Maximum		44.0	2.80 50	<0.10	0.10	<0.20	<0.10	<0.10	<0.10
St.dev.		9.5	1.10 0.0	~0.00	0.00	~0.06	~0.00	~0.00	~0.00
Count		3	3 3	3	3	3	3	3	3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J63 Sørfjorden**, Tissue : **Whole SOFT BODY.**
Locality : **56A Kvalnes**, Latitude: 60°13.40N, Longitude: 06°36.10E.
Catch,date : **1994-1023**, Count: 150, Sample type: **Bulked.**

. Analytical Lab. ⇒							NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. ⇒							312	311	310	312	311	341	341	341	341	341	341	341	341	341	!	!	341	341	!
____ Detection Limit.____ ⇒				Mean			0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!
Samp/ Shell-length -wght No of				Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn
Repl. Min:Max,Mean mean shell							ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g				g	%	%	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	25:29	27.2	50	0.60	15.70	1.24	1.783	1.150	0.048	3.050	21.80	0.05	0.09	0.42	0.19	0.27	0.53	0.60	<0.05	0.11	<0.05	2.1	<2.3	16.3	4.28	20.60
02/ 1	32:39	36.1	50	1.27	16.20	1.31	1.844	1.030	0.057	4.000	35.50	0.05	0.09	0.49	0.21	0.30	0.57	0.65	<0.05	0.11	<0.05	2.3	<2.5	18.6	4.67	23.23
03/ 1	40:49	43.9	50	2.08	16.50	1.27	0.992	1.050	0.060	4.740	34.80	0.05	0.09	0.49	0.22	0.31	0.58	0.66	<0.05	0.10	<0.05	2.3	<2.6	21.0	4.98	25.98
Mean		35.7	50.0	1.32	16.13	1.27	1.540	1.077	0.055	3.930	30.70	0.05	0.09	0.47	0.21	0.29	0.56	0.64	<<0.05	0.11	<<0.05	2.2	<<2.5	18.6	4.64	23.27
Minimum		27.2	50	0.60	15.70	1.24	0.992	1.030	0.048	3.050	21.80	0.05	0.09	0.42	0.19	0.27	0.53	0.60	<0.05	0.10	<0.05	2.1	<2.3	16.3	4.28	20.60
Maximum		43.9	50	2.08	16.50	1.31	1.844	1.150	0.060	4.740	35.50	0.05	0.09	0.49	0.22	0.31	0.58	0.66	<0.05	0.11	<0.05	2.3	<2.6	21.0	4.98	25.98
St.dev.		8.4	0.0	0.74	0.40	0.04	0.475	0.064	0.006	0.847	7.72	0.00	0.00	0.04	0.02	0.02	0.03	0.03	~0.00	0.01	~0.00	0.1	~0.1	2.3	0.35	2.69
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J63, 56A Kvalnes, 1994-1023.**

. Analytical Lab. ⇒				NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. ⇒				341	341	!	341	341	341
____ Detection Limit.____ ⇒				0.05	0.05	!	0.05	0.05	0.05
Samp/ Shell-length -wght No of				HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl. Min:Max,Mean mean shell				ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g				w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	25:29	27.2	50	0.08	0.18	0.26	<0.05	<0.05	<0.05
02/ 1	32:39	36.1	50	0.10	0.22	0.32	<0.05	<0.05	<0.05
03/ 1	40:49	43.9	50	0.11	0.20	0.31	<0.05	<0.05	<0.05
Mean		35.7	50.0	0.10	0.20	0.30	<<.05	<<.05	<<.05
Minimum		27.2	50	0.08	0.18	0.26	<0.05	<0.05	<0.05
Maximum		43.9	50	0.11	0.22	0.32	<0.05	<0.05	<0.05
St.dev.		8.4	0.0	0.02	0.02	0.03	~0.00	~0.00	~0.00
Count		3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J63 Sørfjorden, Tissue : Whole SOFT BODY.
Locality : 56A Kvalnes, Latitude: 60°13.40N, Longitude: 06°36.10E.
Catch,date : 1995-0917, Count: 150, Sample type: Bulked.

Samp/ Repl. no.	Shell-length Min:Max	Shell-length Mean mm	-wght mean g	No of shell	Dry %	Fat %	NIVA 312 0.050 Cd ppm w.wt	NIVA 311 0.010 Cu ppm w.wt	NIVA 310 0.005 Hg ppm w.wt	NIVA 312 0.030 Pb ppm w.wt	NIVA 311 1.00 Zn ppm w.wt	NIVA 341 0.05 CB28 ppb w.wt	NIVA 341 0.05 CB52 ppb w.wt	NIVA 341 0.05 CB101 ppb w.wt	NIVA 341 0.05 CB105 ppb w.wt	NIVA 341 0.05 CB118 ppb w.wt	NIVA 341 0.05 CB138 ppb w.wt	NIVA 341 0.05 CB153 ppb w.wt	NIVA 341 0.05 CB156 ppb w.wt	NIVA 341 0.05 CB180 ppb w.wt	NIVA 341 0.05 CB209 ppb w.wt	Σ(*) ! CB_Σ7 ppb w.wt	Σ(*) ! CB_ΣΣ ppb w.wt	NIVA 341 0.10 DDEPP ppb w.wt	NIVA 340 0.05 DDTPP ppb w.wt	NIVA 341 0.05 TDEPP ppb w.wt	Σ(*) ! DD_Σn ppb w.wt
01/ 1	20:29	27.1		50	13.10	1.26	3.697	1.010	0.073	4.180	33.90	<0.05	0.10	0.26	0.09	0.18	0.41	0.52	0.05	0.06	<0.05	<1.6	<1.7	5.4	5.67	1.36	12.38
02/ 1	30:39	34.9		50	13.40	1.02	4.122	0.900	0.091	6.220	38.80	<0.05	0.12	0.22	0.07	0.16	0.34	0.44	<0.05	0.06	<0.05	<1.4	<1.5	4.7	4.49	1.20	10.38
03/ 1	40:49	45.1		50	9.90	0.98	3.901	0.780	0.094	7.220	41.30	0.05	0.11	0.21	0.06	0.15	0.33	0.44	<0.05	0.05	<0.05	1.3	<1.5	5.4	4.24	1.43	11.05
Mean		35.7		50.0	12.13	1.09	3.907	0.897	0.086	5.873	38.00	<<0.05	0.11	0.23	0.07	0.16	0.36	0.47	<<0.05	0.06	<<0.05	<<1.4	<<1.5	5.1	4.80	1.33	11.27
Minimum		27.1		50	9.90	0.98	3.697	0.780	0.073	4.180	33.90	<0.05	0.10	0.21	0.06	0.15	0.33	0.44	<0.05	0.05	<0.05	1.3	<1.5	4.7	4.24	1.20	10.38
Maximum		45.1		50	13.40	1.26	4.122	1.010	0.094	7.220	41.30	0.05	0.12	0.26	0.09	0.18	0.41	0.52	0.05	0.06	<0.05	<1.6	<1.7	5.4	5.67	1.43	12.38
St.dev.		9.0		0.0	1.94	0.15	0.213	0.115	0.011	1.549	3.76	~0.00	0.01	0.03	0.02	0.02	0.04	0.05	~0.00	0.01	~0.00	~0.1	~0.2	0.4	0.76	0.12	1.02
Count		3		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J63, 56A Kvalnes, 1995-0917.

Samp/ Repl. no.	Shell-length Min:Max	Shell-length Mean mm	-wght mean g	No of shell	NIVA 341 0.05 HCHA ppb w.wt	NIVA 341 0.05 HCHG ppb w.wt	Σ(*) ! HC_Σn ppb w.wt	NIVA 341 0.05 HCB ppb w.wt	NIVA 341 0.05 QCB ppb w.wt	NIVA 341 0.05 OCS ppb w.wt
01/ 1	20:29	27.1		50	0.06	0.16	0.22	<0.05	<0.05	<0.05
02/ 1	30:39	34.9		50	0.06	0.15	0.21	<0.05	<0.05	<0.05
03/ 1	40:49	45.1		50	<0.05	0.15	<0.20	<0.05	<0.05	<0.05
Mean		35.7		50.0	<<0.06	0.15	<<0.21	<<.05	<<.05	<<.05
Minimum		27.1		50	<0.05	0.15	<0.20	<0.05	<0.05	<0.05
Maximum		45.1		50	0.06	0.16	0.22	<0.05	<0.05	<0.05
St.dev.		9.0		0.0	0.01	0.01	0.01	~0.00	~0.00	~0.00
Count		3		3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J63 Sørfjorden, Tissue : Whole SOFT BODY.
Locality : 56A Kvalnes, Latitude: 60°13.40N, Longitude: 06°36.10E.
Catch,date : 1996-0922, Count: 150, Sample type: Bulked.

Samp/ Repl. no.	Shell-length Min:Max	Shell-length Mean mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	NIVA 312 0.050 Cd ppm w.wt	NIVA 311 0.010 Cu ppm w.wt	NIVA 310 0.005 Hg ppm w.wt	NIVA 312 0.030 Pb ppm w.wt	NIVA 311 1.00 Zn ppm w.wt	NIVA 341 0.05 CB28 ppb w.wt	NIVA 341 0.05 CB52 ppb w.wt	NIVA 341 0.05 CB101 ppb w.wt	NIVA 341 0.05 CB105 ppb w.wt	NIVA 341 0.05 CB118 ppb w.wt	NIVA 341 0.05 CB138 ppb w.wt	NIVA 341 0.05 CB153 ppb w.wt	NIVA 341 0.05 CB156 ppb w.wt	NIVA 341 0.05 CB180 ppb w.wt	NIVA 341 0.05 CB209 ppb w.wt	Σ(*) ! CB_Σ7 ppb w.wt	Σ(*) ! CB_ΣΣ ppb w.wt	NIVA 341 0.10 DDEPP ppb w.wt	NIVA 340 0.05 DDTPP ppb w.wt	NIVA 341 0.05 TDEPP ppb w.wt
01/ 1	24:29	27.0	0.22	50	0.21	16.20	1.21	2.910	1.120	0.046	2.650	31.10	<0.05	0.08	0.39	0.13	0.25	s0.49	0.50	0.06	0.06	<0.05	s<1.8	s<2.0	5.5	6.79	2.59
02/ 1	30:39	35.0	1.41	50	1.13	16.70	1.22	3.440	1.100	0.061	4.640	41.10	<0.05	0.08	0.36	0.11	0.23	s0.46	0.47	0.05	0.06	<0.05	s<1.7	s<1.9	5.4	5.31	2.36
03/ 1	40:49	43.0	2.44	50	1.90	15.90	1.25	3.180	0.940	0.065	5.230	40.80	<0.05	0.08	0.38	0.11	0.24	s0.47	0.50	0.05	0.06	<0.05	s<1.8	s<1.9	5.4	5.26	2.45
Mean		35.0	1.36	50.0	1.08	16.27	1.23	3.177	1.053	0.057	4.173	37.67	<<0.05	0.08	0.38	0.12	0.24	s0.47	0.49	0.05	0.06	<<0.05	s<<1.8	s<<1.9	5.4	5.79	2.47
Minimum		27.0	0.22	50	0.21	15.90	1.21	2.910	0.940	0.046	2.650	31.10	<0.05	0.08	0.36	0.11	0.23	s0.46	0.47	0.05	0.06	<0.05	s<1.7	s<1.9	5.4	5.26	2.36
Maximum		43.0	2.44	50	1.90	16.70	1.25	3.440	1.120	0.065	5.230	41.10	<0.05	0.08	0.39	0.13	0.25	s0.49	0.50	0.06	0.06	<0.05	s<1.8	s<2.0	5.5	6.79	2.59
St.dev.		8.0	1.11	0.0	0.85	0.40	0.02	0.265	0.099	0.010	1.352	5.69	~0.00	0.00	0.02	0.01	0.01	0.02	0.02	0.01	0.00	~0.00	~0.1	~0.1	0.0	0.87	0.12
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

s/q(18) ! Suspect value(s)

Tab.width cont'd **MYTI EDU, SB, J63, 56A Kvalnes, 1996-0922.**

. Analytical Lab. =>				Σ(*)	NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>				!	341	341	!	341	341	341
____ Detection Limit.____ =>				!	0.05	0.05	!	0.05	0.05	0.05
Samp/ Shell-length -wght No of				DD_Σn	HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl. Min:Max,Mean mean shell				ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g				w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	24:29	27.0	0.22 50	14.87	0.08	0.29	0.37	<0.05	<0.05	<0.05
02/ 1	30:39	35.0	1.41 50	13.08	0.08	0.29	0.37	<0.05	<0.05	<0.05
03/ 1	40:49	43.0	2.44 50	13.13	0.07	0.22	0.29	<0.05	<0.05	<0.05
Mean		35.0	1.36 50.0	13.69	0.08	0.27	0.34	<<.05	<<.05	<<.05
Minimum		27.0	0.22 50	13.08	0.07	0.22	0.29	<0.05	<0.05	<0.05
Maximum		43.0	2.44 50	14.87	0.08	0.29	0.37	<0.05	<0.05	<0.05
St.dev.		8.0	1.11 0.0	1.02	0.01	0.04	0.05	~0.00	~0.00	~0.00
Count		3	3 3	3	3	3	3	3	3	3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J63 Sørfjorden**, Tissue : **Whole SOFT BODY.**
Locality : **56A Kvalnes**, Latitude: 60°13.40N, Longitude: 06°36.10E.
Catch,date : **1997-1001**, Count: 200, Sample type: **Bulked.**

. Analytical Lab. =>							NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>							312	311	310	312	311	341	341	341	341	341	341	341	341	341	!	!	341	340	341
____ Detection Limit.____ =>				Mean			0.050	0.010	0.005	0.040	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	0.05
Samp/ Shell-length -wght No of				Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	DDTPP	TDEPP
Repl. Min:Max,Mean mean shell				g	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g							w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	21:29	24.8	0.49 100	0.40	11.20	0.84	3.110	1.040	0.052	3.500	42.20	<0.05	<0.05	0.34	0.28	0.50	0.72	0.60	0.12	0.08	<0.05	<2.3	<2.7	8.1	11.50	3.30
02/ 1	30:39	35.5	1.59 50	1.10	11.60	0.77	3.340	0.810	0.061	4.350	38.00	<0.05	<0.05	0.31	0.21	0.39	0.56	0.47	0.09	0.07	<0.05	<1.9	<2.2	7.8	8.90	2.80
03/ 1	40:49	43.1	2.68 50	1.66	11.30	0.77	3.590	0.880	0.069	5.470	42.90	<0.05	<0.05	0.29	0.21	0.40	0.60	0.49	0.10	0.07	<0.05	<1.9	<2.2	8.4	9.00	4.30
Mean		34.5	1.59 66.7	1.05	11.37	0.79	3.347	0.910	0.061	4.440	41.03	<<0.05	<<0.05	0.31	0.23	0.43	0.63	0.52	0.10	0.07	<<0.05	<<2.0	<<2.4	8.1	9.80	3.47
Minimum		24.8	0.49 50	0.40	11.20	0.77	3.110	0.810	0.052	3.500	38.00	<0.05	<0.05	0.29	0.21	0.39	0.56	0.47	0.09	0.07	<0.05	<1.9	<2.2	7.8	8.90	2.80
Maximum		43.1	2.68 100	1.66	11.60	0.84	3.590	1.040	0.069	5.470	42.90	<0.05	<0.05	0.34	0.28	0.50	0.72	0.60	0.12	0.08	<0.05	<2.3	<2.7	8.4	11.50	4.30
St.dev.		9.2	1.10 28.9	0.63	0.21	0.04	0.240	0.118	0.009	0.988	2.65	~0.00	~0.00	0.03	0.04	0.06	0.08	0.07	0.02	0.01	~0.00	~0.2	~0.3	0.3	1.47	0.76
Count		3	3 3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J63, 56A Kvalnes, 1997-1001.**

. Analytical Lab. =>				Σ(*)	NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>				!	341	341	!	341	341	341
____ Detection Limit.____ =>				!	0.05	0.05	!	0.05	0.05	0.05
Samp/ Shell-length -wght No of				DD_Σn	HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl. Min:Max,Mean mean shell				ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g				w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	21:29	24.8	0.49 100	22.90	0.07	0.14	0.21	0.05	0.09	<0.05
02/ 1	30:39	35.5	1.59 50	19.54	0.06	0.13	0.19	0.05	<0.05	<0.05
03/ 1	40:49	43.1	2.68 50	21.73	0.07	0.15	0.22	0.05	0.06	<0.05
Mean		34.5	1.59 66.7	21.39	0.07	0.14	0.21	0.05	<<.07	<<.05
Minimum		24.8	0.49 50	19.54	0.06	0.13	0.19	0.05	<0.05	<0.05
Maximum		43.1	2.68 100	22.90	0.07	0.15	0.22	0.05	0.09	<0.05
St.dev.		9.2	1.10 28.9	1.71	0.01	0.01	0.02	0.00	~0.02	~0.00
Count		3	3 3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J63 Sørfjorden, Tissue : Whole SOFT BODY.
Locality : 57A Krossanes, Latitude: 60°23.20N, Longitude: 06°41.20E.
Catch,date : 1993-0907, Count: 150, Sample type: Bulked.

Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	NIVA 312 0.050 Cd ppm w.wt	NIVA 311 0.010 Cu ppm w.wt	NIVA 310 0.005 Hg ppm w.wt	NIVA 312 0.030 Pb ppm w.wt	NIVA 311 1.00 Zn ppm w.wt	NIVA 341 0.10 CB28 ppb w.wt	NIVA 341 0.10 CB52 ppb w.wt	NIVA 341 0.10 CB101 ppb w.wt	NIVA 341 0.10 CB105 ppb w.wt	NIVA 341 0.10 CB118 ppb w.wt	NIVA 341 0.10 CB138 ppb w.wt	NIVA 341 0.10 CB153 ppb w.wt	NIVA 341 0.10 CB156 ppb w.wt	NIVA 341 0.10 CB180 ppb w.wt	NIVA 341 0.10 CB209 ppb w.wt	Σ(*) ! CB_Σ7 ppb w.wt	Σ(*) ! CB_ΣΣ ppb w.wt	NIVA 341 0.10 DDEPP ppb w.wt	NIVA 341 0.10 TDEPP ppb w.wt	Σ(*) ! DD_Σn ppb w.wt
01/ 1	20:29	25.0	0.50	50	0.58	13.70	1.30	1.390	0.920	0.025	1.050	14.80	<0.10	<0.10	0.10	s0.10	0.10	0.10	0.20	<0.10	<0.10	<0.10	<0.6	s<0.7	1.9	s1.00	s2.90
02/ 1	30:39	35.0	1.30	50	1.16	12.60	1.20	1.940	0.960	0.044	2.460	18.50	<0.10	s1.80	0.10	s0.10	0.10	0.10	0.20	<0.10	<0.10	<0.10	s<2.4	s<2.5	2.3	s0.80	s3.10
03/ 1	40:49	43.0	2.20	50	1.84	12.40	1.10	2.160	0.840	0.045	2.380	21.90	<0.10	s1.50	0.10	s0.10	0.10	<0.10	0.20	<0.10	<0.10	<0.10	s<2.0	s<2.1	2.6	s0.90	s3.50
Mean		34.3	1.33	50.0	1.19	12.90	1.20	1.830	0.907	0.038	1.963	18.40	<<0.10	<0.10	0.10	s0.10	0.10	<<0.10	0.20	<<0.10	<<0.10	<<0.10	<0.6	s<<1.8	2.3	s0.90	s3.17
Minimum		25.0	0.50	50	0.58	12.40	1.10	1.390	0.840	0.025	1.050	14.80	<0.10	<0.10	0.10	s0.10	0.10	<0.10	0.20	<0.10	<0.10	<0.10	<0.6	s<0.7	1.9	s0.80	s2.90
Maximum		43.0	2.20	50	1.84	13.70	1.30	2.160	0.960	0.045	2.460	21.90	<0.10	<0.10	0.10	s0.10	0.10	0.10	0.20	<0.10	<0.10	<0.10	<0.6	s<2.5	2.6	s1.00	s3.50
St.dev.		9.0	0.85	0.0	0.63	0.70	0.10	0.397	0.061	0.011	0.792	3.55	~0.00	.	0.00	0.00	0.00	0.00	0.00	~0.00	~0.00	~0.00	.	~0.9	0.4	0.10	0.31
Count		3	3	3	3	3	3	3	3	3	3	3	3	i1	3	3	3	3	3	3	3	3	i1	3	3	3	3

s/q(28) ! Suspect value(s)
i (2) ! Suspect or ambiguous basis-value(s) ignored in statistics.

Tab.width cont'd MYTI EDU, SB, J63, 57A Krossanes, 1993-0907.

Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	NIVA 341 0.10 HCHA ppb w.wt	NIVA 341 0.10 HCHG ppb w.wt	Σ(*) ! HC_Σn ppb w.wt	NIVA 341 0.10 HCB ppb w.wt	NIVA 341 0.10 QCB ppb w.wt	NIVA 341 0.10 OCS ppb w.wt
01/ 1	20:29	25.0	0.50	50	<0.10	0.10	<0.20	<0.10	<0.10	<0.10
02/ 1	30:39	35.0	1.30	50	0.10	0.10	0.20	<0.10	<0.10	<0.10
03/ 1	40:49	43.0	2.20	50	0.10	0.20	0.30	0.10	<0.10	<0.10
Mean		34.3	1.33	50.0	<<0.10	0.13	<<0.23	<<.10	<<.10	<<.10
Minimum		25.0	0.50	50	<0.10	0.10	<0.20	<0.10	<0.10	<0.10
Maximum		43.0	2.20	50	0.10	0.20	0.30	0.10	<0.10	<0.10
St.dev.		9.0	0.85	0.0	~0.00	0.06	~0.06	~0.00	~0.00	~0.00
Count		3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J63 Sørfjorden, Tissue : Whole SOFT BODY.
Locality : 57A Krossanes, Latitude: 60°23.20N, Longitude: 06°41.20E.
Catch,date : 1994-1023, Count: 150, Sample type: Bulked.

Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	NIVA 312 0.050 Cd ppm w.wt	NIVA 311 0.010 Cu ppm w.wt	NIVA 310 0.005 Hg ppm w.wt	NIVA 312 0.030 Pb ppm w.wt	NIVA 311 1.00 Zn ppm w.wt	NIVA 341 0.05 CB28 ppb w.wt	NIVA 341 0.05 CB52 ppb w.wt	NIVA 341 0.05 CB101 ppb w.wt	NIVA 341 0.05 CB105 ppb w.wt	NIVA 341 0.05 CB118 ppb w.wt	NIVA 341 0.05 CB138 ppb w.wt	NIVA 341 0.05 CB153 ppb w.wt	NIVA 341 0.05 CB156 ppb w.wt	NIVA 341 0.05 CB180 ppb w.wt	NIVA 341 0.05 CB209 ppb w.wt	Σ(*) ! CB_Σ7 ppb w.wt	Σ(*) ! CB_ΣΣ ppb w.wt	NIVA 341 0.10 DDEPP ppb w.wt	NIVA 341 0.05 TDEPP ppb w.wt	Σ(*) ! DD_Σn ppb w.wt
01/ 1	25:29	27.5		50	0.55	14.50	1.08	1.260	1.010	0.028	1.510	24.10	<0.05	0.06	0.21	0.11	0.17	0.30	0.39	<0.05	0.06	<0.05	<1.2	<1.4	5.1	1.40	6.47
02/ 1	30:39	35.1		50	0.96	14.00	1.01	1.652	0.900	0.049	2.110	24.20	<0.05	0.05	0.21	0.08	0.17	0.31	0.39	<0.05	0.06	<0.05	<1.2	<1.3	5.0	1.45	6.42
03/ 1	40:49	43.9		50	1.68	14.00	1.04	1.735	0.850	0.049	2.580	24.90	<0.05	0.05	0.20	0.07	0.16	0.29	0.36	<0.05	0.06	<0.05	<1.2	<1.2	4.6	1.23	5.82
Mean		35.5		50.0	1.06	14.17	1.04	1.549	0.920	0.042	2.067	24.40	<<0.05	0.05	0.21	0.09	0.17	0.30	0.38	<<0.05	0.06	<<0.05	<<1.2	<<1.3	4.9	1.36	6.24
Minimum		27.5		50	0.55	14.00	1.01	1.260	0.850	0.028	1.510	24.10	<0.05	0.05	0.20	0.07	0.16	0.29	0.36	<0.05	0.06	<0.05	<1.2	<1.2	4.6	1.23	5.82
Maximum		43.9		50	1.68	14.50	1.08	1.735	1.010	0.049	2.580	24.90	<0.05	0.06	0.21	0.11	0.17	0.31	0.39	<0.05	0.06	<0.05	<1.2	<1.4	5.1	1.45	6.47
St.dev.		8.2		0.0	0.57	0.29	0.04	0.254	0.082	0.012	0.536	0.44	~0.00	0.01	0.01	0.02	0.01	0.01	0.02	~0.00	0.00	~0.00	~0.0	~0.1	0.3	0.12	0.36
Count		3		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J63, 57A Krossanes, 1994-1023.**

. Analytical Lab. ⇒				NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. ⇒				341	341	!	341	341	341
_____ Detection Limit._____ ⇒				0.05	0.05	!	0.05	0.05	0.05
Samp/	Shell-length		-wght	No of	HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl.	Min:Max,Mean		mean	shell	ppb	ppb	ppb	ppb	ppb	ppb
no.	mm:mm	mm	g		w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	25:29	27.5		50	0.07	0.12	0.19	<0.05	0.05	<0.05
02/ 1	30:39	35.1		50	0.07	0.12	0.19	<0.05	<0.05	<0.05
03/ 1	40:49	43.9		50	0.09	0.16	0.25	<0.05	<0.05	<0.05
Mean		35.5		50.0	0.08	0.13	0.21	<<.05	<<.05	<<.05
Minimum		27.5		50	0.07	0.12	0.19	<0.05	<0.05	<0.05
Maximum		43.9		50	0.09	0.16	0.25	<0.05	0.05	<0.05
St.dev.		8.2		0.0	0.01	0.02	0.03	~0.00	~0.00	~0.00
Count		3		3	3	3	3	3	3	3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J63 Sørfjorden**, Tissue : **Whole SOFT BODY.**
Locality : **57A Krossanes**, Latitude: 60°23.20N, Longitude: 06°41.20E.
Catch,date : **1995-0917**, Count: 150, Sample type: **Bulked.**

. Analytical Lab. ⇒						NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	NIVA	Σ(*)
. Analysis Code. ⇒						312	311	310	312	311	341	341	341	341	341	341	341	341	341	!	!	341	340	341	!
_____ Detection Limit._____ ⇒						0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	0.05	!
Samp/	Shell-length		-wght	No of	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	DDTPP	TDEPP	DD_Σn
Repl.	Min:Max,Mean		mean	shell	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no.	mm:mm	mm	g				w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	20:29	26.7		50	16.60	1.64	1.998	1.150	0.034	1.370	29.80	0.05	0.13	0.20	0.06	0.13	0.28	0.34	<0.05	0.05	<0.05	1.2	<1.3	4.2	5.86	0.80	10.89
02/ 1	30:39	35.7		50	16.90	1.56	2.063	0.950	0.044	2.230	30.70	<0.05	0.07	0.20	0.06	0.13	0.27	0.33	<0.05	0.05	<0.05	<1.1	<1.2	4.1	5.32	0.92	10.30
03/ 1	40:49	43.2		50	16.20	1.58	2.129	0.910	0.047	3.340	30.80	<0.05	0.09	0.19	0.05	0.13	0.27	0.33	<0.05	<0.05	<0.05	<1.1	<1.1	4.1	3.09	1.76	8.95
Mean		35.2		50.0	16.57	1.59	2.063	1.003	0.042	2.313	30.43	<<0.05	0.10	0.20	0.06	0.13	0.27	0.33	<<0.05	<<0.05	<<0.05	<<1.1	<<1.2	4.1	4.76	1.16	10.05
Minimum		26.7		50	16.20	1.56	1.998	0.910	0.034	1.370	29.80	<0.05	0.07	0.19	0.05	0.13	0.27	0.33	<0.05	<0.05	<0.05	<1.1	<1.1	4.1	3.09	0.80	8.95
Maximum		43.2		50	16.90	1.64	2.129	1.150	0.047	3.340	30.80	0.05	0.13	0.20	0.06	0.13	0.28	0.34	<0.05	0.05	<0.05	1.2	<1.3	4.2	5.86	1.76	10.89
St.dev.		8.3		0.0	0.35	0.04	0.066	0.129	0.007	0.988	0.55	~0.00	0.03	0.01	0.01	0.00	0.01	0.01	~0.00	0.00	~0.00	~0.1	~0.1	0.1	1.47	0.52	0.99
Count		3		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J63, 57A Krossanes, 1995-0917.**

. Analytical Lab. ⇒				NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. ⇒				341	341	!	341	341	341
_____ Detection Limit._____ ⇒				0.05	0.05	!	0.05	0.05	0.05
Samp/	Shell-length		-wght	No of	HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl.	Min:Max,Mean		mean	shell	ppb	ppb	ppb	ppb	ppb	ppb
no.	mm:mm	mm	g		w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	20:29	26.7		50	0.09	0.22	0.31	<0.05	<0.05	<0.05
02/ 1	30:39	35.7		50	0.08	0.17	0.25	<0.05	<0.05	<0.05
03/ 1	40:49	43.2		50	0.08	0.16	0.24	<0.05	<0.05	<0.05
Mean		35.2		50.0	0.08	0.18	0.27	<<.05	<<.05	<<.05
Minimum		26.7		50	0.08	0.16	0.24	<0.05	<0.05	<0.05
Maximum		43.2		50	0.09	0.22	0.31	<0.05	<0.05	<0.05
St.dev.		8.3		0.0	0.01	0.03	0.04	~0.00	~0.00	~0.00
Count		3		3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J63 Sørfjorden, Tissue : Whole SOFT BODY.
Locality : 57A Krossanes, Latitude: 60°23.20N, Longitude: 06°41.20E.
Catch,date : 1996-0922, Count: 150, Sample type: Bulked.

. Analytical Lab. ⇒ / . Analysis Code. ⇒ / Detection Limit. ⇒ / Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	NIVA 312 0.050 Cd ppm w.wt	NIVA 311 0.010 Cu ppm w.wt	NIVA 310 0.005 Hg ppm w.wt	NIVA 312 0.030 Pb ppm w.wt	NIVA 311 1.00 Zn ppm w.wt	NIVA 341 0.05 CB28 ppb w.wt	NIVA 341 0.05 CB52 ppb w.wt	NIVA 341 0.05 CB101 ppb w.wt	NIVA 341 0.05 CB105 ppb w.wt	NIVA 341 0.05 CB118 ppb w.wt	NIVA 341 0.05 CB138 ppb w.wt	NIVA 341 0.05 CB153 ppb w.wt	NIVA 341 0.05 CB156 ppb w.wt	NIVA 341 0.05 CB180 ppb w.wt	NIVA 341 0.05 CB209 ppb w.wt	Σ(*) ! CB_Σ7 ppb w.wt	Σ(*) ! CB_ΣΣ ppb w.wt	NIVA 341 0.10 DDEPP ppb w.wt	NIVA 340 0.05 DDTPP ppb w.wt	NIVA 341 0.05 TDEPP ppb w.wt
01/ 1	24:29	27.0	0.68	50	0.61	17.10	1.42	1.530	1.330	0.021	0.690	19.60	<0.05	0.06	0.16	0.06	0.14	miss	0.28	<0.05	0.05	<0.05	<0.7	<0.8	2.5	2.33	0.85
02/ 1	30:39	35.0	1.69	50	1.36	19.30	1.77	1.580	1.070	0.030	1.080	23.00	<0.05	0.06	0.22	0.08	0.16	s0.29	0.35	<0.05	0.05	0.05	s<1.2	s<1.3	3.1	2.83	1.10
03/ 1	40:49	43.0	2.59	50	2.05	19.10	1.65	1.620	0.970	0.036	1.590	21.00	<0.05	s0.07	0.22	0.08	0.16	s0.31	0.36	<0.05	0.06	<0.05	s<1.2	s<1.3	3.1	2.93	1.18
Mean		35.0	1.65	50.0	1.34	18.50	1.61	1.577	1.123	0.029	1.120	21.20	<<0.05	0.06	0.20	0.07	0.15	s0.30	0.33	<<0.05	0.05	<<0.05	<0.7	<0.8	2.9	2.70	1.04
Minimum		27.0	0.68	50	0.61	17.10	1.42	1.530	0.970	0.021	0.690	19.60	<0.05	0.06	0.16	0.06	0.14	s0.29	0.28	<0.05	0.05	<0.05	<0.7	<0.8	2.5	2.33	0.85
Maximum		43.0	2.59	50	2.05	19.30	1.77	1.620	1.330	0.036	1.590	23.00	<0.05	0.06	0.22	0.08	0.16	s0.31	0.36	<0.05	0.06	<0.05	<0.7	<0.8	3.1	2.93	1.18
St.dev.		8.0	0.96	0.0	0.72	1.22	0.18	0.045	0.186	0.008	0.451	1.71	~0.00	0.00	0.03	0.01	0.01	0.01	0.04	~0.00	0.01	~0.00	.	.	0.3	0.32	0.17
Count		3	3	3	3	3	3	3	3	3	3	3	3	i2	3	3	3	2	3	3	3	3	i1	i1	3	3	3

s/q (10) ! Suspect value(s)
i (3) ! Suspect or ambiguous basis-value(s) ignored in statistics.
miss(1) ! Missing value.

Tab.width cont'd MYTI EDU, SB, J63, 57A Krossanes, 1996-0922.

. Analytical Lab. ⇒ / . Analysis Code. ⇒ / Detection Limit. ⇒ / Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	Σ(*) ! DD_Σn ppb w.wt	NIVA 341 0.05 HCHA ppb w.wt	NIVA 341 0.05 HCHG ppb w.wt	Σ(*) ! HC_Σn ppb w.wt	NIVA 341 0.05 HCB ppb w.wt	NIVA 341 0.05 QCB ppb w.wt	NIVA 341 0.05 OCS ppb w.wt
01/ 1	24:29	27.0	0.68	50	5.67	0.09	0.42	0.51	<0.05	<0.05	<0.05
02/ 1	30:39	35.0	1.69	50	6.98	0.11	0.47	0.58	<0.05	<0.05	<0.05
03/ 1	40:49	43.0	2.59	50	7.16	0.11	0.54	0.65	<0.05	<0.05	<0.05
Mean		35.0	1.65	50.0	6.60	0.10	0.48	0.58	<<.05	<<.05	<<.05
Minimum		27.0	0.68	50	5.67	0.09	0.42	0.51	<0.05	<0.05	<0.05
Maximum		43.0	2.59	50	7.16	0.11	0.54	0.65	<0.05	<0.05	<0.05
St.dev.		8.0	0.96	0.0	0.81	0.01	0.06	0.07	~0.00	~0.00	~0.00
Count		3	3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J63 Sørfjorden, Tissue : Whole SOFT BODY.
Locality : 57A Krossanes, Latitude: 60°23.20N, Longitude: 06°41.20E.
Catch,date : 1997-1001, Count: 200, Sample type: Bulked.

. Analytical Lab. ⇒ / . Analysis Code. ⇒ / Detection Limit. ⇒ / Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	NIVA 312 0.050 Cd ppm w.wt	NIVA 311 0.010 Cu ppm w.wt	NIVA 310 0.005 Hg ppm w.wt	NIVA 312 0.040 Pb ppm w.wt	NIVA 311 1.00 Zn ppm w.wt	NIVA 341 0.05 CB28 ppb w.wt	NIVA 341 0.05 CB52 ppb w.wt	NIVA 341 0.05 CB101 ppb w.wt	NIVA 341 0.05 CB105 ppb w.wt	NIVA 341 0.05 CB118 ppb w.wt	NIVA 341 0.05 CB138 ppb w.wt	NIVA 341 0.05 CB153 ppb w.wt	NIVA 341 0.05 CB156 ppb w.wt	NIVA 341 0.05 CB180 ppb w.wt	NIVA 341 0.05 CB209 ppb w.wt	Σ(*) ! CB_Σ7 ppb w.wt	Σ(*) ! CB_ΣΣ ppb w.wt	NIVA 341 0.10 DDEPP ppb w.wt	NIVA 340 0.05 DDTPP ppb w.wt	NIVA 341 0.05 TDEPP ppb w.wt
01/ 1	20:29	25.5	0.58	100	0.42	11.10	0.90	1.420	0.880	0.031	1.130	24.80	<0.05	<0.05	0.10	0.07	0.17	0.34	0.33	0.05	<0.05	<0.05	<1.0	<1.1	5.8	8.70	2.20
02/ 1	30:39	34.5	1.45	50	0.94	11.60	0.84	1.950	0.810	0.037	1.590	30.90	<0.05	<0.05	0.10	0.06	0.16	0.32	0.32	0.05	<0.05	<0.05	<1.0	<1.1	5.8	9.40	1.66
03/ 1	40:48	42.9	3.08	50	1.78	12.20	0.88	1.660	0.750	0.039	1.720	25.10	<0.05	<0.05	0.10	0.06	0.14	0.29	0.30	0.05	<0.05	<0.05	<0.9	<1.0	5.5	7.80	1.60
Mean		34.3	1.70	66.7	1.05	11.63	0.87	1.677	0.813	0.036	1.480	26.93	<<0.05	<<0.05	0.10	0.06	0.16	0.32	0.32	0.05	<<0.05	<<0.05	<<0.9	<<1.1	5.7	8.63	1.82
Minimum		25.5	0.58	50	0.42	11.10	0.84	1.420	0.750	0.031	1.130	24.80	<0.05	<0.05	0.10	0.06	0.14	0.29	0.30	0.05	<0.05	<0.05	<0.9	<1.0	5.5	7.80	1.60
Maximum		42.9	3.08	100	1.78	12.20	0.90	1.950	0.880	0.039	1.720	30.90	<0.05	<0.05	0.10	0.07	0.17	0.34	0.33	0.05	<0.05	<0.05	<1.0	<1.1	5.8	9.40	2.20
St.dev.		8.7	1.27	28.9	0.69	0.55	0.03	0.265	0.065	0.004	0.310	3.44	~0.00	~0.00	0.00	0.01	0.02	0.03	0.02	0.00	~0.00	~0.00	~0.1	~0.1	0.2	0.80	0.33
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J63, 57A Krossanes, 1997-1001.**

. Analytical Lab. =>					Σ(*)	NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>					!	341	341	!	341	341	341
____ Detection Limit.____ =>					!	0.05	0.05	!	0.05	0.05	0.05
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	DD_Σn ppb w.wt	HCHA ppb w.wt	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt
01/ 1	20:29	25.5	0.58	100	16.70	0.06	0.13	0.19	0.05	0.06	<0.05
02/ 1	30:39	34.5	1.45	50	16.86	0.05	0.12	0.17	0.05	0.05	<0.05
03/ 1	40:48	42.9	3.08	50	14.87	0.05	0.10	0.15	0.05	<0.05	<0.05
Mean		34.3	1.70	66.7	16.14	0.05	0.12	0.17	0.05	<<.05	<<.05
Minimum		25.5	0.58	50	14.87	0.05	0.10	0.15	0.05	<0.05	<0.05
Maximum		42.9	3.08	100	16.86	0.06	0.13	0.19	0.05	0.06	<0.05
St.dev.		8.7	1.27	28.9	1.11	0.01	0.02	0.02	0.00	0.01	~0.00
Count		3	3	3	3	3	3	3	3	3	3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J62 Hardangerfjorden**, Tissue : **Whole SOFT BODY.**
Locality : **63A Ranaskjær**, Latitude: 60°25.10N, Longitude: 06°24.50E.
Catch,date : **1993-0906**, Count: 150, Sample type: **Bulked.**

. Analytical Lab. =>								NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>								312	311	310	312	311	341	341	341	341	341	341	341	341	!	!	341	341	!
____ Detection Limit.____ =>								0.050	0.010	0.005	0.030	1.00	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	!	!	0.10	0.10	!
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	Cd ppm w.wt	Cu ppm w.wt	Hg ppm w.wt	Pb ppm w.wt	Zn ppm w.wt	CB28 ppb w.wt	CB52 ppb w.wt	CB101 ppb w.wt	CB105 ppb w.wt	CB118 ppb w.wt	CB138 ppb w.wt	CB153 ppb w.wt	CB156 ppb w.wt	CB180 ppb w.wt	CB209 ppb w.wt	CB_Σ7 ppb w.wt	CB_ΣΣ ppb w.wt	DDEPP ppb w.wt	TDEPP ppb w.wt	DD_Σn ppb w.wt
01/ 1	20:29	25.0	0.50	50	0.57	16.30	1.40	.	.	.	.	.	<0.10	<0.10	0.10	s0.10	0.10	<0.10	0.20	<0.10	<0.10	<0.10	<0.5	s<0.6	1.6	s0.60	s2.20
02/ 1	30:39	35.0	1.30	50	1.01	16.00	1.50	1.020	0.960	0.019	1.540	18.90	<0.10	<0.10	0.10	s0.10	<0.10	0.10	0.10	<0.10	<0.10	<0.10	<0.4	s<0.5	1.2	s1.20	s2.40
03/ 1	40:49	43.0	2.50	50	1.84	14.00	1.30	1.340	0.870	0.024	1.740	17.60	<0.10	<0.10	0.10	s0.10	0.10	0.10	0.20	<0.10	<0.10	<0.10	<0.6	s<0.7	1.3	s1.30	s2.60
Mean		34.3	1.43	50.0	1.14	15.43	1.40	1.180	0.915	0.022	1.640	18.25	<<0.10	<<0.10	0.10	s0.10	<<0.10	<<0.10	0.17	<<0.10	<<0.10	<<0.10	<<0.5	s<<0.6	1.4	s1.03	s2.40
Minimum		25.0	0.50	50	0.57	14.00	1.30	1.020	0.870	0.019	1.540	17.60	<0.10	<0.10	0.10	s0.10	<0.10	<0.10	0.10	<0.10	<0.10	<0.10	<0.4	s<0.5	1.2	s0.60	s2.20
Maximum		43.0	2.50	50	1.84	16.30	1.50	1.340	0.960	0.024	1.740	18.90	<0.10	<0.10	0.10	s0.10	0.10	0.10	0.20	<0.10	<0.10	<0.10	<0.6	s<0.7	1.6	s1.30	s2.60
St.dev.		9.0	1.01	0.0	0.64	1.25	0.10	0.226	0.064	0.004	0.141	0.92	~0.00	~0.00	0.00	0.00	~0.00	~0.00	0.06	~0.00	~0.00	~0.00	~0.1	~0.1	0.2	0.38	0.20
Count		3	3	3	3	3	3	2	2	2	2	2	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

s/q(24) ! Suspect value(s)

Tab.width cont'd **MYTI EDU, SB, J62, 63A Ranaskjær, 1993-0906.**

. Analytical Lab. =>					NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>					341	341	!	341	341	341
____ Detection Limit.____ =>					0.10	0.10	!	0.10	0.10	0.10
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	HCHA ppb w.wt	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt
01/ 1	20:29	25.0	0.50	50	0.10	0.20	0.30	0.10	<0.10	<0.10
02/ 1	30:39	35.0	1.30	50	<0.10	0.10	<0.20	<0.10	<0.10	<0.10
03/ 1	40:49	43.0	2.50	50	<0.10	0.10	<0.20	<0.10	<0.10	<0.10
Mean		34.3	1.43	50.0	<<0.10	0.13	<<0.23	<<.10	<<.10	<<.10
Minimum		25.0	0.50	50	<0.10	0.10	<0.20	<0.10	<0.10	<0.10
Maximum		43.0	2.50	50	0.10	0.20	0.30	0.10	<0.10	<0.10
St.dev.		9.0	1.01	0.0	~0.00	0.06	~0.06	~0.00	~0.00	~0.00
Count		3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J62 Hardangerfjorden, Tissue : Whole SOFT BODY.
Locality : 63A Ranaskjær, Latitude: 60°25.10N, Longitude: 06°24.50E.
Catch,date : 1994-1023, Count: 150, Sample type: Bulked.

Samp/ Repl. no.	Shell-length Min:Max, mm:mm	Shell-length Mean, mm	-wght mean shell g	Mean Weight g	Dry %	Fat %	NIVA 312 0.050 Cd ppm w.wt	NIVA 311 0.010 Cu ppm w.wt	NIVA 310 0.005 Hg ppm w.wt	NIVA 312 0.030 Pb ppm w.wt	NIVA 311 1.00 Zn ppm w.wt	NIVA 341 0.05 CB28 ppb w.wt	NIVA 341 0.05 CB52 ppb w.wt	NIVA 341 0.05 CB101 ppb w.wt	NIVA 341 0.05 CB105 ppb w.wt	NIVA 341 0.05 CB118 ppb w.wt	NIVA 341 0.05 CB138 ppb w.wt	NIVA 341 0.05 CB153 ppb w.wt	NIVA 341 0.05 CB156 ppb w.wt	NIVA 341 0.05 CB180 ppb w.wt	NIVA 341 0.05 CB209 ppb w.wt	Σ(*) ! CB_Σ7 ppb w.wt	Σ(*) ! CB_ΣΣ ppb w.wt	NIVA 341 0.10 DDEPP ppb w.wt	NIVA 341 0.05 TDEPP ppb w.wt	Σ(*) ! DD_Σn ppb w.wt
01/ 1	25:29	27.4	50	0.60	15.00	1.04	0.591	1.150	0.026	0.830	18.70	<0.05	<0.05	0.15	<0.05	0.11	0.22	0.26	<0.05	0.05	<0.05	<0.8	<0.8	1.4	0.25	1.62
02/ 1	31:39	34.4	50	1.05	15.80	1.05	0.668	1.060	0.030	1.140	19.30	<0.05	0.05	0.16	0.05	0.12	0.24	0.28	<0.05	<0.05	<0.05	<0.9	<1.0	1.5	0.29	1.82
03/ 1	40:49	43.9	50	1.88	16.30	1.16	0.797	1.040	0.036	1.330	19.00	<0.05	0.05	0.17	0.05	0.12	0.25	0.29	<0.05	0.05	<0.05	<1.0	<1.0	1.6	0.46	2.06
Mean		35.2	50.0	1.18	15.70	1.08	0.685	1.083	0.031	1.100	19.00	<<0.05	<<0.05	0.16	<<0.05	0.12	0.24	0.28	<<0.05	<<0.05	<<0.05	<<0.9	<<0.9	1.5	0.33	1.83
Minimum		27.4	50	0.60	15.00	1.04	0.591	1.040	0.026	0.830	18.70	<0.05	<0.05	0.15	<0.05	0.11	0.22	0.26	<0.05	<0.05	<0.05	<0.8	<0.8	1.4	0.25	1.62
Maximum		43.9	50	1.88	16.30	1.16	0.797	1.150	0.036	1.330	19.30	<0.05	0.05	0.17	0.05	0.12	0.25	0.29	<0.05	0.05	<0.05	<1.0	<1.0	1.6	0.46	2.06
St.dev.		8.3	0.0	0.65	0.66	0.07	0.104	0.059	0.005	0.252	0.30	~0.00	~0.00	0.01	~0.00	0.01	0.02	0.02	~0.00	~0.00	~0.00	~0.1	~0.1	0.1	0.11	0.22
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J62, 63A Ranaskjær, 1994-1023.

Samp/ Repl. no.	Shell-length Min:Max, mm:mm	Shell-length Mean, mm	-wght mean shell g	NIVA 341 0.05 HCHA ppb w.wt	NIVA 341 0.05 HCHG ppb w.wt	Σ(*) ! HC_Σn ppb w.wt	NIVA 341 0.05 HCB ppb w.wt	NIVA 341 0.05 QCB ppb w.wt	NIVA 341 0.05 OCS ppb w.wt
01/ 1	25:29	27.4	50	0.07	0.15	0.22	<0.05	<0.05	<0.05
02/ 1	31:39	34.4	50	0.06	0.15	0.21	0.05	<0.05	<0.05
03/ 1	40:49	43.9	50	0.08	0.16	0.24	<0.05	<0.05	<0.05
Mean		35.2	50.0	0.07	0.15	0.22	<<.05	<<.05	<<.05
Minimum		27.4	50	0.06	0.15	0.21	<0.05	<0.05	<0.05
Maximum		43.9	50	0.08	0.16	0.24	<0.05	<0.05	<0.05
St.dev.		8.3	0.0	0.01	0.01	0.02	~0.00	~0.00	~0.00
Count		3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J62 Hardangerfjorden, Tissue : Whole SOFT BODY.
Locality : 63A Ranaskjær, Latitude: 60°25.10N, Longitude: 06°24.50E.
Catch,date : 1995-0917, Count: 150, Sample type: Bulked.

Samp/ Repl. no.	Shell-length Min:Max, mm:mm	Shell-length Mean, mm	-wght mean shell g	Dry %	Fat %	NIVA 312 0.050 Cd ppm w.wt	NIVA 311 0.010 Cu ppm w.wt	NIVA 310 0.005 Hg ppm w.wt	NIVA 312 0.030 Pb ppm w.wt	NIVA 311 1.00 Zn ppm w.wt	NIVA 341 0.05 CB28 ppb w.wt	NIVA 341 0.05 CB52 ppb w.wt	NIVA 341 0.05 CB101 ppb w.wt	NIVA 341 0.05 CB105 ppb w.wt	NIVA 341 0.05 CB118 ppb w.wt	NIVA 341 0.05 CB138 ppb w.wt	NIVA 341 0.05 CB153 ppb w.wt	NIVA 341 0.05 CB156 ppb w.wt	NIVA 341 0.05 CB180 ppb w.wt	NIVA 341 0.05 CB209 ppb w.wt	Σ(*) ! CB_Σ7 ppb w.wt	Σ(*) ! CB_ΣΣ ppb w.wt	NIVA 341 0.10 DDEPP ppb w.wt	NIVA 340 0.05 DDTPP ppb w.wt	NIVA 341 0.05 TDEPP ppb w.wt	Σ(*) ! DD_Σn ppb w.wt
01/ 1	20:29	27.6	50	14.20	1.45	1.060	1.120	0.032	0.700	26.80	0.05	0.06	0.15	0.05	0.16	0.25	0.35	<0.05	<0.05	<0.05	<1.1	<1.1	1.3	1.45	0.33	3.12
02/ 1	30:39	36.2	50	15.20	1.35	1.454	1.040	0.043	2.410	31.70	<0.05	0.08	0.13	<0.05	0.10	0.22	0.29	<0.05	<0.05	<0.05	<0.9	<0.9	1.3	1.29	0.32	2.88
03/ 1	40:49	43.5	50	16.30	1.43	1.330	0.950	0.041	1.970	26.40	<0.05	0.06	0.12	<0.05	0.09	0.19	0.25	<0.05	<0.05	<0.05	<0.8	<0.8	1.2	1.55	0.29	3.07
Mean		35.8	50.0	15.23	1.41	1.281	1.037	0.039	1.693	28.30	<<0.05	0.07	0.13	<<0.05	0.12	0.22	0.30	<<0.05	<<0.05	<<0.05	<<0.9	<<0.9	1.3	1.43	0.31	3.02
Minimum		27.6	50	14.20	1.35	1.060	0.950	0.032	0.700	26.40	<0.05	0.06	0.12	<0.05	0.09	0.19	0.25	<0.05	<0.05	<0.05	<0.8	<0.8	1.2	1.29	0.29	2.88
Maximum		43.5	50	16.30	1.45	1.454	1.120	0.043	2.410	31.70	0.05	0.08	0.15	0.05	0.16	0.25	0.35	<0.05	<0.05	<0.05	<1.1	<1.1	1.3	1.55	0.33	3.12
St.dev.		8.0	0.0	1.05	0.05	0.201	0.085	0.006	0.888	2.95	~0.00	0.01	0.02	~0.00	0.04	0.03	0.05	~0.00	~0.00	~0.00	~0.2	~0.2	0.1	0.13	0.02	0.13
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J62, 63A Ranaskjær, 1995-0917.**

. Analytical Lab. =>				NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>				341	341	!	341	341	341
____ Detection Limit.____ =>				0.05	0.05	!	0.05	0.05	0.05
Samp/ Shell-length		-wght	No of	HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl. Min:Max,Mean		mean	shell	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm	mm	g		w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 20:29	27.6		50	0.06	0.16	0.22	<0.05	<0.05	<0.05
02/ 1 30:39	36.2		50	0.06	0.13	0.19	<0.05	<0.05	<0.05
03/ 1 40:49	43.5		50	0.06	0.14	0.20	<0.05	<0.05	<0.05
Mean	35.8		50.0	0.06	0.14	0.20	<<.05	<<.05	<<.05
Minimum	27.6		50	0.06	0.13	0.19	<0.05	<0.05	<0.05
Maximum	43.5		50	0.06	0.16	0.22	<0.05	<0.05	<0.05
St.dev.	8.0		0.0	0.00	0.02	0.02	~0.00	~0.00	~0.00
Count	3		3	3	3	3	3	3	3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J62 Hardangerfjorden**, Tissue : **Whole SOFT BODY.**
Locality : **63A Ranaskjær**, Latitude: 60°25.10N, Longitude: 06°24.50E.
Catch,date : **1996-0922**, Count: 150, Sample type: **Bulked.**

. Analytical Lab. =>							NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>							312	311	310	312	311	341	341	341	341	341	341	341	341	341	!	!	341	340	341
____ Detection Limit.____ =>				Mean			0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	0.05
Samp/ Shell-length		-wght	No of	Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	DDTPP	TDEPP
Repl. Min:Max,Mean		mean	shell	g	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm	mm	g					w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 25:29	27.0	0.69	50	0.56	15.00	1.17	0.810	1.220	0.025	1.140	22.00	<0.05	s0.07	0.13	0.05	0.10	0.17	0.21	<0.05	<0.05	<0.05	s<0.7	s<0.8	0.8	0.80	0.37
02/ 1 30:39	34.0	1.34	50	1.09	15.70	1.14	0.810	1.030	0.027	1.150	19.10	<0.05	s0.06	0.11	<0.05	0.08	0.14	0.18	<0.05	<0.05	<0.05	s<0.6	s<0.6	0.8	0.64	0.34
03/ 1 40:49	43.0	2.60	50	1.83	14.50	1.03	1.010	0.840	0.039	1.560	21.30	<0.05	s0.05	0.12	<0.05	0.10	0.17	0.22	<0.05	<0.05	<0.05	s<0.7	s<0.7	0.9	0.60	0.42
Mean	34.7	1.54	50.0	1.16	15.07	1.11	0.877	1.030	0.030	1.283	20.80	<<0.05	s0.06	0.12	<<0.05	0.09	0.16	0.20	<<0.05	<<0.05	<<0.05	s<<0.7	s<<0.7	0.8	0.68	0.38
Minimum	27.0	0.69	50	0.56	14.50	1.03	0.810	0.840	0.025	1.140	19.10	<0.05	s0.05	0.11	<0.05	0.08	0.14	0.18	<0.05	<0.05	<0.05	s<0.6	s<0.6	0.8	0.60	0.34
Maximum	43.0	2.60	50	1.83	15.70	1.17	1.010	1.220	0.039	1.560	22.00	<0.05	s0.07	0.13	0.05	0.10	0.17	0.22	<0.05	<0.05	<0.05	s<0.7	s<0.8	0.9	0.80	0.42
St.dev.	8.0	0.97	0.0	0.64	0.60	0.07	0.115	0.190	0.008	0.240	1.51	~0.00	0.01	0.01	~0.00	0.01	0.02	0.02	~0.00	~0.00	~0.00	~0.1	~0.1	0.1	0.11	0.04
Count	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

s/q(18) ! Suspect value(s)

Tab.width cont'd **MYTI EDU, SB, J62, 63A Ranaskjær, 1996-0922.**

. Analytical Lab. =>				Σ(*)	NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>				!	341	341	!	341	341	341
____ Detection Limit.____ =>				!	0.05	0.05	!	0.05	0.05	0.05
Samp/ Shell-length		-wght	No of	DD_Σn	HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl. Min:Max,Mean		mean	shell	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm	mm	g		w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 25:29	27.0	0.69	50	2.00	0.08	0.19	0.27	<0.05	<0.05	<0.05
02/ 1 30:39	34.0	1.34	50	1.75	0.07	0.17	0.24	<0.05	<0.05	<0.05
03/ 1 40:49	43.0	2.60	50	1.89	0.07	0.24	0.31	<0.05	<0.05	<0.05
Mean	34.7	1.54	50.0	1.88	0.07	0.20	0.27	<<.05	<<.05	<<.05
Minimum	27.0	0.69	50	1.75	0.07	0.17	0.24	<0.05	<0.05	<0.05
Maximum	43.0	2.60	50	2.00	0.08	0.24	0.31	<0.05	<0.05	<0.05
St.dev.	8.0	0.97	0.0	0.13	0.01	0.04	0.04	~0.00	~0.00	~0.00
Count	3	3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J62 Hardangerfjorden, Tissue : Whole SOFT BODY.
Locality : 63A Ranaskjær, Latitude: 60°25.10N, Longitude: 06°24.50E.
Catch,date : 1997-1001, Count: 200, Sample type: Bulked.

Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	NIVA 312 0.050 Cd ppm w.wt	NIVA 311 0.010 Cu ppm w.wt	NIVA 310 0.005 Hg ppm w.wt	NIVA 312 0.040 Pb ppm w.wt	NIVA 311 1.00 Zn ppm w.wt	NIVA 341 0.05 CB28 ppb w.wt	NIVA 341 0.05 CB52 ppb w.wt	NIVA 341 0.05 CB101 ppb w.wt	NIVA 341 0.05 CB105 ppb w.wt	NIVA 341 0.05 CB118 ppb w.wt	NIVA 341 0.05 CB138 ppb w.wt	NIVA 341 0.05 CB153 ppb w.wt	NIVA 341 0.05 CB156 ppb w.wt	NIVA 341 0.05 CB180 ppb w.wt	NIVA 341 0.05 CB209 ppb w.wt	Σ(*) ! CB_Σ7 ppb w.wt	Σ(*) ! CB_ΣΣ ppb w.wt	NIVA 341 0.10 DDEPP ppb w.wt	NIVA 340 0.05 DDTPP ppb w.wt	NIVA 341 0.05 TDEPP ppb w.wt
01/ 1	21:29	25.7	0.94	100	0.49	12.80	1.00	0.890	0.900	0.026	0.730	21.70	<0.05	<0.05	0.10	0.06	0.12	0.28	0.30	0.05	<0.05	<0.05	<0.9	<1.0	2.3	3.60	0.90
02/ 1	30:39	33.8	1.94	50	1.22	12.30	0.88	0.740	0.740	0.023	0.750	19.50	<0.05	<0.05	0.08	<0.05	0.08	<0.17	0.19	<0.05	<0.05	<0.05	<0.5	<0.5	1.6	2.00	0.65
03/ 1	40:48	42.8	2.61	50	1.95	11.60	0.76	0.768	0.710	0.027	0.900	21.40	<0.05	<0.05	0.05	<0.05	0.06	0.14	0.15	<0.05	<0.05	<0.05	<0.5	<0.5	1.2	2.20	0.50
Mean		34.1	1.83	66.7	1.22	12.23	0.88	0.799	0.783	0.025	0.793	20.87	<<0.05	<<0.05	0.08	<<0.05	0.09	<<0.20	0.21	<<0.05	<<0.05	<<0.05	<<0.6	<<0.6	1.7	2.60	0.68
Minimum		25.7	0.94	50	0.49	11.60	0.76	0.740	0.710	0.023	0.730	19.50	<0.05	<0.05	0.05	<0.05	0.06	0.14	0.15	<0.05	<0.05	<0.05	<0.5	<0.5	1.2	2.00	0.50
Maximum		42.8	2.61	100	1.95	12.80	1.00	0.890	0.900	0.027	0.900	21.70	<0.05	<0.05	0.10	0.06	0.12	0.28	0.30	0.05	<0.05	<0.05	<0.9	<1.0	2.3	3.60	0.90
St.dev.		8.6	0.84	28.9	0.73	0.60	0.12	0.080	0.102	0.002	0.093	1.19	~0.00	~0.00	0.03	~0.01	0.03	~0.07	0.08	~0.00	~0.00	~0.00	~0.2	~0.3	0.6	0.87	0.20
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J62, 63A Ranaskjær, 1997-1001.

Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	Σ(*) ! DD_Σn ppb w.wt	NIVA 341 0.05 HCHA ppb w.wt	NIVA 341 0.05 HCHG ppb w.wt	Σ(*) ! HC_Σn ppb w.wt	NIVA 341 0.05 HCB ppb w.wt	NIVA 341 0.05 QCB ppb w.wt	NIVA 341 0.05 OCS ppb w.wt
01/ 1	21:29	25.7	0.94	100	6.83	0.06	0.14	0.20	0.05	0.10	<0.05
02/ 1	30:39	33.8	1.94	50	4.25	0.05	<0.05	<0.10	<0.05	<0.05	<0.05
03/ 1	40:48	42.8	2.61	50	3.91	0.05	0.09	0.14	0.05	<0.05	<0.05
Mean		34.1	1.83	66.7	5.00	0.05	<<0.09	<<0.15	<<.05	<<.07	<<.05
Minimum		25.7	0.94	50	3.91	0.05	<0.05	<0.10	<0.05	<0.05	<0.05
Maximum		42.8	2.61	100	6.83	0.06	0.14	0.20	0.05	0.10	<0.05
St.dev.		8.6	0.84	28.9	1.60	0.01	~0.05	~0.05	~0.00	~0.03	~0.00
Count		3	3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J62 Hardangerfjorden, Tissue : Whole SOFT BODY.
Locality : 65A Vikingneset, Latitude: 60°14.50N, Longitude: 06°09.60E.
Catch,date : 1993-0907, Count: 150, Sample type: Bulked.

Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	NIVA 312 0.050 Cd ppm w.wt	NIVA 311 0.010 Cu ppm w.wt	NIVA 310 0.005 Hg ppm w.wt	NIVA 312 0.030 Pb ppm w.wt	NIVA 311 1.00 Zn ppm w.wt	NIVA 341 0.10 CB28 ppb w.wt	NIVA 341 0.10 CB52 ppb w.wt	NIVA 341 0.10 CB101 ppb w.wt	NIVA 341 0.10 CB105 ppb w.wt	NIVA 341 0.10 CB118 ppb w.wt	NIVA 341 0.10 CB138 ppb w.wt	NIVA 341 0.10 CB153 ppb w.wt	NIVA 341 0.10 CB156 ppb w.wt	NIVA 341 0.10 CB180 ppb w.wt	NIVA 341 0.10 CB209 ppb w.wt	Σ(*) ! CB_Σ7 ppb w.wt	Σ(*) ! CB_ΣΣ ppb w.wt	NIVA 341 0.10 DDEPP ppb w.wt	NIVA 341 0.10 TDEPP ppb w.wt	Σ(*) ! DD_Σn ppb w.wt
01/ 1	20:29	25.0	0.90	50	0.76	16.00	1.40	0.880	0.960	0.007	0.670	20.70	0.10	s0.20	0.10	s0.40	0.10	0.10	0.20	<0.10	<0.10	<0.10	s<0.9	s<1.3	1.2	s0.70	s1.90
02/ 1	30:39	34.0	2.30	50	1.60	13.50	1.30	1.180	0.980	0.016	0.910	30.30	<0.10	0.10	0.10	s0.20	<0.10	0.10	0.10	<0.10	<0.10	<0.10	<0.5	s<0.7	0.7	s0.80	s1.50
03/ 1	40:49	43.0	4.30	50	2.72	15.00	1.40	1.160	0.880	0.024	0.980	20.80	<0.10	<0.10	0.10	s0.20	<0.10	0.10	0.10	<0.10	<0.10	<0.10	<0.4	s<0.6	0.7	s0.60	s1.30
Mean		34.0	2.50	50.0	1.69	14.83	1.37	1.073	0.940	0.016	0.853	23.93	<<0.10	<<0.10	0.10	s0.27	<<0.10	0.10	0.13	<<0.10	<<0.10	<<0.10	<<0.5	s<<0.9	0.9	s0.70	s1.57
Minimum		25.0	0.90	50	0.76	13.50	1.30	0.880	0.880	0.007	0.670	20.70	<0.10	<0.10	0.10	s0.20	<0.10	0.10	0.10	<0.10	<0.10	<0.10	<0.4	s<0.6	0.7	s0.60	s1.30
Maximum		43.0	4.30	50	2.72	16.00	1.40	1.180	0.980	0.024	0.980	30.30	0.10	0.10	0.10	s0.40	0.10	0.10	0.20	<0.10	<0.10	<0.10	<0.5	s<1.3	1.2	s0.80	s1.90
St.dev.		9.0	1.71	0.0	0.98	1.26	0.06	0.168	0.053	0.009	0.163	5.51	~0.00	0.00	0.00	0.12	~0.00	0.00	0.06	~0.00	~0.00	~0.00	~0.1	~0.4	0.3	0.10	0.31
Count		3	3	3	3	3	3	3	3	3	3	3	3	i2	3	3	3	3	3	3	3	3	i2	3	3	3	3

s/q(26) ! Suspect value(s)
i (2) ! Suspect or ambiguous basis-value(s) ignored in statistics.

Tab.width cont'd **MYTI EDU, SB, J62, 65A Vikingneset, 1993-0907.**

. Analytical Lab. =>				NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>				341	341	!	341	341	341
____ Detection Limit.____ =>				0.10	0.10	!	0.10	0.10	0.10
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	HCHA ppb w.wt	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt
01/ 1	20:29	25.0	0.90	50	0.10	0.20	0.30	0.10	<0.10	<0.10
02/ 1	30:39	34.0	2.30	50	<0.10	0.10	<0.20	<0.10	<0.10	<0.10
03/ 1	40:49	43.0	4.30	50	<0.10	0.10	<0.20	<0.10	<0.10	<0.10
Mean		34.0	2.50	50.0	<<0.10	0.13	<<0.23	<<.10	<<.10	<<.10
Minimum		25.0	0.90	50	<0.10	0.10	<0.20	<0.10	<0.10	<0.10
Maximum		43.0	4.30	50	0.10	0.20	0.30	0.10	<0.10	<0.10
St.dev.		9.0	1.71	0.0	~0.00	0.06	~0.06	~0.00	~0.00	~0.00
Count		3	3	3	3	3	3	3	3	3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J62 Hardangerfjorden**, Tissue : **Whole SOFT BODY.**
Locality : **65A Vikingneset**, Latitude: 60°14.50N, Longitude: 06°09.60E.
Catch,date : **1994-1023**, Count: 150, Sample type: **Bulked.**

. Analytical Lab. =>							NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>							312	311	310	312	311	341	341	341	341	341	341	341	341	341	!	!	341	341	!
____ Detection Limit.____ =>							0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	Cd ppm w.wt	Cu ppm w.wt	Hg ppm w.wt	Pb ppm w.wt	Zn ppm w.wt	CB28 ppb w.wt	CB52 ppb w.wt	CB101 ppb w.wt	CB105 ppb w.wt	CB118 ppb w.wt	CB138 ppb w.wt	CB153 ppb w.wt	CB156 ppb w.wt	CB180 ppb w.wt	CB209 ppb w.wt	CB_Σ7 ppb w.wt	CB_ΣΣ ppb w.wt	DDEPP ppb w.wt	TDEPP ppb w.wt	DD_Σn ppb w.wt
01/ 1	25:29	27.5		50	0.68	17.70	1.40	0.532	1.010	0.026	0.580	20.80	<0.05	0.06	0.19	0.05	0.15	0.31	0.38	<0.05	0.06	<0.05	<1.2	<1.3	1.4	0.36	1.80
02/ 1	30:39	35.6		50	1.35	17.60	0.93	0.516	0.870	0.023	0.480	20.60	<0.05	<0.05	0.13	<0.05	0.09	0.19	0.23	<0.05	<0.05	<0.05	<0.7	<0.7	0.9	0.19	1.10
03/ 1	40:49	43.6		50	2.24	17.20	1.36	0.667	0.880	0.023	0.620	22.60	<0.05	0.05	0.17	<0.05	0.13	0.24	0.29	<0.05	0.05	<0.05	<1.0	<1.0	1.3	0.57	1.91
Mean		35.6		50.0	1.42	17.50	1.23	0.572	0.920	0.024	0.560	21.33	<<0.05	<<0.05	0.16	<<0.05	0.12	0.25	0.30	<<0.05	<<0.05	<<0.05	<<1.0	<<1.0	1.2	0.37	1.60
Minimum		27.5		50	0.68	17.20	0.93	0.516	0.870	0.023	0.480	20.60	<0.05	<0.05	0.13	<0.05	0.09	0.19	0.23	<0.05	<0.05	<0.05	<0.7	<0.7	0.9	0.19	1.10
Maximum		43.6		50	2.24	17.70	1.40	0.667	1.010	0.026	0.620	22.60	<0.05	0.06	0.19	0.05	0.15	0.31	0.38	<0.05	0.06	<0.05	<1.2	<1.3	1.4	0.57	1.91
St.dev.		8.1		0.0	0.78	0.26	0.26	0.083	0.078	0.002	0.072	1.10	~0.00	~0.01	0.03	~0.00	0.03	0.06	0.08	~0.00	~0.01	~0.00	~0.3	~0.3	0.3	0.19	0.44
Count		3		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J62, 65A Vikingneset, 1994-1023.**

. Analytical Lab. =>				NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>				341	341	!	341	341	341
____ Detection Limit.____ =>				0.05	0.05	!	0.05	0.05	0.05
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	HCHA ppb w.wt	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt
01/ 1	25:29	27.5		50	0.12	0.22	0.34	<0.05	<0.05	<0.05
02/ 1	30:39	35.6		50	0.09	0.18	0.27	<0.05	<0.05	<0.05
03/ 1	40:49	43.6		50	0.09	0.21	0.30	<0.05	<0.05	<0.05
Mean		35.6		50.0	0.10	0.20	0.30	<<.05	<<.05	<<.05
Minimum		27.5		50	0.09	0.18	0.27	<0.05	<0.05	<0.05
Maximum		43.6		50	0.12	0.22	0.34	<0.05	<0.05	<0.05
St.dev.		8.1		0.0	0.02	0.02	0.04	~0.00	~0.00	~0.00
Count		3		3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J62 Hardangerfjorden, Tissue : Whole SOFT BODY.
Locality : 65A Vikingneset, Latitude: 60°14.50N, Longitude: 06°09.60E.
Catch,date : 1995-0915, Count: 150, Sample type: Bulked.

. Analytical Lab. =>				NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	NIVA	Σ(*)
. Analysis Code. =>				312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	!	!	341	340	341	!
Detection Limit. =>				0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	0.05	!
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm mm		-wght mean g	No of shell	Dry %	Fat %	Cd ppm w.wt	Cu ppm w.wt	Hg ppm w.wt	Pb ppm w.wt	Zn ppm w.wt	CB28 ppb w.wt	CB52 ppb w.wt	CB101 ppb w.wt	CB105 ppb w.wt	CB118 ppb w.wt	CB138 ppb w.wt	CB153 ppb w.wt	CB156 ppb w.wt	CB180 ppb w.wt	CB209 ppb w.wt	CB_Σ7 ppb w.wt	CB_ΣΣ ppb w.wt	DDEPP ppb w.wt	DDTPP ppb w.wt	TDEPP ppb w.wt	DD_Σn ppb w.wt
01/ 1	20:29	26.9		50	16.90	1.15	0.907	1.060	0.018	0.550	28.10	<0.05	miss	0.08	<0.05	0.08	0.14	0.22	<0.05	<0.05	<0.05	<0.6	<0.6	0.8	0.28	0.28	1.38
02/ 1	30:39	35.7		50	18.20	0.87	0.784	1.030	0.027	0.860	27.60	<0.05	<0.05	0.07	<0.05	0.06	0.11	0.17	<0.05	<0.05	<0.05	<0.5	<0.5	0.8	0.23	0.25	1.23
03/ 1	40:49	45.0		50	16.10	1.29	1.068	0.910	0.027	1.040	31.70	<0.05	<0.05	0.12	<0.05	0.11	0.19	0.28	<0.05	<0.05	<0.05	<0.8	<0.8	0.6	0.97	0.23	1.83
Mean		35.9		50.0	17.07	1.10	0.920	1.000	0.024	0.817	29.13	<<0.05	<<0.05	0.09	<<0.05	0.08	0.15	0.22	<<0.05	<<0.05	<<0.05	<<0.6	<<0.6	0.7	0.49	0.25	1.48
Minimum		26.9		50	16.10	0.87	0.784	0.910	0.018	0.550	27.60	<0.05	<0.05	0.07	<0.05	0.06	0.11	0.17	<0.05	<0.05	<0.05	<0.5	<0.5	0.6	0.23	0.23	1.23
Maximum		45.0		50	18.20	1.29	1.068	1.060	0.027	1.040	31.70	<0.05	<0.05	0.12	<0.05	0.11	0.19	0.28	<0.05	<0.05	<0.05	<0.8	<0.8	0.8	0.97	0.28	1.83
St.dev.		9.1		0.0	1.06	0.21	0.142	0.079	0.005	0.248	2.24	~0.00	~0.00	0.03	~0.00	0.03	0.04	0.06	~0.00	~0.00	~0.00	~0.1	~0.1	0.1	0.41	0.03	0.31
Count		3		3	3	3	3	3	3	3	3	3	2	3	3	3	3	3	3	3	3	3	3	3	3	3	3

miss(1) ! Missing value.

Tab.width cont'd MYTI EDU, SB, J62, 65A Vikingneset, 1995-0915.

. Analytical Lab. =>				NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>				341	341	!	341	341	341
Detection Limit. =>				0.05	0.05	!	0.05	0.05	0.05
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm mm		-wght mean g	No of shell	HCHA ppb w.wt	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt
01/ 1	20:29	26.9		50	0.05	0.11	0.16	<0.05	<0.05	<0.05
02/ 1	30:39	35.7		50	0.05	0.10	0.15	<0.05	<0.05	<0.05
03/ 1	40:49	45.0		50	0.06	0.13	0.19	<0.05	<0.05	<0.05
Mean		35.9		50.0	0.05	0.11	0.17	<<.05	<<.05	<<.05
Minimum		26.9		50	0.05	0.10	0.15	<0.05	<0.05	<0.05
Maximum		45.0		50	0.06	0.13	0.19	<0.05	<0.05	<0.05
St.dev.		9.1		0.0	0.01	0.02	0.02	~0.00	~0.00	~0.00
Count		3		3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J62 Hardangerfjorden, Tissue : Whole SOFT BODY.
Locality : 65A Vikingneset, Latitude: 60°14.50N, Longitude: 06°09.60E.
Catch,date : 1996-0922, Count: 150, Sample type: Bulked.

. Analytical Lab. =>						NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>						312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	!	!	341	340	341
Detection Limit. =>						0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	0.05
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm mm		-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	Cd ppm w.wt	Cu ppm w.wt	Hg ppm w.wt	Pb ppm w.wt	Zn ppm w.wt	CB28 ppb w.wt	CB52 ppb w.wt	CB101 ppb w.wt	CB105 ppb w.wt	CB118 ppb w.wt	CB138 ppb w.wt	CB153 ppb w.wt	CB156 ppb w.wt	CB180 ppb w.wt	CB209 ppb w.wt	CB_Σ7 ppb w.wt	CB_ΣΣ ppb w.wt	DDEPP ppb w.wt	DDTPP ppb w.wt	TDEPP ppb w.wt
01/ 1	25:29	27.0	1.27	50	0.72	17.00	1.51	0.610	1.160	0.022	0.490	25.00	<0.05	<0.05	0.18	0.06	0.16	0.29	0.38	<0.05	0.07	<0.05	<1.1	<1.2	1.1	0.98	0.59
02/ 1	30:39	35.0	2.48	50	1.47	18.00	1.44	0.570	1.030	0.020	0.420	22.30	<0.05	0.05	0.13	<0.05	0.11	0.23	0.33	<0.05	0.06	<0.05	<1.0	<1.0	0.9	1.20	0.53
03/ 1	40:49	43.0	3.88	50	2.60	17.00	1.29	0.600	0.990	0.020	0.410	29.80	<0.05	<0.05	0.13	0.05	0.12	0.22	0.31	<0.05	0.05	<0.05	<0.9	<0.9	0.8	s0.20	0.56
Mean		35.0	2.54	50.0	1.60	17.33	1.41	0.593	1.060	0.021	0.440	25.70	<<0.05	<<0.05	0.15	<<0.05	0.13	0.25	0.34	<<0.05	0.06	<<0.05	<<1.0	<<1.0	0.9	1.09	0.56
Minimum		27.0	1.27	50	0.72	17.00	1.29	0.570	0.990	0.020	0.410	22.30	<0.05	<0.05	0.13	<0.05	0.11	0.22	0.31	<0.05	0.05	<0.05	<0.9	<0.9	0.8	0.98	0.53
Maximum		43.0	3.88	50	2.60	18.00	1.51	0.610	1.160	0.022	0.490	29.80	<0.05	<0.05	0.18	0.06	0.16	0.29	0.38	<0.05	0.07	<0.05	<1.1	<1.2	1.1	1.20	0.59
St.dev.		8.0	1.31	0.0	0.95	0.58	0.11	0.021	0.089	0.001	0.044	3.80	~0.00	~0.00	0.03	~0.01	0.03	0.04	0.04	~0.00	0.01	~0.00	~0.1	~0.1	0.1	0.16	0.03
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	i2	3

s/q (2) ! Suspect value(s)
i (2) ! Suspect or ambiguous basis-value(s) ignored in statistics.
miss(1) ! Missing value.

Tab.width cont'd **MYTI EDU, SB, J62, 65A Vikingneset, 1996-0922.**

. Analytical Lab. ⇒					Σ(*)	NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. ⇒					!	341	341	!	341	341	341
____ Detection Limit.____ ⇒					!	0.05	0.05	!	0.05	0.05	0.05
Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	DD Σn ppb w.wt	HCHA ppb w.wt	HCHG ppb w.wt	HC Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt
01/ 1	25:29	27.0	1.27	50	2.67	0.09	0.54	0.63	<0.05	<0.05	<0.05
02/ 1	30:39	35.0	2.48	50	2.63	0.09	0.47	0.56	<0.05	<0.05	<0.05
03/ 1	40:49	43.0	3.88	50	s1.57	0.06	miss	0.06	<0.05	<0.05	<0.05
Mean		35.0	2.54	50.0	2.65	0.08	0.51	0.42	<<.05	<<.05	<<.05
Minimum		27.0	1.27	50	2.63	0.06	0.47	0.06	<0.05	<0.05	<0.05
Maximum		43.0	3.88	50	2.67	0.09	0.54	0.63	<0.05	<0.05	<0.05
St.dev.		8.0	1.31	0.0	0.03	0.02	0.05	0.31	~0.00	~0.00	~0.00
Count		3	3	3	i2	3	2	3	3	3	3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J62 Hardangerfjorden**, Tissue : **Whole SOFT BODY.**
Locality : **65A Vikingneset**, Latitude: 60°14.50N, Longitude: 06°09.60E.
Catch,date : **1997-1002**, Count: 200, Sample type: **Bulked.**

. Analytical Lab. ⇒								NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. ⇒								312	311	310	312	311	341	341	341	341	341	341	341	341	341	!	!	341	340	341
____ Detection Limit.____ ⇒								0.050	0.010	0.005	0.040	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	0.05
Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	Cd ppm w.wt	Cu ppm w.wt	Hg ppm w.wt	Pb ppm w.wt	Zn ppm w.wt	CB28 ppb w.wt	CB52 ppb w.wt	CB101 ppb w.wt	CB105 ppb w.wt	CB118 ppb w.wt	CB138 ppb w.wt	CB153 ppb w.wt	CB156 ppb w.wt	CB180 ppb w.wt	CB209 ppb w.wt	CB Σ7 ppb w.wt	CB ΣΣ ppb w.wt	DDEPP ppb w.wt	DDTPP ppb w.wt	TDEPP ppb w.wt
01/ 1	20:29	23.7	0.91	100	0.51	14.50	1.02	0.583	0.810	0.022	0.460	24.60	<0.05	<0.05	0.05	<0.05	0.07	0.17	0.18	<0.05	<0.05	<0.05	<0.5	<0.5	1.0	2.80	0.50
02/ 1	30:39	33.1	2.14	50	1.28	14.70	1.04	0.673	0.740	0.020	0.420	27.20	<0.05	<0.05	0.07	<0.05	0.07	0.16	0.20	<0.05	<0.05	<0.05	<0.6	<0.6	1.0	1.50	0.50
03/ 1	40:49	43.9	4.11	50	2.73	15.00	1.08	0.642	1.210	0.020	0.450	27.60	<0.05	<0.05	0.05	<0.05	0.06	0.14	0.15	<0.05	<0.05	<0.05	<0.5	<0.5	0.9	0.62	0.80
Mean		33.6	2.39	66.7	1.51	14.73	1.05	0.633	0.920	0.021	0.443	26.47	<<0.05	<<0.05	0.06	<<0.05	0.07	0.16	0.18	<<0.05	<<0.05	<<0.05	<<0.5	<<0.5	1.0	1.64	0.60
Minimum		23.7	0.91	50	0.51	14.50	1.02	0.583	0.740	0.020	0.420	24.60	<0.05	<0.05	0.05	<0.05	0.06	0.14	0.15	<0.05	<0.05	<0.05	<0.5	<0.5	0.9	0.62	0.50
Maximum		43.9	4.11	100	2.73	15.00	1.08	0.673	1.210	0.022	0.460	27.60	<0.05	<0.05	0.07	<0.05	0.07	0.17	0.20	<0.05	<0.05	<0.05	<0.6	<0.6	1.0	2.80	0.80
St.dev.		10.1	1.61	28.9	1.13	0.25	0.03	0.046	0.254	0.001	0.021	1.63	~0.00	~0.00	0.01	~0.00	0.01	0.02	0.03	~0.00	~0.00	~0.00	~0.1	~0.1	0.1	1.10	0.17
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J62, 65A Vikingneset, 1997-1002.**

. Analytical Lab. ⇒					Σ(*)	NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. ⇒					!	341	341	!	341	341	341
____ Detection Limit.____ ⇒					!	0.05	0.05	!	0.05	0.05	0.05
Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	DD Σn ppb w.wt	HCHA ppb w.wt	HCHG ppb w.wt	HC Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt
01/ 1	20:29	23.7	0.91	100	4.30	0.09	0.16	0.25	0.05	0.11	<0.05
02/ 1	30:39	33.1	2.14	50	3.04	0.06	0.13	0.19	<0.05	<0.05	<0.05
03/ 1	40:49	43.9	4.11	50	2.36	0.08	0.15	0.23	0.06	0.05	<0.05
Mean		33.6	2.39	66.7	3.23	0.08	0.15	0.22	<<.05	<<.07	<<.05
Minimum		23.7	0.91	50	2.36	0.06	0.13	0.19	<0.05	<0.05	<0.05
Maximum		43.9	4.11	100	4.30	0.09	0.16	0.25	0.06	0.11	<0.05
St.dev.		10.1	1.61	28.9	0.98	0.02	0.02	0.03	~0.01	~0.03	~0.00
Count		3	3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J62 Hardangerfjorden, Tissue : Whole SOFT BODY.
Locality : 69A Lille Terøy, Latitude: 59°58.79N, Longitude: 05°45.35E.
Catch,date : 1993-0906, Count: 20, Sample type: Homogenate.

. Analytical Lab. =>				NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>				312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!
____ Detection Limit.____ =>	Mean	___	___	0.050	0.010	0.005	0.030	1.00	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	!	!	0.10	0.10	!
Samp/ Shell-length -wght No of	Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn	
Repl. Min:Max,Mean mean shell	g	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g				w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 40:49 45.0 4.20 20	3.39	19.00	1.80	0.450	1.010	<.005	0.650	19.30	<0.10	s0.20	0.10	s0.80	<0.10	0.20	0.30	<0.10	<0.10	<0.10	s<0.9	s<1.7	0.6	s0.50	s1.10	

s/q(6) ! Suspect value(s)

Tab.width cont'd MYTI EDU, SB, J62, 69A Lille Terøy, 1993-0906.

. Analytical Lab. =>	NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>	341	341	!	341	341	341
____ Detection Limit.____ =>	0.10	0.10	!	0.10	0.10	0.10
Samp/ Shell-length -wght No of	HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl. Min:Max,Mean mean shell	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 40:49 45.0 4.20 20	0.10	0.20	0.30	<0.10	<0.10	<0.10

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J62 Hardangerfjorden, Tissue : Whole SOFT BODY.
Locality : 69A Lille Terøy, Latitude: 59°58.79N, Longitude: 05°45.35E.
Catch,date : 1994-1025, Count: 60, Sample type: Bulked.

. Analytical Lab. =>				NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>				312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!
____ Detection Limit.____ =>	Mean	___	___	0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!
Samp/ Shell-length -wght No of	Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn	
Repl. Min:Max,Mean mean shell	g	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g				w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 40:49 43.4 20	2.69	17.50	1.30	0.372	0.880	0.016	0.490	23.60	<0.05	0.05	0.14	<0.05	0.11	0.20	0.29	<0.05	<0.05	<0.05	<0.8	<0.8	0.6	0.58	1.13	
02/ 1 40:49 43.9 20	2.95	18.10	1.39	0.357	0.980	0.015	0.520	21.00	<0.05	0.05	0.14	<0.05	0.12	0.23	0.32	<0.05	<0.05	<0.05	<0.9	<0.9	0.6	0.55	1.19	
03/ 1 40:49 44.7 20	3.13	16.70	1.32	0.348	0.940	0.012	0.420	24.80	<0.05	0.05	0.13	<0.05	0.11	0.22	0.27	<0.05	<0.05	<0.05	<0.8	<0.8	0.6	0.34	0.96	
Mean 44.0 20.0	2.92	17.43	1.34	0.359	0.933	0.014	0.477	23.13	<<0.05	0.05	0.14	<<0.05	0.11	0.22	0.29	<<0.05	<<0.05	<<0.05	<<0.9	<<0.9	0.6	0.49	1.09	
Minimum 43.4 20	2.69	16.70	1.30	0.348	0.880	0.012	0.420	21.00	<0.05	0.05	0.13	<0.05	0.11	0.20	0.27	<0.05	<0.05	<0.05	<0.8	<0.8	0.6	0.34	0.96	
Maximum 44.7 20	3.13	18.10	1.39	0.372	0.980	0.016	0.520	24.80	<0.05	0.05	0.14	<0.05	0.12	0.23	0.32	<0.05	<0.05	<0.05	<0.9	<0.9	0.6	0.58	1.19	
St.dev. 0.7 0.0	0.22	0.70	0.05	0.012	0.050	0.002	0.051	1.94	~0.00	0.00	0.01	~0.00	0.01	0.02	0.03	~0.00	~0.00	~0.00	~0.0	~0.0	0.0	0.13	0.12	
Count 3 3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	

Tab.width cont'd **MYTI EDU, SB, J62, 69A Lille Terøy, 1994-1025.**

. Analytical Lab. =>				NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>				341	341	!	341	341	341
____ Detection Limit.____ =>				0.05	0.05	!	0.05	0.05	0.05
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	HCHA ppb w.wt	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt
01/ 1	40:49	43.4		20	0.07	0.11	0.18	<0.05	<0.05	<0.05
02/ 1	40:49	43.9		20	0.10	0.17	0.27	<0.05	<0.05	<0.05
03/ 1	40:49	44.7		20	0.09	0.19	0.28	<0.05	<0.05	<0.05
Mean		44.0		20.0	0.09	0.16	0.24	<<.05	<<.05	<<.05
Minimum		43.4		20	0.07	0.11	0.18	<0.05	<0.05	<0.05
Maximum		44.7		20	0.10	0.19	0.28	<0.05	<0.05	<0.05
St.dev.		0.7		0.0	0.02	0.04	0.06	~0.00	~0.00	~0.00
Count		3		3	3	3	3	3	3	3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J62 Hardangerfjorden**, Tissue : **Whole SOFT BODY.**
Locality : **69A Lille Terøy**, Latitude: 59°58.79N, Longitude: 05°45.35E.
Catch,date : **1995-0915**, Count: 60, Sample type: **Bulked.**

. Analytical Lab. =>						NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	NIVA	Σ(*)
. Analysis Code. =>						312	311	310	312	311	341	341	341	341	341	341	341	341	341	!	!	341	340	341	!
____ Detection Limit.____ =>						0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	0.05	!
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	Dry %	Fat %	Cd ppm w.wt	Cu ppm w.wt	Hg ppm w.wt	Pb ppm w.wt	Zn ppm w.wt	CB28 ppb w.wt	CB52 ppb w.wt	CB101 ppb w.wt	CB105 ppb w.wt	CB118 ppb w.wt	CB138 ppb w.wt	CB153 ppb w.wt	CB156 ppb w.wt	CB180 ppb w.wt	CB209 ppb w.wt	CB_Σ7 ppb w.wt	CB_ΣΣ ppb w.wt	DDEPP ppb w.wt	DDTPP ppb w.wt	TDEPP ppb w.wt	DD_Σn ppb w.wt
01/ 1	40:49	43.8		20	19.90	1.57	0.642	1.190	0.016	0.720	32.40	<0.05	miss	0.11	<0.05	0.12	0.31	0.49	<0.05	<0.05	<0.05	<1.1	<1.1	0.6	0.11	0.32	1.05
02/ 1	40:49	43.8		20	19.50	1.52	0.498	1.220	0.013	0.580	27.30	<0.05	miss	0.10	<0.05	0.12	0.25	0.36	<0.05	<0.05	<0.05	<0.9	<0.9	0.6	0.12	0.28	0.96
03/ 1	40:49	43.9		20	19.90	1.61	0.579	1.360	0.014	0.630	33.80	<0.05	miss	0.10	<0.05	0.12	0.25	0.36	<0.05	<0.05	<0.05	<0.9	<0.9	0.6	0.09	0.28	0.95
Mean		43.8		20.0	19.77	1.57	0.573	1.257	0.014	0.643	31.17	<<0.05	.	0.10	<<0.05	0.12	0.27	0.40	<<0.05	<<0.05	<<0.05	<<0.9	<<0.9	0.6	0.11	0.29	0.99
Minimum		43.8		20	19.50	1.52	0.498	1.190	0.013	0.580	27.30	<0.05	.	0.10	<0.05	0.12	0.25	0.36	<0.05	<0.05	<0.05	<0.9	<0.9	0.6	0.09	0.28	0.95
Maximum		43.9		20	19.90	1.61	0.642	1.360	0.016	0.720	33.80	<0.05	.	0.11	<0.05	0.12	0.31	0.49	<0.05	<0.05	<0.05	<1.1	<1.1	0.6	0.12	0.32	1.05
St.dev.		0.1		0.0	0.23	0.05	0.072	0.091	0.002	0.071	3.42	~0.00	.	0.01	~0.00	0.00	0.03	0.08	~0.00	~0.00	~0.00	~0.1	~0.1	0.0	0.02	0.02	0.06
Count		3		3	3	3	3	3	3	3	3	3	.	3	3	3	3	3	3	3	3	3	3	3	3	3	3

miss(3) ! Missing value.

Tab.width cont'd **MYTI EDU, SB, J62, 69A Lille Terøy, 1995-0915.**

. Analytical Lab. =>				NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>				341	341	!	341	341	341
____ Detection Limit.____ =>				0.05	0.05	!	0.05	0.05	0.05
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	HCHA ppb w.wt	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt
01/ 1	40:49	43.8		20	0.07	0.13	0.20	<0.05	<0.05	<0.05
02/ 1	40:49	43.8		20	0.07	0.13	0.20	<0.05	<0.05	<0.05
03/ 1	40:49	43.9		20	0.07	0.13	0.20	<0.05	<0.05	<0.05
Mean		43.8		20.0	0.07	0.13	0.20	<<.05	<<.05	<<.05
Minimum		43.8		20	0.07	0.13	0.20	<0.05	<0.05	<0.05
Maximum		43.9		20	0.07	0.13	0.20	<0.05	<0.05	<0.05
St.dev.		0.1		0.0	0.00	0.00	0.00	~0.00	~0.00	~0.00
Count		3		3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J62 Hardangerfjorden, Tissue : Whole SOFT BODY.
Locality : 69A Lille Terøy, Latitude: 59°58.79N, Longitude: 05°45.35E.
Catch,date : 1996-0921, Count: 60, Sample type: Bulked.

. Analytical Lab. =>				NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>				312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	341	!	!	341	340	341
_____ Detection Limit._____ =>				0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	0.05
Samp/ Shell-length -wght No of				Mean																				
Repl. Min:Max,Mean mean shell				Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	DDTPP	TDEPP
no. mm:mm mm g				g	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
							w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 40:49	44.0	4.23	20	2.46	17.50	1.34	0.530	0.980	0.017	0.560	28.10	<0.05	<0.05	0.07	<0.05	0.06	0.12	0.16	<0.05	<0.05	<0.05	<0.5	<0.5	0.1	<0.05	<0.05
02/ 1 40:49	44.0	4.63	20	2.73	18.30	1.41	0.680	1.400	0.019	0.770	38.80	<0.05	<0.05	0.08	<0.05	0.06	0.12	0.17	<0.05	<0.05	<0.05	<0.5	<0.5	0.1	<0.05	<0.05
03/ 1 40:49	43.0	4.36	20	2.61	16.90	1.34	0.540	1.230	0.018	0.680	25.90	<0.05	<0.05	0.07	<0.05	0.06	0.11	0.16	<0.05	<0.05	<0.05	<0.5	<0.5	0.1	<0.05	<0.05
Mean	43.7	4.41	20.0	2.60	17.57	1.36	0.583	1.203	0.018	0.670	30.93	<<0.05	<<0.05	0.07	<<0.05	0.06	0.12	0.16	<<0.05	<<0.05	<<0.05	<<0.5	<<0.5	0.1	<<0.05	<<0.05
Minimum	43.0	4.23	20	2.46	16.90	1.34	0.530	0.980	0.017	0.560	25.90	<0.05	<0.05	0.07	<0.05	0.06	0.11	0.16	<0.05	<0.05	<0.05	<0.5	<0.5	0.1	<0.05	<0.05
Maximum	44.0	4.63	20	2.73	18.30	1.41	0.680	1.400	0.019	0.770	38.80	<0.05	<0.05	0.08	<0.05	0.06	0.12	0.17	<0.05	<0.05	<0.05	<0.5	<0.5	0.1	<0.05	<0.05
St.dev.	0.6	0.20	0.0	0.14	0.70	0.04	0.084	0.211	0.001	0.105	6.90	~0.00	~0.00	0.01	~0.00	0.00	0.01	0.01	~0.00	~0.00	~0.00	~0.0	~0.0	0.0	~0.00	~0.00
Count	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J62, 69A Lille Terøy, 1996-0921.

. Analytical Lab. =>				Σ(*)	NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>				!	341	341	!	341	341	341
_____ Detection Limit._____ =>				!	0.05	0.05	!	0.05	0.05	0.05
Samp/ Shell-length -wght No of				DD_Σn	HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl. Min:Max,Mean mean shell				ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g				w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 40:49	44.0	4.23	20	<0.12	<0.05	0.06	<0.11	<0.05	<0.05	<0.05
02/ 1 40:49	44.0	4.63	20	<0.13	<0.05	0.07	<0.12	<0.05	<0.05	<0.05
03/ 1 40:49	43.0	4.36	20	<0.11	<0.05	0.06	<0.11	<0.05	<0.05	<0.05
Mean	43.7	4.41	20.0	<<0.12	<<0.05	0.06	<<0.11	<<.05	<<.05	<<.05
Minimum	43.0	4.23	20	<0.11	<0.05	0.06	<0.11	<0.05	<0.05	<0.05
Maximum	44.0	4.63	20	<0.13	<0.05	0.07	<0.12	<0.05	<0.05	<0.05
St.dev.	0.6	0.20	0.0	~0.01	~0.00	0.01	~0.01	~0.00	~0.00	~0.00
Count	3	3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J62 Hardangerfjorden, Tissue : Whole SOFT BODY.
Locality : 69A Lille Terøy, Latitude: 59°58.79N, Longitude: 05°45.35E.
Catch,date : 1997-0929, Count: 60, Sample type: Bulked.

. Analytical Lab. =>				NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>				312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	341	!	!	341	340	341
_____ Detection Limit._____ =>				0.050	0.010	0.005	0.040	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	0.05
Samp/ Shell-length -wght No of				Mean																				
Repl. Min:Max,Mean mean shell				Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	DDTPP	TDEPP
no. mm:mm mm g				g	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
							w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 40:49	43.3	5.27	20	2.94	16.00	1.16	0.564	0.890	0.018	0.640	37.20	<0.05	<0.05	0.05	0.05	0.10	0.29	0.35	0.05	<0.05	<0.05	<0.8	<0.9	0.6	0.47	0.25
02/ 1 40:49	43.1	5.32	20	2.83	15.30	0.58	0.558	0.850	0.017	0.560	33.30	<0.05	<0.05	0.06	0.05	0.10	0.29	0.34	<0.05	<0.05	<0.05	<0.8	<0.9	0.6	0.53	0.20
03/ 1 40:49	43.0	5.39	20	3.00	16.00	1.22	0.546	0.840	0.016	0.490	32.90	<0.05	<0.05	0.06	0.05	0.11	0.27	0.33	<0.05	<0.05	<0.05	<0.8	<0.9	0.6	0.66	0.20
Mean	43.1	5.33	20.0	2.92	15.77	0.99	0.556	0.860	0.017	0.563	34.47	<<0.05	<<0.05	0.06	0.05	0.10	0.28	0.34	<<0.05	<<0.05	<<0.05	<<0.8	<<0.9	0.6	0.55	0.22
Minimum	43.0	5.27	20	2.83	15.30	0.58	0.546	0.840	0.016	0.490	32.90	<0.05	<0.05	0.05	0.05	0.10	0.27	0.33	<0.05	<0.05	<0.05	<0.8	<0.9	0.6	0.47	0.20
Maximum	43.3	5.39	20	3.00	16.00	1.22	0.564	0.890	0.018	0.640	37.20	<0.05	<0.05	0.06	0.05	0.11	0.29	0.35	0.05	<0.05	<0.05	<0.8	<0.9	0.6	0.66	0.25
St.dev.	0.2	0.06	0.0	0.09	0.40	0.35	0.009	0.026	0.001	0.075	2.38	~0.00	~0.00	0.01	0.00	0.01	0.01	0.01	~0.00	~0.00	~0.00	~0.0	~0.0	0.0	0.10	0.03
Count	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J62, 69A Lille Terøy, 1997-0929.**

. Analytical Lab. =>					Σ(*)	NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>					!	341	341	!	341	341	341
____ Detection Limit.____ =>					!	0.05	0.05	!	0.05	0.05	0.05
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	DD_Σn ppb w.wt	HCHA ppb w.wt	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt
01/ 1	40:49	43.3	5.27	20	1.31	0.09	0.21	0.30	0.08	0.05	<0.05
02/ 1	40:49	43.1	5.32	20	1.28	0.08	0.16	0.24	0.05	0.11	<0.05
03/ 1	40:49	43.0	5.39	20	1.45	0.08	0.21	0.29	0.09	<0.05	<0.05
Mean		43.1	5.33	20.0	1.35	0.08	0.19	0.28	0.07	<<.07	<<.05
Minimum		43.0	5.27	20	1.28	0.08	0.16	0.24	0.05	<0.05	<0.05
Maximum		43.3	5.39	20	1.45	0.09	0.21	0.30	0.09	0.11	<0.05
St.dev.		0.2	0.06	0.0	0.09	0.01	0.03	0.03	0.02	0.03	~0.00
Count		3	3	3	3	3	3	3	3	3	3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J99 Undefined**, Tissue : **Whole SOFT BODY.**
Locality : **22A Espevær, west**, Latitude: 59°35.20N, Longitude: 05°08.50E.
Catch,date : **1993-0907**, Count: 150, Sample type: **Bulked.**

. Analytical Lab. =>								NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>								312	311	310	312	311	341	341	341	341	341	341	341	341	!	!	341	341	!
____ Detection Limit.____ =>								0.050	0.010	0.005	0.030	1.00	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	!	!	0.10	0.10	!
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	Cd ppm w.wt	Cu ppm w.wt	Hg ppm w.wt	Pb ppm w.wt	Zn ppm w.wt	CB28 ppb w.wt	CB52 ppb w.wt	CB101 ppb w.wt	CB105 ppb w.wt	CB118 ppb w.wt	CB138 ppb w.wt	CB153 ppb w.wt	CB156 ppb w.wt	CB180 ppb w.wt	CB209 ppb w.wt	CB_Σ7 ppb w.wt	CB_ΣΣ ppb w.wt	DDEPP ppb w.wt	TDEPP ppb w.wt	DD_Σn ppb w.wt
01/ 1	20:29	25.0	0.70	50	0.75	21.00	1.50	0.170	1.260	0.010	0.240	18.90	0.10	s0.20	0.20	s0.40	0.10	0.20	0.20	<0.10	<0.10	<0.10	s<1.1	s<1.5	0.2	s0.20	s0.40
02/ 1	30:39	35.0	2.30	50	1.70	22.50	1.60	0.190	1.230	0.012	0.420	27.40	<0.10	s0.20	0.20	s0.40	0.10	0.20	0.30	<0.10	<0.10	<0.10	s<1.1	s<1.5	0.3	s0.30	s0.60
03/ 1	40:49	45.0	5.60	50	4.07	22.90	1.80	0.230	1.320	0.008	0.500	26.50	<0.10	s0.20	0.20	s0.40	0.10	0.20	0.30	<0.10	<0.10	<0.10	s<1.1	s<1.5	0.3	s0.30	s0.60
Mean		35.0	2.87	50.0	2.17	22.13	1.63	0.197	1.270	0.010	0.387	24.27	<<0.10	s0.20	0.20	s0.40	0.10	0.20	0.27	<<0.10	<<0.10	<<0.10	s<<1.1	s<<1.5	0.3	s0.27	s0.53
Minimum		25.0	0.70	50	0.75	21.00	1.50	0.170	1.230	0.008	0.240	18.90	<0.10	s0.20	0.20	s0.40	0.10	0.20	0.20	<0.10	<0.10	<0.10	s<1.1	s<1.5	0.2	s0.20	s0.40
Maximum		45.0	5.60	50	4.07	22.90	1.80	0.230	1.320	0.012	0.500	27.40	0.10	s0.20	0.20	s0.40	0.10	0.20	0.30	<0.10	<0.10	<0.10	s<1.1	s<1.5	0.3	s0.30	s0.60
St.dev.		10.0	2.50	0.0	1.71	1.00	0.15	0.031	0.046	0.002	0.133	4.67	~0.00	0.00	0.00	0.00	0.00	0.00	0.06	~0.00	~0.00	~0.00	~0.0	~0.0	0.1	0.06	0.12
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

s/q(36) ! Suspect value(s)

Tab.width cont'd **MYTI EDU, SB, J99, 22A Espevær, west, 1993-0907.**

. Analytical Lab. =>					NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>					341	341	!	341	341	341
____ Detection Limit.____ =>					0.10	0.10	!	0.10	0.10	0.10
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	HCHA ppb w.wt	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt
01/ 1	20:29	25.0	0.70	50	0.10	0.20	0.30	<0.10	<0.10	<0.10
02/ 1	30:39	35.0	2.30	50	0.10	0.30	0.40	0.10	<0.10	<0.10
03/ 1	40:49	45.0	5.60	50	0.10	0.40	0.50	<0.10	<0.10	<0.10
Mean		35.0	2.87	50.0	0.10	0.30	0.40	<<.10	<<.10	<<.10
Minimum		25.0	0.70	50	0.10	0.20	0.30	<0.10	<0.10	<0.10
Maximum		45.0	5.60	50	0.10	0.40	0.50	<0.10	<0.10	<0.10
St.dev.		10.0	2.50	0.0	0.00	0.10	0.10	~0.00	~0.00	~0.00
Count		3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 22A Espevær, west, Latitude: 59°35.20N, Longitude: 05°08.50E.
Catch,date : 1994-1025, Count: 150, Sample type: Bulked.

Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	NIVA 312 0.050 Cd ppm w.wt	NIVA 311 0.010 Cu ppm w.wt	NIVA 310 0.005 Hg ppm w.wt	NIVA 312 0.030 Pb ppm w.wt	NIVA 311 1.00 Zn ppm w.wt	NIVA 341 0.05 CB28 ppb w.wt	NIVA 341 0.05 CB52 ppb w.wt	NIVA 341 0.05 CB101 ppb w.wt	NIVA 341 0.05 CB105 ppb w.wt	NIVA 341 0.05 CB118 ppb w.wt	NIVA 341 0.05 CB138 ppb w.wt	NIVA 341 0.05 CB153 ppb w.wt	NIVA 341 0.05 CB156 ppb w.wt	NIVA 341 0.05 CB180 ppb w.wt	NIVA 341 0.05 CB209 ppb w.wt	Σ(*) ! CB_Σ7 ppb w.wt	Σ(*) ! CB_ΣΣ ppb w.wt	NIVA 341 0.10 DDEPP ppb w.wt	NIVA 341 0.05 TDEPP ppb w.wt	Σ(*) ! DD_Σn ppb w.wt
01/ 1	25:29	27.6		50	0.82	20.20	1.61	0.206	1.290	0.013	0.310	19.80	0.06	0.11	0.26	0.10	0.28	0.38	0.46	<0.05	0.06	<0.05	1.6	<1.8	0.4	0.20	0.58
02/ 1	30:39	35.6		50	1.66	19.60	1.61	0.213	1.230	0.014	0.270	19.40	0.06	0.11	0.31	0.13	0.36	0.47	0.53	0.05	0.06	<0.05	1.9	<2.1	0.4	0.20	0.58
03/ 1	40:49	43.8		50	3.21	22.30	1.80	0.212	1.330	0.015	0.310	21.30	0.06	0.11	0.28	0.12	0.32	0.43	0.52	<0.05	0.05	<0.05	1.8	<1.9	0.4	0.23	0.64
Mean		35.7		50.0	1.90	20.70	1.67	0.210	1.283	0.014	0.297	20.17	0.06	0.11	0.28	0.12	0.32	0.43	0.50	<<0.05	0.06	<<0.05	1.8	<<1.9	0.4	0.21	0.60
Minimum		27.6		50	0.82	19.60	1.61	0.206	1.230	0.013	0.270	19.40	0.06	0.11	0.26	0.10	0.28	0.38	0.46	<0.05	0.05	<0.05	1.6	<1.8	0.4	0.20	0.58
Maximum		43.8		50	3.21	22.30	1.80	0.213	1.330	0.015	0.310	21.30	0.06	0.11	0.31	0.13	0.36	0.47	0.53	<0.05	0.06	<0.05	1.9	<2.1	0.4	0.23	0.64
St.dev.		8.1		0.0	1.21	1.42	0.11	0.004	0.050	0.001	0.023	1.00	0.00	0.00	0.03	0.02	0.04	0.05	0.04	~0.00	0.01	~0.00	0.1	~0.2	0.0	0.02	0.03
Count		3		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J99, 22A Espevær, west, 1994-1025.

Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	NIVA 341 0.05 HCHA ppb w.wt	NIVA 341 0.05 HCHG ppb w.wt	Σ(*) ! HC_Σn ppb w.wt	NIVA 341 0.05 HCB ppb w.wt	NIVA 341 0.05 QCB ppb w.wt	NIVA 341 0.05 OCS ppb w.wt
01/ 1	25:29	27.6		50	0.09	0.22	0.31	<0.05	<0.05	<0.05
02/ 1	30:39	35.6		50	0.09	0.21	0.30	<0.05	<0.05	<0.05
03/ 1	40:49	43.8		50	0.11	0.23	0.34	<0.05	<0.05	<0.05
Mean		35.7		50.0	0.10	0.22	0.32	<<.05	<<.05	<<.05
Minimum		27.6		50	0.09	0.21	0.30	<0.05	<0.05	<0.05
Maximum		43.8		50	0.11	0.23	0.34	<0.05	<0.05	<0.05
St.dev.		8.1		0.0	0.01	0.01	0.02	~0.00	~0.00	~0.00
Count		3		3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 22A Espevær, west, Latitude: 59°35.20N, Longitude: 05°08.50E.
Catch,date : 1995-0918, Count: 150, Sample type: Bulked.

Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	Dry %	Fat %	NIVA 312 0.050 Cd ppm w.wt	NIVA 311 0.010 Cu ppm w.wt	NIVA 310 0.005 Hg ppm w.wt	NIVA 312 0.030 Pb ppm w.wt	NIVA 311 1.00 Zn ppm w.wt	NIVA 341 0.05 CB28 ppb w.wt	NIVA 341 0.05 CB52 ppb w.wt	NIVA 341 0.05 CB101 ppb w.wt	NIVA 341 0.05 CB105 ppb w.wt	NIVA 341 0.05 CB118 ppb w.wt	NIVA 341 0.05 CB138 ppb w.wt	NIVA 341 0.05 CB153 ppb w.wt	NIVA 341 0.05 CB156 ppb w.wt	NIVA 341 0.05 CB180 ppb w.wt	NIVA 341 0.05 CB209 ppb w.wt	Σ(*) ! CB_Σ7 ppb w.wt	Σ(*) ! CB_ΣΣ ppb w.wt	NIVA 341 0.10 DDEPP ppb w.wt	NIVA 340 0.05 DDTPP ppb w.wt	NIVA 341 0.05 TDEPP ppb w.wt	Σ(*) ! DD_Σn ppb w.wt
01/ 1	20:29	26.3		50	18.60	1.57	0.253	1.170	0.014	0.220	24.40	0.05	0.09	0.16	0.07	0.19	0.30	0.40	<0.05	<0.05	<0.05	<1.2	<1.3	0.3	0.14	0.10	0.51
02/ 1	30:39	35.6		50	19.80	1.76	0.280	1.450	0.013	0.210	28.50	0.07	0.14	0.19	0.08	0.20	0.31	0.42	<0.05	<0.05	<0.05	<1.4	<1.5	0.3	miss	0.13	0.43
03/ 1	40:49	44.0		50	20.40	1.79	0.305	1.390	0.013	0.280	29.90	0.07	0.20	0.19	0.08	0.21	0.30	0.41	<0.05	<0.05	<0.05	<1.4	<1.5	0.3	<0.05	0.13	<0.46
Mean		35.3		50.0	19.60	1.71	0.279	1.337	0.013	0.237	27.60	0.06	0.14	0.18	0.08	0.20	0.30	0.41	<<0.05	<<0.05	<<0.05	<<1.4	<<1.4	0.3	<<0.10	0.12	<<0.47
Minimum		26.3		50	18.60	1.57	0.253	1.170	0.013	0.210	24.40	0.05	0.09	0.16	0.07	0.19	0.30	0.40	<0.05	<0.05	<0.05	<1.2	<1.3	0.3	<0.05	0.10	0.43
Maximum		44.0		50	20.40	1.79	0.305	1.450	0.014	0.280	29.90	0.07	0.20	0.19	0.08	0.21	0.31	0.42	<0.05	<0.05	<0.05	<1.4	<1.5	0.3	0.14	0.13	0.51
St.dev.		8.9		0.0	0.92	0.12	0.026	0.147	0.001	0.038	2.86	0.01	0.06	0.02	0.01	0.01	0.01	0.01	~0.00	~0.00	~0.00	~0.1	~0.1	0.0	0.06	0.02	0.04
Count		3		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	2	3	3

miss(1) ! Missing value.

bb

Tab.width cont'd **MYTI EDU, SB, J99, 22A Espevær, west, 1995-0918.**

. Analytical Lab. =>				NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>				341	341	!	341	341	341
____ Detection Limit.____ =>				0.05	0.05	!	0.05	0.05	0.05
Samp/ Shell-length		-wght	No of	HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl. Min:Max,Mean		mean	shell	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm	mm	g		w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 20:29	26.3		50	0.06	0.16	0.22	<0.05	<0.05	<0.05
02/ 1 30:39	35.6		50	0.09	0.25	0.34	<0.05	<0.05	<0.05
03/ 1 40:49	44.0		50	0.10	0.21	0.31	<0.05	0.14	<0.05
Mean	35.3		50.0	0.08	0.21	0.29	<<.05	<<.08	<<.05
Minimum	26.3		50	0.06	0.16	0.22	<0.05	<0.05	<0.05
Maximum	44.0		50	0.10	0.25	0.34	<0.05	0.14	<0.05
St.dev.	8.9		0.0	0.02	0.05	0.06	~0.00	~0.05	~0.00
Count	3		3	3	3	3	3	3	3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J99 Undefined**, Tissue : **Whole SOFT BODY.**
Locality : **22A Espevær, west**, Latitude: 59°35.20N, Longitude: 05°08.50E.
Catch,date : **1996-0924**, Count: 320, Sample type: **Bulked.**

. Analytical Lab. =>							NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NILU	NILU	NILU	NILU	Σ(*)
. Analysis Code. =>							312	311	310	312	311	341	341	341	341	341	341	341	341	341	841	841	841	841	!
____ Detection Limit.____ =>				Mean			0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.00	0.00	0.00	0.00	!
Samp/ Shell-length		-wght	No of	Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB77	CB81	CB126	CB169	CB_Σ4
Repl. Min:Max,Mean		mean	shell	g	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppp	ppp	ppp	ppp	ppp
no. mm:mm	mm	g					w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 21:29	26.0	0.76	100	0.57	16.60	1.22	0.190	1.610	0.012	0.250	41.20	<0.05	<0.05	0.08	<0.05	0.09	0.15	0.22	<0.05	<0.05	<0.05	.	.	.	.	.
02/ 1 30:39	35.0	1.84	50	1.62	15.50	1.32	0.190	1.440	0.012	0.260	34.20	<0.05	<0.05	0.11	<0.05	0.12	0.20	0.30	<0.05	<0.05	<0.05	.	.	.	.	.
03/ 1 40:49	44.0	3.51	50	3.11	16.80	1.47	0.180	1.380	0.012	0.240	32.40	<0.05	<0.05	0.15	0.05	0.15	0.24	0.38	<0.05	<0.05	<0.05	.	.	.	.	.
04/ 1 33:49	44.0	4.36	60	2.82	16.50	1.10	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	8.72	0.24	1.06	s0.23	s10.25
05/ 1 35:49	44.0	4.27	60	2.59	16.70	1.18	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	s9.31	s0.31	s1.00	s<0.03	s<10.65
Mean	38.6	2.95	64.0	2.14	16.42	1.26	0.187	1.477	0.012	0.250	35.93	<<0.05	<<0.05	0.11	<<0.05	0.12	0.20	0.30	<<0.05	<<0.05	<<0.05	8.72	0.24	1.06	s<<.13	s<<10.45
Minimum	26.0	0.76	50	0.57	15.50	1.10	0.180	1.380	0.012	0.240	32.40	<0.05	<0.05	0.08	<0.05	0.09	0.15	0.22	<0.05	<0.05	<0.05	8.72	0.24	1.06	s<0.03	s10.25
Maximum	44.0	4.36	100	3.11	16.80	1.47	0.190	1.610	0.012	0.260	41.20	<0.05	<0.05	0.15	<0.05	0.15	0.24	0.38	<0.05	<0.05	<0.05	8.72	0.24	1.06	s0.23	s<10.65
St.dev.	8.0	1.59	20.7	1.04	0.53	0.14	0.006	0.119	0.000	0.010	4.65	~0.00	~0.00	0.04	~0.00	0.03	0.05	0.08	~0.00	~0.00	~0.00	.	.	.	0.14	0.28
Count	5	5	5	5	5	5	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	i1	i1	i1	2	2

s/q(71) ! Suspect value(s)
i (30) ! Suspect or ambiguous basis-value(s) ignored in statistics.

Tab.width cont'd **MYTI EDU, SB, J99, 22A Espevær, west, 1996-0924.**

Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	Σ(*) TECBW ppb w.wt	Σ(*) TECBS ppb w.wt	Σ(*) CB_Σ7 ppb w.wt	Σ(*) CB_ΣΣ ppb w.wt	NIVA 341 0.10 DDEPP ppb w.wt	NIVA 340 0.05 DDTPP ppb w.wt	NIVA 341 0.05 TDEPP ppb w.wt	Σ(*) DD_Σn ppb w.wt	NIVA 341 0.05 HCHA ppb w.wt	NIVA 341 0.05 HCHG ppb w.wt	Σ(*) HC_Σn ppb w.wt	NIVA 341 0.05 HCB ppb w.wt	NIVA 341 0.05 QCB ppb w.wt	NIVA 341 0.05 OCS ppb w.wt	NILU 841 0.00 TCDD ppq w.wt	NILU 841 0.00 CDDST ppq w.wt	NILU 841 0.00 CDD1N ppq w.wt	NILU 841 0.00 CDDSN ppq w.wt	NILU 841 2000000 0.0 CDD4X ppq w.wt	NILU 841 0.00 CDD6X ppq w.wt	NILU 841 0.00 CDD9X ppq w.wt	NILU 841 0.00 CDDSX ppq w.wt	NILU 841 0.00 CDD6P ppq w.wt
01/ 1	21:29	26.0	0.76	100	.	.	<0.6	<0.6	0.1	<0.05	<0.05	<0.10	<0.05	0.08	<0.13	<0.05	<0.05	<0.05	.	.	.	.	.	.	.	.	.
02/ 1	30:39	35.0	1.84	50	.	.	<0.8	<0.8	0.1	<0.05	<0.05	<0.11	<0.05	0.09	<0.14	<0.05	<0.05	<0.05	.	.	.	.	.	.	.	.	.
03/ 1	40:49	44.0	3.51	50	.	.	<1.0	<1.0	0.1	<0.05	<0.05	<0.13	<0.05	0.10	<0.15	<0.05	<0.05	<0.05	.	.	.	.	.	.	.	.	.
04/ 1	33:49	44.0	4.36	60	s0.11	s0.20	.	s0.0	.	.	.	.	.	.	.	.	.	.	<0.01	0.12	<0.01	<0.20	<0.02	<0.02	<0.02	<0.10	0.11
05/ 1	35:49	44.0	4.27	60	s<0.10	s<0.19	.	s<0.0	.	.	.	.	.	.	.	.	.	.	s<0.01	s<0.01	s<0.10	s<0.10	s<0.20	s<0.20	s<0.20	s<0.20	s0.26
Mean		38.6	2.95	64.0	s<<.11	s<<.20	<<0.8	<<0.8	0.1	<<0.05	<<0.05	<<0.11	<<0.05	0.09	<<0.14	<<.05	<<.05	<<.05	<0.01	0.12	<0.01	<0.20	<0.02	<0.02	<0.02	<0.10	0.11
Minimum		26.0	0.76	50	s<0.10	s<0.19	<0.6	<0.6	0.1	<0.05	<0.05	<0.10	<0.05	0.08	<0.13	<0.05	<0.05	<0.05	<0.01	0.12	<0.01	<0.20	<0.02	<0.02	<0.02	<0.10	0.11
Maximum		44.0	4.36	100	s0.11	s0.20	<1.0	<1.0	0.1	<0.05	<0.05	<0.13	<0.05	0.10	<0.15	<0.05	<0.05	<0.05	<0.01	0.12	<0.01	<0.20	<0.02	<0.02	<0.02	<0.10	0.11
St.dev.		8.0	1.59	20.7	0.01	0.01	~0.2	~0.2	0.0	~0.00	~0.00	~0.02	~0.00	0.01	~0.01	~0.00	~0.00	~0.00	.	.	.	.	.	.	.	.	.
Count		5	5	5	2	2	3	i3	3	3	3	3	3	3	3	3	3	3	i1	i1	i1	i1	i1	i1	i1	i1	i1

Tab.width cont'd **MYTI EDU, SB, J99, 22A Espevær, west, 1996-0924.**

Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	NILU 841 0.00 CDDSP ppq w.wt	NILU 841 0.00 CDDO ppq w.wt	NILU 841 0.00 PCDD ppq w.wt	NILU 841 0.00 CDF2T ppq w.wt	NILU 841 0.00 CDFST ppq w.wt	NILU 841 0.00 CDFDN ppq w.wt	NILU 841 0.00 CDF2N ppq w.wt	NILU 841 0.00 CDFSN ppq w.wt	NILU 841 0.00 CDFDX ppq w.wt	NILU 841 0.00 CDF6X ppq w.wt	NILU 841 0.00 CDF9X ppq w.wt	NILU 841 0.00 CDF4X ppq w.wt	NILU 841 0.00 CDFSX ppq w.wt	NILU 841 0.00 CDF6P ppq w.wt	NILU 841 0.00 CDF9P ppq w.wt	NILU 841 0.00 CDFSP ppq w.wt	NILU 841 0.00 CDFO ppq w.wt	NILU 841 0.00 PCDF ppq w.wt	Σ(*) ! CDDFS ppq w.wt	Σ(*) ! TCDDI ppq w.wt	Σ(*) ! TCDDN ppq w.wt
01/ 1	21:29	26.0	0.76	100	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
02/ 1	30:39	35.0	1.84	50	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
03/ 1	40:49	44.0	3.51	50	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
04/ 1	33:49	44.0	4.36	60	0.27	0.46	0.85	s0.20	1.29	s0.04	0.06	0.28	0.04	<0.02	<0.02	0.06	0.13	0.09	<0.06	0.10	<0.10	1.90	0.37	s<0.07	s<0.07
05/ 1	35:49	44.0	4.27	60	s0.26	s0.65	s0.91	s0.20	s0.50	s<0.10	s<0.10	s<0.10	s<0.20	s<0.20	s<0.20	s<0.20	s<0.20	s<0.60	s<0.60	s<0.60	s<1.00	s1.50	s<0.86	s<0.07	s<0.07
Mean		38.6	2.95	64.0	0.27	0.46	0.85	s0.20	1.29	s<<.07	0.06	0.28	0.04	<0.02	<0.02	0.06	0.13	0.09	<0.06	0.10	<0.10	1.90	0.37	s<<.07	s<<.07
Minimum		26.0	0.76	50	0.27	0.46	0.85	s0.20	1.29	s0.04	0.06	0.28	0.04	<0.02	<0.02	0.06	0.13	0.09	<0.06	0.10	<0.10	1.90	0.37	s<0.07	s<0.07
Maximum		44.0	4.36	100	0.27	0.46	0.85	s0.20	1.29	s<0.10	0.06	0.28	0.04	<0.02	<0.02	0.06	0.13	0.09	<0.06	0.10	<0.10	1.90	0.37	s<0.07	s<0.07
St.dev.		8.0	1.59	20.7	.	.	.	0.00	.	0.04	.	.	.	.	.	.	.	.	.	.	.	.	.	~0.00	~0.00
Count		5	5	5	i1	i1	i1	2	i1	2	i1	i1	i1	i1	i1	i1	i1	i1	i1	i1	i1	i1	i1	2	2

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J99 Undefined**, Tissue : **Whole SOFT BODY.**
Locality : **22A Espevær, west**, Latitude: 59°35.20N, Longitude: 05°08.50E.
Catch,date : **1997-1004**, Count: 200, Sample type: **Bulked.**

Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	NIVA 312 0.050 Cd ppm w.wt	NIVA 311 0.010 Cu ppm w.wt	NIVA 310 0.005 Hg ppm w.wt	NIVA 312 0.040 Pb ppm w.wt	NIVA 311 1.00 Zn ppm w.wt	NIVA 341 0.05 CB28 ppb w.wt	NIVA 341 0.05 CB52 ppb w.wt	NIVA 341 0.05 CB101 ppb w.wt	NIVA 341 0.05 CB105 ppb w.wt	NIVA 341 0.05 CB118 ppb w.wt	NIVA 341 0.05 CB138 ppb w.wt	NIVA 341 0.05 CB153 ppb w.wt	NIVA 341 0.05 CB156 ppb w.wt	NIVA 341 0.05 CB180 ppb w.wt	NIVA 341 0.05 CB209 ppb w.wt	Σ(*) ! CB_Σ7 ppb w.wt	Σ(*) ! CB_ΣΣ ppb w.wt	NIVA 341 0.10 DDEPP ppb w.wt	NIVA 340 0.05 DDTPP ppb w.wt	NIVA 341 0.05 TDEPP ppb w.wt
01/ 1	20:29	25.3	0.50	100	0.42	15.90	1.00	0.188	0.930	0.014	0.340	18.30	<0.05	<0.05	0.07	0.05	0.10	0.19	0.21	<0.05	<0.05	<0.05	<0.6	<0.7	0.2	<0.05	0.13
02/ 1	30:39	34.5	1.13	50	1.07	16.10	1.07	0.163	0.450	0.011	0.220	17.70	<0.05	<0.05	0.08	0.05	0.12	0.22	0.26	<0.05	<0.05	<0.05	<0.7	<0.8	0.2	<0.05	0.12
03/ 1	40:49	44.0	2.40	50	2.25	19.00	1.29	0.170	0.790	0.012	0.230	19.90	<0.05	<0.05	0.11	0.07	0.15	0.28	0.33	<0.05	<0.05	<0.05	<0.9	<1.0	0.3	<0.05	0.18
Mean		34.6	1.34	66.7	1.25	17.00	1.12	0.174	0.723	0.012	0.263	18.63	<<0.05	<<0.05	0.09	0.06	0.12	0.23	0.27	<<0.05	<<0.05	<<0.05	<<0.8	<<0.8	0.2	<<0.05	0.14
Minimum		25.3	0.50	50	0.42	15.90	1.00	0.163	0.450	0.011	0.220	17.70	<0.05	<0.05	0.07	0.05	0.10	0.19	0.21	<0.05	<0.05	<0.05	<0.6	<0.7	0.2	<0.05	0.12
Maximum		44.0	2.40	100	2.25	19.00	1.29	0.188	0.930	0.014	0.340	19.90	<0.05	<0.05	0.11	0.07	0.15	0.28	0.33	<0.05	<0.05	<0.05	<0.9	<1.0	0.3	<0.05	0.18
St.dev.		9.4	0.97	28.9	0.93	1.73	0.15	0.013	0.247	0.002	0.067	1.14	~0.00	~0.00	0.02	0.01	0.03	0.05	0.06	~0.00	~0.00	~0.00	~0.2	~0.2	0.0	~0.00	0.03
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J99, 22A Espevær, west, 1997-1004.**

. Analytical Lab. =>					Σ(*)	NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>					!	341	341	!	341	341	341
_____ Detection Limit._____ =>					!	0.05	0.05	!	0.05	0.05	0.05
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	DD_Σn ppb w.wt	HCHA ppb w.wt	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt
01/ 1	20:29	25.3	0.50	100	<0.37	0.05	0.19	0.24	<0.05	0.06	<0.05
02/ 1	30:39	34.5	1.13	50	<0.39	0.05	0.21	0.26	<0.05	0.05	<0.05
03/ 1	40:49	44.0	2.40	50	<0.51	0.05	0.22	0.27	<0.05	<0.05	<0.05
Mean		34.6	1.34	66.7	<<0.42	0.05	0.21	0.26	<<.05	<<.05	<<.05
Minimum		25.3	0.50	50	<0.37	0.05	0.19	0.24	<0.05	<0.05	<0.05
Maximum		44.0	2.40	100	<0.51	0.05	0.22	0.27	<0.05	0.06	<0.05
St.dev.		9.4	0.97	28.9	~0.08	0.00	0.02	0.02	~0.00	0.01	~0.00
Count		3	3	3	3	3	3	3	3	3	3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J65 Orkdalsfjorden**, Tissue : **Whole SOFT BODY.**
Locality : **82A Flakk**, Latitude: 63°27.10N, Longitude: 10°12.60E.
Catch,date : **1993-0901**, Count: 100, Sample type: **Bulked.**

102

. Analytical Lab. =>								NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>								312	311	310	312	311
_____ Detection Limit._____ =>					Mean			0.050	0.010	0.005	0.030	1.00
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	Weight g	Dry %	Fat %	Cd ppm w.wt	Cu ppm w.wt	Hg ppm w.wt	Pb ppm w.wt	Zn ppm w.wt
01/ 1	22:29	26.0	1.50	50	0.78	14.90	.	0.170	1.470	0.012	0.130	17.70
02/ 1	22:29	25.0	1.40	50	0.71	15.60	.	0.180	1.460	0.012	0.150	16.40
Mean		25.5	1.45	50.0	0.75	15.25	.	0.175	1.465	0.012	0.140	17.05
Minimum		25.0	1.40	50	0.71	14.90	.	0.170	1.460	0.012	0.130	16.40
Maximum		26.0	1.50	50	0.78	15.60	.	0.180	1.470	0.012	0.150	17.70
St.dev.		0.7	0.07	0.0	0.05	0.49	.	0.007	0.007	0.000	0.014	0.92
Count		2	2	2	2	2	.	2	2	2	2	2

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J65 Orkdalsfjorden**, Tissue : **Whole SOFT BODY.**
Locality : **82A Flakk**, Latitude: 63°27.10N, Longitude: 10°12.60E.
Catch,date : **1995-0911**, Count: 150, Sample type: **Bulked.**

. Analytical Lab. =>							NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>							312	311	310	312	311
_____ Detection Limit._____ =>							0.050	0.010	0.005	0.030	1.00
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	Dry %	Fat %	Cd ppm w.wt	Cu ppm w.wt	Hg ppm w.wt	Pb ppm w.wt	Zn ppm w.wt
01/ 1	20:29	26.5		50	20.30	.	0.201	1.510	0.010	0.460	25.40
02/ 1	30:39	35.5		50	20.90	.	0.205	1.560	0.011	0.130	22.80
03/ 1	40:49	44.4		50	21.90	.	0.183	1.510	0.009	0.120	20.60
Mean		35.5		50.0	21.03	.	0.196	1.527	0.010	0.237	22.93
Minimum		26.5		50	20.30	.	0.183	1.510	0.009	0.120	20.60
Maximum		44.4		50	21.90	.	0.205	1.560	0.011	0.460	25.40
St.dev.		9.0		0.0	0.81	.	0.012	0.029	0.001	0.193	2.40
Count		3		3	3	.	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J65 Orkdalsfjorden, Tissue : Whole SOFT BODY.
Locality : 82A Flakk, Latitude: 63°27.10N, Longitude: 10°12.60E.
Catch,date : 1996-0918, Count: 150, Sample type: Bulked.

Samp/ Repl. no.	Shell-length Min:Max mm:mm	Mean mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	NIVA 312 0.050 Cd ppm w.wt	NIVA 311 0.010 Cu ppm w.wt	NIVA 310 0.005 Hg ppm w.wt	NIVA 312 0.030 Pb ppm w.wt	NIVA 311 1.00 Zn ppm w.wt
01/ 1	23:29	27.0	2.24	50	0.81	18.80	.	0.230	1.490	0.013	0.240	18.90
02/ 1	30:39	35.0	3.50	50	1.56	19.30	.	0.200	1.540	0.014	0.130	16.90
03/ 1	40:49	43.0	5.99	50	2.62	17.60	.	0.220	1.290	0.012	0.090	15.40
Mean		35.0	3.91	50.0	1.66	18.57	.	0.217	1.440	0.013	0.153	17.07
Minimum		27.0	2.24	50	0.81	17.60	.	0.200	1.290	0.012	0.090	15.40
Maximum		43.0	5.99	50	2.62	19.30	.	0.230	1.540	0.014	0.240	18.90
St.dev.		8.0	1.91	0.0	0.91	0.87	.	0.015	0.132	0.001	0.078	1.76
Count		3	3	3	3	3	.	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J65 Orkdalsfjorden, Tissue : Whole SOFT BODY.
Locality : 84A Trossavika, Latitude: 63°20.80N, Longitude: 09°57.80E.
Catch,date : 1993-0901, Count: 154, Sample type: Bulked.

Samp/ Repl. no.	Shell-length Min:Max mm:mm	Mean mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	NIVA 312 0.050 Cd ppm w.wt	NIVA 311 0.010 Cu ppm w.wt	NIVA 310 0.005 Hg ppm w.wt	NIVA 312 0.030 Pb ppm w.wt	NIVA 311 1.00 Zn ppm w.wt	NIVA 341 0.10 CB28 ppb w.wt	NIVA 341 0.10 CB52 ppb w.wt	NIVA 341 0.10 CB101 ppb w.wt	NIVA 341 0.10 CB105 ppb w.wt	NIVA 341 0.10 CB118 ppb w.wt	NIVA 341 0.10 CB138 ppb w.wt	NIVA 341 0.10 CB153 ppb w.wt	NIVA 341 0.10 CB156 ppb w.wt	NIVA 341 0.10 CB180 ppb w.wt	NIVA 341 0.10 CB209 ppb w.wt	Σ(*) ! ! CB_Σ7 ppb w.wt	Σ(*) ! ! CB_ΣΣ ppb w.wt	NIVA 341 0.10 DDEPP ppb w.wt	NIVA 341 0.10 TDEPP ppb w.wt	Σ(*) ! ! DD_Σn ppb w.wt
01/ 1	20:29	24.0	0.90	50	0.67	20.60	2.20	0.310	2.390	0.011	0.160	22.80	<0.10	s0.90	0.10	s0.50	0.10	0.20	0.30	<0.10	<0.10	<0.10	s<1.7	s<2.2	0.3	s0.20	s0.50
02/ 1	30:39	35.0	2.80	54	1.65	17.60	1.70	0.380	4.230	0.010	0.260	24.60	<0.10	s1.10	0.10	s0.60	0.10	0.20	0.30	<0.10	<0.10	<0.10	s<1.9	s<2.5	0.6	s0.20	s0.80
03/ 1	40:52	44.0	5.00	50	2.88	18.80	1.80	0.300	4.510	0.011	0.260	21.30	<0.10	s0.30	0.20	s0.70	0.20	0.40	0.60	<0.10	<0.10	<0.10	s<1.8	s<2.5	s1.8	s<0.10	s<1.90
Mean		34.3	2.90	51.3	1.73	19.00	1.90	0.330	3.710	0.011	0.227	22.90	<<0.10	s0.77	0.13	s0.60	0.13	0.27	0.40	<<0.10	<<0.10	<<0.10	s<<1.8	s<<2.4	0.5	s<<.17	s<<1.07
Minimum		24.0	0.90	50	0.67	17.60	1.70	0.300	2.390	0.010	0.160	21.30	<0.10	s0.30	0.10	s0.50	0.10	0.20	0.30	<0.10	<0.10	<0.10	s<1.7	s<2.2	0.3	s<0.10	s0.50
Maximum		44.0	5.00	54	2.88	20.60	2.20	0.380	4.510	0.011	0.260	24.60	<0.10	s1.10	0.20	s0.70	0.20	0.40	0.60	<0.10	<0.10	<0.10	s<1.9	s<2.5	0.6	s0.20	s<1.90
St.dev.		10.0	2.05	2.3	1.11	1.51	0.26	0.044	1.152	0.001	0.058	1.65	~0.00	0.42	0.06	0.10	0.06	0.12	0.17	~0.00	~0.00	~0.00	~0.1	~0.2	0.2	0.06	0.74
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	i2	3	3

s/q(37) ! Suspect value(s)
i (1) ! Suspect or ambiguous basis-value(s) ignored in statistics.

Tab.width cont'd MYTI EDU, SB, J65, 84A Trossavika, 1993-0901.

Samp/ Repl. no.	Shell-length Min:Max mm:mm	Mean mm	-wght mean g	No of shell	NIVA 341 0.10 HCHA ppb w.wt	NIVA 341 0.10 HCHG ppb w.wt	Σ(*) ! HC_Σn ppb w.wt	NIVA 341 0.10 HCB ppb w.wt	NIVA 341 0.10 QCB ppb w.wt	NIVA 341 0.10 OCS ppb w.wt
01/ 1	20:29	24.0	0.90	50	0.10	0.20	0.30	<0.10	<0.10	<0.10
02/ 1	30:39	35.0	2.80	54	0.10	0.20	0.30	<0.10	<0.10	<0.10
03/ 1	40:52	44.0	5.00	50	<0.10	0.20	<0.30	<0.10	<0.10	<0.10
Mean		34.3	2.90	51.3	<<0.10	0.20	<<0.30	<<.10	<<.10	<<.10
Minimum		24.0	0.90	50	<0.10	0.20	<0.30	<0.10	<0.10	<0.10
Maximum		44.0	5.00	54	0.10	0.20	0.30	<0.10	<0.10	<0.10
St.dev.		10.0	2.05	2.3	0.00	0.00	0.00	~0.00	~0.00	~0.00
Count		3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J65 Orkdalsfjorden, Tissue : Whole SOFT BODY.
Locality : 84A Trossavika, Latitude: 63°20.80N, Longitude: 09°57.80E.
Catch,date : 1995-0911, Count: 150, Sample type: Bulked.

Samp/ Repl. no.	Shell-length Min:Max mm:mm	Shell-length Mean mm	-wght mean g	No of shell	Dry %	Fat %	NIVA 312 0.050 Cd ppm w.wt	NIVA 311 0.010 Cu ppm w.wt	NIVA 310 0.005 Hg ppm w.wt	NIVA 312 0.030 Pb ppm w.wt	NIVA 311 1.00 Zn ppm w.wt	NIVA 341 CB28 ppb w.wt	NIVA 341 CB52 ppb w.wt	NIVA 341 CB101 ppb w.wt	NIVA 341 CB105 ppb w.wt	NIVA 341 CB118 ppb w.wt	NIVA 341 CB138 ppb w.wt	NIVA 341 CB153 ppb w.wt	NIVA 341 CB156 ppb w.wt	NIVA 341 CB180 ppb w.wt	NIVA 341 CB209 ppb w.wt	Σ(*) ! CB_Σ7 ppb w.wt	Σ(*) ! CB_ΣΣ ppb w.wt	NIVA 341 0.10 DDEPP ppb w.wt	NIVA 340 0.05 DDTPP ppb w.wt	NIVA 341 0.05 TDEPP ppb w.wt	Σ(*) ! DD_Σn ppb w.wt
01/ 1	20:29	26.5		50	22.50	0.34	0.340	1.820	0.010	0.310	25.00	<0.05	<0.05	<0.05	<0.05	<0.05	0.05	0.07	<0.05	<0.05	<0.05	<0.2	<0.2	0.1	<0.05	0.05	<0.15
02/ 1	30:39	34.7		50	21.30	2.90	0.349	2.170	0.019	0.290	26.50	<0.05	miss	0.12	<0.05	0.13	0.24	0.35	<0.05	0.06	<0.05	<1.0	<1.0	0.3	<0.05	0.14	<0.44
03/ 1	40:49	42.9		50	20.30	2.35	0.350	1.930	0.011	0.290	24.60	<0.05	miss	0.10	<0.05	0.10	0.19	0.29	<0.05	<0.05	<0.05	<0.7	<0.7	0.2	<0.05	0.13	<0.38
Mean		34.7		50.0	21.37	1.86	0.346	1.973	0.013	0.297	25.37	<<0.05	<0.05	<<0.09	<<0.05	<<0.09	0.16	0.24	<<0.05	<<0.05	<<0.05	<<0.6	<<0.6	0.2	<<0.05	0.11	<<0.32
Minimum		26.5		50	20.30	0.34	0.340	1.820	0.010	0.290	24.60	<0.05	<0.05	<0.05	<0.05	<0.05	0.05	0.07	<0.05	<0.05	<0.05	<0.2	<0.2	0.1	<0.05	0.05	<0.15
Maximum		42.9		50	22.50	2.90	0.350	2.170	0.019	0.310	26.50	<0.05	<0.05	0.12	<0.05	0.13	0.24	0.35	<0.05	0.06	<0.05	<1.0	<1.0	0.3	<0.05	0.14	<0.44
St.dev.		8.2		0.0	1.10	1.35	0.006	0.179	0.005	0.012	1.00	¯0.00	.	¯0.04	¯0.00	¯0.04	0.10	0.15	¯0.00	¯0.01	¯0.00	¯0.4	¯0.4	0.1	¯0.00	0.05	¯0.15
Count		3		3	3	3	3	3	3	3	3	3	1	3	3	3	3	3	3	3	3	3	3	3	3	3	3

miss(2) ! Missing value.

Tab.width cont'd MYTI EDU, SB, J65, 84A Trossavika, 1995-0911.

Samp/ Repl. no.	Shell-length Min:Max mm:mm	Shell-length Mean mm	-wght mean g	No of shell	NIVA 341 0.05 HCHA ppb w.wt	NIVA 341 0.05 HCHG ppb w.wt	Σ(*) ! HC_Σn ppb w.wt	NIVA 341 0.05 HCB ppb w.wt	NIVA 341 0.05 QCB ppb w.wt	NIVA 341 0.05 OCS ppb w.wt
01/ 1	20:29	26.5		50	0.06	0.09	0.15	<0.05	<0.05	<0.05
02/ 1	30:39	34.7		50	0.16	0.21	0.37	0.07	<0.05	<0.05
03/ 1	40:49	42.9		50	0.12	0.16	0.28	0.05	<0.05	<0.05
Mean		34.7		50.0	0.11	0.15	0.27	<<.06	<<.05	<<.05
Minimum		26.5		50	0.06	0.09	0.15	<0.05	<0.05	<0.05
Maximum		42.9		50	0.16	0.21	0.37	0.07	<0.05	<0.05
St.dev.		8.2		0.0	0.05	0.06	0.11	¯0.01	¯0.00	¯0.00
Count		3		3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J65 Orkdalsfjorden, Tissue : Whole SOFT BODY.
Locality : 84A Trossavika, Latitude: 63°20.80N, Longitude: 09°57.80E.
Catch,date : 1996-0918, Count: 150, Sample type: Bulked.

Samp/ Repl. no.	Shell-length Min:Max mm:mm	Shell-length Mean mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	NIVA 312 0.050 Cd ppm w.wt	NIVA 311 0.010 Cu ppm w.wt	NIVA 310 0.005 Hg ppm w.wt	NIVA 312 0.030 Pb ppm w.wt	NIVA 311 1.00 Zn ppm w.wt	NIVA 341 CB28 ppb w.wt	NIVA 341 CB52 ppb w.wt	NIVA 341 CB101 ppb w.wt	NIVA 341 CB105 ppb w.wt	NIVA 341 CB118 ppb w.wt	NIVA 341 CB138 ppb w.wt	NIVA 341 CB153 ppb w.wt	NIVA 341 CB156 ppb w.wt	NIVA 341 CB180 ppb w.wt	NIVA 341 CB209 ppb w.wt	Σ(*) ! CB_Σ7 ppb w.wt	Σ(*) ! CB_ΣΣ ppb w.wt	NIVA 341 0.10 DDEPP ppb w.wt	NIVA 341 0.05 TDEPP ppb w.wt	Σ(*) ! DD_Σn ppb w.wt
01/ 1	23:29	26.0	1.36	50	0.78	23.10	3.24	0.300	1.880	0.010	0.180	21.20	<0.05	0.13	0.19	0.07	0.19	0.39	0.56	<0.05	0.07	<0.05	<1.6	<1.7	0.2	<0.05	<0.22
02/ 1	30:39	35.0	3.28	50	1.97	24.00	3.33	0.280	1.730	0.010	0.200	20.30	<0.05	0.07	0.18	<0.05	0.17	0.35	0.51	<0.05	0.06	<0.05	<1.4	<1.4	0.2	<0.05	<0.21
03/ 1	40:49	44.0	5.94	50	3.30	23.30	2.99	0.300	1.670	0.012	0.230	20.00	<0.05	0.10	0.18	0.06	0.18	0.38	0.56	<0.05	0.06	<0.05	<1.5	<1.6	0.2	<0.05	<0.23
Mean		35.0	3.53	50.0	2.02	23.47	3.19	0.293	1.760	0.011	0.203	20.50	<<0.05	0.10	0.18	<<0.06	0.18	0.37	0.54	<<0.05	0.06	<<0.05	<<1.5	<<1.5	0.2	<<0.05	<<0.22
Minimum		26.0	1.36	50	0.78	23.10	2.99	0.280	1.670	0.010	0.180	20.00	<0.05	0.07	0.18	<0.05	0.17	0.35	0.51	<0.05	0.06	<0.05	<1.4	<1.4	0.2	<0.05	<0.21
Maximum		44.0	5.94	50	3.30	24.00	3.33	0.300	1.880	0.012	0.230	21.20	<0.05	0.13	0.19	0.07	0.19	0.39	0.56	<0.05	0.07	<0.05	<1.6	<1.7	0.2	<0.05	<0.23
St.dev.		9.0	2.30	0.0	1.26	0.47	0.18	0.012	0.108	0.001	0.025	0.62	¯0.00	0.03	0.01	¯0.01	0.01	0.02	0.03	¯0.00	0.01	¯0.00	¯0.1	¯0.1	0.0	¯0.00	¯0.01
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J65, 84A Trossavika, 1996-0918.**

. Analytical Lab. =>					NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>					341	341	!	341	341	341
_____ Detection Limit._____ =>					0.05	0.05	!	0.05	0.05	0.05
Samp/	Shell-length		-wght	No of	HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl.	Min:Max	Mean	mean	shell	ppb	ppb	ppb	ppb	ppb	ppb
no.	mm:mm	mm	g		w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	23:29	26.0	1.36	50	0.07	0.12	0.19	0.05	<0.05	<0.05
02/ 1	30:39	35.0	3.28	50	0.06	0.19	0.25	<0.05	0.09	<0.05
03/ 1	40:49	44.0	5.94	50	0.06	0.11	0.17	<0.05	<0.05	<0.05
Mean		35.0	3.53	50.0	0.06	0.14	0.20	<<.05	<<.06	<<.05
Minimum		26.0	1.36	50	0.06	0.11	0.17	<0.05	<0.05	<0.05
Maximum		44.0	5.94	50	0.07	0.19	0.25	0.05	0.09	<0.05
St.dev.		9.0	2.30	0.0	0.01	0.04	0.04	~0.00	~0.02	~0.00
Count		3	3	3	3	3	3	3	3	3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J65 Orkdalsfjorden**, Tissue : **Whole SOFT BODY.**
Locality : **87A Ingdalsbukt**, Latitude: 63°27.80N, Longitude: 09°54.80E.
Catch,date : **1993-0901**, Count: 50, Sample type: **Homogenate.**

105

. Analytical Lab. =>								NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>								312	311	310	312	311
_____ Detection Limit._____ =>					Mean			0.050	0.010	0.005	0.030	1.00
Samp/	Shell-length		-wght	No of	Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn
Repl.	Min:Max	Mean	mean	shell	g	%	%	ppm	ppm	ppm	ppm	ppm
no.	mm:mm	mm	g					w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	20:29	25.0	1.10	50	0.52	20.50	.	0.190	1.410	0.010	0.130	18.50

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J65 Orkdalsfjorden**, Tissue : **Whole SOFT BODY.**
Locality : **87A Ingdalsbukt**, Latitude: 63°27.80N, Longitude: 09°54.80E.
Catch,date : **1995-0911**, Count: 150, Sample type: **Bulked.**

. Analytical Lab. =>							NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>							312	311	310	312	311
_____ Detection Limit._____ =>							0.050	0.010	0.005	0.030	1.00
Samp/	Shell-length		-wght	No of	Dry	Fat	Cd	Cu	Hg	Pb	Zn
Repl.	Min:Max	Mean	mean	shell	%	%	ppm	ppm	ppm	ppm	ppm
no.	mm:mm	mm	g				w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	20:29	25.2		100	21.50	.	0.246	1.630	0.008	0.280	23.70
02/ 1	30:39	33.2		50	21.20	.	0.245	1.630	0.011	0.320	22.80
Mean		29.2		75.0	21.35	.	0.246	1.630	0.010	0.300	23.25
Minimum		25.2		50	21.20	.	0.245	1.630	0.008	0.280	22.80
Maximum		33.2		100	21.50	.	0.246	1.630	0.011	0.320	23.70
St.dev.		5.7		35.4	0.21	.	0.001	0.000	0.002	0.028	0.64
Count		2		2	2	.	2	2	2	2	2

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J65 Orkdalsfjorden, Tissue : Whole SOFT BODY.
Locality : 87A Ingdalsbukt, Latitude: 63°27.80N, Longitude: 09°54.80E.
Catch,date : 1996-0918, Count: 129, Sample type: Bulked.

. Analytical Lab. =>							NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>							312	311	310	312	311
____ Detection Limit.____ =>					Mean	___	0.050	0.010	0.005	0.030	1.00
Samp/ Repl. no.	Shell-length Min:Max, mm:mm	Mean mm	-wght mean g	No of shell	Weight g	Dry %	Fat %	Cd ppm w.wt	Cu ppm w.wt	Hg ppm w.wt	Pb ppm w.wt	Zn ppm w.wt
01/ 1	22:29	26.0	1.07	100	0.64	20.00	.	0.270	1.440	0.013	0.510	23.60
02/ 1	30:38	32.0	2.02	29	1.18	20.10	.	0.240	1.580	0.012	0.480	16.10
Mean		29.0	1.55	64.5	0.91	20.05	.	0.255	1.510	0.013	0.495	19.85
Minimum		26.0	1.07	29	0.64	20.00	.	0.240	1.440	0.012	0.480	16.10
Maximum		32.0	2.02	100	1.18	20.10	.	0.270	1.580	0.013	0.510	23.60
St.dev.		4.2	0.67	50.2	0.38	0.07	.	0.021	0.099	0.001	0.021	5.30
Count		2	2	2	2	2	.	2	2	2	2	2

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 25A Hinnøy, Latitude: 61°22.20N, Longitude: 04°52.80E.
Catch,date : 1993-0905, Count: 60, Sample type: Bulked.

. Analytical Lab. =>								NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>								312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!
____ Detection Limit.____ =>					Mean	___	___	0.050	0.010	0.005	0.030	1.00	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	!	!	0.10	0.10	!
Samp/ Repl. no.	Shell-length Min:Max, mm:mm	Mean mm	-wght mean g	No of shell	Weight g	Dry %	Fat %	Cd ppm w.wt	Cu ppm w.wt	Hg ppm w.wt	Pb ppm w.wt	Zn ppm w.wt	CB28 ppb w.wt	CB52 ppb w.wt	CB101 ppb w.wt	CB105 ppb w.wt	CB118 ppb w.wt	CB138 ppb w.wt	CB153 ppb w.wt	CB156 ppb w.wt	CB180 ppb w.wt	CB209 ppb w.wt	CB_Σ7 ppb w.wt	CB_ΣΣ ppb w.wt	DDEPP ppb w.wt	TDEPP ppb w.wt	DD_Σn ppb w.wt
01/ 1	40:49	44.0	3.30	20	3.08	19.00	1.60	0.200	1.110	0.007	0.350	24.20	<0.10	s1.60	0.10	s0.50	0.10	0.10	0.10	<0.10	<0.10	<0.10	s<2.1	s<2.6	0.4	s0.10	s0.50
02/ 1	40:49	44.0	3.40	20	2.94	21.50	1.50	0.230	1.240	0.012	0.380	25.10	<0.10	s1.20	0.10	s0.30	0.10	0.10	0.10	<0.10	<0.10	<0.10	s<1.7	s<2.0	0.2	s0.10	s0.30
03/ 1	40:49	44.0	3.20	20	3.14	19.50	1.70	0.190	1.030	0.006	0.340	21.50	<0.10	s4.60	0.10	s0.50	0.10	0.10	0.20	<0.10	<0.10	<0.10	s<5.2	s<5.7	0.2	s0.10	s0.30
Mean		44.0	3.30	20.0	3.05	20.00	1.60	0.207	1.127	0.008	0.357	23.60	<<0.10	s2.47	0.10	s0.43	0.10	0.10	0.13	<<0.10	<<0.10	<<0.10	s<<3.0	s<<3.4	0.3	s0.10	s0.37
Minimum		44.0	3.20	20	2.94	19.00	1.50	0.190	1.030	0.006	0.340	21.50	<0.10	s1.20	0.10	s0.30	0.10	0.10	0.10	<0.10	<0.10	<0.10	s<1.7	s<2.0	0.2	s0.10	s0.30
Maximum		44.0	3.40	20	3.14	21.50	1.70	0.230	1.240	0.012	0.380	25.10	<0.10	s4.60	0.10	s0.50	0.10	0.10	0.20	<0.10	<0.10	<0.10	s<5.2	s<5.7	0.4	s0.10	s0.50
St.dev.		0.0	0.10	0.0	0.10	1.32	0.10	0.021	0.106	0.003	0.021	1.87	~0.00	1.86	0.00	0.12	0.00	0.00	0.06	~0.00	~0.00	~0.00	~1.9	~2.0	0.1	0.00	0.12
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

s/q(36) ! Suspect value(s)

Tab.width cont'd MYTI EDU, SB, J99, 25A Hinnøy, 1993-0905.

. Analytical Lab. =>					NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>					341	341	!	341	341	341
____ Detection Limit.____ =>					0.10	0.10	!	0.10	0.10	0.10
Samp/ Repl. no.	Shell-length Min:Max, mm:mm	Mean mm	-wght mean g	No of shell	HCHA ppb w.wt	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt
01/ 1	40:49	44.0	3.30	20	0.10	0.20	0.30	<0.10	<0.10	<0.10
02/ 1	40:49	44.0	3.40	20	0.10	0.20	0.30	<0.10	<0.10	<0.10
03/ 1	40:49	44.0	3.20	20	0.10	0.20	0.30	<0.10	<0.10	<0.10
Mean		44.0	3.30	20.0	0.10	0.20	0.30	<<.10	<<.10	<<.10
Minimum		44.0	3.20	20	0.10	0.20	0.30	<0.10	<0.10	<0.10
Maximum		44.0	3.40	20	0.10	0.20	0.30	<0.10	<0.10	<0.10
St.dev.		0.0	0.10	0.0	0.00	0.00	0.00	~0.00	~0.00	~0.00
Count		3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 26A Hamnen, Latitude: 61°52.70N, Longitude: 05°13.60E.
Catch,date : 1993-0904, Count: 60, Sample type: Bulked.

. Analytical Lab. ⇒					NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. ⇒					312	311	310	312	311
Detection Limit. ⇒				Mean	0.050	0.010	0.005	0.030	1.00
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm mm	-wght mean g	No of shell	Weight g	Dry %	Fat %	Cd ppm w.wt	Cu ppm w.wt	Hg ppm w.wt	Pb ppm w.wt	Zn ppm w.wt
01/ 1	40:49 45.0	3.70	20	3.34	22.00	.	0.220	1.590	0.012	0.290	26.50
02/ 1	40:49 45.0	3.70	20	3.43	21.90	.	0.240	1.350	0.008	0.350	25.50
03/ 1	40:49 45.0	3.40	20	3.34	21.80	.	0.200	1.370	0.010	0.300	25.70
Mean	45.0	3.60	20.0	3.37	21.90	.	0.220	1.437	0.010	0.313	25.90
Minimum	45.0	3.40	20	3.34	21.80	.	0.200	1.350	0.008	0.290	25.50
Maximum	45.0	3.70	20	3.43	22.00	.	0.240	1.590	0.012	0.350	26.50
St.dev.	0.0	0.17	0.0	0.05	0.10	.	0.020	0.133	0.002	0.032	0.53
Count	3	3	3	3	3	.	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 28A Eiksundet, Latitude: 62°15.00N, Longitude: 05°51.60E.
Catch,date : 1993-0903, Count: 60, Sample type: Bulked.

. Analytical Lab. ⇒					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. ⇒					312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!
Detection Limit. ⇒				Mean	0.050	0.010	0.005	0.030	1.00	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	!	!	0.10	0.10	!
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm mm	-wght mean g	No of shell	Weight g	Dry %	Fat %	Cd ppm w.wt	Cu ppm w.wt	Hg ppm w.wt	Pb ppm w.wt	Zn ppm w.wt	CB28 ppb w.wt	CB52 ppb w.wt	CB101 ppb w.wt	CB105 ppb w.wt	CB118 ppb w.wt	CB138 ppb w.wt	CB153 ppb w.wt	CB156 ppb w.wt	CB180 ppb w.wt	CB209 ppb w.wt	CB_Σ7 ppb w.wt	CB_ΣΣ ppb w.wt	DDEPP ppb w.wt	DDEPP ppb w.wt	DD_Σn ppb w.wt
01/ 1	40:49 45.0	6.10	20	4.17	23.50	2.10	0.220	1.200	0.017	0.440	22.40	<0.10	s1.30	0.20	s0.20	0.20	0.20	0.20	<0.10	<0.10	<0.10	s<2.2	s<2.4	0.2	s0.10	s0.30
02/ 1	40:49 45.0	6.30	20	4.61	22.60	2.10	0.190	1.170	0.014	0.610	23.80	<0.10	s0.90	0.20	s0.20	0.20	0.20	0.30	<0.10	<0.10	<0.10	s<1.9	s<2.1	0.2	s<0.10	s<0.30
03/ 1	40:49 45.0	5.80	20	4.48	23.30	2.20	0.160	1.450	0.014	0.420	22.40	<0.10	s0.70	0.20	s0.30	0.20	0.20	0.30	<0.10	<0.10	<0.10	s<1.7	s<2.0	0.2	s0.10	s0.30
Mean	45.0	6.07	20.0	4.42	23.13	2.13	0.190	1.273	0.015	0.490	22.87	<<0.10	s0.97	0.20	s0.23	0.20	0.20	0.27	<<0.10	<<0.10	<<0.10	s<<1.9	s<<2.2	0.2	s<<.10	s<<.30
Minimum	45.0	5.80	20	4.17	22.60	2.10	0.160	1.170	0.014	0.420	22.40	<0.10	s0.70	0.20	s0.20	0.20	0.20	0.20	<0.10	<0.10	<0.10	s<1.7	s<2.0	0.2	s<0.10	s<0.30
Maximum	45.0	6.30	20	4.61	23.50	2.20	0.220	1.450	0.017	0.610	23.80	<0.10	s1.30	0.20	s0.30	0.20	0.20	0.30	<0.10	<0.10	<0.10	s<2.2	s<2.4	0.2	s0.10	s0.30
St.dev.	0.0	0.25	0.0	0.23	0.47	0.06	0.030	0.154	0.002	0.104	0.81	~0.00	0.31	0.00	0.06	0.00	0.00	0.06	~0.00	~0.00	~0.00	~0.3	~0.2	0.0	~0.00	~0.00
Count	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

s/q(36) ! Suspect value(s)

Tab.width cont'd MYTI EDU, SB, J99, 28A Eiksundet, 1993-0903.

. Analytical Lab. ⇒					NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. ⇒					341	341	!	341	341	341
Detection Limit. ⇒					0.10	0.10	!	0.10	0.10	0.10
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm mm	-wght mean g	No of shell		HCHA ppb w.wt	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt
01/ 1	40:49 45.0	6.10	20		0.10	0.30	0.40	<0.10	<0.10	<0.10
02/ 1	40:49 45.0	6.30	20		0.10	0.30	0.40	<0.10	<0.10	<0.10
03/ 1	40:49 45.0	5.80	20		0.10	0.30	0.40	<0.10	<0.10	<0.10
Mean	45.0	6.07	20.0		0.10	0.30	0.40	<<.10	<<.10	<<.10
Minimum	45.0	5.80	20		0.10	0.30	0.40	<0.10	<0.10	<0.10
Maximum	45.0	6.30	20		0.10	0.30	0.40	<0.10	<0.10	<0.10
St.dev.	0.0	0.25	0.0		0.00	0.00	0.00	~0.00	~0.00	~0.00
Count	3	3	3		3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 91A Nerdvika, Latitude: 63°21.20N, Longitude: 08°09.60E.
Catch,date : 1993-0901, Count: 60, Sample type: Bulked.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>					312	311	310	312	311
____ Detection Limit.____ =>				Mean	0.050	0.010	0.005	0.030	1.00
Samp/ Shell-length -wght No of				Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn
Repl. Min:Max,Mean mean shell				g	%	%	ppm	ppm	ppm	ppm	ppm
no. mm:mm mm g							w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	40:49	44.0	5.40 20	2.99	20.40	.	0.260	1.290	0.016	0.310	20.90
02/ 1	40:49	44.0	5.40 20	3.42	20.60	.	0.220	1.310	0.014	0.260	21.20
03/ 1	40:49	44.0	5.40 20	3.01	19.80	.	0.260	1.340	0.015	0.290	19.50
Mean		44.0	5.40 20.0	3.14	20.27	.	0.247	1.313	0.015	0.287	20.53
Minimum		44.0	5.40 20	2.99	19.80	.	0.220	1.290	0.014	0.260	19.50
Maximum		44.0	5.40 20	3.42	20.60	.	0.260	1.340	0.016	0.310	21.20
St.dev.		0.0	0.00 0.0	0.24	0.42	.	0.023	0.025	0.001	0.025	0.91
Count		3	3 3	3	3	.	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 91A Nerdvika, Latitude: 63°21.20N, Longitude: 08°09.60E.
Catch,date : 1994-1019, Count: 60, Sample type: Bulked.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>					312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!
____ Detection Limit.____ =>				Mean	0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!
Samp/ Shell-length -wght No of				Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn
Repl. Min:Max,Mean mean shell				g	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g							w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	40:49	45.4	20	3.09	15.90	1.33	0.293	1.330	0.015	0.320	18.50	<0.05	0.06	0.16	0.05	0.15	0.27	0.38	<0.05	0.08	<0.05	<1.2	<1.2	0.2	0.06	0.27
02/ 1	40:49	45.4	20	2.98	15.90	0.74	0.289	1.250	0.011	0.310	15.80	<0.05	0.08	0.16	0.05	0.16	0.29	0.41	<0.05	0.09	<0.05	<1.2	<1.3	0.2	<0.05	<0.25
03/ 1	40:49	45.4	20	3.14	15.80	1.25	0.281	1.370	0.017	0.340	18.40	<0.05	0.07	0.17	0.05	0.16	0.30	0.41	<0.05	0.08	<0.05	<1.2	<1.3	0.2	0.07	0.31
Mean		45.4	20.0	3.07	15.87	1.11	0.288	1.317	0.014	0.323	17.57	<<0.05	0.07	0.16	0.05	0.16	0.29	0.40	<<0.05	0.08	<<0.05	<<1.2	<<1.3	0.2	<<0.06	<<0.28
Minimum		45.4	20	2.98	15.80	0.74	0.281	1.250	0.011	0.310	15.80	<0.05	0.06	0.16	0.05	0.15	0.27	0.38	<0.05	0.08	<0.05	<1.2	<1.2	0.2	<0.05	<0.25
Maximum		45.4	20	3.14	15.90	1.33	0.293	1.370	0.017	0.340	18.50	<0.05	0.08	0.17	0.05	0.16	0.30	0.41	<0.05	0.09	<0.05	<1.2	<1.3	0.2	0.07	0.31
St.dev.		0.0	0.0	0.08	0.06	0.32	0.006	0.061	0.003	0.015	1.53	~0.00	0.01	0.01	0.00	0.01	0.02	0.02	~0.00	0.01	~0.00	~0.1	~0.1	0.0	~0.01	~0.03
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J99, 91A Nerdvika, 1994-1019.

. Analytical Lab. =>				NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>				341	341	!	341	341	341
____ Detection Limit.____ =>				0.05	0.05	!	0.05	0.05	0.05
Samp/ Shell-length -wght No of				HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl. Min:Max,Mean mean shell				ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g				w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	40:49	45.4	20	0.06	0.13	0.19	<0.05	<0.05	<0.05
02/ 1	40:49	45.4	20	0.06	0.13	0.19	<0.05	<0.05	<0.05
03/ 1	40:49	45.4	20	0.07	0.15	0.22	<0.05	<0.05	<0.05
Mean		45.4	20.0	0.06	0.14	0.20	<<.05	<<.05	<<.05
Minimum		45.4	20	0.06	0.13	0.19	<0.05	<0.05	<0.05
Maximum		45.4	20	0.07	0.15	0.22	<0.05	<0.05	<0.05
St.dev.		0.0	0.0	0.01	0.01	0.02	~0.00	~0.00	~0.00
Count		3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 92A Stokken, Latitude: 64°04.60N, Longitude: 10°00.70E.
Catch,date : 1993-0831, Count: 60, Sample type: Bulked.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>					312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!
Detection Limit. =>					0.050	0.010	0.005	0.030	1.00	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	!	!	0.10	0.10	!
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm mm		-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	Cd ppm w.wt	Cu ppm w.wt	Hg ppm w.wt	Pb ppm w.wt	Zn ppm w.wt	CB28 ppb w.wt	CB52 ppb w.wt	CB101 ppb w.wt	CB105 ppb w.wt	CB118 ppb w.wt	CB138 ppb w.wt	CB153 ppb w.wt	CB156 ppb w.wt	CB180 ppb w.wt	CB209 ppb w.wt	CB_Σ7 ppb w.wt	CB_ΣΣ ppb w.wt	DDEPP ppb w.wt	TDEPP ppb w.wt	DD_Σn ppb w.wt
01/ 1	40:49	44.0	3.30	20	3.49	23.90	2.60	0.140	1.370	0.008	0.150	13.80	<0.10	s0.20	0.10	s0.10	0.10	s0.10	0.20	<0.10	<0.10	<0.10	s<0.8	s<0.9	0.5	s0.20	s0.70
02/ 1	40:49	44.0	3.20	20	3.81	22.10	2.20	0.120	1.440	0.007	0.140	13.50	<0.10	<0.10	0.10	s0.20	0.10	0.10	0.10	<0.10	<0.10	<0.10	<0.5	s<0.7	0.6	s<0.10	s<0.70
03/ 1	41:49	44.0	3.30	20	3.57	23.90	2.50	0.130	1.440	0.008	0.140	15.70	<0.10	<0.10	0.10	s0.20	0.10	s0.20	0.10	<0.10	<0.10	<0.10	s<0.6	s<0.8	0.1	<0.10	<0.20
Mean		44.0	3.27	20.0	3.62	23.30	2.43	0.130	1.417	0.008	0.143	14.33	<<0.10	<<0.10	0.10	s0.17	0.10	0.10	0.13	<<0.10	<<0.10	<<0.10	<0.5	s<<0.8	0.4	<0.10	<0.20
Minimum		44.0	3.20	20	3.49	22.10	2.20	0.120	1.370	0.007	0.140	13.50	<0.10	<0.10	0.10	s0.10	0.10	0.10	0.10	<0.10	<0.10	<0.10	<0.5	s<0.7	0.1	<0.10	<0.20
Maximum		44.0	3.30	20	3.81	23.90	2.60	0.140	1.440	0.008	0.150	15.70	<0.10	<0.10	0.10	s0.20	0.10	0.10	0.20	<0.10	<0.10	<0.10	<0.5	s<0.9	0.6	<0.10	<0.20
St.dev.		0.0	0.06	0.0	0.17	1.04	0.21	0.010	0.040	0.001	0.006	1.19	~0.00	~0.00	0.00	0.06	0.00	.	0.06	~0.00	~0.00	~0.00	.	~0.1	0.3	.	.
Count		3	3	3	3	3	3	3	3	3	3	3	3	i2	3	3	3	i1	3	3	3	3	i1	3	3	i1	i1

s/q(21) ! Suspect value(s)
i (5) ! Suspect or ambiguous basis-value(s) ignored in statistics.

Tab.width cont'd MYTI EDU, SB, J99, 92A Stokken, 1993-0831.

. Analytical Lab. =>				NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>				341	341	!	341	341	341
Detection Limit. =>				0.10	0.10	!	0.10	0.10	0.10
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm mm	-wght mean g	No of shell	HCHA ppb w.wt	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt
01/ 1	40:49 44.0	3.30	20	0.10	0.20	0.30	<0.10	<0.10	<0.10
02/ 1	40:49 44.0	3.20	20	<0.10	0.20	<0.30	<0.10	<0.10	<0.10
03/ 1	41:49 44.0	3.30	20	<0.10	0.20	<0.30	<0.10	<0.10	<0.10
Mean	44.0	3.27	20.0	<<0.10	0.20	<<0.30	<<.10	<<.10	<<.10
Minimum	44.0	3.20	20	<0.10	0.20	<0.30	<0.10	<0.10	<0.10
Maximum	44.0	3.30	20	0.10	0.20	0.30	<0.10	<0.10	<0.10
St.dev.	0.0	0.06	0.0	~0.00	0.00	~0.00	~0.00	~0.00	~0.00
Count	3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 92A Stokken, Latitude: 64°04.60N, Longitude: 10°00.70E.
Catch,date : 1994-1018, Count: 60, Sample type: Bulked.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>					312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!
Detection Limit. =>					0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm mm		-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	Cd ppm w.wt	Cu ppm w.wt	Hg ppm w.wt	Pb ppm w.wt	Zn ppm w.wt	CB28 ppb w.wt	CB52 ppb w.wt	CB101 ppb w.wt	CB105 ppb w.wt	CB118 ppb w.wt	CB138 ppb w.wt	CB153 ppb w.wt	CB156 ppb w.wt	CB180 ppb w.wt	CB209 ppb w.wt	CB_Σ7 ppb w.wt	CB_ΣΣ ppb w.wt	DDEPP ppb w.wt	TDEPP ppb w.wt	DD_Σn ppb w.wt
01/ 1	40:49	44.5		20	3.61	21.30	0.29	0.200	1.800	<.005	0.240	17.60	<0.05	<0.05	0.06	<0.05	0.05	0.08	0.09	<0.05	<0.05	<0.05	<0.3	<0.3	0.1	<0.05	<0.12
02/ 1	40:48	44.1		20	3.64	20.50	2.00	0.186	1.550	0.011	0.220	18.50	<0.05	0.08	0.21	0.06	0.19	0.34	0.40	<0.05	0.05	<0.05	<1.3	<1.4	0.3	0.07	0.37
03/ 1	41:49	45.1		20	3.43	19.20	1.70	0.202	1.360	0.010	0.210	18.20	<0.05	0.07	0.18	0.05	0.17	0.30	0.35	<0.05	<0.05	<0.05	<1.1	<1.2	0.3	0.06	0.33
Mean		44.6		20.0	3.56	20.33	1.33	0.196	1.570	<<.009	0.223	18.10	<<0.05	<<0.07	0.15	<<0.05	0.14	0.24	0.28	<<0.05	<<0.05	<<0.05	<<0.9	<<1.0	0.2	<<0.06	<<0.27
Minimum		44.1		20	3.43	19.20	0.29	0.186	1.360	<.005	0.210	17.60	<0.05	<0.05	0.06	<0.05	0.05	0.08	0.09	<0.05	<0.05	<0.05	<0.3	<0.3	0.1	<0.05	<0.12
Maximum		45.1		20	3.64	21.30	2.00	0.202	1.800	0.011	0.240	18.50	<0.05	0.08	0.21	0.06	0.19	0.34	0.40	<0.05	<0.05	<0.05	<1.3	<1.4	0.3	0.07	0.37
St.dev.		0.5		0.0	0.11	1.06	0.91	0.009	0.221	~.003	0.015	0.46	~0.00	~0.02	0.08	~0.01	0.08	0.14	0.17	~0.00	~0.00	~0.00	~0.5	~0.6	0.1	~0.01	~0.13
Count		3		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J99, 92A Stokken, 1994-1018.**

. Analytical Lab. ⇒				NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. ⇒				341	341	!	341	341	341
____ Detection Limit.____ ⇒				0.05	0.05	!	0.05	0.05	0.05
Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	HCHA ppb w.wt	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt
01/ 1	40:49	44.5		20	0.07	0.12	0.19	<0.05	<0.05	<0.05
02/ 1	40:48	44.1		20	0.12	0.22	0.34	<0.05	<0.05	<0.05
03/ 1	41:49	45.1		20	0.12	0.19	0.31	<0.05	<0.05	<0.05
Mean		44.6		20.0	0.10	0.18	0.28	<<.05	<<.05	<<.05
Minimum		44.1		20	0.07	0.12	0.19	<0.05	<0.05	<0.05
Maximum		45.1		20	0.12	0.22	0.34	<0.05	<0.05	<0.05
St.dev.		0.5		0.0	0.03	0.05	0.08	~0.00	~0.00	~0.00
Count		3		3	3	3	3	3	3	3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J99 Undefined**, Tissue : **Whole SOFT BODY.**
Locality : **92A Stokken**, Latitude: 64°04.60N, Longitude: 10°00.70E.
Catch,date : **1995-0911**, Count: 60, Sample type: **Bulked.**

110

. Analytical Lab. ⇒						NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	NIVA	Σ(*)
. Analysis Code. ⇒						312	311	310	312	311	341	341	341	341	341	341	341	341	341	!	!	341	340	341	!
____ Detection Limit.____ ⇒						0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	0.05	!
Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	Dry %	Fat %	Cd ppm w.wt	Cu ppm w.wt	Hg ppm w.wt	Pb ppm w.wt	Zn ppm w.wt	CB28 ppb w.wt	CB52 ppb w.wt	CB101 ppb w.wt	CB105 ppb w.wt	CB118 ppb w.wt	CB138 ppb w.wt	CB153 ppb w.wt	CB156 ppb w.wt	CB180 ppb w.wt	CB209 ppb w.wt	CB_Σ7 ppb w.wt	CB_ΣΣ ppb w.wt	DDEPP ppb w.wt	DDTPP ppb w.wt	TDEPP ppb w.wt	DD_Σn ppb w.wt
01/ 1	40:49	44.2		20	22.10	2.70	0.167	1.630	0.009	0.160	17.20	<0.05	<0.05	0.15	<0.05	0.16	0.22	0.29	<0.05	<0.05	<0.05	<0.9	<0.9	0.2	<0.05	miss	<0.24
02/ 1	40:49	44.1		20	24.10	2.59	0.175	1.460	0.017	0.160	17.60	0.07	0.22	0.11	<0.05	0.12	0.19	0.24	<0.05	<0.05	<0.05	<1.0	<1.0	0.2	<0.05	miss	<0.20
03/ 1	40:49	44.0		20	22.20	2.01	0.165	1.390	0.008	0.140	17.20	<0.05	0.16	0.15	0.05	0.15	0.22	0.26	<0.05	<0.05	<0.05	<1.0	<1.0	0.2	<0.05	miss	<0.22
Mean		44.1		20.0	22.80	2.43	0.169	1.493	0.011	0.153	17.33	<<0.06	<<0.14	0.14	<<0.05	0.14	0.21	0.26	<<0.05	<<0.05	<<0.05	<<1.0	<<1.0	0.2	<<0.05	.	<<0.22
Minimum		44.0		20	22.10	2.01	0.165	1.390	0.008	0.140	17.20	<0.05	<0.05	0.11	<0.05	0.12	0.19	0.24	<0.05	<0.05	<0.05	<0.9	<0.9	0.2	<0.05	.	<0.20
Maximum		44.2		20	24.10	2.70	0.175	1.630	0.017	0.160	17.60	0.07	0.22	0.15	0.05	0.16	0.22	0.29	<0.05	<0.05	<0.05	<1.0	<1.0	0.2	<0.05	.	<0.24
St.dev.		0.1		0.0	1.13	0.37	0.005	0.123	0.005	0.012	0.23	~0.01	~0.09	0.02	~0.00	0.02	0.02	0.03	~0.00	~0.00	~0.00	~0.1	~0.1	0.0	~0.00	.	~0.02
Count		3		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	.	3

miss(3) ! Missing value.

Tab.width cont'd **MYTI EDU, SB, J99, 92A Stokken, 1995-0911.**

. Analytical Lab. ⇒				NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. ⇒				341	341	!	341	341	341
____ Detection Limit.____ ⇒				0.05	0.05	!	0.05	0.05	0.05
Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	HCHA ppb w.wt	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt
01/ 1	40:49	44.2		20	0.09	0.17	0.26	<0.05	<0.05	<0.05
02/ 1	40:49	44.1		20	0.09	0.16	0.25	<0.05	<0.05	<0.05
03/ 1	40:49	44.0		20	0.12	0.32	0.44	<0.05	<0.05	<0.05
Mean		44.1		20.0	0.10	0.22	0.32	<<.05	<<.05	<<.05
Minimum		44.0		20	0.09	0.16	0.25	<0.05	<0.05	<0.05
Maximum		44.2		20	0.12	0.32	0.44	<0.05	<0.05	<0.05
St.dev.		0.1		0.0	0.02	0.09	0.11	~0.00	~0.00	~0.00
Count		3		3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 92A Stokken, Latitude: 64°04.60N, Longitude: 10°00.70E.
Catch,date : 1996-0917, Count: 60, Sample type: Bulked.

. Analytical Lab. =>				NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>				312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!
____ Detection Limit.____ =>				0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!
Samp/ Shell-length -wght No of				Mean			Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn
Repl. Min:Max,Mean mean shell				Weight	Dry	Fat	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g				g	%	%	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 40:48	44.0	2.03	20	3.29	21.70	2.34	0.150	1.720	0.005	0.160	13.40	<0.05	0.06	0.11	<0.05	0.09	0.14	0.20	<0.05	<0.05	<0.05	<0.7	<0.7	0.1	<0.05	<0.10
02/ 1 40:49	44.0	2.15	20	3.40	21.80	2.34	0.150	1.590	0.006	0.110	12.90	<0.05	0.06	0.10	<0.05	0.09	0.14	0.19	<0.05	<0.05	<0.05	<0.6	<0.6	0.1	<0.05	<0.11
03/ 1 40:48	44.0	2.13	20	3.38	21.40	2.40	0.150	1.600	0.005	0.140	12.50	miss	0.07	0.10	<0.05	0.09	0.13	0.19	<0.05	<0.05	<0.05	<0.6	<0.6	0.1	<0.05	<0.11
Mean	44.0	2.10	20.0	3.36	21.63	2.36	0.150	1.637	0.005	0.137	12.93	<<0.05	0.06	0.10	<<0.05	0.09	0.14	0.19	<<0.05	<<0.05	<<0.05	<<0.6	<<0.6	0.1	<<0.05	<<0.11
Minimum	44.0	2.03	20	3.29	21.40	2.34	0.150	1.590	0.005	0.110	12.50	<0.05	0.06	0.10	<0.05	0.09	0.13	0.19	<0.05	<0.05	<0.05	<0.6	<0.6	0.1	<0.05	<0.10
Maximum	44.0	2.15	20	3.40	21.80	2.40	0.150	1.720	0.006	0.160	13.40	<0.05	0.07	0.11	<0.05	0.09	0.14	0.20	<0.05	<0.05	<0.05	<0.7	<0.7	0.1	<0.05	<0.11
St.dev.	0.0	0.06	0.0	0.06	0.21	0.03	0.000	0.072	0.001	0.025	0.45	~0.00	0.01	0.01	~0.00	0.00	0.01	0.01	~0.00	~0.00	~0.00	~0.0	~0.0	0.0	~0.00	~0.01
Count	3	3	3	3	3	3	3	3	3	3	3	2	3	3	3	3	3	3	3	3	3	3	3	3	3	3

miss(1) ! Missing value.

Tab.width cont'd MYTI EDU, SB, J99, 92A Stokken, 1996-0917.

. Analytical Lab. =>				NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>				341	341	!	341	341	341
____ Detection Limit.____ =>				0.05	0.05	!	0.05	0.05	0.05
Samp/ Shell-length -wght No of				HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl. Min:Max,Mean mean shell				ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g				w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 40:48	44.0	2.03	20	<0.05	0.09	<0.14	<0.05	<0.05	<0.05
02/ 1 40:49	44.0	2.15	20	<0.05	0.09	<0.14	0.05	<0.05	<0.05
03/ 1 40:48	44.0	2.13	20	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Mean	44.0	2.10	20.0	<<0.05	<<0.08	<<0.11	<<.05	<<.05	<<.05
Minimum	44.0	2.03	20	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Maximum	44.0	2.15	20	<0.05	0.09	<0.14	<0.05	<0.05	<0.05
St.dev.	0.0	0.06	0.0	~0.00	0.02	~0.05	~0.00	~0.00	~0.00
Count	3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 92A Stokken, Latitude: 64°02.21N, Longitude: 10°01.10E.
Catch,date : 1997-1015, Count: 60, Sample type: Bulked.

. Analytical Lab. =>				NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>				312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!
____ Detection Limit.____ =>				0.050	0.010	0.005	0.040	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!
Samp/ Shell-length -wght No of				Mean			Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn
Repl. Min:Max,Mean mean shell				Weight	Dry	Fat	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g				g	%	%	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 40:49	44.7	3.40	20	3.41	20.90	1.64	0.141	1.340	0.014	0.380	21.20	<0.05	<0.05	0.22	0.13	0.24	0.42	0.42	0.05	<0.05	<0.05	<1.4	<1.5	0.3	0.08	0.42
02/ 1 40:49	44.3	3.22	20	3.44	19.70	1.82	0.141	1.120	0.013	0.430	17.70	<0.05	<0.05	0.25	0.15	0.27	0.46	0.47	0.06	<0.05	<0.05	<1.5	<1.7	0.4	0.09	0.47
03/ 1 40:49	44.3	3.09	20	3.22	18.60	1.60	0.150	1.190	0.013	0.410	18.20	<0.05	<0.05	0.24	0.14	0.26	0.45	0.46	0.05	<0.05	<0.05	<1.5	<1.7	0.4	0.09	0.46
Mean	44.4	3.24	20.0	3.36	19.73	1.69	0.144	1.217	0.013	0.407	19.03	<<0.05	<<0.05	0.24	0.14	0.26	0.44	0.45	0.05	<<0.05	<<0.05	<<1.4	<<1.6	0.4	0.09	0.45
Minimum	44.3	3.09	20	3.22	18.60	1.60	0.141	1.120	0.013	0.380	17.70	<0.05	<0.05	0.22	0.13	0.24	0.42	0.42	0.05	<0.05	<0.05	<1.4	<1.5	0.3	0.08	0.42
Maximum	44.7	3.40	20	3.44	20.90	1.82	0.150	1.340	0.014	0.430	21.20	<0.05	<0.05	0.25	0.15	0.27	0.46	0.47	0.06	<0.05	<0.05	<1.5	<1.7	0.4	0.09	0.47
St.dev.	0.2	0.16	0.0	0.12	1.15	0.12	0.005	0.112	0.001	0.025	1.89	~0.00	~0.00	0.02	0.01	0.02	0.02	0.03	0.01	~0.00	~0.00	~0.1	~0.1	0.0	0.01	0.03
Count	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J99, 92A Stokken, 1997-1015.**

Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	NIVA 341 0.05 HCHA ppb w.wt	NIVA 341 0.05 HCHG ppb w.wt	Σ(*) ! HC_Σn ppb w.wt	NIVA 341 0.05 HCB ppb w.wt	NIVA 341 0.05 QCB ppb w.wt	NIVA 341 0.05 OCS ppb w.wt
01/ 1	40:49	44.7	3.40	20	0.19	0.18	0.37	0.05	<0.05	<0.05
02/ 1	40:49	44.3	3.22	20	0.19	0.19	0.38	0.05	<0.05	<0.05
03/ 1	40:49	44.3	3.09	20	0.17	0.16	0.33	0.05	<0.05	<0.05
Mean		44.4	3.24	20.0	0.18	0.18	0.36	0.05	<<.05	<<.05
Minimum		44.3	3.09	20	0.17	0.16	0.33	0.05	<0.05	<0.05
Maximum		44.7	3.40	20	0.19	0.19	0.38	0.05	<0.05	<0.05
St.dev.		0.2	0.16	0.0	0.01	0.02	0.03	0.00	~0.00	~0.00
Count		3	3	3	3	3	3	3	3	3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J99 Undefined**, Tissue : **Whole SOFT BODY.**
Locality : **93A Sætervik**, Latitude: 64°23.68N, Longitude: 10°29.00E.
Catch,date : **1993-0831**, Count: 61, Sample type: **Bulked.**

112

Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	NIVA 312 0.050 Cd ppm w.wt	NIVA 311 0.010 Cu ppm w.wt	NIVA 310 0.005 Hg ppm w.wt	NIVA 312 0.030 Pb ppm w.wt	NIVA 311 1.00 Zn ppm w.wt
01/ 1	31:39	35.0	3.20	20	2.06	21.70	.	0.140	1.420	0.026	0.370	19.40
02/ 1	30:39	35.0	2.90	21	1.94	22.10	.	0.120	1.500	0.026	0.350	21.20
03/ 1	30:39	35.0	3.10	20	1.99	22.90	.	0.150	1.870	0.027	0.370	22.80
Mean		35.0	3.07	20.3	2.00	22.23	.	0.137	1.597	0.026	0.363	21.13
Minimum		35.0	2.90	20	1.94	21.70	.	0.120	1.420	0.026	0.350	19.40
Maximum		35.0	3.20	21	2.06	22.90	.	0.150	1.870	0.027	0.370	22.80
St.dev.		0.0	0.15	0.6	0.06	0.61	.	0.015	0.240	0.001	0.012	1.70
Count		3	3	3	3	3	.	3	3	3	3	3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J99 Undefined**, Tissue : **Whole SOFT BODY.**
Locality : **94A Landfast**, Latitude: 65°38.40N, Longitude: 12°00.50E.
Catch,date : **1993-0829**, Count: 60, Sample type: **Bulked.**

Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	NIVA 312 0.050 Cd ppm w.wt	NIVA 311 0.010 Cu ppm w.wt	NIVA 310 0.005 Hg ppm w.wt	NIVA 312 0.030 Pb ppm w.wt	NIVA 311 1.00 Zn ppm w.wt
01/ 1	40:49	45.0	3.80	20	3.26	20.10	.	0.170	1.350	0.012	0.280	15.40
02/ 1	40:49	45.0	3.80	20	3.11	20.30	.	0.170	1.470	0.013	0.240	16.50
03/ 1	40:49	45.0	4.00	20	3.06	20.60	.	0.180	1.300	0.013	0.230	17.00
Mean		45.0	3.87	20.0	3.14	20.33	.	0.173	1.373	0.013	0.250	16.30
Minimum		45.0	3.80	20	3.06	20.10	.	0.170	1.300	0.012	0.230	15.40
Maximum		45.0	4.00	20	3.26	20.60	.	0.180	1.470	0.013	0.280	17.00
St.dev.		0.0	0.12	0.0	0.10	0.25	.	0.006	0.087	0.001	0.026	0.82
Count		3	3	3	3	3	.	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 96A Breiviken, Latitude: 66°17.60N, Longitude: 12°50.50E.
Catch,date : 1993-0828, Count: 60, Sample type: Bulked.

Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	NIVA 312 0.050 Cd ppm w.wt	NIVA 311 0.010 Cu ppm w.wt	NIVA 310 0.005 Hg ppm w.wt	NIVA 312 0.030 Pb ppm w.wt	NIVA 311 1.00 Zn ppm w.wt	NIVA 341 0.10 CB28 ppb w.wt	NIVA 341 0.10 CB52 ppb w.wt	NIVA 341 0.10 CB101 ppb w.wt	NIVA 341 0.10 CB105 ppb w.wt	NIVA 341 0.10 CB118 ppb w.wt	NIVA 341 0.10 CB138 ppb w.wt	NIVA 341 0.10 CB153 ppb w.wt	NIVA 341 0.10 CB156 ppb w.wt	NIVA 341 0.10 CB180 ppb w.wt	NIVA 341 0.10 CB209 ppb w.wt	Σ(*) ! CB_Σ7 ppb w.wt	Σ(*) ! CB_ΣΣ ppb w.wt	NIVA 341 0.10 DDEPP ppb w.wt	NIVA 341 0.10 TDEPP ppb w.wt	Σ(*) ! DD_Σn ppb w.wt
01/ 1	40:49	45.0	4.60	20	3.70	23.00	2.30	0.180	1.400	0.007	0.250	20.90	<0.10	<0.10	<0.10	s1.30	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.1	s<1.4	0.1	s<0.10	s<0.20
02/ 1	40:49	45.0	5.30	20	4.09	24.30	2.80	0.190	1.590	0.008	0.240	17.40	<0.10	s0.20	0.10	s0.70	0.10	s0.10	0.10	<0.10	<0.10	<0.10	s<0.7	s<1.4	0.2	s0.20	s0.40
03/ 1	40:49	45.0	4.90	20	3.91	23.70	2.40	0.180	1.470	0.007	0.220	15.70	<0.10	s0.10	0.10	s0.80	0.10	s0.10	0.10	<0.10	<0.10	<0.10	s<0.6	s<1.4	0.1	s0.10	s0.20
Mean		45.0	4.93	20.0	3.90	23.67	2.50	0.183	1.487	0.007	0.237	18.00	<<0.10	<0.10	<<0.10	s0.93	<<0.10	<0.10	<<0.10	<<0.10	<<0.10	<<0.10	<0.1	s<<1.4	0.1	s<<.13	s<<.27
Minimum		45.0	4.60	20	3.70	23.00	2.30	0.180	1.400	0.007	0.220	15.70	<0.10	<0.10	<0.10	s0.70	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.1	s<1.4	0.1	s<0.10	s<0.20
Maximum		45.0	5.30	20	4.09	24.30	2.80	0.190	1.590	0.008	0.250	20.90	<0.10	<0.10	0.10	s1.30	0.10	<0.10	0.10	<0.10	<0.10	<0.10	<0.1	s<1.4	0.2	s0.20	s0.40
St.dev.		0.0	0.35	0.0	0.20	0.65	0.26	0.006	0.096	0.001	0.015	2.65	~0.00	.	~0.00	0.32	~0.00	.	~0.00	~0.00	~0.00	~0.00	.	~0.0	0.1	~0.06	~0.12
Count		3	3	3	3	3	3	3	3	3	3	3	3	i1	3	3	3	i1	3	3	3	3	i1	3	3	3	3

s/q(30) ! Suspect value(s)
i (3) ! Suspect or ambiguous basis-value(s) ignored in statistics.

Tab.width cont'd MYTI EDU, SB, J99, 96A Breiviken, 1993-0828.

Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	NIVA 341 0.10 HCHA ppb w.wt	NIVA 341 0.10 HCHG ppb w.wt	Σ(*) ! HC_Σn ppb w.wt	NIVA 341 0.10 HCB ppb w.wt	NIVA 341 0.10 QCB ppb w.wt	NIVA 341 0.10 OCS ppb w.wt
01/ 1	40:49	45.0	4.60	20	<0.10	0.20	<0.30	<0.10	<0.10	<0.10
02/ 1	40:49	45.0	5.30	20	0.20	0.20	0.40	<0.10	<0.10	<0.10
03/ 1	40:49	45.0	4.90	20	0.10	0.20	0.30	<0.10	<0.10	<0.10
Mean		45.0	4.93	20.0	<<0.13	0.20	<<0.33	<<.10	<<.10	<<.10
Minimum		45.0	4.60	20	<0.10	0.20	<0.30	<0.10	<0.10	<0.10
Maximum		45.0	5.30	20	0.20	0.20	0.40	<0.10	<0.10	<0.10
St.dev.		0.0	0.35	0.0	~0.06	0.00	~0.06	~0.00	~0.00	~0.00
Count		3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 95A Flatskjær, Latitude: 66°42.60N, Longitude: 13°15.80E.
Catch,date : 1993-0828, Count: 60, Sample type: Bulked.

Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	NIVA 312 0.050 Cd ppm w.wt	NIVA 311 0.010 Cu ppm w.wt	NIVA 310 0.005 Hg ppm w.wt	NIVA 312 0.030 Pb ppm w.wt	NIVA 311 1.00 Zn ppm w.wt
01/ 1	40:49	43.0	4.30	20	2.83	18.40	.	0.270	1.150	0.011	0.400	14.90
02/ 1	40:49	43.0	4.30	20	2.63	20.70	.	0.290	1.510	0.011	0.370	16.50
03/ 1	40:49	43.0	4.20	20	2.64	19.40	.	0.290	1.250	0.012	0.420	17.20
Mean		43.0	4.27	20.0	2.70	19.50	.	0.283	1.303	0.011	0.397	16.20
Minimum		43.0	4.20	20	2.63	18.40	.	0.270	1.150	0.011	0.370	14.90
Maximum		43.0	4.30	20	2.83	20.70	.	0.290	1.510	0.012	0.420	17.20
St.dev.		0.0	0.06	0.0	0.11	1.15	.	0.012	0.186	0.001	0.025	1.18
Count		3	3	3	3	3	.	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 97A Klakholmen, Latitude: 67°39.90N, Longitude: 14°44.60E.
Catch,date : 1993-0825, Count: 60, Sample type: Bulked.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>					312	311	310	312	311
____ Detection Limit.____ =>				Mean	0.050	0.010	0.005	0.030	1.00
Samp/ Shell-length -wght No of				Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn
Repl. Min:Max,Mean mean shell				g	%	%	ppm	ppm	ppm	ppm	ppm
no. mm:mm mm g							w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	40:49	44.0	4.10 20	2.51	18.70	.	0.290	1.310	0.015	0.230	17.80
02/ 1	40:49	44.0	3.80 20	2.57	19.10	.	0.280	1.330	0.012	0.240	17.50
03/ 1	40:48	44.0	4.10 20	2.32	18.50	.	0.370	1.310	0.013	0.280	15.70
Mean		44.0	4.00 20.0	2.47	18.77	.	0.313	1.317	0.013	0.250	17.00
Minimum		44.0	3.80 20	2.32	18.50	.	0.280	1.310	0.012	0.230	15.70
Maximum		44.0	4.10 20	2.57	19.10	.	0.370	1.330	0.015	0.280	17.80
St.dev.		0.0	0.17 0.0	0.13	0.31	.	0.049	0.012	0.002	0.026	1.14
Count		3	3 3	3	3	.	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 98A Svolvær området, Latitude: 68°09.40N, Longitude: 14°39.30E.
Catch,date : 1993-0826, Count: 60, Sample type: Bulked.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>					312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!
____ Detection Limit.____ =>				Mean	0.050	0.010	0.005	0.030	1.00	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	!	!	0.10	0.10	!
Samp/ Shell-length -wght No of				Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn
Repl. Min:Max,Mean mean shell				g	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g							w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	40:49	45.0	6.10 20	3.14	17.50	1.30	0.200	1.150	0.014	0.350	17.80	<0.10	0.10	0.20	s0.10	0.20	0.30	0.40	<0.10	<0.10	<0.10	<1.3	s<1.4	0.4	s0.10	s0.50
02/ 1	40:49	45.0	5.60 20	3.43	17.50	1.30	0.180	1.100	0.015	0.270	18.40	<0.10	s0.40	0.20	s0.10	0.20	0.30	0.40	<0.10	<0.10	<0.10	s<1.6	s<1.7	0.5	s0.20	s0.70
03/ 1	40:49	45.0	5.50 20	3.19	18.40	0.60	0.200	1.270	0.016	0.340	20.50	<0.10	0.10	0.10	s0.10	0.10	0.20	0.20	<0.10	<0.10	<0.10	<0.8	s<0.9	0.3	s0.10	s0.40
Mean		45.0	5.73 20.0	3.25	17.80	1.07	0.193	1.173	0.015	0.320	18.90	<<0.10	0.10	0.17	s0.10	0.17	0.27	0.33	<<0.10	<<0.10	<<0.10	<<1.1	s<<1.3	0.4	s0.13	s0.53
Minimum		45.0	5.50 20	3.14	17.50	0.60	0.180	1.100	0.014	0.270	17.80	<0.10	0.10	0.10	s0.10	0.10	0.20	0.20	<0.10	<0.10	<0.10	<0.8	s<0.9	0.3	s0.10	s0.40
Maximum		45.0	6.10 20	3.43	18.40	1.30	0.200	1.270	0.016	0.350	20.50	<0.10	0.10	0.20	s0.10	0.20	0.30	0.40	<0.10	<0.10	<0.10	<1.3	s<1.7	0.5	s0.20	s0.70
St.dev.		0.0	0.32 0.0	0.16	0.52	0.40	0.012	0.087	0.001	0.044	1.42	~0.00	0.00	0.06	0.00	0.06	0.06	0.12	~0.00	~0.00	~0.00	~0.4	~0.4	0.1	0.06	0.15
Count		3	3 3	3	3	3	3	3	3	3	3	3	i2	3	3	3	3	3	3	3	3	i2	3	3	3	3

s/q(26) ! Suspect value(s)
i (2) ! Suspect or ambiguous basis-value(s) ignored in statistics.

Tab.width cont'd MYTI EDU, SB, J99, 98A Svolvær området, 1993-0826.

. Analytical Lab. =>				NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>				341	341	!	341	341	341
____ Detection Limit.____ =>				0.10	0.10	!	0.10	0.10	0.10
Samp/ Shell-length -wght No of				HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl. Min:Max,Mean mean shell				ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g				w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	40:49	45.0	6.10 20	<0.10	0.10	<0.20	<0.10	<0.10	<0.10
02/ 1	40:49	45.0	5.60 20	0.10	0.20	0.30	<0.10	<0.10	<0.10
03/ 1	40:49	45.0	5.50 20	<0.10	0.10	<0.20	<0.10	<0.10	<0.10
Mean		45.0	5.73 20.0	<<0.10	0.13	<<0.23	<<.10	<<.10	<<.10
Minimum		45.0	5.50 20	<0.10	0.10	<0.20	<0.10	<0.10	<0.10
Maximum		45.0	6.10 20	<0.10	0.20	0.30	<0.10	<0.10	<0.10
St.dev.		0.0	0.32 0.0	~0.00	0.06	~0.06	~0.00	~0.00	~0.00
Count		3	3 3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 98A Svolvær området, Latitude: 68°15.40N, Longitude: 14°40.60E.
Catch,date : 1997-1125, Count: 60, Sample type: Bulked.

. Analytical Lab. =>																										
. Analysis Code. =>				NIVA 312	NIVA 311	NIVA 310	NIVA 312	NIVA 311	NIVA 341	NIVA 341	NIVA 341	NIVA 341	NIVA 341	NIVA 341	NIVA 341	NIVA 341	NIVA 341	NIVA 341	NIVA 341	Σ(*) !	Σ(*) !	NIVA 341	NIVA 340	NIVA 341
____ Detection Limit.____ =>				0.050	0.010	0.005	0.040	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	0.05
Samp/ Shell-length -wght No of				Mean	___	___	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	DDTPP	TDEPP
Repl. Min:Max,Mean mean shell				Weight	Dry	Fat	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g				g	%	%	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 40:49	44.3	4.56	20	3.31	15.10	1.18	0.129	0.980	0.014	0.200	13.70	<0.05	<0.05	0.22	0.27	0.49	0.59	0.61	0.07	<0.05	<0.05	<2.0	<2.3	0.2	0.32	0.05
02/ 1 40:49	44.4	4.81	20	3.28	14.90	1.16	0.132	0.820	0.016	0.230	13.40	<0.05	<0.05	0.18	0.21	0.37	0.47	0.50	0.05	<0.05	<0.05	<1.6	<1.8	0.2	0.24	<0.05
03/ 1 40:49	44.3	4.16	20	3.05	14.40	0.91	0.116	0.770	0.015	0.240	12.80	<0.05	<0.05	0.13	0.15	0.27	0.35	0.37	0.05	<0.05	<0.05	<1.2	<1.4	0.5	0.19	<0.05
Mean	44.3	4.51	20.0	3.21	14.80	1.08	0.126	0.857	0.015	0.223	13.30	<<0.05	<<0.05	0.18	0.21	0.38	0.47	0.49	0.06	<<0.05	<<0.05	<<1.6	<<1.8	0.3	0.25	<<0.05
Minimum	44.3	4.16	20	3.05	14.40	0.91	0.116	0.770	0.014	0.200	12.80	<0.05	<0.05	0.13	0.15	0.27	0.35	0.37	0.05	<0.05	<0.05	<1.2	<1.4	0.2	0.19	<0.05
Maximum	44.4	4.81	20	3.31	15.10	1.18	0.132	0.980	0.016	0.240	13.70	<0.05	<0.05	0.22	0.27	0.49	0.59	0.61	0.07	<0.05	<0.05	<2.0	<2.3	0.5	0.32	0.05
St.dev.	0.1	0.33	0.0	0.14	0.36	0.15	0.009	0.110	0.001	0.021	0.46	~0.00	~0.00	0.05	0.06	0.11	0.12	0.12	0.01	~0.00	~0.00	~0.4	~0.5	0.2	0.07	~0.00
Count	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J99, 98A Svolvær området, 1997-1125.

. Analytical Lab. =>				Σ(*) !	NIVA 341	NIVA 341	Σ(*) !	NIVA 341	NIVA 341	NIVA 341
. Analysis Code. =>										
____ Detection Limit.____ =>				!	0.05	0.05	!	0.05	0.05	0.05
Samp/ Shell-length -wght No of				DD_Σn	HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl. Min:Max,Mean mean shell				ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g				w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 40:49	44.3	4.56	20	0.61	0.05	0.09	0.14	<0.05	<0.05	<0.05
02/ 1 40:49	44.4	4.81	20	<0.50	0.06	0.09	0.15	<0.05	<0.05	<0.05
03/ 1 40:49	44.3	4.16	20	<0.74	0.05	0.07	0.12	<0.05	<0.05	<0.05
Mean	44.3	4.51	20.0	<<0.62	0.05	0.08	0.14	<<.05	<<.05	<<.05
Minimum	44.3	4.16	20	<0.50	0.05	0.07	0.12	<0.05	<0.05	<0.05
Maximum	44.4	4.81	20	<0.74	0.06	0.09	0.15	<0.05	<0.05	<0.05
St.dev.	0.1	0.33	0.0	~0.12	0.01	0.01	0.02	~0.00	~0.00	~0.00
Count	3	3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 98X Skrova, Latitude: 68°10.50N, Longitude: 14°40.15E.
Catch,date : 1994-0902, Count: 60, Sample type: Bulked.

. Analytical Lab. =>						NIVA 312	NIVA 311	NIVA 310	NIVA 312	NIVA 311	NIVA 341	NIVA 341	NIVA 341	NIVA 341	NIVA 341	NIVA 341	NIVA 341	NIVA 341	NIVA 341	NIVA 341	Σ(*) !	Σ(*) !	NIVA 341	NIVA 341	Σ(*) !	NIVA 341
. Analysis Code. =>																										
____ Detection Limit.____ =>						0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!	0.05
Samp/ Shell-length -wght No of				___	___	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn	HCHA
Repl. Min:Max,Mean mean shell				Dry	Fat	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g				%	%	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 40:49	44.4		20	17.90	2.21	0.140	1.780	0.060	0.960	33.50	0.22	0.74	2.87	0.89	2.97	4.37	5.32	0.26	0.38	<0.05	16.9	<18.1	5.7	0.91	6.61	0.14
02/ 1 40:48	44.1		20	19.80	1.27	0.141	1.780	0.067	0.770	39.60	0.17	0.46	1.71	0.59	1.85	2.70	3.19	0.17	0.26	<0.05	10.3	<11.2	3.8	0.62	4.39	0.12
03/ 1 40:48	44.1		20	18.20	2.06	0.127	1.590	0.057	0.790	26.90	0.22	0.66	2.63	0.85	2.76	4.20	4.99	0.25	0.43	<0.05	15.9	<17.0	5.8	0.85	6.61	0.17
Mean	44.2		20.0	18.63	1.85	0.136	1.717	0.061	0.840	33.33	0.20	0.62	2.40	0.78	2.53	3.76	4.50	0.23	0.36	<<0.05	14.4	<<15.4	5.1	0.79	5.87	0.14
Minimum	44.1		20	17.90	1.27	0.127	1.590	0.057	0.770	26.90	0.17	0.46	1.71	0.59	1.85	2.70	3.19	0.17	0.26	<0.05	10.3	<11.2	3.8	0.62	4.39	0.12
Maximum	44.4		20	19.80	2.21	0.141	1.780	0.067	0.960	39.60	0.22	0.74	2.87	0.89	2.97	4.37	5.32	0.26	0.43	<0.05	16.9	<18.1	5.8	0.91	6.61	0.17
St.dev.	0.2		0.0	1.02	0.51	0.008	0.110	0.005	0.104	6.35	0.03	0.14	0.61	0.16	0.60	0.92	1.15	0.05	0.09	~0.00	3.5	~3.7	1.1	0.15	1.28	0.03
Count	3		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J99, 98X Skrova, 1994-0902.**

. Analytical Lab. ⇒				NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. ⇒				341	!	341	341	341
____ Detection Limit.____ ⇒				0.05	!	0.05	0.05	0.05
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt
01/ 1	40:49	44.4		20	0.26	0.40	0.10	<0.05	<0.05
02/ 1	40:48	44.1		20	0.21	0.33	0.07	<0.05	<0.05
03/ 1	40:48	44.1		20	0.29	0.46	0.12	<0.05	<0.05
Mean		44.2		20.0	0.25	0.40	0.10	<<.05	<<.05
Minimum		44.1		20	0.21	0.33	0.07	<0.05	<0.05
Maximum		44.4		20	0.29	0.46	0.12	<0.05	<0.05
St.dev.		0.2		0.0	0.04	0.07	0.03	~0.00	~0.00
Count		3		3	3	3	3	3	3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J99 Undefined**, Tissue : **Whole SOFT BODY.**
Locality : **98X Skrova**, Latitude: 68°10.50N, Longitude: 14°40.15E.
Catch,date : **1995-0908**, Count: 60, Sample type: **Bulked.**

. Analytical Lab. ⇒						NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)	NIVA
. Analysis Code. ⇒						312	311	310	312	311	341	341	341	341	341	341	341	341	341	!	!	341	341	!	341
____ Detection Limit.____ ⇒						0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!	0.05
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	Dry %	Fat %	Cd ppm w.wt	Cu ppm w.wt	Hg ppm w.wt	Pb ppm w.wt	Zn ppm w.wt	CB28 ppb w.wt	CB52 ppb w.wt	CB101 ppb w.wt	CB105 ppb w.wt	CB118 ppb w.wt	CB138 ppb w.wt	CB153 ppb w.wt	CB156 ppb w.wt	CB180 ppb w.wt	CB209 ppb w.wt	CB_Σ7 ppb w.wt	CB_ΣΣ ppb w.wt	DDEPP ppb w.wt	TDEPP ppb w.wt	DD_Σn ppb w.wt	HCHA ppb w.wt
01/ 1	40:49	44.8		20	17.90	1.52	0.100	1.400	0.051	0.460	27.40	0.11	0.48	1.75	0.75	2.15	3.07	3.90	0.21	0.24	<0.05	11.7	<12.7	3.5	0.64	4.13	0.06
02/ 1	40:49	44.8		20	14.70	1.49	0.116	1.310	0.050	0.470	29.90	0.11	0.51	1.86	0.89	2.45	3.38	4.18	0.25	0.27	<0.05	12.8	<14.0	3.8	0.77	4.54	0.06
03/ 1	40:49	44.8		20	15.70	1.43	0.108	1.540	0.054	0.490	28.50	0.12	0.59	1.75	0.87	2.39	3.22	3.97	0.23	0.27	<0.05	12.3	<13.5	3.6	0.61	4.20	0.05
Mean		44.8		20.0	16.10	1.48	0.108	1.417	0.052	0.473	28.60	0.11	0.53	1.79	0.84	2.33	3.22	4.02	0.23	0.26	<<0.05	12.3	<<13.4	3.6	0.67	4.29	0.06
Minimum		44.8		20	14.70	1.43	0.100	1.310	0.050	0.460	27.40	0.11	0.48	1.75	0.75	2.15	3.07	3.90	0.21	0.24	<0.05	11.7	<12.7	3.5	0.61	4.13	0.05
Maximum		44.8		20	17.90	1.52	0.116	1.540	0.054	0.490	29.90	0.12	0.59	1.86	0.89	2.45	3.38	4.18	0.25	0.27	<0.05	12.8	<14.0	3.8	0.77	4.54	0.06
St.dev.		0.0		0.0	1.64	0.05	0.008	0.116	0.002	0.015	1.25	0.01	0.06	0.06	0.08	0.16	0.16	0.15	0.02	0.02	~0.00	0.5	~0.6	0.1	0.09	0.22	0.01
Count		3		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J99, 98X Skrova, 1995-0908.**

. Analytical Lab. ⇒				NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. ⇒				341	!	341	341	341
____ Detection Limit.____ ⇒				0.05	!	0.05	0.05	0.05
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt
01/ 1	40:49	44.8		20	0.09	0.15	<0.05	<0.05	<0.05
02/ 1	40:49	44.8		20	0.10	0.16	0.05	<0.05	<0.05
03/ 1	40:49	44.8		20	0.10	0.15	<0.05	<0.05	<0.05
Mean		44.8		20.0	0.10	0.15	<<.05	<<.05	<<.05
Minimum		44.8		20	0.09	0.15	<0.05	<0.05	<0.05
Maximum		44.8		20	0.10	0.16	<0.05	<0.05	<0.05
St.dev.		0.0		0.0	0.01	0.01	~0.00	~0.00	~0.00
Count		3		3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 98X Skrova, Latitude: 68°10.50N, Longitude: 14°40.15E.
Catch,date : 1995-0908, Count: 60, Sample type: Homogenate.

. Analytical Lab. =>				NILU	NILU	NILU	NILU	Σ(*)	Σ(*)	Σ(*)	Σ(*)	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU
. Analysis Code. =>				841	841	841	841	!	!	!	!	841	841	841	841	841	841	841	841	841	841	841	841
____ Detection Limit.____ =>				0.00	0.00	0.00	0.00	!	!	!	!	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Samp/ Shell-length -wght No of	Mean			CB77	CB81	CB126	CB169	CB_Σ4	TECBW	TECBS	CB_ΣΣ	TCDD	CDDST	CDD1N	CDDSN	CDD4X	CDD6X	CDD9X	CDDSX	CDD6P	CDDSP	CDDO	PCDD
Repl. Min:Max,Mean mean shell	Weight	Dry	Fat	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppb	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp
no. mm:mm mm g	g	%	%	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
04/ 1 40:49 45.0 60	1.26	16.10	.	63.30	1.53	7.55	0.86	73.24	0.80	1.43	0.1	0.03	0.81	0.04	0.24	0.01	0.05	0.01	0.45	0.40	0.82	2.01	4.33

Tab.width cont'd MYTI EDU, SB, J99, 98X Skrova, 1995-0908.

. Analytical Lab. =>	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. =>	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	!	!	!
____ Detection Limit.____ =>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	!	!	!
Samp/ Shell-length -wght No of	CDF2T	CDFST	CDFDN	CDF2N	CDFSN	CDFDX	CDF6X	CDF9X	CDF4X	CDFSX	CDF6P	CDF9P	CDFSP	CDFO	PCDF	CDDFS	TCDDI	TCDDN
Repl. Min:Max,Mean mean shell	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp
no. mm:mm mm g	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
04/ 1 40:49 45.0 60	0.83	4.77	0.09	0.15	1.04	0.04	0.02	<0.01	0.03	0.36	0.06	<0.01	0.15	0.27	6.59	0.97	<0.24	<0.23

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 98X Skrova, Latitude: 68°10.50N, Longitude: 14°40.15E.
Catch,date : 1996-0911, Count: 120, Sample type: Bulked.

. Analytical Lab. =>				NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NILU	NILU	NILU	NILU	Σ(*)
. Analysis Code. =>				312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	841	841	841	841	!
____ Detection Limit.____ =>				0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.00	0.00	0.00	0.00	!
Samp/ Shell-length -wght No of	Mean			Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB77	CB81	CB126	CB169	CB_Σ4
Repl. Min:Max,Mean mean shell	Weight	Dry	Fat	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppp	ppp	ppp	ppp	ppp
no. mm:mm mm g	g	%	%	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 40:49 44.0 9.24 20	4.49	19.20	1.77	0.150	1.590	0.065	0.790	29.30	0.36	0.41	1.34	0.60	1.60	2.18	2.81	0.17	0.20	<0.05	.	.	.	.	.
02/ 1 40:49 44.0 8.94 20	4.27	19.20	1.58	0.150	1.300	0.062	1.020	22.80	0.26	0.31	1.10	0.49	1.31	1.77	2.32	0.13	0.13	<0.05	.	.	.	.	.
03/ 1 40:49 44.0 8.64 20	4.41	18.60	1.87	0.140	1.440	0.061	0.690	27.20	0.42	0.48	1.38	0.61	1.64	2.20	2.86	0.18	0.27	<0.05	.	.	.	.	.
04/ 1 32:49 40.0 7.35 60	3.36	17.60	1.64	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	80.80	2.03	6.33	0.66	89.82
Mean 43.0 8.54 30.0	4.13	18.65	1.72	0.147	1.443	0.063	0.833	26.43	0.35	0.40	1.27	0.57	1.52	2.05	2.66	0.16	0.20	<<0.05	80.80	2.03	6.33	0.66	89.82
Minimum 40.0 7.35 20	3.36	17.60	1.58	0.140	1.300	0.061	0.690	22.80	0.26	0.31	1.10	0.49	1.31	1.77	2.32	0.13	0.13	<0.05	80.80	2.03	6.33	0.66	89.82
Maximum 44.0 9.24 60	4.49	19.20	1.87	0.150	1.590	0.065	1.020	29.30	0.42	0.48	1.38	0.61	1.64	2.20	2.86	0.18	0.27	<0.05	80.80	2.03	6.33	0.66	89.82
St.dev. 2.0 0.83 20.0	0.52	0.75	0.13	0.006	0.145	0.002	0.169	3.32	0.08	0.09	0.15	0.07	0.18	0.24	0.30	0.03	0.07	~0.00	.	.	.	.	.
Count 4 4 4	4	4	4	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	1	1	1	1	1

s/q(20) ! Suspect value(s)

417

Tab.width cont'd **MYTI EDU, SB, J99, 98X Skrova, 1996-0911.**

Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	Σ(*) TECBW ppb w.wt	Σ(*) TECBS ppb w.wt	Σ(*) CB_Σ7 ppb w.wt	Σ(*) CB_ΣΣ ppb w.wt	NIVA 341 0.10 DDEPP ppb w.wt	NIVA 340 0.05 DDTPP ppb w.wt	NIVA 341 0.05 TDEPP ppb w.wt	Σ(*) DD_Σn ppb w.wt	NIVA 341 0.05 HCHA ppb w.wt	NIVA 341 0.05 HCHG ppb w.wt	Σ(*) HC_Σn ppb w.wt	NIVA 341 0.05 HCB ppb w.wt	NIVA 341 0.05 QCB ppb w.wt	NIVA 341 0.05 OCS ppb w.wt	NILU 841 0.00 TCDD ppb w.wt	NILU 841 0.00 CDDST ppb w.wt	NILU 841 0.00 CDD1N ppb w.wt	NILU 841 0.00 CDDSN ppb w.wt	NILU 841 2000000 0.0 CDD4X ppb w.wt	NILU 841 0.00 CDD6X ppb w.wt	NILU 841 0.00 CDD9X ppb w.wt	NILU 841 0.00 CDDSX ppb w.wt	NILU 841 0.00 CDD6P ppb w.wt
01/ 1	40:49	44.0	9.24	20	.	.	8.9	<9.7	1.0	<0.05	0.13	<1.17	<0.05	0.08	<0.13	<0.05	<0.05	<0.05	.	.	.	.	.	.	.	.	.
02/ 1	40:49	44.0	8.94	20	.	.	7.2	<7.9	0.8	<0.05	0.12	<0.94	<0.05	0.07	<0.12	<0.05	<0.05	<0.05	.	.	.	.	.	.	.	.	.
03/ 1	40:49	44.0	8.64	20	.	.	9.3	<10.1	1.0	<0.05	0.14	<1.15	<0.05	0.10	<0.15	<0.05	<0.05	<0.05	.	.	.	.	.	.	.	.	.
04/ 1	32:49	40.0	7.35	60	0.68	1.47	.	0.1	.	.	.	.	.	.	.	.	.	.	<0.01	0.33	<0.01	<0.01	<0.02	<0.02	<0.02	<0.02	s0.52
Mean		43.0	8.54	30.0	0.68	1.47	8.5	<<6.9	0.9	<<0.05	0.13	<<1.09	<<0.05	0.08	<<0.13	<<.05	<<.05	<<.05	<0.01	0.33	<0.01	<0.01	<0.02	<0.02	<0.02	<0.02	s0.52
Minimum		40.0	7.35	20	0.68	1.47	7.2	0.1	0.8	<0.05	0.12	<0.94	<0.05	0.07	<0.12	<0.05	<0.05	<0.05	<0.01	0.33	<0.01	<0.01	<0.02	<0.02	<0.02	<0.02	s0.52
Maximum		44.0	9.24	60	0.68	1.47	9.3	<10.1	1.0	<0.05	0.14	<1.17	<0.05	0.10	<0.15	<0.05	<0.05	<0.05	<0.01	0.33	<0.01	<0.01	<0.02	<0.02	<0.02	<0.02	s0.52
St.dev.		2.0	0.83	20.0	.	.	1.1	~4.7	0.1	~0.00	0.01	~0.13	~0.00	0.02	~0.02	~0.00	~0.00	~0.00	.	.	.	.	.	.	.	.	.
Count		4	4	4	1	1	3	4	3	3	3	3	3	3	3	3	3	3	1	1	1	1	1	1	1	1	1

Tab.width cont'd **MYTI EDU, SB, J99, 98X Skrova, 1996-0911.**

Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	NILU 841 0.00 CDDSP ppb w.wt	NILU 841 0.00 CDDO ppb w.wt	NILU 841 0.00 PCDD ppb w.wt	NILU 841 0.00 CDF2T ppb w.wt	NILU 841 0.00 CDFST ppb w.wt	NILU 841 0.00 CDFDN ppb w.wt	NILU 841 0.00 CDF2N ppb w.wt	NILU 841 0.00 CDFSN ppb w.wt	NILU 841 0.00 CDFDX ppb w.wt	NILU 841 0.00 CDF6X ppb w.wt	NILU 841 0.00 CDF9X ppb w.wt	NILU 841 0.00 CDF4X ppb w.wt	NILU 841 0.00 CDFSX ppb w.wt	NILU 841 0.00 CDF6P ppb w.wt	NILU 841 0.00 CDF9P ppb w.wt	NILU 841 0.00 CDFSP ppb w.wt	NILU 841 0.00 CDFO ppb w.wt	NILU 841 0.00 PCDF ppb w.wt	Σ(*) ! CDDFS ppb w.wt	Σ(*) ! TCDDI ppb w.wt	Σ(*) ! TCDDN ppb w.wt
01/ 1	40:49	44.0	9.24	20	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
02/ 1	40:49	44.0	8.94	20	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
03/ 1	40:49	44.0	8.64	20	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
04/ 1	32:49	40.0	7.35	60	0.52	2.56	3.41	s1.04	4.10	<0.01	0.18	0.20	<0.02	<0.02	<0.02	0.34	0.36	s0.11	<0.08	0.11	<0.10	4.87	0.63	s<0.25	s<0.25
Mean		43.0	8.54	30.0	0.52	2.56	3.41	s1.04	4.10	<0.01	0.18	0.20	<0.02	<0.02	<0.02	0.34	0.36	s0.11	<0.08	0.11	<0.10	4.87	0.63	s<0.25	s<0.25
Minimum		40.0	7.35	20	0.52	2.56	3.41	s1.04	4.10	<0.01	0.18	0.20	<0.02	<0.02	<0.02	0.34	0.36	s0.11	<0.08	0.11	<0.10	4.87	0.63	s<0.25	s<0.25
Maximum		44.0	9.24	60	0.52	2.56	3.41	s1.04	4.10	<0.01	0.18	0.20	<0.02	<0.02	<0.02	0.34	0.36	s0.11	<0.08	0.11	<0.10	4.87	0.63	s<0.25	s<0.25
St.dev.		2.0	0.83	20.0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Count		4	4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J99 Undefined**, Tissue : **Whole SOFT BODY.**
Locality : **99A Brunvær**, Latitude: 68°00.30N, Longitude: 15°05.60E.
Catch,date : **1993-0826**, Count: 60, Sample type: **Bulked.**

Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	NIVA 312 0.050 Cd ppm w.wt	NIVA 311 0.010 Cu ppm w.wt	NIVA 310 0.005 Hg ppm w.wt	NIVA 312 0.030 Pb ppm w.wt	NIVA 311 1.00 Zn ppm w.wt	NIVA 341 0.10 CB28 ppb w.wt	NIVA 341 0.10 CB52 ppb w.wt	NIVA 341 0.10 CB101 ppb w.wt	NIVA 341 0.10 CB105 ppb w.wt	NIVA 341 0.10 CB118 ppb w.wt	NIVA 341 0.10 CB138 ppb w.wt	NIVA 341 0.10 CB153 ppb w.wt	NIVA 341 0.10 CB156 ppb w.wt	NIVA 341 0.10 CB180 ppb w.wt	NIVA 341 0.10 CB209 ppb w.wt	Σ(*) ! CB_Σ7 ppb w.wt	Σ(*) ! CB_ΣΣ ppb w.wt	NIVA 341 0.10 DDEPP ppb w.wt	NIVA 341 0.10 TDEPP ppb w.wt	Σ(*) ! DD_Σn ppb w.wt
01/ 1	40:49	44.0	4.20	20	3.62	22.90	2.40	0.260	1.670	0.011	0.150	15.90	<0.10	<0.10	0.10	s<0.10	<0.10	<0.10	0.10	<0.10	<0.10	<0.10	<0.3	<0.3	0.2	s<0.10	s<0.30
02/ 1	40:49	44.0	4.30	20	3.65	20.20	1.90	0.260	1.510	0.010	0.180	14.20	<0.10	s0.20	0.10	s0.10	<0.10	<0.10	0.10	<0.10	<0.10	<0.10	s<0.5	s<0.6	0.1	s0.10	s0.20
03/ 1	40:49	44.0	4.30	20	3.18	22.60	2.30	0.290	1.570	0.011	0.170	16.40	<0.10	s0.30	0.10	s0.10	<0.10	<0.10	0.10	<0.10	<0.10	<0.10	s<0.6	s<0.7	0.3	s0.10	s0.40
Mean		44.0	4.27	20.0	3.48	21.90	2.20	0.270	1.583	0.011	0.167	15.50	<<0.10	<0.10	0.10	s<<.10	<<0.10	<<0.10	0.10	<<0.10	<<0.10	<<0.10	<0.3	<0.3	0.2	s<<.10	s<<.30
Minimum		44.0	4.20	20	3.18	20.20	1.90	0.260	1.510	0.010	0.150	14.20	<0.10	<0.10	0.10	s<0.10	<0.10	<0.10	0.10	<0.10	<0.10	<0.10	<0.3	<0.3	0.1	s<0.10	s0.20
Maximum		44.0	4.30	20	3.65	22.90	2.40	0.290	1.670	0.011	0.180	16.40	<0.10	<0.10	0.10	s0.10	<0.10	<0.10	0.10	<0.10	<0.10	<0.10	<0.3	<0.3	0.3	s0.10	s0.40
St.dev.		0.0	0.06	0.0	0.26	1.48	0.26	0.017	0.081	0.001	0.015	1.15	~0.00	.	0.00	~0.00	~0.00	~0.00	0.00	~0.00	~0.00	~0.00	.	.	0.1	~0.00	~0.10
Count		3	3	3	3	3	3	3	3	3	3	3	i1	3	3	3	3	3	3	3	3	3	i1	i1	3	3	3

s/q(24) ! Suspect value(s)
i (3) ! Suspect or ambiguous basis-value(s) ignored in statistics.

Tab.width cont'd **MYTI EDU, SB, J99, 99A Brunvær, 1993-0826.**

. Analytical Lab. =>				NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>				341	341	!	341	341	341
____ Detection Limit.____ =>				0.10	0.10	!	0.10	0.10	0.10
Samp/ Shell-length		-wght	No of	HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl. Min:Max,Mean	mean	shell		ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm	mm	g		w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 40:49	44.0	4.20	20	<0.10	0.10	<0.20	<0.10	<0.10	<0.10
02/ 1 40:49	44.0	4.30	20	0.10	0.10	0.20	<0.10	<0.10	<0.10
03/ 1 40:49	44.0	4.30	20	0.10	0.10	0.20	<0.10	<0.10	<0.10
Mean	44.0	4.27	20.0	<<0.10	0.10	<<0.20	<<.10	<<.10	<<.10
Minimum	44.0	4.20	20	<0.10	0.10	<0.20	<0.10	<0.10	<0.10
Maximum	44.0	4.30	20	0.10	0.10	0.20	<0.10	<0.10	<0.10
St.dev.	0.0	0.06	0.0	~0.00	0.00	~0.00	~0.00	~0.00	~0.00
Count	3	3	3	3	3	3	3	3	3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J99 Undefined**, Tissue : **Whole SOFT BODY.**
Locality : **41A Fensneset,Grytøya**, Latitude: 68°56.90N, Longitude: 16°38.47E.
Catch,date : **1994-0902**, Count: 60, Sample type: **Bulked.**

. Analytical Lab. =>							NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>							312	311	310	312	311	341	341	341	341	341	341	341	341	341	!	!	341	341	!
____ Detection Limit.____ =>				Mean			0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!
Samp/ Shell-length		-wght	No of	Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn
Repl. Min:Max,Mean	mean	shell		g	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm	mm	g					w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 40:49	44.7		20	2.81	16.10	1.10	0.297	1.100	0.011	0.250	13.70	<0.05	<0.05	0.09	<0.05	0.10	0.13	0.16	<0.05	<0.05	<0.05	<0.5	<0.5	0.1	<0.05	<0.15
02/ 1 40:49	44.7		20	2.87	17.10	1.20	0.333	1.190	0.013	0.220	13.90	<0.05	<0.05	0.10	<0.05	0.11	0.16	0.19	<0.05	<0.05	<0.05	<0.6	<0.6	0.1	<0.05	<0.16
03/ 1 40:49	44.8		20	2.63	17.50	1.10	0.331	1.180	0.012	0.200	15.00	<0.05	0.05	0.09	<0.05	0.11	0.14	0.17	<0.05	<0.05	<0.05	<0.6	<0.6	0.1	<0.05	<0.15
Mean	44.7		20.0	2.77	16.90	1.13	0.320	1.157	0.012	0.223	14.20	<<0.05	<<0.05	0.09	<<0.05	0.11	0.14	0.17	<<0.05	<<0.05	<<0.05	<<0.6	<<0.6	0.1	<<0.05	<<0.15
Minimum	44.7		20	2.63	16.10	1.10	0.297	1.100	0.011	0.200	13.70	<0.05	<0.05	0.09	<0.05	0.10	0.13	0.16	<0.05	<0.05	<0.05	<0.5	<0.5	0.1	<0.05	<0.15
Maximum	44.8		20	2.87	17.50	1.20	0.333	1.190	0.013	0.250	15.00	<0.05	0.05	0.10	<0.05	0.11	0.16	0.19	<0.05	<0.05	<0.05	<0.6	<0.6	0.1	<0.05	<0.16
St.dev.	0.1		0.0	0.12	0.72	0.06	0.020	0.049	0.001	0.025	0.70	~0.00	~0.00	0.01	~0.00	0.01	0.02	0.02	~0.00	~0.00	~0.00	~0.0	~0.0	0.0	~0.00	~0.01
Count	3		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J99, 41A Fensneset,Grytøya, 1994-0902.**

. Analytical Lab. =>				NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>				341	341	!	341	341	341
____ Detection Limit.____ =>				0.05	0.05	!	0.05	0.05	0.05
Samp/ Shell-length		-wght	No of	HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl. Min:Max,Mean	mean	shell		ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm	mm	g		w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 40:49	44.7		20	0.06	0.11	0.17	<0.05	<0.05	<0.05
02/ 1 40:49	44.7		20	0.08	0.13	0.21	<0.05	<0.05	<0.05
03/ 1 40:49	44.8		20	0.06	0.11	0.17	<0.05	<0.05	<0.05
Mean	44.7		20.0	0.07	0.12	0.18	<<.05	<<.05	<<.05
Minimum	44.7		20	0.06	0.11	0.17	<0.05	<0.05	<0.05
Maximum	44.8		20	0.08	0.13	0.21	<0.05	<0.05	<0.05
St.dev.	0.1		0.0	0.01	0.01	0.02	~0.00	~0.00	~0.00
Count	3		3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 41A Fensneset,Grytøya, Latitude: 68°56.90N, Longitude: 16°38.47E.
Catch,date : 1995-0907, Count: 60, Sample type: Bulked.

. Analytical Lab. =>			NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	NIVA	Σ(*)
. Analysis Code. =>			312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	!	!	341	340	341	!
_____ Detection Limit._____ =>			0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	0.05	!
Samp/ Shell-length -wght No of	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	DDTPP	TDEPP	DD_Σn
Repl. Min:Max,Mean mean shell	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g			w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 40:49 45.1 20	20.00	1.51	0.561	1.660	0.013	0.180	17.80	0.05	0.29	0.12	<0.05	0.11	0.12	0.17	<0.05	<0.05	<0.05	<0.9	<0.9	0.1	<0.05	0.05	<0.19
02/ 1 40:49 45.1 20	19.00	1.57	0.574	1.550	0.011	0.180	17.80	<0.05	0.28	0.11	<0.05	0.10	0.11	0.16	<0.05	<0.05	<0.05	<0.8	<0.8	0.1	<0.05	0.05	<0.18
03/ 1 40:49 45.2 20	18.90	1.40	0.557	1.420	0.012	0.160	16.50	<0.05	0.26	0.11	<0.05	0.10	0.11	0.15	<0.05	<0.05	<0.05	<0.8	<0.8	0.1	<0.05	<0.05	<0.13
Mean 45.1 20.0	19.30	1.49	0.564	1.543	0.012	0.173	17.37	<<0.05	0.28	0.11	<<0.05	0.10	0.11	0.16	<<0.05	<<0.05	<<0.05	<<0.8	<<0.8	0.1	<<0.05	<<0.05	<<0.17
Minimum 45.1 20	18.90	1.40	0.557	1.420	0.011	0.160	16.50	<0.05	0.26	0.11	<0.05	0.10	0.11	0.15	<0.05	<0.05	<0.05	<0.8	<0.8	0.1	<0.05	<0.05	<0.13
Maximum 45.2 20	20.00	1.57	0.574	1.660	0.013	0.180	17.80	0.05	0.29	0.12	<0.05	0.11	0.12	0.17	<0.05	<0.05	<0.05	<0.9	<0.9	0.1	<0.05	0.05	<0.19
St.dev. 0.1 0.0	0.61	0.09	0.009	0.120	0.001	0.012	0.75	~0.00	0.02	0.01	~0.00	0.01	0.01	0.01	~0.00	~0.00	~0.00	~0.1	~0.1	0.0	~0.00	0.00	~0.03
Count 3 3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

120

Tab.width cont'd MYTI EDU, SB, J99, 41A Fensneset,Grytøya, 1995-0907.

. Analytical Lab. =>	NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>	341	341	!	341	341	341
_____ Detection Limit._____ =>	0.05	0.05	!	0.05	0.05	0.05
Samp/ Shell-length -wght No of	HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl. Min:Max,Mean mean shell	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 40:49 45.1 20	0.06	0.11	0.17	<0.05	<0.05	<0.05
02/ 1 40:49 45.1 20	0.06	0.10	0.16	<0.05	<0.05	<0.05
03/ 1 40:49 45.2 20	0.06	0.09	0.15	<0.05	<0.05	<0.05
Mean 45.1 20.0	0.06	0.10	0.16	<<.05	<<.05	<<.05
Minimum 45.1 20	0.06	0.09	0.15	<0.05	<0.05	<0.05
Maximum 45.2 20	0.06	0.11	0.17	<0.05	<0.05	<0.05
St.dev. 0.1 0.0	0.00	0.01	0.01	~0.00	~0.00	~0.00
Count 3 3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 41A Fensneset,Grytøya, Latitude: 68°56.90N, Longitude: 16°38.47E.
Catch,date : 1996-0910, Count: 120, Sample type: Bulked.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NILU	NILU	NILU	NILU	Σ(*)
. Analysis Code. =>					312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	841	841	841	841	!
____ Detection Limit.____ =>				Mean				0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.00	0.00	0.00	0.00	!
Samp/ Shell-length -wght No of				Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB77	CB81	CB126	CB169	CB_Σ4
Repl. Min:Max,Mean mean shell				g	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppp	ppp	ppp	ppp	ppp
no. mm:mm mm g							w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	40:49	45.0	3.58	20	2.70	16.40	1.27	0.340	1.410	0.011	0.130	17.10	<0.05	<0.05	0.06	<0.05	0.07	0.09	0.13	<0.05	<0.05	<0.05	.	.	.	.	.
02/ 1	40:49	45.0	3.78	20	2.81	17.80	1.32	0.270	1.360	0.011	0.130	16.20	<0.05	<0.05	0.06	<0.05	0.07	0.09	0.13	<0.05	<0.05	<0.05	.	.	.	.	.
03/ 1	40:49	45.0	3.64	20	2.70	17.20	1.35	0.280	1.240	0.011	0.160	16.30	<0.05	<0.05	0.05	<0.05	0.05	0.07	0.09	<0.05	<0.05	<0.05	.	.	.	.	.
04/ 1	38:54	46.0	4.14	60	2.95	15.30	0.83	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4.31	s0.12	0.35	0.09	s4.87
Mean		45.3	3.79	30.0	2.79	16.68	1.19	0.297	1.337	0.011	0.140	16.53	<<0.05	<<0.05	0.06	<<0.05	0.06	0.08	0.12	<<0.05	<<0.05	<<0.05	4.31	s0.12	0.35	0.09	s4.87
Minimum		45.0	3.58	20	2.70	15.30	0.83	0.270	1.240	0.011	0.130	16.20	<0.05	<0.05	0.05	<0.05	0.05	0.07	0.09	<0.05	<0.05	<0.05	4.31	s0.12	0.35	0.09	s4.87
Maximum		46.0	4.14	60	2.95	17.80	1.35	0.340	1.410	0.011	0.160	17.10	<0.05	<0.05	0.06	<0.05	0.07	0.09	0.13	<0.05	<0.05	<0.05	4.31	s0.12	0.35	0.09	s4.87
St.dev.		0.5	0.25	20.0	0.12	1.08	0.24	0.038	0.087	0.000	0.017	0.49	~0.00	~0.00	0.01	~0.00	0.01	0.01	0.02	~0.00	~0.00	~0.00	.	.	.	.	.
Count		4	4	4	4	4	4	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	1	1	1	1	1

s/q (37) ! Suspect value(s)
i (1) ! Suspect or ambiguous basis-value(s) ignored in statistics.
miss(29) ! Missing value.

121

Tab.width cont'd MYTI EDU, SB, J99, 41A Fensneset,Grytøya, 1996-0910.

. Analytical Lab. =>					Σ(*)	Σ(*)	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)	NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>					!	!	!	!	341	341	!	341	341	!	341	341	341	309	309	309	309	309	309	309	309	309
____ Detection Limit.____ =>					!	!	!	!	0.10	0.05	!	0.05	0.05	!	0.05	0.05	0.05	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Samp/ Shell-length -wght No of					TECBW	TECBS	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn	HCHA	HCHG	HC_Σn	HCB	QCB	OCS	NAP	NAPC1	NAPC2	NAPC3	BIPN	ACNLE	ACNE	FLE	PA	PAC1
Repl. Min:Max,Mean mean shell					ppp	ppp	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g					w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	40:49	45.0	3.58	20	.	.	<0.4	<0.4	<0.1	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	1.9	7.7	5.7	2.1	<0.5	<0.5	0.6	0.8	1.7	5.6
02/ 1	40:49	45.0	3.78	20	.	.	<0.4	<0.4	<0.1	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	miss	miss	miss	miss	miss	miss	miss	miss	miss	miss
03/ 1	40:49	45.0	3.64	20	.	.	<0.3	<0.3	<0.1	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	1.6	5.6	5.0	1.2	0.5	<0.5	1.0	0.7	1.8	4.0
04/ 1	38:54	46.0	4.14	60	0.04	0.08	.	s0.0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Mean		45.3	3.79	30.0	0.04	0.08	<<0.4	<<0.4	<<0.1	<<0.05	<<0.05	<<0.05	<<0.05	<<0.05	<<.05	<<.05	<<.05	1.8	6.7	5.4	1.7	<<0.5	<<0.5	0.8	0.8	1.8	4.8
Minimum		45.0	3.58	20	0.04	0.08	<0.3	<0.3	<0.1	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	1.6	5.6	5.0	1.2	<0.5	<0.5	0.6	0.7	1.7	4.0
Maximum		46.0	4.14	60	0.04	0.08	<0.4	<0.4	<0.1	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	1.9	7.7	5.7	2.1	<0.5	<0.5	1.0	0.8	1.8	5.6
St.dev.		0.5	0.25	20.0	.	.	~0.1	~0.1	~0.0	~0.00	~0.00	~0.00	~0.00	~0.00	~0.00	~0.00	~0.00	0.2	1.5	0.5	0.6	~0.0	~0.0	0.3	0.1	0.1	1.1
Count		4	4	4	1	1	3	i3	3	3	3	3	3	3	3	3	3	2	2	2	2	2	2	2	2	2	2

Tab.width cont'd **MYTI EDU, SB, J99, 41A Fensneset,Grytøya, 1996-0910.**

. Analytical Lab. ⇒	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)	NILU	NILU	NILU
. Analysis Code. ⇒	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	!	!	!	!	841	841	841
_____ Detection Limit._____ ⇒	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	!	!	!	!	0.00	0.00	0.00
Samp/ Shell-length -wght No of	PAC2	ANT	FLU	PYR	BAA	CHR	BBF	BJKF	BEP	BAP	PER	ICDP	DBA3A	BGHIP	DBTC 1	DBTC 2	DBTC 3	DI_Σn	P_Σn	PK_Σn	PAHΣΣ	TCDD	CDDST	CDD1N
Repl. Min:Max,Mean mean shell	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppp	ppp	ppp
no. mm:mm mm g	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 40:49 45.0 3.58 20	4.4	<0.5	1.3	1.3	<0.5	0.8	0.5	<0.5	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.1	miss	6.3	<17.9	<25.4	<8.4	<42.8	.	.	.
02/ 1 40:49 45.0 3.78 20	miss	miss	miss	miss	miss	miss	miss	miss	miss	miss	miss	miss	miss	miss	miss	miss	miss	.	.	.	.	.	.	.
03/ 1 40:49 45.0 3.64 20	3.7	<0.5	1.2	1.1	<0.5	0.8	0.5	<0.5	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	2.2	miss	5.1	13.9	<23.1	<8.3	<37.0	.	.	.
04/ 1 38:54 46.0 4.14 60	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	<0.01	0.09	<0.01
Mean 45.3 3.79 30.0	4.1	<<0.5	1.3	1.2	<<0.5	0.8	0.5	<<0.5	0.5	<<0.5	<<0.5	<<0.5	<<0.5	<<0.5	1.7	.	5.7	<<15.9	<<24.3	<<8.4	<<39.9	<0.01	0.09	<0.01
Minimum 45.0 3.58 20	3.7	<0.5	1.2	1.1	<0.5	0.8	0.5	<0.5	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.1	.	5.1	13.9	<23.1	<8.3	<37.0	<0.01	0.09	<0.01
Maximum 46.0 4.14 60	4.4	<0.5	1.3	1.3	<0.5	0.8	0.5	<0.5	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	2.2	.	6.3	<17.9	<25.4	<8.4	<42.8	<0.01	0.09	<0.01
St.dev. 0.5 0.25 20.0	0.5	~0.0	0.1	0.1	~0.0	0.0	0.0	~0.0	0.0	~0.0	~0.0	~0.0	~0.0	~0.0	0.8	.	0.8	~2.8	~1.6	~0.1	~4.1	.	.	.
Count 4 4 4	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	.	2	2	2	2	2	1	1	1

Tab.width cont'd **MYTI EDU, SB, J99, 41A Fensneset,Grytøya, 1996-0910.**

. Analytical Lab. ⇒	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU
. Analysis Code. ⇒	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841
_____ Detection Limit._____ ⇒	0.00	2000000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Samp/ Shell-length -wght No of	CDDSN	0.0	CDD6X	CDD9X	CDDSX	CDD6P	CDDSP	CDDO	PCDD	CDF2T	CDFST	CDFDN	CDF2N	CDFSN	CDFDX	CDF6X	CDF9X	CDF4X	CDFSX	CDF6P	CDF9P	CDFSP
Repl. Min:Max,Mean mean shell	ppp	CDD4X	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp
no. mm:mm mm g	w.wt	ppp w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 40:49 45.0 3.58 20	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
02/ 1 40:49 45.0 3.78 20	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
03/ 1 40:49 45.0 3.64 20	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
04/ 1 38:54 46.0 4.14 60	<0.01	<0.02	<0.02	<0.02	<0.02	s0.06	s0.06	0.27	0.36	0.09	0.33	<0.01	0.02	0.02	<0.02	<0.02	<0.02	<0.02	<0.02	s0.09	<0.06	s0.09
Mean 45.3 3.79 30.0	<0.01	<0.02	<0.02	<0.02	<0.02	s0.06	s0.06	0.27	0.36	0.09	0.33	<0.01	0.02	0.02	<0.02	<0.02	<0.02	<0.02	<0.02	s0.09	<0.06	s0.09
Minimum 45.0 3.58 20	<0.01	<0.02	<0.02	<0.02	<0.02	s0.06	s0.06	0.27	0.36	0.09	0.33	<0.01	0.02	0.02	<0.02	<0.02	<0.02	<0.02	<0.02	s0.09	<0.06	s0.09
Maximum 46.0 4.14 60	<0.01	<0.02	<0.02	<0.02	<0.02	s0.06	s0.06	0.27	0.36	0.09	0.33	<0.01	0.02	0.02	<0.02	<0.02	<0.02	<0.02	<0.02	s0.09	<0.06	s0.09
St.dev. 0.5 0.25 20.0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Count 4 4 4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

Tab.width cont'd **MYTI EDU, SB, J99, 41A Fensneset,Grytøya, 1996-0910.**

. Analytical Lab. ⇒	NILU	NILU	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. ⇒	841	841	!	!	!
_____ Detection Limit._____ ⇒	0.00	0.00	!	!	!
Samp/ Shell-length -wght No of	CDFO	PCDF	CDDFS	TCDDI	TCDDN
Repl. Min:Max,Mean mean shell	ppp	ppp	ppp	ppp	ppp
no. mm:mm mm g	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 40:49 45.0 3.58 20	.	.	.	.	.
02/ 1 40:49 45.0 3.78 20	.	.	.	.	.
03/ 1 40:49 45.0 3.64 20	.	.	.	.	.
04/ 1 38:54 46.0 4.14 60	<0.10	0.45	s0.15	s<0.03	s<0.03
Mean 45.3 3.79 30.0	<0.10	0.45	s0.15	s<0.03	s<0.03
Minimum 45.0 3.58 20	<0.10	0.45	s0.15	s<0.03	s<0.03
Maximum 46.0 4.14 60	<0.10	0.45	s0.15	s<0.03	s<0.03
St.dev. 0.5 0.25 20.0	.	.	.	.	.
Count 4 4 4	1	1	1	1	1

122

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 41A Fensneset,Grytøya, Latitude: 68°56.90N, Longitude: 16°38.47E.
Catch,date : 1997-1129, Count: 60, Sample type: Bulked.

Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	NIVA 312 0.050 Cd ppm w.wt	NIVA 311 0.010 Cu ppm w.wt	NIVA 310 0.005 Hg ppm w.wt	NIVA 312 0.040 Pb ppm w.wt	NIVA 311 1.00 Zn ppm w.wt	NIVA 341 0.05 CB28 ppb w.wt	NIVA 341 0.05 CB52 ppb w.wt	NIVA 341 0.05 CB101 ppb w.wt	NIVA 341 0.05 CB105 ppb w.wt	NIVA 341 0.05 CB118 ppb w.wt	NIVA 341 0.05 CB138 ppb w.wt	NIVA 341 0.05 CB153 ppb w.wt	NIVA 341 0.05 CB156 ppb w.wt	NIVA 341 0.05 CB180 ppb w.wt	NIVA 341 0.05 CB209 ppb w.wt	Σ(*) ! CB_Σ7 ppb w.wt	Σ(*) ! CB_ΣΣ ppb w.wt	NIVA 341 0.10 DDEPP ppb w.wt	NIVA 341 0.05 TDEPP ppb w.wt	Σ(*) ! DD_Σn ppb w.wt
01/ 1	40:48 45.1	6.12	20	2.96	16.50	1.15	0.315	0.740	0.014	0.130	15.00	<0.05	<0.05	0.06	0.05	0.06	0.11	0.12	<0.05	<0.05	<0.05	<0.4	<0.5	0.1	<0.05	<0.15
02/ 1	40:49 44.9	6.20	20	3.11	16.40	1.10	0.309	0.780	0.013	0.090	15.10	<0.05	<0.05	0.06	<0.05	0.06	0.10	0.11	<0.05	<0.05	<0.05	<0.4	<0.4	0.1	<0.05	<0.15
03/ 1	40:49 44.9	6.33	20	3.05	16.90	1.36	0.274	0.810	0.015	0.110	12.80	<0.05	<0.05	0.08	0.05	0.08	0.14	0.15	<0.05	<0.05	<0.05	<0.5	<0.6	0.1	<0.05	<0.18
Mean	45.0	6.22	20.0	3.04	16.60	1.20	0.299	0.777	0.014	0.110	14.30	<<0.05	<<0.05	0.07	<<0.05	0.07	0.12	0.13	<<0.05	<<0.05	<<0.05	<<0.4	<<0.5	0.1	<<0.05	<<0.16
Minimum	44.9	6.12	20	2.96	16.40	1.10	0.274	0.740	0.013	0.090	12.80	<0.05	<0.05	0.06	<0.05	0.06	0.10	0.11	<0.05	<0.05	<0.05	<0.4	<0.4	0.1	<0.05	<0.15
Maximum	45.1	6.33	20	3.11	16.90	1.36	0.315	0.810	0.015	0.130	15.10	<0.05	<0.05	0.08	0.05	0.08	0.14	0.15	<0.05	<0.05	<0.05	<0.5	<0.6	0.1	<0.05	<0.18
St.dev.	0.1	0.11	0.0	0.08	0.26	0.14	0.022	0.035	0.001	0.020	1.30	~0.00	~0.00	0.01	~0.00	0.01	0.02	0.02	~0.00	~0.00	~0.00	~0.1	~0.1	0.0	~0.00	~0.02
Count	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J99, 41A Fensneset,Grytøya, 1997-1129.

Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm mm	-wght mean g	No of shell	NIVA 341 0.05 HCHA ppb w.wt	NIVA 341 0.05 HCHG ppb w.wt	Σ(*) ! HC_Σn ppb w.wt	NIVA 341 0.05 HCB ppb w.wt	NIVA 341 0.05 QCB ppb w.wt	NIVA 341 0.05 OCS ppb w.wt
01/ 1	40:48 45.1	6.12	20	0.05	0.07	0.12	<0.05	<0.05	<0.05
02/ 1	40:49 44.9	6.20	20	0.05	0.07	0.12	<0.05	<0.05	<0.05
03/ 1	40:49 44.9	6.33	20	0.06	0.08	0.14	<0.05	<0.05	<0.05
Mean	45.0	6.22	20.0	0.05	0.07	0.13	<<.05	<<.05	<<.05
Minimum	44.9	6.12	20	0.05	0.07	0.12	<0.05	<0.05	<0.05
Maximum	45.1	6.33	20	0.06	0.08	0.14	<0.05	<0.05	<0.05
St.dev.	0.1	0.11	0.0	0.01	0.01	0.01	~0.00	~0.00	~0.00
Count	3	3	3	3	3	3	3	3	3

123

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 42A Tennskjær,Malangen, Latitude: 69°28.60N, Longitude: 18°18.00E.
Catch,date : 1994-0901, Count: 60, Sample type: Bulked.

Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	NIVA 312 0.050 Cd ppm w.wt	NIVA 311 0.010 Cu ppm w.wt	NIVA 310 0.005 Hg ppm w.wt	NIVA 312 0.030 Pb ppm w.wt	NIVA 311 1.00 Zn ppm w.wt
01/ 1	40:49 43.3		20	2.70	17.80	.	0.181	1.290	0.008	0.300	15.50
02/ 1	40:49 43.3		20	2.53	16.90	.	0.177	1.250	0.008	0.260	15.20
03/ 1	40:49 43.3		20	2.64	19.10	.	0.204	1.550	0.008	0.260	15.10
Mean	43.3		20.0	2.62	17.93	.	0.187	1.363	0.008	0.273	15.27
Minimum	43.3		20	2.53	16.90	.	0.177	1.250	0.008	0.260	15.10
Maximum	43.3		20	2.70	19.10	.	0.204	1.550	0.008	0.300	15.50
St.dev.	0.0		0.0	0.09	1.11	.	0.015	0.163	0.000	0.023	0.21
Count	3		3	3	3	.	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 42A Tennskjær,Malangen, Latitude: 69°28.60N, Longitude: 18°18.00E.
Catch,date : 1995-0906, Count: 60, Sample type: Bulked.

. Analytical Lab. =>				NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>				312	311	310	312	311
_____ Detection Limit._____ =>				0.050	0.010	0.005	0.030	1.00
Samp/ Shell-length -wght No of			Dry	Fat	Cd	Cu	Hg	Pb	Zn
Repl. Min:Max,Mean mean shell			%	%	ppm	ppm	ppm	ppm	ppm
no. mm:mm mm g					w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 40:49 45.4 20			18.40	.	0.293	1.400	0.009	0.140	15.50
02/ 1 40:49 45.4 20			18.30	.	0.288	1.250	0.009	0.130	14.80
03/ 1 40:49 45.4 20			19.00	.	0.303	1.520	0.010	0.170	15.00
Mean 45.4 20.0			18.57	.	0.295	1.390	0.009	0.147	15.10
Minimum 45.4 20			18.30	.	0.288	1.250	0.009	0.130	14.80
Maximum 45.4 20			19.00	.	0.303	1.520	0.010	0.170	15.50
St.dev. 0.0 0.0			0.38	.	0.008	0.135	0.001	0.021	0.36
Count 3 3			3	.	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 43A Lyngneset,Langfjord, Latitude: 70°06.20N, Longitude: 20°32.79E.
Catch,date : 1994-0901, Count: 150, Sample type: Bulked.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>					312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!
_____ Detection Limit._____ =>					0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!
Samp/ Shell-length -wght No of			Mean	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn
Repl. Min:Max,Mean mean shell			Weight	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g			g			w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 30:39 32.7 50			0.99	15.40	1.02	0.527	1.200	0.013	0.250	13.10	<0.05	<0.05	0.06	<0.05	0.08	0.11	0.15	<0.05	miss	<0.05	<0.5	<0.5	s0.1	<0.05	s<0.13
02/ 1 30:39 32.7 50			0.97	14.90	0.97	0.554	1.200	0.013	0.220	14.70	<0.05	<0.05	0.05	<0.05	0.07	0.10	0.13	<0.05	miss	<0.05	<0.4	<0.4	s0.1	<0.05	s<0.12
03/ 1 30:38 32.7 50			0.96	16.00	1.10	0.555	1.180	0.013	0.250	15.80	0.12	1.94	0.06	<0.05	0.07	0.12	0.16	<0.05	miss	<0.05	2.5	<2.5	s0.1	<0.05	s<0.16
Mean 32.7 50.0			0.97	15.43	1.03	0.545	1.193	0.013	0.240	14.53	<<0.07	<<0.68	0.06	<<0.05	0.07	0.11	0.15	<<0.05	.	<<0.05	<<1.1	<<1.1	s0.1	<<0.05	s<<.14
Minimum 32.7 50			0.96	14.90	0.97	0.527	1.180	0.013	0.220	13.10	<0.05	<0.05	0.05	<0.05	0.07	0.10	0.13	<0.05	.	<0.05	<0.4	<0.4	s0.1	<0.05	s<0.12
Maximum 32.7 50			0.99	16.00	1.10	0.555	1.200	0.013	0.250	15.80	0.12	1.94	0.06	<0.05	0.08	0.12	0.16	<0.05	.	<0.05	2.5	<2.5	s0.1	<0.05	s<0.16
St.dev. 0.0 0.0			0.02	0.55	0.07	0.016	0.012	0.000	0.017	1.36	~0.04	~1.09	0.01	~0.00	0.01	0.01	0.02	~0.00	.	~0.00	~1.2	~1.2	0.0	~0.00	~0.02
Count 3 3			3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	.	3	3	3	3	3	3

s/q (12) ! Suspect value(s)
miss(3) ! Missing value.

Tab.width cont'd MYTI EDU, SB, J99, 43A Lyngneset,Langfjord, 1994-0901.

. Analytical Lab. =>				NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>				341	341	!	341	341	341
_____ Detection Limit._____ =>				0.05	0.05	!	0.05	0.05	0.05
Samp/ Shell-length -wght No of				HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl. Min:Max,Mean mean shell				ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g				w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 30:39 32.7 50				0.05	0.08	0.13	<0.05	<0.05	<0.05
02/ 1 30:39 32.7 50				<0.05	0.07	<0.12	<0.05	<0.05	<0.05
03/ 1 30:38 32.7 50				0.05	0.09	0.14	<0.05	<0.05	<0.05
Mean 32.7 50.0				<<0.05	0.08	<<0.13	<<.05	<<.05	<<.05
Minimum 32.7 50				<0.05	0.07	<0.12	<0.05	<0.05	<0.05
Maximum 32.7 50				0.05	0.09	0.14	<0.05	<0.05	<0.05
St.dev. 0.0 0.0				~0.00	0.01	~0.01	~0.00	~0.00	~0.00
Count 3 3				3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 43A Lyngneset,Langfjord, Latitude: 70°06.20N, Longitude: 20°32.79E.
Catch,date : 1995-0906, Count: 150, Sample type: Bulked.

. Analytical Lab. ⇒				NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	NIVA	Σ(*)
. Analysis Code. ⇒				312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	!	!	341	340	341	!
____ Detection Limit.____ ⇒				0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	0.05	!
Samp/ Shell-length			-wght																					
Repl. Min:Max,Mean		No of	mean	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	DDTPP	TDEPP	DD_Σn
no. mm:mm mm		shell	g	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
						w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 30:39	32.6	50		14.80	1.19	0.645	1.380	0.014	0.210	15.20	<0.05	<0.05	<0.05	<0.05	0.06	0.09	0.14	<0.05	0.09	<0.05	<0.4	<0.4	0.1	<0.05	<0.05	<0.14
02/ 1 30:39	32.6	50		14.70	1.10	0.635	1.460	0.014	0.250	14.20	<0.05	<0.05	<0.05	<0.05	0.07	0.08	0.13	<0.05	0.10	<0.05	<0.4	<0.4	0.1	<0.05	0.05	<0.17
03/ 1 30:39	32.6	50		15.90	1.05	0.663	1.350	0.013	0.240	14.90	<0.05	0.06	<0.05	<0.05	0.06	0.09	0.14	<0.05	0.10	<0.05	<0.5	<0.5	0.1	<0.05	<0.05	<0.15
Mean	32.6	50.0		15.13	1.11	0.648	1.397	0.014	0.233	14.77	<<0.05	<<0.05	<<0.05	<<0.05	0.06	0.09	0.14	<<0.05	0.10	<<0.05	<<0.5	<<0.5	0.1	<<0.05	<<0.05	<<0.15
Minimum	32.6	50		14.70	1.05	0.635	1.350	0.013	0.210	14.20	<0.05	<0.05	<0.05	<0.05	0.06	0.08	0.13	<0.05	0.09	<0.05	<0.4	<0.4	0.1	<0.05	<0.05	<0.14
Maximum	32.6	50		15.90	1.19	0.663	1.460	0.014	0.250	15.20	<0.05	0.06	<0.05	<0.05	0.07	0.09	0.14	<0.05	0.10	<0.05	<0.5	<0.5	0.1	<0.05	<0.05	<0.17
St.dev.	0.0	0.0		0.67	0.07	0.014	0.057	0.001	0.021	0.51	~0.00	~0.01	~0.00	~0.00	0.01	0.01	0.01	~0.00	0.01	~0.00	~0.0	~0.0	0.0	~0.00	~0.00	~0.02
Count	3	3		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J99, 43A Lyngneset,Langfjord, 1995-0906.

. Analytical Lab. ⇒				NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. ⇒				341	341	!	341	341	341	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309
____ Detection Limit.____ ⇒				0.05	0.05	!	0.05	0.05	0.05	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Samp/ Shell-length			-wght																									
Repl. Min:Max,Mean		No of	mean	HCHA	HCHG	HC_Σn	HCB	QCB	OCS	NAP	NAP2M	NAP1M	BIPN	NAPDI	NAPTM	ACNLE	ACNE	FLE	PA	ANT	PAM1	FLU	PYR	BAA	CHRT	BBF	BJKF
no. mm:mm mm		shell	g	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	R ppb	ppb	ppb
				w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 30:39	32.6	50		<0.05	0.06	<0.11	<0.05	<0.05	<0.05	<0.5	<0.5	<0.5	1.0	2.0	<0.5	<0.5	<0.5	<0.5	3.0	<0.5	<0.5	1.0	0.6	<0.5	0.7	0.5	<0.5
02/ 1 30:39	32.6	50		<0.05	0.06	<0.11	<0.05	<0.05	<0.05	<0.5	<0.5	<0.5	<0.5	4.2	<0.5	<0.5	<0.5	<0.5	2.3	<0.5	<0.5	1.1	0.7	<0.5	0.9	1.6	<0.5
03/ 1 30:39	32.6	50		<0.05	0.06	<0.11	<0.05	<0.05	<0.05	<0.5	4.2	3.0	1.7	6.2	<0.5	<0.5	<0.5	<0.5	2.3	<0.5	0.9	0.8	0.5	<0.5	0.7	<0.5	<0.5
Mean	32.6	50.0		<<0.05	0.06	<<0.11	<<.05	<<.05	<<.05	<<0.5	<<1.7	<<1.3	<<1.1	4.1	<<0.5	<<0.5	<<0.5	<<0.5	2.5	<<0.5	<<0.6	1.0	0.6	<<0.5	0.8	<<0.9	<<0.5
Minimum	32.6	50		<0.05	0.06	<0.11	<0.05	<0.05	<0.05	<0.5	<0.5	<0.5	<0.5	2.0	<0.5	<0.5	<0.5	<0.5	2.3	<0.5	<0.5	0.8	0.5	<0.5	0.7	<0.5	<0.5
Maximum	32.6	50		<0.05	0.06	<0.11	<0.05	<0.05	<0.05	<0.5	4.2	3.0	1.7	6.2	<0.5	<0.5	<0.5	<0.5	3.0	<0.5	0.9	1.1	0.7	<0.5	0.9	1.6	<0.5
St.dev.	0.0	0.0		~0.00	0.00	~0.00	~0.00	~0.00	~0.00	~0.0	~2.1	~1.4	~0.6	2.1	~0.0	~0.0	~0.0	~0.0	0.4	~0.0	~0.2	0.2	0.1	~0.0	0.1	0.6	~0.0
Count	3	3		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J99, 43A Lyngneset,Langfjord, 1995-0906.

. Analytical Lab. ⇒				NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. ⇒				309	309	309	309	309	309	!	!	!	!
____ Detection Limit.____ ⇒				0.20	0.20	0.20	0.20	0.20	0.20	!	!	!	!
Samp/ Shell-length			-wght										
Repl. Min:Max,Mean		No of	mean	BEP	BAP	PER	ICDP	DBA3A	BGHIP	DI_Σn	P_Σn	PK_Σn	PAHΣΣ
no. mm:mm mm		shell	g	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
				w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 30:39	32.6	50		0.5	0.6	<0.5	<0.5	<0.5	<0.5	<3.5	<7.4	<1.6	<10.4
02/ 1 30:39	32.6	50		0.7	<0.5	<0.5	<0.5	<0.5	<0.5	<4.7	<7.8	<2.1	<12.0
03/ 1 30:39	32.6	50		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<15.6	<5.7	<0.5	<20.8
Mean	32.6	50.0		<<0.6	<<0.5	<<0.5	<<0.5	<<0.5	<<0.5	<<7.9	<<7.0	<<1.4	<<14.4
Minimum	32.6	50		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<3.5	<5.7	<0.5	<10.4
Maximum	32.6	50		0.7	0.6	<0.5	<0.5	<0.5	<0.5	<15.6	<7.8	<2.1	<20.8
St.dev.	0.0	0.0		0.1	~0.1	~0.0	~0.0	~0.0	~0.0	~6.7	~1.1	~0.8	~5.6
Count	3	3		3	3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 43A Lyngneset,Langfjord, Latitude: 70°06.20N, Longitude: 20°32.79E.
Catch,date : 1997-1029, Count: 150, Sample type: Bulked.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>					312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!
____ Detection Limit.____ =>				Mean	0.050	0.010	0.005	0.040	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!
Samp/ Shell-length -wght No of				Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn
Repl. Min:Max,Mean mean shell				g	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g							w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	30:39	33.3	2.98	50	1.04	11.10	0.72	0.409	0.730	0.011	0.100	8.05	<0.05	<0.05	<0.05	<0.05	0.05	0.11	0.11	<0.05	<0.05	<0.05	<0.3	<0.3	0.1	<0.05	<0.16
02/ 1	30:39	33.7	2.92	50	1.04	11.70	0.73	0.451	0.740	0.013	0.100	10.50	<0.05	<0.05	<0.05	<0.05	0.05	0.09	0.10	<0.05	<0.05	<0.05	<0.3	<0.3	0.1	<0.05	<0.15
03/ 1	30:39	33.1	2.80	50	1.08	10.60	0.71	0.426	0.670	0.011	0.070	9.45	<0.05	<0.05	<0.05	<0.05	0.05	0.08	0.09	<0.05	<0.05	<0.05	<0.3	<0.3	0.1	<0.05	<0.14
Mean		33.4	2.90	50.0	1.05	11.13	0.72	0.429	0.713	0.012	0.090	9.33	<<0.05	<<0.05	<<0.05	<<0.05	0.05	0.09	0.10	<<0.05	<<0.05	<<0.05	<<0.3	<<0.3	0.1	<<0.05	<<0.15
Minimum		33.1	2.80	50	1.04	10.60	0.71	0.409	0.670	0.011	0.070	8.05	<0.05	<0.05	<0.05	<0.05	0.05	0.08	0.09	<0.05	<0.05	<0.05	<0.3	<0.3	0.1	<0.05	<0.14
Maximum		33.7	2.98	50	1.08	11.70	0.73	0.451	0.740	0.013	0.100	10.50	<0.05	<0.05	<0.05	<0.05	0.05	0.11	0.11	<0.05	<0.05	<0.05	<0.3	<0.3	0.1	<0.05	<0.16
St.dev.		0.3	0.09	0.0	0.02	0.55	0.01	0.021	0.038	0.001	0.017	1.23	~0.00	~0.00	~0.00	~0.00	0.00	0.02	0.01	~0.00	~0.00	~0.00	~0.0	~0.0	0.0	~0.00	~0.01
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J99, 43A Lyngneset,Langfjord, 1997-1029.

. Analytical Lab. =>					NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>					341	341	!	341	341	341
____ Detection Limit.____ =>					0.05	0.05	!	0.05	0.05	0.05
Samp/ Shell-length -wght No of					HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl. Min:Max,Mean mean shell					ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g					w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	30:39	33.3	2.98	50	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
02/ 1	30:39	33.7	2.92	50	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
03/ 1	30:39	33.1	2.80	50	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Mean		33.4	2.90	50.0	<<0.05	<<0.05	<<0.05	<<.05	<<.05	<<.05
Minimum		33.1	2.80	50	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Maximum		33.7	2.98	50	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
St.dev.		0.3	0.09	0.0	~0.00	~0.00	~0.00	~0.00	~0.00	~0.00
Count		3	3	3	3	3	3	3	3	3

126

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 44A Elenheimsundet, Latitude: 70°30.97N, Longitude: 22°14.80E.
Catch,date : 1994-0831, Count: 60, Sample type: Bulked.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>					312	311	310	312	311
____ Detection Limit.____ =>				Mean	0.050	0.010	0.005	0.030	1.00
Samp/ Shell-length -wght No of				Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn
Repl. Min:Max,Mean mean shell				g	%	%	ppm	ppm	ppm	ppm	ppm
no. mm:mm mm g							w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	40:49	44.3		20	2.72	16.80	.	0.288	1.070	0.012	0.660	12.70
02/ 1	40:49	44.3		20	2.92	19.20	.	0.283	1.260	0.009	0.540	12.90
03/ 1	40:49	44.2		20	2.71	18.10	.	0.306	1.200	0.010	0.470	12.00
Mean		44.3		20.0	2.78	18.03	.	0.292	1.177	0.010	0.557	12.53
Minimum		44.2		20	2.71	16.80	.	0.283	1.070	0.009	0.470	12.00
Maximum		44.3		20	2.92	19.20	.	0.306	1.260	0.012	0.660	12.90
St.dev.		0.1		0.0	0.12	1.20	.	0.012	0.097	0.002	0.096	0.47
Count		3		3	3	3	.	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 44A Elenheimsundet, Latitude: 70°30.97N, Longitude: 22°14.80E.
Catch,date : 1995-0904, Count: 60, Sample type: Bulked.

. Analytical Lab. =>			NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)	NIVA
. Analysis Code. =>			312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!	341
____ Detection Limit.____ =>			0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!	0.05
Samp/ Shell-length -wght No of			Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn	HCHA
Repl. Min:Max,Mean mean shell			%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g					w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 40:49 45.3 20			18.00	1.59	0.492	1.700	0.009	0.410	15.90	<0.05	0.09	0.16	<0.05	0.14	0.32	0.51	<0.05	0.07	<0.05	<1.3	<1.3	0.1	<0.05	<0.14	<0.05
02/ 1 40:49 45.2 20			18.30	1.64	0.515	1.750	0.009	0.470	16.70	<0.05	0.09	0.16	<0.05	0.14	0.31	0.50	<0.05	0.06	<0.05	<1.3	<1.3	0.1	<0.05	<0.13	<0.05
03/ 1 40:49 45.1 20			18.50	1.57	0.507	1.810	0.011	0.490	17.30	<0.05	0.07	0.17	0.05	0.16	0.37	0.62	<0.05	0.07	<0.05	<1.5	<1.6	0.1	<0.05	<0.14	0.07
Mean 45.2 20.0			18.27	1.60	0.505	1.753	0.010	0.457	16.63	<<0.05	0.08	0.16	<<0.05	0.15	0.33	0.54	<<0.05	0.07	<<0.05	<<1.4	<<1.4	0.1	<<0.05	<<0.14	<<0.06
Minimum 45.1 20			18.00	1.57	0.492	1.700	0.009	0.410	15.90	<0.05	0.07	0.16	<0.05	0.14	0.31	0.50	<0.05	0.06	<0.05	<1.3	<1.3	0.1	<0.05	<0.13	<0.05
Maximum 45.3 20			18.50	1.64	0.515	1.810	0.011	0.490	17.30	<0.05	0.09	0.17	0.05	0.16	0.37	0.62	<0.05	0.07	<0.05	<1.5	<1.6	0.1	<0.05	<0.14	0.07
St.dev. 0.1 0.0			0.25	0.04	0.012	0.055	0.001	0.042	0.70	~0.00	0.01	0.01	~0.00	0.01	0.03	0.07	~0.00	0.01	~0.00	~0.1	~0.1	0.0	~0.00	~0.01	~0.01
Count 3 3			3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

miss(3) ! Missing value.

Tab.width cont'd MYTI EDU, SB, J99, 44A Elenheimsundet, 1995-0904.

. Analytical Lab. =>			NIVA	Σ(*)	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>			341	!	341	341	341	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309
____ Detection Limit.____ =>			0.05	!	0.05	0.05	0.05	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Samp/ Shell-length -wght No of			HCHG	HC_Σn	HCB	QCB	OCS	NAP	NAPC1	NAPC2	NAPC3	BIPN	ACNLE	ACNE	FLE	PA	PAC1	PAC2	ANT	FLU	PYR	BAA	CHR	BJKF	BBJK	BEP
Repl. Min:Max,Mean mean shell			ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb F	ppb	ppb
no. mm:mm mm g			w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 40:49 45.3 20			0.08	<0.13	<0.05	<0.05	<0.05	31.0	21.0	12.0	6.1	<0.5	<0.5	3.7	1.5	23.8	10.0	3.1	3.5	33.0	16.0	4.8	9.5	miss	2.5	3.1
02/ 1 40:49 45.2 20			0.10	<0.15	<0.05	<0.05	<0.05	29.0	17.0	12.0	6.2	<0.5	<0.5	3.5	3.0	29.8	12.0	5.5	4.0	41.0	19.0	5.1	10.0	miss	2.6	3.5
03/ 1 40:49 45.1 20			0.10	0.17	<0.05	<0.05	<0.05	6.4	12.0	14.0	10.0	<0.5	<0.5	4.3	3.1	25.8	12.0	7.3	3.5	32.0	15.0	4.3	9.2	miss	2.3	3.0
Mean 45.2 20.0			0.09	<<0.15	<<.05	<<.05	<<.05	22.1	16.7	12.7	7.4	<<0.5	<<0.5	3.8	2.5	26.5	11.3	5.3	3.7	35.3	16.7	4.7	9.6	.	2.5	3.2
Minimum 45.1 20			0.08	<0.13	<0.05	<0.05	<0.05	6.4	12.0	12.0	6.1	<0.5	<0.5	3.5	1.5	23.8	10.0	3.1	3.5	32.0	15.0	4.3	9.2	.	2.3	3.0
Maximum 45.3 20			0.10	0.17	<0.05	<0.05	<0.05	31.0	21.0	14.0	10.0	<0.5	<0.5	4.3	3.1	29.8	12.0	7.3	4.0	41.0	19.0	5.1	10.0	.	2.6	3.5
St.dev. 0.1 0.0			0.01	~0.02	~0.00	~0.00	~0.00	13.7	4.5	1.2	2.2	~0.0	~0.0	0.4	0.9	3.1	1.2	2.1	0.3	4.9	2.1	0.4	0.4	.	0.2	0.3
Count 3 3			3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	.	3	3

Tab.width cont'd MYTI EDU, SB, J99, 44A Elenheimsundet, 1995-0904.

. Analytical Lab. =>			NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. =>			309	309	309	309	309	309	309	309	!	!	!	!
____ Detection Limit.____ =>			0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	!	!	!	!
Samp/ Shell-length -wght No of			BAP	PER	ICDP	DBA3A	BGHIP	DBTC 1	DBTC 2	DBTC 3	DI_Σn	P_Σn	PK_Σn	PAHΣΣ
Repl. Min:Max,Mean mean shell			ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g			w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 40:49 45.3 20			0.7	<0.5	<0.5	<0.5	0.5	1.1	1.3	1.4	<70.6	<120.0	<12.3	<190.1
02/ 1 40:49 45.2 20			0.7	<0.5	<0.5	<0.5	0.5	1.4	1.5	1.6	<64.7	<145.2	<13.4	<209.4
03/ 1 40:49 45.1 20			0.7	<0.5	<0.5	<0.5	0.5	1.6	2.0	2.8	<42.9	<129.9	<14.2	<172.3
Mean 45.2 20.0			0.7	<<0.5	<<0.5	<<0.5	0.5	1.4	1.6	1.9	<<59.4	<<131.7	<<13.3	<<190.6
Minimum 45.1 20			0.7	<0.5	<0.5	<0.5	0.5	1.1	1.3	1.4	<42.9	<120.0	<12.3	<172.3
Maximum 45.3 20			0.7	<0.5	<0.5	<0.5	0.5	1.6	2.0	2.8	<70.6	<145.2	<14.2	<209.4
St.dev. 0.1 0.0			0.0	~0.0	~0.0	~0.0	0.0	0.3	0.4	0.8	~14.6	~12.7	~1.0	~18.6
Count 3 3			3	3	3	3	3	3	3	3	3	3	3	3

127

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 44A Elenheimsundet, Latitude: 70°30.97N, Longitude: 22°14.80E.
Catch,date : 1996-0908, Count: 115, Sample type: Bulked.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NILU	NILU	NILU	NILU	Σ(*)
. Analysis Code. =>					312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	841	841	841	841	!
____ Detection Limit.____ =>				Mean	___	___	0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.00	0.00	0.00	0.00	!
Samp/ Shell-length -wght No of				Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB77	CB81	CB126	CB169	CB_Σ4
Repl. Min:Max,Mean mean shell				g	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppp	ppp	ppp	ppp	ppp
no. mm:mm mm g							w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 40:49	44.0	3.92	20	2.59	18.50	1.70	0.370	1.440	0.010	0.250	14.60	<0.05	0.06	0.17	0.05	0.15	0.43	0.67	<0.05	0.06	<0.05	.	.	.	.	.
02/ 1 41:48	45.0	3.81	20	2.74	17.50	1.67	0.340	1.240	0.009	0.290	14.70	<0.05	<0.05	0.15	0.05	0.13	0.39	0.62	<0.05	0.06	<0.05	.	.	.	.	.
03/ 1 40:49	45.0	4.16	20	2.72	17.40	1.54	0.340	1.370	0.009	0.320	14.10	<0.05	0.07	0.17	0.06	0.16	0.42	0.69	<0.05	0.05	<0.05	.	.	.	.	.
04/ 1 32:49	41.0	3.25	55	2.12	16.40	1.27	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6.69	0.19	s1.07	<0.10	s<8.05
Mean	43.8	3.79	28.8	2.54	17.45	1.55	0.350	1.350	0.009	0.287	14.47	<<0.05	<<0.06	0.16	0.05	0.15	0.41	0.66	<<0.05	0.06	<<0.05	6.69	0.19	s1.07	<0.10	s<8.05
Minimum	41.0	3.25	20	2.12	16.40	1.27	0.340	1.240	0.009	0.250	14.10	<0.05	<0.05	0.15	0.05	0.13	0.39	0.62	<0.05	0.05	<0.05	6.69	0.19	s1.07	<0.10	s<8.05
Maximum	45.0	4.16	55	2.74	18.50	1.70	0.370	1.440	0.010	0.320	14.70	<0.05	0.07	0.17	0.06	0.16	0.43	0.69	<0.05	0.06	<0.05	6.69	0.19	s1.07	<0.10	s<8.05
St.dev.	1.9	0.39	17.5	0.29	0.86	0.20	0.017	0.101	0.001	0.035	0.32	~0.00	~0.01	0.01	0.01	0.02	0.02	0.04	~0.00	0.01	~0.00	.	.	.	.	.
Count	4	4	4	4	4	4	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	1	1	1	1	1

128

s/q(33) ! Suspect value(s)
i (1) ! Suspect or ambiguous basis-value(s) ignored in statistics.

Tab.width cont'd MYTI EDU, SB, J99, 44A Elenheimsundet, 1996-0908.

. Analytical Lab. =>				Σ(*)	Σ(*)	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)	NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>				!	!	!	!	341	341	!	341	341	!	341	341	341	309	309	309	309	309	309	309	309	309
____ Detection Limit.____ =>				!	!	!	!	0.10	0.05	!	0.05	0.05	!	0.05	0.05	0.05	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Samp/ Shell-length -wght No of				TECBW	TECBS	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn	HCHA	HCHG	HC_Σn	HCB	QCB	OCS	NAP	NAPC1	NAPC2	NAPC3	BIPN	ACNLE	ACNE	FLE	PA	PAC1
Repl. Min:Max,Mean mean shell				ppp	ppp	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g				w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 40:49	44.0	3.92	20	.	.	<1.6	<1.6	0.1	<0.05	<0.12	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	4.4	18.0	18.0	41.0	1.1	<0.5	3.0	7.6	28.0	30.0
02/ 1 41:48	45.0	3.81	20	.	.	<1.4	<1.5	0.1	<0.05	<0.11	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	4.0	18.0	12.0	29.0	0.9	<0.5	2.5	6.2	22.0	28.0
03/ 1 40:49	45.0	4.16	20	.	.	<1.6	<1.7	0.1	<0.05	<0.10	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	4.2	18.0	12.0	23.0	0.9	<0.5	2.5	6.7	23.0	27.0
04/ 1 32:49	41.0	3.25	55	s<0.11	s<0.18	.	s<0.0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Mean	43.8	3.79	28.8	s<0.11	s<0.18	<<1.5	<<1.6	0.1	<<0.05	<<0.11	<<0.05	<<0.05	<<0.05	<<.05	<<.05	<<.05	4.2	18.0	14.0	31.0	1.0	<<0.5	2.7	6.8	24.3	28.3
Minimum	41.0	3.25	20	s<0.11	s<0.18	<1.4	<1.5	0.1	<0.05	<0.10	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	4.0	18.0	12.0	23.0	0.9	<0.5	2.5	6.2	22.0	27.0
Maximum	45.0	4.16	55	s<0.11	s<0.18	<1.6	<1.7	0.1	<0.05	<0.12	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	4.4	18.0	18.0	41.0	1.1	<0.5	3.0	7.6	28.0	30.0
St.dev.	1.9	0.39	17.5	.	.	~0.1	~0.1	0.0	~0.00	~0.01	~0.00	~0.00	~0.00	~0.00	~0.00	~0.00	0.2	0.0	3.5	9.2	0.1	~0.0	0.3	0.7	3.2	1.5
Count	4	4	4	1	1	3	i3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J99, 44A Elenheimsundet, 1996-0908.**

. Analytical Lab. ⇒					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)	NILU	NILU	NILU
. Analysis Code. ⇒					309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	!	!	!	!	841	841	841
____ Detection Limit.____ ⇒					0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	!	!	!	!	0.00	0.00	0.00
Samp/	Shell-length		-wght	No of	PAC2	ANT	FLU	PYR	BAA	CHR	BBF	BJKF	BEP	BAP	PER	ICDP	DBA3A	BGHIP	DBTC 1	DBTC 2	DBTC 3	DI_Σn	P_Σn	PK_Σn	PAHΣΣ	TCDD	CDDST	CDD1N
Repl.	Min:Max,Mean	mm	mean	shell	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppp	ppp	ppp
no.	mm:mm		g		w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	40:49	44.0	3.92	20	43.0	4.2	34.0	19.0	4.1	6.3	3.2	1.2	2.9	0.8	<0.5	0.7	<0.5	1.0	5.9	22.0	6.5	82.5	<223.9	<44.9	<306.4	.	.	.
02/ 1	41:48	45.0	3.81	20	44.0	3.9	32.0	19.0	4.1	6.3	3.2	1.2	3.0	0.9	<0.5	0.7	<0.5	0.9	4.5	23.0	6.6	63.9	<212.5	<44.7	<276.4	.	.	.
03/ 1	40:49	45.0	4.16	20	32.0	3.4	31.0	19.0	3.6	6.3	3.1	1.1	3.1	0.7	<0.5	0.7	<0.5	0.9	6.7	21.0	6.1	58.1	<198.4	<43.5	<256.5	.	.	.
04/ 1	32:49	41.0	3.25	55	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	<0.01	<0.01	<0.01
Mean		43.8	3.79	28.8	39.7	3.8	32.3	19.0	3.9	6.3	3.2	1.2	3.0	0.8	<<0.5	0.7	<<0.5	0.9	5.7	22.0	6.4	68.2	<<211.6	<<44.4	<<279.8	<0.01	<0.01	<0.01
Minimum		41.0	3.25	20	32.0	3.4	31.0	19.0	3.6	6.3	3.1	1.1	2.9	0.7	<0.5	0.7	<0.5	0.9	4.5	21.0	6.1	58.1	<198.4	<43.5	<256.5	<0.01	<0.01	<0.01
Maximum		45.0	4.16	55	44.0	4.2	34.0	19.0	4.1	6.3	3.2	1.2	3.1	0.9	<0.5	0.7	<0.5	1.0	6.7	23.0	6.6	82.5	<223.9	<44.9	<306.4	<0.01	<0.01	<0.01
St.dev.		1.9	0.39	17.5	6.7	0.4	1.5	0.0	0.3	0.0	0.1	0.1	0.1	0.1	~0.0	0.0	~0.0	0.1	1.1	1.0	0.3	12.7	~12.8	~0.8	~25.1	.	.	.
Count		4	4	4	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	1	1	1

Tab.width cont'd **MYTI EDU, SB, J99, 44A Elenheimsundet, 1996-0908.**

. Analytical Lab. ⇒					NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU
. Analysis Code. ⇒					841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841
____ Detection Limit.____ ⇒					0.00	2000000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Samp/	Shell-length		-wght	No of	CDDSN	0.0 CDD4X	CDD6X	CDD9X	CDDSX	CDD6P	CDDSP	CDDO	PCDD	CDF2T	CDFST	CDFDN	CDF2N	CDFSN	CDFDX	CDF6X	CDF9X	CDF4X	CDFSX	CDF6P	CDF9P	CDFSP
Repl.	Min:Max,Mean	mm	mean	shell	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp
no.	mm:mm		g		w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	40:49	44.0	3.92	20	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
02/ 1	41:48	45.0	3.81	20	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
03/ 1	40:49	45.0	4.16	20	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
04/ 1	32:49	41.0	3.25	55	<0.01	<0.02	<0.02	<0.02	<0.02	<0.04	<0.04	s0.78	0.78	<0.01	0.19	<0.01	<0.01	<0.01	<0.02	<0.02	<0.02	0.24	0.24	<0.04	<0.08	<0.08
Mean		43.8	3.79	28.8	<0.01	<0.02	<0.02	<0.02	<0.02	<0.04	<0.04	s0.78	0.78	<0.01	0.19	<0.01	<0.01	<0.01	<0.02	<0.02	<0.02	0.24	0.24	<0.04	<0.08	<0.08
Minimum		41.0	3.25	20	<0.01	<0.02	<0.02	<0.02	<0.02	<0.04	<0.04	s0.78	0.78	<0.01	0.19	<0.01	<0.01	<0.01	<0.02	<0.02	<0.02	0.24	0.24	<0.04	<0.08	<0.08
Maximum		45.0	4.16	55	<0.01	<0.02	<0.02	<0.02	<0.02	<0.04	<0.04	s0.78	0.78	<0.01	0.19	<0.01	<0.01	<0.01	<0.02	<0.02	<0.02	0.24	0.24	<0.04	<0.08	<0.08
St.dev.		1.9	0.39	17.5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Count		4	4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

Tab.width cont'd **MYTI EDU, SB, J99, 44A Elenheimsundet, 1996-0908.**

. Analytical Lab. ⇒					NILU	NILU	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. ⇒					841	841	!	!	!
____ Detection Limit.____ ⇒					0.00	0.00	!	!	!
Samp/	Shell-length		-wght	No of	CDFO	PCDF	CDDFS	TCDDI	TCDDN
Repl.	Min:Max,Mean	mm	mean	shell	ppp	ppp	ppp	ppp	ppp
no.	mm:mm		g		w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	40:49	44.0	3.92	20	.	.	.	.	.
02/ 1	41:48	45.0	3.81	20	.	.	.	.	.
03/ 1	40:49	45.0	4.16	20	.	.	.	.	.
04/ 1	32:49	41.0	3.25	55	s<0.01	0.53	<0.08	s<0.03	s<0.03
Mean		43.8	3.79	28.8	s<0.01	0.53	<0.08	s<0.03	s<0.03
Minimum		41.0	3.25	20	s<0.01	0.53	<0.08	s<0.03	s<0.03
Maximum		45.0	4.16	55	s<0.01	0.53	<0.08	s<0.03	s<0.03
St.dev.		1.9	0.39	17.5	.	.	.	.	.
Count		4	4	4	1	1	1	1	1

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 44A Elenheimsundet, Latitude: 70°30.97N, Longitude: 22°14.80E.
Catch,date : 1997-0928, Count: 60, Sample type: Bulked.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>					312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!
____ Detection Limit.____ =>					0.050	0.010	0.005	0.040	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!
Samp/ Shell-length		-wght		No of	Mean																				
Repl. Min:Max,Mean		mean		shell	Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn
no.	mm:mm	mm	g		g	%	%	ppm w.wt	ppm w.wt	ppm w.wt	ppm w.wt	ppm w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt
01/ 1	41:48	45.2	4.59	20	3.65	15.60	1.48	0.235	1.070	0.009	0.180	12.30	<0.05	0.07	0.85	0.55	1.04	1.94	1.81	0.30	0.36	<0.05	<6.1	<7.0	0.2	0.06	0.28
02/ 1	41:49	45.0	4.37	20	3.27	15.20	1.33	0.235	1.110	0.009	0.220	14.20	<0.05	0.05	0.62	0.40	0.77	1.38	1.38	0.20	0.24	<0.05	<4.5	<5.1	0.2	0.05	0.27
03/ 1	41:49	45.1	4.36	20	3.47	14.70	1.35	0.212	0.920	0.009	0.150	11.30	<0.05	0.05	0.62	0.40	0.73	1.35	1.32	0.20	0.20	<0.05	<4.3	<4.9	0.2	0.05	0.25
Mean		45.1	4.44	20.0	3.46	15.17	1.39	0.227	1.033	0.009	0.183	12.60	<<0.05	0.06	0.70	0.45	0.85	1.56	1.50	0.23	0.27	<<0.05	<<5.0	<<5.7	0.2	0.05	0.27
Minimum		45.0	4.36	20	3.27	14.70	1.33	0.212	0.920	0.009	0.150	11.30	<0.05	0.05	0.62	0.40	0.73	1.35	1.32	0.20	0.20	<0.05	<4.3	<4.9	0.2	0.05	0.25
Maximum		45.2	4.59	20	3.65	15.60	1.48	0.235	1.110	0.009	0.220	14.20	<0.05	0.07	0.85	0.55	1.04	1.94	1.81	0.30	0.36	<0.05	<6.1	<7.0	0.2	0.06	0.28
St.dev.		0.1	0.13	0.0	0.19	0.45	0.08	0.013	0.100	0.000	0.035	1.47	~0.00	0.01	0.13	0.09	0.17	0.33	0.27	0.06	0.08	~0.00	~1.0	~1.1	0.0	0.01	0.02
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J99, 44A Elenheimsundet, 1997-0928.

. Analytical Lab. =>					NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>					341	341	!	341	341	341
____ Detection Limit.____ =>					0.05	0.05	!	0.05	0.05	0.05
Samp/ Shell-length		-wght		No of	HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl. Min:Max,Mean		mean		shell	ppb	ppb	ppb	ppb	ppb	ppb
no.	mm:mm	mm	g		w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	41:48	45.2	4.59	20	0.08	0.10	0.18	0.05	<0.05	<0.05
02/ 1	41:49	45.0	4.37	20	0.10	0.80	0.90	<0.05	<0.05	<0.05
03/ 1	41:49	45.1	4.36	20	0.10	0.08	0.18	0.05	<0.05	<0.05
Mean		45.1	4.44	20.0	0.09	0.33	0.42	<<.05	<<.05	<<.05
Minimum		45.0	4.36	20	0.08	0.08	0.18	<0.05	<0.05	<0.05
Maximum		45.2	4.59	20	0.10	0.80	0.90	0.05	<0.05	<0.05
St.dev.		0.1	0.13	0.0	0.01	0.41	0.42	~0.00	~0.00	~0.00
Count		3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 45A Yttre Sauhamnneset, Latitude: 70°45.81N, Longitude: 24°19.22E.
Catch,date : 1994-0830, Count: 150, Sample type: Bulked.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>					312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!
____ Detection Limit.____ =>					0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!
Samp/ Shell-length		-wght		No of	Mean																				
Repl. Min:Max,Mean		mean		shell	Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn
no.	mm:mm	mm	g		g	%	%	ppm w.wt	ppm w.wt	ppm w.wt	ppm w.wt	ppm w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt
01/ 1	30:39	33.2		50	1.15	16.70	1.53	0.302	1.240	0.016	0.210	19.20	<0.05	0.08	0.12	<0.05	0.16	0.28	0.40	<0.05	<0.05	<0.05	<1.1	<1.1	0.3	<0.05	<0.34
02/ 1	30:39	33.0		50	1.06	17.20	1.52	0.300	1.070	0.013	0.190	19.40	<0.05	0.08	0.13	0.05	0.16	0.28	0.41	<0.05	<0.05	<0.05	<1.1	<1.2	0.3	<0.05	<0.35
03/ 1	30:39	33.1		50	1.22	17.10	1.53	0.311	1.020	0.014	0.180	20.70	<0.05	0.07	0.12	<0.05	0.16	0.27	0.38	<0.05	<0.05	<0.05	<1.1	<1.1	0.3	<0.05	<0.32
Mean		33.1		50.0	1.14	17.00	1.53	0.304	1.110	0.014	0.193	19.77	<<0.05	0.08	0.12	<<0.05	0.16	0.28	0.40	<<0.05	<<0.05	<<0.05	<<1.1	<<1.1	0.3	<<0.05	<<0.34
Minimum		33.0		50	1.06	16.70	1.52	0.300	1.020	0.013	0.180	19.20	<0.05	0.07	0.12	<0.05	0.16	0.27	0.38	<0.05	<0.05	<0.05	<1.1	<1.1	0.3	<0.05	<0.32
Maximum		33.2		50	1.22	17.20	1.53	0.311	1.240	0.016	0.210	20.70	<0.05	0.08	0.13	<0.05	0.16	0.28	0.41	<0.05	<0.05	<0.05	<1.1	<1.2	0.3	<0.05	<0.35
St.dev.		0.1		0.0	0.08	0.26	0.01	0.006	0.115	0.002	0.015	0.81	~0.00	0.01	0.01	~0.00	0.00	0.01	0.02	~0.00	~0.00	~0.00	~0.0	~0.1	0.0	~0.00	~0.02
Count		3		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

130

Tab.width cont'd **MYTI EDU, SB, J99, 45A Yttre Sauhamnneset, 1994-0830.**

. Analytical Lab. =>				NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>				341	341	!	341	341	341
____ Detection Limit.____ =>				0.05	0.05	!	0.05	0.05	0.05
Samp/	Shell-length		-wght	No of	HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl.	Min:Max,Mean		mean	shell	ppb	ppb	ppb	ppb	ppb	ppb
no.	mm:mm	mm	g		w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	30:39	33.2		50	0.06	0.07	0.13	<0.05	<0.05	<0.05
02/ 1	30:39	33.0		50	0.06	0.07	0.13	<0.05	<0.05	<0.05
03/ 1	30:39	33.1		50	0.06	0.07	0.13	<0.05	<0.05	<0.05
Mean		33.1		50.0	0.06	0.07	0.13	<<.05	<<.05	<<.05
Minimum		33.0		50	0.06	0.07	0.13	<0.05	<0.05	<0.05
Maximum		33.2		50	0.06	0.07	0.13	<0.05	<0.05	<0.05
St.dev.		0.1		0.0	0.00	0.00	0.00	~0.00	~0.00	~0.00
Count		3		3	3	3	3	3	3	3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J99 Undefined**, Tissue : **Whole SOFT BODY.**
Locality : **45A Yttre Sauhamnneset**, Latitude: 70°45.81N, Longitude: 24°19.22E.
Catch,date : **1995-0903**, Count: 150, Sample type: **Bulked.**

131

. Analytical Lab. =>						NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	NIVA	Σ(*)
. Analysis Code. =>						312	311	310	312	311	341	341	341	341	341	341	341	341	341	!	!	341	340	341	!
____ Detection Limit.____ =>						0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	0.05	!
Samp/	Shell-length		-wght	No of	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	DDTPP	TDEPP	DD_Σn
Repl.	Min:Max,Mean		mean	shell	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no.	mm:mm	mm	g				w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	30:39	33.6		50	18.00	1.70	0.281	1.330	0.012	0.340	21.10	<0.05	0.09	0.08	<0.05	0.14	0.22	0.35	<0.05	0.05	<0.05	<1.0	<1.0	0.4	<0.05	0.06	<0.47
02/ 1	30:39	33.6		50	19.10	1.65	0.307	1.290	0.013	0.380	20.30	0.05	0.10	0.09	<0.05	0.14	0.22	0.34	<0.05	<0.05	<0.05	<1.0	<1.0	0.4	<0.05	0.06	<0.47
03/ 1	30:39	33.6		50	16.70	1.60	0.292	1.280	0.011	0.390	24.60	0.07	0.07	0.08	<0.05	0.15	0.22	0.35	<0.05	<0.05	<0.05	<1.0	<1.0	0.4	<0.05	0.07	<0.48
Mean		33.6		50.0	17.93	1.65	0.293	1.300	0.012	0.370	22.00	<<0.06	0.09	0.08	<<0.05	0.14	0.22	0.35	<<0.05	<<0.05	<<0.05	<<1.0	<<1.0	0.4	<<0.05	0.06	<<0.47
Minimum		33.6		50	16.70	1.60	0.281	1.280	0.011	0.340	20.30	<0.05	0.07	0.08	<0.05	0.14	0.22	0.34	<0.05	<0.05	<0.05	<1.0	<1.0	0.4	<0.05	0.06	<0.47
Maximum		33.6		50	19.10	1.70	0.307	1.330	0.013	0.390	24.60	0.07	0.10	0.09	<0.05	0.15	0.22	0.35	<0.05	0.05	<0.05	<1.0	<1.0	0.4	<0.05	0.07	<0.48
St.dev.		0.0		0.0	1.20	0.05	0.013	0.026	0.001	0.026	2.29	~0.01	0.02	0.01	~0.00	0.01	0.00	0.01	~0.00	~0.00	~0.00	~0.0	~0.0	0.0	~0.00	0.01	~0.01
Count		3		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J99, 45A Yttre Sauhamnneset, 1995-0903.**

. Analytical Lab. =>				NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>				341	341	!	341	341	341	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309
____ Detection Limit.____ =>				0.05	0.05	!	0.05	0.05	0.05	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Samp/	Shell-length		-wght	No of	HCHA	HCHG	HC_Σn	HCB	QCB	OCS	NAP	NAP2M	NAP1M	BIPN	NAPDI	NAPIM	ACNLE	ACNE	FLE	PA	ANT	PAM1	FLU	PYR	BAA	CHRT	BBF	BJKF
Repl.	Min:Max,Mean		mean	shell	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	R ppb	ppb	ppb
no.	mm:mm	mm	g		w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	30:39	33.6		50	0.06	0.09	0.15	<0.05	<0.05	<0.05	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	2.3	<0.5	0.7	2.4	<0.5	<0.5	0.7	<0.5	<0.5
02/ 1	30:39	33.6		50	0.06	0.10	0.16	<0.05	<0.05	<0.05	<0.5	<0.5	<0.5	1.0	1.2	<0.5	<0.5	1.9	<0.5	2.5	<0.5	0.7	1.0	<0.5	<0.5	0.7	<0.5	<0.5
03/ 1	30:39	33.6		50	0.07	0.10	0.17	<0.05	<0.05	<0.05	<0.5	<0.5	<0.5	0.9	1.3	<0.5	<0.5	1.3	0.6	2.3	<0.5	0.5	0.9	<0.5	<0.5	0.7	<0.5	<0.5
Mean		33.6		50.0	0.06	0.10	0.16	<<.05	<<.05	<<.05	<<0.5	<<0.5	<<0.5	<<0.8	<<1.0	<<0.5	<<0.5	<<1.2	<<0.5	2.4	<<0.5	0.6	1.4	<<0.5	<<0.5	0.7	<<0.5	<<0.5
Minimum		33.6		50	0.06	0.09	0.15	<0.05	<0.05	<0.05	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	2.3	<0.5	0.5	0.9	<0.5	<0.5	0.7	<0.5	<0.5
Maximum		33.6		50	0.07	0.10	0.17	<0.05	<0.05	<0.05	<0.5	<0.5	<0.5	1.0	1.3	<0.5	<0.5	1.9	0.6	2.5	<0.5	0.7	2.4	<0.5	<0.5	0.7	<0.5	<0.5
St.dev.		0.0		0.0	0.01	0.01	0.01	~0.00	~0.00	~0.00	~0.0	~0.0	~0.0	~0.3	~0.4	~0.0	~0.0	~0.7	~0.1	0.1	~0.0	0.1	0.8	~0.0	~0.0	0.0	~0.0	~0.0
Count		3		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J99, 45A Yttre Sauhamnneset, 1995-0903.**

. Analytical Lab. =>	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. =>	309	309	309	309	309	309	!	!	!	!
____ Detection Limit.____ =>	0.20	0.20	0.20	0.20	0.20	0.20	!	!	!	!
Samp/ Shell-length -wght No of	BEP	BAP	PER	ICDP	DBA3A	BGHIP	DI_Σn	P_Σn	PK_Σn	PAHΣΣ
Repl. Min:Max,Mean mean shell	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 30:39 33.6 50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<7.1	<0.5	<7.1
02/ 1 30:39 33.6 50	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<2.7	<7.8	<0.5	<10.0
03/ 1 30:39 33.6 50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<2.7	<6.8	<0.5	<9.0
Mean 33.6 50.0	<<0.5	<<0.5	<<0.5	<<0.5	<<0.5	<<0.5	<<2.0	<<7.2	<<0.5	<<8.7
Minimum 33.6 50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<6.8	<0.5	<7.1
Maximum 33.6 50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<2.7	<7.8	<0.5	<10.0
St.dev. 0.0 0.0	~0.0	~0.0	~0.0	~0.0	~0.0	~0.0	~1.3	~0.5	~0.0	~1.5
Count 3 3	3	3	3	3	3	3	3	3	3	3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J99 Undefined**, Tissue : **Whole SOFT BODY.**
Locality : **46A Smines ved Altesula**, Latitude: 70°58.38N, Longitude: 25°48.14E.
Catch,date : **1994-0830**, Count: 60, Sample type: **Bulked.**

132

. Analytical Lab. =>				NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>				312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!
____ Detection Limit.____ =>	Mean			0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!
Samp/ Shell-length -wght No of	Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn
Repl. Min:Max,Mean mean shell	g	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g				w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 40:49 44.8 20	3.37	19.00	1.87	0.563	1.380	0.010	0.200	16.10	<0.05	0.10	0.16	0.07	0.19	0.27	0.32	<0.05	<0.05	<0.05	<1.1	<1.2	0.2	<0.05	<0.25
02/ 1 40:49 44.2 20	3.37	18.10	1.67	0.488	1.200	0.007	0.230	16.00	<0.05	0.08	0.14	0.05	0.16	0.24	0.28	<0.05	<0.05	<0.05	<1.0	<1.0	0.2	<0.05	<0.21
03/ 1 40:49 44.3 20	3.12	19.10	1.88	0.505	1.230	0.007	0.240	18.10	<0.05	0.11	0.17	0.08	0.21	0.30	0.36	<0.05	<0.05	<0.05	<1.2	<1.3	0.2	<0.05	<0.25
Mean 44.4 20.0	3.29	18.73	1.81	0.519	1.270	0.008	0.223	16.73	<<0.05	0.10	0.16	0.07	0.19	0.27	0.32	<<0.05	<<0.05	<<0.05	<<1.1	<<1.1	0.2	<<0.05	<<0.24
Minimum 44.2 20	3.12	18.10	1.67	0.488	1.200	0.007	0.200	16.00	<0.05	0.08	0.14	0.05	0.16	0.24	0.28	<0.05	<0.05	<0.05	<1.0	<1.0	0.2	<0.05	<0.21
Maximum 44.8 20	3.37	19.10	1.88	0.563	1.380	0.010	0.240	18.10	<0.05	0.11	0.17	0.08	0.21	0.30	0.36	<0.05	<0.05	<0.05	<1.2	<1.3	0.2	<0.05	<0.25
St.dev. 0.3 0.0	0.14	0.55	0.12	0.039	0.096	0.002	0.021	1.18	~0.00	0.02	0.02	0.02	0.03	0.03	0.04	~0.00	~0.00	~0.00	~0.1	~0.1	0.0	~0.00	~0.02
Count 3 3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J99, 46A Smines ved Altesula, 1994-0830.**

. Analytical Lab. =>	NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>	341	341	!	341	341	341
____ Detection Limit.____ =>	0.05	0.05	!	0.05	0.05	0.05
Samp/ Shell-length -wght No of	HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl. Min:Max,Mean mean shell	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 40:49 44.8 20	0.08	0.09	0.17	<0.05	<0.05	<0.05
02/ 1 40:49 44.2 20	0.06	0.08	0.14	<0.05	0.10	<0.05
03/ 1 40:49 44.3 20	0.08	0.08	0.16	<0.05	<0.05	<0.05
Mean 44.4 20.0	0.07	0.08	0.16	<<.05	<<.07	<<.05
Minimum 44.2 20	0.06	0.08	0.14	<0.05	<0.05	<0.05
Maximum 44.8 20	0.08	0.09	0.17	<0.05	0.10	<0.05
St.dev. 0.3 0.0	0.01	0.01	0.02	~0.00	~0.03	~0.00
Count 3 3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 46A Smines ved Altesula, Latitude: 70°58.38N, Longitude: 25°48.14E.
Catch,date : 1995-0903, Count: 60, Sample type: Bulked.

. Analytical Lab. =>			NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	NIVA	Σ(*)
. Analysis Code. =>			312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	!	!	341	340	341	!
____ Detection Limit.____ =>			0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	0.05	!
Samp/ Shell-length -wght No of	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	DDTPP	TDEPP	DD_Σn
Repl. Min:Max,Mean mean shell	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g			w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 40:49 46.0 20	17.80	1.47	0.337	1.300	0.011	0.270	20.10	<0.05	0.12	0.09	<0.05	0.12	0.15	0.21	<0.05	<0.05	<0.05	<0.7	<0.7	0.1	<0.05	0.05	<0.23
02/ 1 40:49 46.0 20	17.10	1.49	0.384	1.270	0.010	0.270	19.20	<0.05	0.11	0.09	<0.05	0.13	0.16	0.23	<0.05	<0.05	<0.05	<0.8	<0.8	0.1	<0.05	0.06	<0.24
03/ 1 40:49 46.0 20	17.20	1.40	0.354	1.280	0.011	0.270	17.00	<0.05	0.08	0.08	<0.05	0.12	0.15	0.22	<0.05	<0.05	<0.05	<0.7	<0.7	0.1	<0.05	0.05	<0.23
Mean 46.0 20.0	17.37	1.45	0.358	1.283	0.011	0.270	18.77	<<0.05	0.10	0.09	<<0.05	0.12	0.15	0.22	<<0.05	<<0.05	<<0.05	<<0.7	<<0.7	0.1	<<0.05	0.05	<<0.23
Minimum 46.0 20	17.10	1.40	0.337	1.270	0.010	0.270	17.00	<0.05	0.08	0.08	<0.05	0.12	0.15	0.21	<0.05	<0.05	<0.05	<0.7	<0.7	0.1	<0.05	0.05	<0.23
Maximum 46.0 20	17.80	1.49	0.384	1.300	0.011	0.270	20.10	<0.05	0.12	0.09	<0.05	0.13	0.16	0.23	<0.05	<0.05	<0.05	<0.8	<0.8	0.1	<0.05	0.06	<0.24
St.dev. 0.0 0.0	0.38	0.05	0.024	0.015	0.001	0.000	1.59	~0.00	0.02	0.01	~0.00	0.01	0.01	0.01	~0.00	~0.00	~0.00	~0.0	~0.0	0.0	~0.00	0.01	~0.01
Count 3 3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J99, 46A Smines ved Altesula, 1995-0903.

. Analytical Lab. =>	NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>	341	341	!	341	341	341	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309
____ Detection Limit.____ =>	0.05	0.05	!	0.05	0.05	0.05	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Samp/ Shell-length -wght No of	HCHA	HCHG	HC_Σn	HCB	QCB	OCS	NAP	NAP2M	NAP1M	BIPN	NAPDI	NAPIM	ACNLE	ACNE	FLE	PA	ANT	PAM1	FLU	PYR	BAA	CHRT	BBF	BJKF
Repl. Min:Max,Mean mean shell	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb R	ppb	ppb	ppb
no. mm:mm mm g	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 40:49 46.0 20	0.05	0.08	0.13	<0.05	<0.05	<0.05	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.5	<0.5	4.5	1.5	1.0	8.6	4.2	1.7	2.6	0.8	<0.5
02/ 1 40:49 46.0 20	0.05	0.08	0.13	<0.05	<0.05	<0.05	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	2.3	0.5	3.3	0.7	1.2	6.1	<0.5	1.3	2.2	1.5	<0.5
03/ 1 40:49 46.0 20	0.05	0.08	0.13	<0.05	<0.05	<0.05	<0.5	<0.5	<0.5	0.5	1.1	<0.5	<0.5	2.3	0.8	5.0	2.1	1.2	12.6	4.7	1.9	3.2	0.9	<0.5
Mean 46.0 20.0	0.05	0.08	0.13	<<.05	<<.05	<<.05	<<0.5	<<0.5	<<0.5	<<0.5	<<0.7	<<0.5	<<0.5	2.0	<<0.6	4.3	1.4	1.1	9.1	<<3.1	1.6	2.7	1.1	<<0.5
Minimum 46.0 20	0.05	0.08	0.13	<0.05	<0.05	<0.05	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.5	<0.5	3.3	0.7	1.0	6.1	<0.5	1.3	2.2	0.8	<0.5
Maximum 46.0 20	0.05	0.08	0.13	<0.05	<0.05	<0.05	<0.5	<0.5	<0.5	0.5	1.1	<0.5	<0.5	2.3	0.8	5.0	2.1	1.2	12.6	4.7	1.9	3.2	1.5	<0.5
St.dev. 0.0 0.0	0.00	0.00	0.00	~0.00	~0.00	~0.00	~0.0	~0.0	~0.0	~0.0	~0.3	~0.0	~0.0	0.5	~0.2	0.9	0.7	0.1	3.3	~2.3	0.3	0.5	0.4	~0.0
Count 3 3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J99, 46A Smines ved Altesula, 1995-0903.

. Analytical Lab. =>	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. =>	309	309	309	309	309	309	!	!	!	!
____ Detection Limit.____ =>	0.20	0.20	0.20	0.20	0.20	0.20	!	!	!	!
Samp/ Shell-length -wght No of	BEP	BAP	PER	ICDP	DBA3A	BGHIP	DI_Σn	P_Σn	PK_Σn	PAHΣΣ
Repl. Min:Max,Mean mean shell	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 40:49 46.0 20	1.4	1.0	<0.5	<0.5	<0.5	<0.5	<0.5	<29.3	<4.0	<29.3
02/ 1 40:49 46.0 20	1.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<20.9	<3.3	<20.9
03/ 1 40:49 46.0 20	1.5	<0.5	1.4	<0.5	<0.5	<0.5	<2.1	<38.1	<3.3	<39.7
Mean 46.0 20.0	1.4	<<0.7	<<0.8	<<0.5	<<0.5	<<0.5	<<1.0	<<29.4	<<3.5	<<30.0
Minimum 46.0 20	1.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<20.9	<3.3	<20.9
Maximum 46.0 20	1.5	1.0	1.4	<0.5	<0.5	<0.5	<2.1	<38.1	<4.0	<39.7
St.dev. 0.0 0.0	0.1	~0.3	~0.5	~0.0	~0.0	~0.0	~0.9	~8.6	~0.4	~9.4
Count 3 3	3	3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 46A Smines ved Altesula, Latitude: 70°58.38N, Longitude: 25°48.14E.
Catch,date : 1996-0907, Count: 185, Sample type: Bulked.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NILU	NILU	NILU	NILU	Σ(*)
. Analysis Code. =>					312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	841	841	841	841	!
____ Detection Limit.____ =>				Mean	___	___	0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.00	0.00	0.00	0.00	!
Samp/ Shell-length -wght No of				Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB77	CB81	CB126	CB169	CB_Σ4
Repl. Min:Max,Mean mean shell							ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppp	ppp	ppp	ppp	ppp
no. mm:mm mm g				g	%	%	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	41:49	45.0	4.61	25	3.26	18.30	1.71	0.440	1.440	0.009	0.170	15.20	<0.05	0.05	0.07	<0.05	0.09	0.13	0.18	<0.05	<0.05	<0.05	.	.	.	.	.
02/ 1	41:49	45.0	4.46	20	2.85	17.40	1.53	0.480	1.560	0.010	0.250	16.40	<0.05	<0.05	0.07	<0.05	0.09	0.13	0.18	<0.05	<0.05	<0.05	.	.	.	.	.
03/ 1	40:49	44.0	4.45	20	2.98	19.50	1.46	0.530	1.560	0.011	0.270	18.20	<0.05	<0.05	0.06	<0.05	0.08	0.11	0.14	<0.05	<0.05	<0.05	.	.	.	.	.
04/ 1	30:49	39.0	2.82	60	2.01	17.70	1.54	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	10.10	0.30	0.92	s0.23	s11.55
Mean		43.3	4.09	31.3	2.78	18.23	1.56	0.483	1.520	0.010	0.230	16.60	<<0.05	<<0.05	0.07	<<0.05	0.09	0.12	0.17	<<0.05	<<0.05	<<0.05	10.10	0.30	0.92	s0.23	s11.55
Minimum		39.0	2.82	20	2.01	17.40	1.46	0.440	1.440	0.009	0.170	15.20	<0.05	<0.05	0.06	<0.05	0.08	0.11	0.14	<0.05	<0.05	<0.05	10.10	0.30	0.92	s0.23	s11.55
Maximum		45.0	4.61	60	3.26	19.50	1.71	0.530	1.560	0.011	0.270	18.20	<0.05	0.05	0.07	<0.05	0.09	0.13	0.18	<0.05	<0.05	<0.05	10.10	0.30	0.92	s0.23	s11.55
St.dev.		2.9	0.85	19.3	0.54	0.93	0.11	0.045	0.069	0.001	0.053	1.51	~0.00	~0.00	0.01	~0.00	0.01	0.01	0.02	~0.00	~0.00	~0.00	.	.	.	.	.
Count		4	4	4	4	4	4	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	1	1	1	1	1

s/q(49) ! Suspect value(s)
i (1) ! Suspect or ambiguous basis-value(s) ignored in statistics.

Tab.width cont'd MYTI EDU, SB, J99, 46A Smines ved Altesula, 1996-0907.

. Analytical Lab. =>					Σ(*)	Σ(*)	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)	NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>					!	!	!	!	341	341	!	341	341	!	341	341	341	309	309	309	309	309	309	309	309	309
____ Detection Limit.____ =>					!	!	!	!	0.10	0.05	!	0.05	0.05	!	0.05	0.05	0.05	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Samp/ Shell-length -wght No of					TECBW	TECBS	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn	HCHA	HCHG	HC_Σn	HCB	QCB	OCS	NAP	NAPC1	NAPC2	NAPC3	BIPN	ACNLE	ACNE	FLE	PA	PAC1
Repl. Min:Max,Mean mean shell					ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g					w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	41:49	45.0	4.61	25	.	.	<0.6	<0.6	<0.1	<0.05	<0.05	<0.05	0.06	<0.11	<0.05	<0.05	<0.05	5.4	15.0	9.0	5.1	0.9	<0.5	0.9	2.1	4.6	4.3
02/ 1	41:49	45.0	4.46	20	.	.	<0.5	<0.5	<0.1	<0.05	<0.05	<0.05	0.09	<0.14	<0.05	<0.05	<0.05	5.3	23.0	10.0	5.9	0.9	<0.5	1.0	1.7	3.9	4.4
03/ 1	40:49	44.0	4.45	20	.	.	<0.4	<0.4	<0.1	<0.05	<0.05	<0.05	0.05	<0.10	<0.05	<0.05	<0.05	6.4	40.0	14.0	10.0	1.0	<0.5	1.6	2.1	5.4	5.4
04/ 1	30:49	39.0	2.82	60	s0.10	s0.20	.	s0.0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Mean		43.3	4.09	31.3	s0.10	s0.20	<<0.5	<<0.5	<<0.1	<<0.05	<<0.05	<<0.05	0.07	<<0.12	<<.05	<<.05	<<.05	5.7	26.0	11.0	7.0	0.9	<<0.5	1.2	2.0	4.6	4.7
Minimum		39.0	2.82	20	s0.10	s0.20	<0.4	<0.4	<0.1	<0.05	<0.05	<0.05	0.05	<0.10	<0.05	<0.05	<0.05	5.3	15.0	9.0	5.1	0.9	<0.5	0.9	1.7	3.9	4.3
Maximum		45.0	4.61	60	s0.10	s0.20	<0.6	<0.6	<0.1	<0.05	<0.05	<0.05	0.09	<0.14	<0.05	<0.05	<0.05	6.4	40.0	14.0	10.0	1.0	<0.5	1.6	2.1	5.4	5.4
St.dev.		2.9	0.85	19.3	.	.	~0.1	~0.1	~0.0	~0.00	~0.00	~0.00	0.02	~0.02	~0.00	~0.00	~0.00	0.6	12.8	2.6	2.6	0.1	~0.0	0.4	0.2	0.8	0.6
Count		4	4	4	1	1	3	i3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J99, 46A Smines ved Altesula, 1996-0907.**

. Analytical Lab. ⇒	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)	NILU	NILU	NILU
. Analysis Code. ⇒	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	!	!	!	!	841	841	841
____ Detection Limit.____ ⇒	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	!	!	!	!	0.00	0.00	0.00
Samp/ Shell-length -wght No of	PAC2	ANT	FLU	PYR	BAA	CHR	BBF	BJKF	BEP	BAP	PER	ICDP	DBA3A	BGHIP	DBTC 1	DBTC 2	DBTC 3	DI_Σn	P_Σn	PK_Σn	PAHΣΣ	TCDD	CDDST	CDD1N
Repl. Min:Max,Mean mean shell	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppp	ppp	ppp
no. mm:mm mm g	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 41:49 45.0 4.61 25	5.6	0.7	5.5	2.8	1.4	1.8	1.1	0.5	1.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.3	2.7	35.4	<36.8	<7.5	<72.2	.	.	.
02/ 1 41:49 45.0 4.46 20	4.9	0.8	5.1	2.8	1.1	2.4	1.2	0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	0.7	1.6	2.1	45.1	<36.0	<7.8	<81.1	.	.	.
03/ 1 40:49 44.0 4.45 20	5.6	1.0	7.0	3.9	1.3	2.6	1.2	0.5	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	1.0	2.0	2.1	71.4	<44.4	<8.6	<115.8	.	.	.
04/ 1 30:49 39.0 2.82 60	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	s0.04	0.35	<0.02
Mean 43.3 4.09 31.3	5.4	0.8	5.9	3.2	1.3	2.3	1.2	0.5	1.1	<<0.5	<<0.5	<<0.5	<<0.5	<<0.5	<<0.7	1.6	2.3	50.6	<<39.1	<<8.0	<<89.7	s0.04	0.35	<0.02
Minimum 39.0 2.82 20	4.9	0.7	5.1	2.8	1.1	1.8	1.1	0.5	1.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.3	2.1	35.4	<36.0	<7.5	<72.2	s0.04	0.35	<0.02
Maximum 45.0 4.61 60	5.6	1.0	7.0	3.9	1.4	2.6	1.2	0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	1.0	2.0	2.7	71.4	<44.4	<8.6	<115.8	s0.04	0.35	<0.02
St.dev. 2.9 0.85 19.3	0.4	0.2	1.0	0.6	0.2	0.4	0.1	0.1	0.1	~0.0	~0.0	~0.0	~0.0	~0.0	~0.3	0.4	0.3	18.6	~4.6	~0.6	~23.0	.	.	.
Count 4 4 4	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	1	1	1

Tab.width cont'd **MYTI EDU, SB, J99, 46A Smines ved Altesula, 1996-0907.**

. Analytical Lab. ⇒	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU
. Analysis Code. ⇒	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841
____ Detection Limit.____ ⇒	0.00	2000000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Samp/ Shell-length -wght No of	CDDSN	0.0	CDD6X	CDD9X	CDDSX	CDD6P	CDDSP	CDDO	PCDD	CDF2T	CDFST	CDFDN	CDF2N	CDFSN	CDFDX	CDF6X	CDF9X	CDF4X	CDFSX	CDF6P	CDF9P	CDFSP
Repl. Min:Max,Mean mean shell	ppp	CDD4X	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp
no. mm:mm mm g	w.wt	ppp w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 41:49 45.0 4.61 25	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
02/ 1 41:49 45.0 4.46 20	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
03/ 1 40:49 44.0 4.45 20	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
04/ 1 30:49 39.0 2.82 60	<0.02	<0.02	<0.02	<0.02	<0.02	s0.10	0.10	0.66	1.11	0.58	3.41	<0.01	s0.05	0.28	s0.04	s0.03	<0.02	<0.02	0.07	s0.02	<0.08	0.02
Mean 43.3 4.09 31.3	<0.02	<0.02	<0.02	<0.02	<0.02	s0.10	0.10	0.66	1.11	0.58	3.41	<0.01	s0.05	0.28	s0.04	s0.03	<0.02	<0.02	0.07	s0.02	<0.08	0.02
Minimum 39.0 2.82 20	<0.02	<0.02	<0.02	<0.02	<0.02	s0.10	0.10	0.66	1.11	0.58	3.41	<0.01	s0.05	0.28	s0.04	s0.03	<0.02	<0.02	0.07	s0.02	<0.08	0.02
Maximum 45.0 4.61 60	<0.02	<0.02	<0.02	<0.02	<0.02	s0.10	0.10	0.66	1.11	0.58	3.41	<0.01	s0.05	0.28	s0.04	s0.03	<0.02	<0.02	0.07	s0.02	<0.08	0.02
St.dev. 2.9 0.85 19.3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Count 4 4 4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

Tab.width cont'd **MYTI EDU, SB, J99, 46A Smines ved Altesula, 1996-0907.**

. Analytical Lab. ⇒	NILU	NILU	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. ⇒	841	841	!	!	!
____ Detection Limit.____ ⇒	0.00	0.00	!	!	!
Samp/ Shell-length -wght No of	CDFO	PCDF	CDDFS	TCDDI	TCDDN
Repl. Min:Max,Mean mean shell	ppp	ppp	ppp	ppp	ppp
no. mm:mm mm g	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 41:49 45.0 4.61 25	.	.	.	.	.
02/ 1 41:49 45.0 4.46 20	.	.	.	.	.
03/ 1 40:49 44.0 4.45 20	.	.	.	.	.
04/ 1 30:49 39.0 2.82 60	0.12	3.90	0.12	s<0.14	s<0.14
Mean 43.3 4.09 31.3	0.12	3.90	0.12	s<0.14	s<0.14
Minimum 39.0 2.82 20	0.12	3.90	0.12	s<0.14	s<0.14
Maximum 45.0 4.61 60	0.12	3.90	0.12	s<0.14	s<0.14
St.dev. 2.9 0.85 19.3	.	.	.	.	.
Count 4 4 4	1	1	1	1	1

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 47A Kifjordneset, Latitude: 70°52.89N, Longitude: 27°22.17E.
Catch,date : 1994-0829, Count: 300, Sample type: Bulked.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>					312	311	310	312	311
Detection Limit. =>					0.050	0.010	0.005	0.030	1.00
Samp/ Shell-length -wght No of	Mean Weight	Dry	Fat		Cd	Cu	Hg	Pb	Zn
Repl. Min:Max,Mean mean shell	g	%	%		ppm	ppm	ppm	ppm	ppm
no. mm:mm mm g					w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 20:29 24.4 100	0.47	17.10	.		0.789	1.080	0.010	0.200	20.80
02/ 1 20:29 24.4 100	0.46	17.20	.		0.749	0.970	0.011	0.170	21.30
03/ 1 20:29 24.4 100	0.48	16.50	.		0.751	0.940	0.012	0.180	18.90
Mean 24.4 100.0	0.47	16.93	.		0.763	0.997	0.011	0.183	20.33
Minimum 24.4 100	0.46	16.50	.		0.749	0.940	0.010	0.170	18.90
Maximum 24.4 100	0.48	17.20	.		0.789	1.080	0.012	0.200	21.30
St.dev. 0.0 0.0	0.01	0.38	.		0.023	0.074	0.001	0.015	1.27
Count 3 3	3	3	.		3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 47A Kifjordneset, Latitude: 70°52.89N, Longitude: 27°22.17E.
Catch,date : 1995-0902, Count: 300, Sample type: Bulked.

136

. Analytical Lab. =>			NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>			312	311	310	312	311
Detection Limit. =>			0.050	0.010	0.005	0.030	1.00
Samp/ Shell-length -wght No of	Dry	Fat	Cd	Cu	Hg	Pb	Zn
Repl. Min:Max,Mean mean shell	%	%	ppm	ppm	ppm	ppm	ppm
no. mm:mm mm g			w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 20:29 22.7 100	21.40	.	0.646	1.180	0.009	0.250	19.60
02/ 1 20:29 22.7 100	21.40	.	0.644	1.250	0.011	0.280	18.80
03/ 1 20:29 22.7 100	21.20	.	0.625	1.270	0.009	0.250	18.70
Mean 22.7 100.0	21.33	.	0.638	1.233	0.010	0.260	19.03
Minimum 22.7 100	21.20	.	0.625	1.180	0.009	0.250	18.70
Maximum 22.7 100	21.40	.	0.646	1.270	0.011	0.280	19.60
St.dev. 0.0 0.0	0.12	.	0.012	0.047	0.001	0.017	0.49
Count 3 3	3	.	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 48A Trollfjorden i Tanafjord, Latitude: 70°41.61N, Longitude: 28°33.28E.
Catch,date : 1994-0828, Count: 150, Sample type: Bulked.

. Analytical Lab. =>				NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>				312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!
Detection Limit. =>				0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!
Samp/ Shell-length -wght No of	Mean Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn
Repl. Min:Max,Mean mean shell	g	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g				w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 30:39 33.8 50	1.15	17.90	1.43	0.237	1.180	0.013	0.090	13.40	0.05	0.07	0.07	0.06	0.19	0.32	0.47	<0.05	0.05	<0.05	1.2	<1.3	0.4	<0.05	<0.41
02/ 1 30:39 33.8 50	1.18	17.60	1.40	0.238	1.150	0.012	0.120	13.20	<0.05	0.07	0.07	0.05	0.16	0.28	0.39	<0.05	0.05	<0.05	<1.1	<1.1	0.3	<0.05	<0.35
03/ 1 30:39 33.9 50	1.14	18.10	1.41	0.249	1.190	0.016	0.160	13.50	<0.05	0.07	0.07	0.06	0.18	0.30	0.43	<0.05	0.05	<0.05	<1.2	<1.2	0.3	<0.05	<0.36
Mean 33.8 50.0	1.16	17.87	1.41	0.241	1.173	0.014	0.123	13.37	<<0.05	0.07	0.07	0.06	0.18	0.30	0.43	<<0.05	0.05	<<0.05	<<1.1	<<1.2	0.3	<<0.05	<<0.37
Minimum 33.8 50	1.14	17.60	1.40	0.237	1.150	0.012	0.090	13.20	<0.05	0.07	0.07	0.05	0.16	0.28	0.39	<0.05	0.05	<0.05	<1.1	<1.1	0.3	<0.05	<0.35
Maximum 33.9 50	1.18	18.10	1.43	0.249	1.190	0.016	0.160	13.50	0.05	0.07	0.07	0.06	0.19	0.32	0.47	<0.05	0.05	<0.05	1.2	<1.3	0.4	<0.05	<0.41
St.dev. 0.1 0.0	0.02	0.25	0.02	0.007	0.021	0.002	0.035	0.15	~0.00	0.00	0.00	0.01	0.02	0.02	0.04	~0.00	0.00	~0.00	~0.1	~0.1	0.0	~0.00	~0.03
Count 3 3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J99, 48A Trollfjorden i Tanafjord, 1994-0828.**

. Analytical Lab. ⇒				NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. ⇒				341	341	!	341	341	341
____ Detection Limit.____ ⇒				0.05	0.05	!	0.05	0.05	0.05
Samp/ Repl. no.	Shell-length Min:Max, mm:mm	Mean mm	-wght mean g	No of shell	HCHA ppb w.wt	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt
01/ 1	30:39	33.8		50	0.05	0.06	0.11	<0.05	<0.05	<0.05
02/ 1	30:39	33.8		50	0.05	0.06	0.11	<0.05	<0.05	<0.05
03/ 1	30:39	33.9		50	0.05	0.05	0.10	<0.05	<0.05	<0.05
Mean		33.8		50.0	0.05	0.06	0.11	<<.05	<<.05	<<.05
Minimum		33.8		50	0.05	0.05	0.10	<0.05	<0.05	<0.05
Maximum		33.9		50	0.05	0.06	0.11	<0.05	<0.05	<0.05
St.dev.		0.1		0.0	0.00	0.01	0.01	~0.00	~0.00	~0.00
Count		3		3	3	3	3	3	3	3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J99 Undefined**, Tissue : **Whole SOFT BODY.**
Locality : **48A Trollfjorden i Tanafjord**, Latitude: 70°41.61N, Longitude: 28°33.28E.
Catch,date : **1995-0901**, Count: 150, Sample type: **Bulked.**

. Analytical Lab. ⇒						NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	NIVA	Σ(*)
. Analysis Code. ⇒						312	311	310	312	311	341	341	341	341	341	341	341	341	341	!	!	341	340	341	!
____ Detection Limit.____ ⇒						0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	0.05	!
Samp/ Repl. no.	Shell-length Min:Max, mm:mm	Mean mm	-wght mean g	No of shell	Dry %	Fat %	Cd ppm w.wt	Cu ppm w.wt	Hg ppm w.wt	Pb ppm w.wt	Zn ppm w.wt	CB28 ppb w.wt	CB52 ppb w.wt	CB101 ppb w.wt	CB105 ppb w.wt	CB118 ppb w.wt	CB138 ppb w.wt	CB153 ppb w.wt	CB156 ppb w.wt	CB180 ppb w.wt	CB209 ppb w.wt	CB_Σ7 ppb w.wt	CB_ΣΣ ppb w.wt	DDEPP ppb w.wt	DDTPP ppb w.wt	TDEPP ppb w.wt	DD_Σn ppb w.wt
01/ 1	30:39	34.0		50	16.70	1.74	0.238	1.310	0.010	0.180	15.20	<0.05	0.07	<0.05	<0.05	0.13	0.17	0.24	<0.05	<0.05	<0.05	<0.7	<0.7	0.2	<0.05	<0.05	<0.25
02/ 1	30:39	34.0		50	17.70	1.86	0.231	1.370	0.013	0.230	15.40	<0.05	miss	0.05	<0.05	0.14	0.19	0.26	<0.05	0.05	<0.05	<0.7	<0.7	0.2	<0.05	<0.05	<0.25
03/ 1	30:39	34.0		50	17.00	1.85	0.208	1.250	0.010	0.180	14.40	<0.05	miss	0.05	<0.05	0.13	0.17	0.25	<0.05	0.06	<0.05	<0.7	<0.7	0.2	<0.05	<0.05	<0.24
Mean		34.0		50.0	17.13	1.82	0.226	1.310	0.011	0.197	15.00	<<0.05	0.07	<<0.05	<<0.05	0.13	0.18	0.25	<<0.05	<<0.05	<<0.05	<<0.7	<<0.7	0.2	<<0.05	<<0.05	<<0.25
Minimum		34.0		50	16.70	1.74	0.208	1.250	0.010	0.180	14.40	<0.05	0.07	<0.05	<0.05	0.13	0.17	0.24	<0.05	<0.05	<0.05	<0.7	<0.7	0.2	<0.05	<0.05	<0.24
Maximum		34.0		50	17.70	1.86	0.238	1.370	0.013	0.230	15.40	<0.05	0.07	0.05	<0.05	0.14	0.19	0.26	<0.05	0.06	<0.05	<0.7	<0.7	0.2	<0.05	<0.05	<0.25
St.dev.		0.0		0.0	0.51	0.07	0.016	0.060	0.002	0.029	0.53	~0.00	.	~0.00	~0.00	0.01	0.01	0.01	~0.00	~0.01	~0.00	~0.0	~0.0	0.0	~0.00	~0.00	~0.01
Count		3		3	3	3	3	3	3	3	3	3	1	3	3	3	3	3	3	3	3	3	3	3	3	3	3

miss(2) ! Missing value.

Tab.width cont'd **MYTI EDU, SB, J99, 48A Trollfjorden i Tanafjord, 1995-0901.**

. Analytical Lab. ⇒				NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. ⇒				341	341	!	341	341	341
____ Detection Limit.____ ⇒				0.05	0.05	!	0.05	0.05	0.05
Samp/ Repl. no.	Shell-length Min:Max, mm:mm	Mean mm	-wght mean g	No of shell	HCHA ppb w.wt	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt
01/ 1	30:39	34.0		50	0.06	0.08	0.14	<0.05	<0.05	<0.05
02/ 1	30:39	34.0		50	0.07	0.09	0.16	<0.05	<0.05	<0.05
03/ 1	30:39	34.0		50	0.07	0.08	0.15	<0.05	<0.05	<0.05
Mean		34.0		50.0	0.07	0.08	0.15	<<.05	<<.05	<<.05
Minimum		34.0		50	0.06	0.08	0.14	<0.05	<0.05	<0.05
Maximum		34.0		50	0.07	0.09	0.16	<0.05	<0.05	<0.05
St.dev.		0.0		0.0	0.01	0.01	0.01	~0.00	~0.00	~0.00
Count		3		3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 48A Trollfjorden i Tanafjord, Latitude: 70°41.61N, Longitude: 28°33.28E.
Catch,date : 1996-0906, Count: 152, Sample type: Bulked.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>					312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!
____ Detection Limit.____ =>				Mean	0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!
Samp/ Shell-length -wght No of				Weight	___	___	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn
Repl. Min:Max,Mean mean shell				g	Dry %	Fat %	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g							w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	30:39	34.0	2.18	52	1.43	22.10	2.31	0.280	1.290	0.011	0.070	15.00	<0.05	0.07	0.07	0.06	0.11	0.16	0.25	<0.05	<0.05	<0.05	<0.7	<0.8	0.1	<0.05	<0.11
02/ 1	30:38	33.0	2.00	50	1.34	21.00	2.47	0.290	1.490	0.011	0.070	15.50	0.05	<0.05	0.06	<0.05	0.10	0.16	0.23	<0.05	<0.05	<0.05	<0.7	<0.7	0.1	<0.05	<0.11
03/ 1	30:38	34.0	2.05	50	1.31	20.80	2.35	0.290	1.530	0.011	0.110	14.30	<0.05	0.05	0.06	<0.05	0.09	0.15	0.21	<0.05	<0.05	<0.05	<0.6	<0.6	0.1	<0.05	<0.12
Mean		33.7	2.08	50.7	1.36	21.30	2.38	0.287	1.437	0.011	0.083	14.93	<<0.05	<<0.06	0.06	<<0.05	0.10	0.16	0.23	<<0.05	<<0.05	<<0.05	<<0.7	<<0.7	0.1	<<0.05	<<0.11
Minimum		33.0	2.00	50	1.31	20.80	2.31	0.280	1.290	0.011	0.070	14.30	<0.05	<0.05	0.06	<0.05	0.09	0.15	0.21	<0.05	<0.05	<0.05	<0.6	<0.6	0.1	<0.05	<0.11
Maximum		34.0	2.18	52	1.43	22.10	2.47	0.290	1.530	0.011	0.110	15.50	<0.05	0.07	0.07	0.06	0.11	0.16	0.25	<0.05	<0.05	<0.05	<0.7	<0.8	0.1	<0.05	<0.12
St.dev.		0.6	0.09	1.2	0.06	0.70	0.08	0.006	0.129	0.000	0.023	0.60	~0.00	~0.01	0.01	~0.01	0.01	0.01	0.02	~0.00	~0.00	~0.00	~0.1	~0.1	0.0	~0.00	~0.01
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J99, 48A Trollfjorden i Tanafjord, 1996-0906.

. Analytical Lab. =>					NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>					341	341	!	341	341	341	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309
____ Detection Limit.____ =>					0.05	0.05	!	0.05	0.05	0.05	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Samp/ Shell-length -wght No of					HCHA	HCHG	HC_Σn	HCB	QCB	OCS	NAP	NAPC1	NAPC2	NAPC3	BIPN	ACNLE	ACNE	FLE	PA	PAC1	PAC2	ANT	FLU	PYR	BAA	CHR	BBF	BJKF
Repl. Min:Max,Mean mean shell					ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g					w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	30:39	34.0	2.18	52	<0.05	0.06	<0.11	<0.05	<0.05	<0.05	6.1	19.0	4.9	3.0	<0.5	<0.5	<0.5	<0.5	2.6	2.2	2.3	<0.5	0.8	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
02/ 1	30:38	33.0	2.00	50	0.06	0.07	0.13	<0.05	<0.05	<0.05	5.9	22.0	5.6	3.3	0.8	<0.5	<0.5	1.2	2.2	2.0	2.2	<0.5	0.7	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
03/ 1	30:38	34.0	2.05	50	0.06	0.08	0.14	<0.05	0.05	<0.05	6.1	18.0	5.4	3.0	0.8	<0.5	0.9	1.5	2.2	2.1	2.3	<0.5	0.7	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Mean		33.7	2.08	50.7	<<0.06	0.07	<<0.13	<<.05	<<.05	<<.05	6.0	19.7	5.3	3.1	<<0.7	<<0.5	<<0.6	<<1.1	2.3	2.1	2.3	<<0.5	0.7	<<0.5	<<0.5	<<0.5	<<0.5	<<0.5	<<0.5	<<0.5
Minimum		33.0	2.00	50	<0.05	0.06	<0.11	<0.05	<0.05	<0.05	5.9	18.0	4.9	3.0	<0.5	<0.5	<0.5	<0.5	2.2	2.0	2.2	<0.5	0.7	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Maximum		34.0	2.18	52	0.06	0.08	0.14	<0.05	0.05	<0.05	6.1	22.0	5.6	3.3	0.8	<0.5	0.9	1.5	2.6	2.2	2.3	<0.5	0.8	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
St.dev.		0.6	0.09	1.2	~0.01	0.01	~0.02	~0.00	~0.00	~0.00	0.1	2.1	0.4	0.2	~0.2	~0.0	~0.2	~0.5	0.2	0.1	0.1	~0.0	0.1	~0.0	~0.0	~0.0	~0.0	~0.0	~0.0	~0.0
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J99, 48A Trollfjorden i Tanafjord, 1996-0906.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. =>					309	309	309	309	309	309	309	309	309	!	!	!	!
____ Detection Limit.____ =>					0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	!	!	!	!
Samp/ Shell-length -wght No of					BEP	BAP	PER	ICDP	DBA3A	BGHIP	DBTC 1	DBTC 2	DBTC 3	DI_Σn	P_Σn	PK_Σn	PAHΣΣ
Repl. Min:Max,Mean mean shell					ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g					w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	30:39	34.0	2.18	52	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	<0.5	<0.5	0.6	<33.5	<10.0	<1.1	<43.0
02/ 1	30:38	33.0	2.00	50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.3	<0.5	0.5	37.6	<9.6	<1.3	<47.2
03/ 1	30:38	34.0	2.05	50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.3	<0.5	0.5	33.3	<11.5	<1.3	<44.8
Mean		33.7	2.08	50.7	<<0.5	<<0.5	<<0.5	<<0.5	<<0.5	<<0.5	<<0.4	<<0.5	0.5	<<34.8	<<10.4	<<1.2	<<45.0
Minimum		33.0	2.00	50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.3	<0.5	0.5	33.3	<9.6	<1.1	<43.0
Maximum		34.0	2.18	52	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	<0.5	<0.5	0.6	37.6	<11.5	<1.3	<47.2
St.dev.		0.6	0.09	1.2	~0.0	~0.0	~0.0	~0.0	~0.0	~0.0	~0.1	~0.0	0.1	~2.4	~1.0	~0.1	~2.1
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 49A Nordfjorden,Syltefj., Latitude: 70°33.10N, Longitude: 30°05.17E.
Catch,date : 1994-0827, Count: 300, Sample type: Bulked.

Samp/ Repl. no.	Shell-length Min:Max mm	Shell-length Mean mm	-wght No of mean shell g	Mean Weight g	Dry %	Fat %	NIVA 312 0.050 Cd ppm w.wt	NIVA 311 0.010 Cu ppm w.wt	NIVA 310 0.005 Hg ppm w.wt	NIVA 312 0.030 Pb ppm w.wt	NIVA 311 1.00 Zn ppm w.wt
01/ 1	20:29	25.0	100	0.49	16.80	.	0.252	1.250	0.009	0.400	16.10
02/ 1	20:29	25.0	100	0.49	16.30	.	0.260	1.200	0.011	0.400	15.60
03/ 1	20:29	25.0	100	0.46	16.90	.	0.265	1.240	0.011	0.400	16.10
Mean		25.0	100.0	0.48	16.67	.	0.259	1.230	0.010	0.400	15.93
Minimum		25.0	100	0.46	16.30	.	0.252	1.200	0.009	0.400	15.60
Maximum		25.0	100	0.49	16.90	.	0.265	1.250	0.011	0.400	16.10
St.dev.		0.0	0.0	0.02	0.32	.	0.007	0.026	0.001	0.000	0.29
Count		3	3	3	3	.	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 49A Nordfjorden,Syltefj., Latitude: 70°33.10N, Longitude: 30°05.17E.
Catch,date : 1995-0831, Count: 300, Sample type: Bulked.

Samp/ Repl. no.	Shell-length Min:Max mm	Shell-length Mean mm	-wght No of mean shell g	Dry %	Fat %	NIVA 312 0.050 Cd ppm w.wt	NIVA 311 0.010 Cu ppm w.wt	NIVA 310 0.005 Hg ppm w.wt	NIVA 312 0.030 Pb ppm w.wt	NIVA 311 1.00 Zn ppm w.wt
01/ 1	20:29	24.5	100	18.40	.	0.222	1.890	0.010	1.350	18.50
02/ 1	20:29	24.5	100	18.70	.	0.201	1.810	0.010	2.810	19.20
03/ 1	20:29	24.5	100	18.30	.	0.212	1.770	0.010	1.400	17.40
Mean		24.5	100.0	18.47	.	0.212	1.823	0.010	1.853	18.37
Minimum		24.5	100	18.30	.	0.201	1.770	0.010	1.350	17.40
Maximum		24.5	100	18.70	.	0.222	1.890	0.010	2.810	19.20
St.dev.		0.0	0.0	0.21	.	0.011	0.061	0.000	0.829	0.91
Count		3	3	3	.	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 10A Skagodden, Latitude: 70°04.19N, Longitude: 30°09.83E.
Catch,date : 1994-0826, Count: 300, Sample type: Bulked.

Samp/ Repl. no.	Shell-length Min:Max mm	Shell-length Mean mm	-wght No of mean shell g	Mean Weight g	Dry %	Fat %	NIVA 312 0.050 Cd ppm w.wt	NIVA 311 0.010 Cu ppm w.wt	NIVA 310 0.005 Hg ppm w.wt	NIVA 312 0.030 Pb ppm w.wt	NIVA 311 1.00 Zn ppm w.wt	NIVA 341 0.05 CB28 ppb w.wt	NIVA 341 0.05 CB52 ppb w.wt	NIVA 341 0.05 CB101 ppb w.wt	NIVA 341 0.05 CB105 ppb w.wt	NIVA 341 0.05 CB118 ppb w.wt	NIVA 341 0.05 CB138 ppb w.wt	NIVA 341 0.05 CB153 ppb w.wt	NIVA 341 0.05 CB156 ppb w.wt	NIVA 341 0.05 CB180 ppb w.wt	NIVA 341 0.05 CB209 ppb w.wt	Σ(*) ! CB_Σ7 ppb w.wt	Σ(*) ! CB_ΣΣ ppb w.wt	NIVA 341 0.10 DDEPP ppb w.wt	NIVA 341 0.05 TDEPP ppb w.wt	Σ(*) ! DD_Σn ppb w.wt
01/ 1	20:29	22.8	100	0.35	16.50	1.29	0.300	1.240	0.009	0.320	21.00	0.08	0.13	0.07	0.05	0.15	0.23	0.31	<0.05	<0.05	<0.05	<1.0	<1.1	0.1	<0.05	<0.19
02/ 1	20:29	22.6	100	0.33	17.10	1.16	0.297	1.240	0.009	0.320	21.80	<0.05	0.12	0.07	<0.05	0.15	0.23	0.31	<0.05	0.05	<0.05	<1.0	<1.0	0.1	<0.05	<0.18
03/ 1	20:29	22.6	100	0.36	17.20	1.32	0.297	1.200	0.009	0.350	21.50	0.09	0.15	0.10	0.06	0.17	0.25	0.33	<0.05	<0.05	<0.05	<1.1	<1.2	0.2	<0.05	<0.20
Mean		22.7	100.0	0.35	16.93	1.26	0.298	1.227	0.009	0.330	21.43	<<0.07	0.13	0.08	<<0.05	0.16	0.24	0.32	<<0.05	<<0.05	<<0.05	<<1.0	<<1.1	0.1	<<0.05	<<0.19
Minimum		22.6	100	0.33	16.50	1.16	0.297	1.200	0.009	0.320	21.00	<0.05	0.12	0.07	<0.05	0.15	0.23	0.31	<0.05	<0.05	<0.05	<1.0	<1.0	0.1	<0.05	<0.18
Maximum		22.8	100	0.36	17.20	1.32	0.300	1.240	0.009	0.350	21.80	0.09	0.15	0.10	0.06	0.17	0.25	0.33	<0.05	<0.05	<0.05	<1.1	<1.2	0.2	<0.05	<0.20
St.dev.		0.1	0.0	0.02	0.38	0.09	0.002	0.023	0.000	0.017	0.40	~0.02	0.02	0.02	~0.01	0.01	0.01	0.01	~0.00	~0.00	~0.00	~0.1	~0.1	0.0	~0.00	~0.01
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J99, 10A Skagodden, 1994-0826.**

Samp/ Repl. no.	Shell-length Min:Max, mm	Mean mm	-wght mean g	No of shell	HCHA ppb w.wt	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt
. Analytical Lab. ⇒					NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. ⇒					341	341	!	341	341	341
____ Detection Limit.____ ⇒					0.05	0.05	!	0.05	0.05	0.05
01/ 1	20:29	22.8		100	0.05	0.09	0.14	<0.05	<0.05	<0.05
02/ 1	20:29	22.6		100	<0.05	0.08	<0.13	<0.05	<0.05	<0.05
03/ 1	20:29	22.6		100	0.05	0.09	0.14	<0.05	<0.05	<0.05
Mean		22.7		100.0	<<0.05	0.09	<<0.14	<<.05	<<.05	<<.05
Minimum		22.6		100	<0.05	0.08	<0.13	<0.05	<0.05	<0.05
Maximum		22.8		100	0.05	0.09	0.14	<0.05	<0.05	<0.05
St.dev.		0.1		0.0	~0.00	0.01	~0.01	~0.00	~0.00	~0.00
Count		3		3	3	3	3	3	3	3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J99 Undefined**, Tissue : **Whole SOFT BODY.**
Locality : **10A Skagodden**, Latitude: 70°04.19N, Longitude: 30°09.83E.
Catch,date : **1995-0830**, Count: 300, Sample type: **Bulked.**

Samp/ Repl. no.	Shell-length Min:Max, mm	Mean mm	-wght mean g	No of shell	Dry %	Fat %	Cd ppm w.wt	Cu ppm w.wt	Hg ppm w.wt	Pb ppm w.wt	Zn ppm w.wt	CB28 ppb w.wt	CB52 ppb w.wt	CB101 ppb w.wt	CB105 ppb w.wt	CB118 ppb w.wt	CB138 ppb w.wt	CB153 ppb w.wt	CB156 ppb w.wt	CB180 ppb w.wt	CB209 ppb w.wt	CB_Σ7 ppb w.wt	CB_ΣΣ ppb w.wt	DDEPP ppb w.wt	DDTPP ppb w.wt	TDEPP ppb w.wt	DD_Σn ppb w.wt
. Analytical Lab. ⇒							NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	NIVA	Σ(*)
. Analysis Code. ⇒							312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	!	!	340	340	341	!
____ Detection Limit.____ ⇒							0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	0.05	!
01/ 1	17:29	20.1		100	18.80	1.62	0.329	2.040	0.009	1.160	22.60	<0.05	0.11	0.06	0.05	0.14	0.23	0.30	<0.05	<0.05	<0.05	<0.9	<0.9	0.2	<0.05	0.05	<0.26
02/ 1	17:29	20.2		100	18.60	1.59	0.318	2.030	0.010	0.480	26.30	<0.05	0.08	0.05	<0.05	0.13	0.20	0.27	<0.05	<0.05	<0.05	<0.8	<0.8	0.1	<0.05	0.05	<0.24
03/ 1	17:29	20.2		100	20.50	1.65	0.291	2.040	0.010	0.570	24.70	<0.05	0.11	0.06	<0.05	0.14	0.22	0.30	<0.05	<0.05	<0.05	<0.9	<0.9	0.2	<0.05	0.05	<0.26
Mean		20.2		100.0	19.30	1.62	0.313	2.037	0.010	0.737	24.53	<<0.05	0.10	0.06	<<0.05	0.14	0.22	0.29	<<0.05	<<0.05	<<0.05	<<0.9	<<0.9	0.2	<<0.05	0.05	<<0.25
Minimum		20.1		100	18.60	1.59	0.291	2.030	0.009	0.480	22.60	<0.05	0.08	0.05	<0.05	0.13	0.20	0.27	<0.05	<0.05	<0.05	<0.8	<0.8	0.1	<0.05	0.05	<0.24
Maximum		20.2		100	20.50	1.65	0.329	2.040	0.010	1.160	26.30	<0.05	0.11	0.06	0.05	0.14	0.23	0.30	<0.05	<0.05	<0.05	<0.9	<0.9	0.2	<0.05	0.05	<0.26
St.dev.		0.1		0.0	1.04	0.03	0.020	0.006	0.001	0.369	1.86	~0.00	0.02	0.01	~0.00	0.01	0.02	0.02	~0.00	~0.00	~0.00	~0.1	~0.1	0.0	~0.00	0.00	~0.01
Count		3		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J99, 10A Skagodden, 1995-0830.**

Samp/ Repl. no.	Shell-length Min:Max, mm	Mean mm	-wght mean g	No of shell	HCHA ppb w.wt	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt
. Analytical Lab. ⇒					NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. ⇒					341	341	!	341	341	341
____ Detection Limit.____ ⇒					0.05	0.05	!	0.05	0.05	0.05
01/ 1	17:29	20.1		100	0.06	0.11	0.17	<0.05	<0.05	<0.05
02/ 1	17:29	20.2		100	0.06	0.10	0.16	<0.05	<0.05	<0.05
03/ 1	17:29	20.2		100	0.06	0.10	0.16	<0.05	<0.05	<0.05
Mean		20.2		100.0	0.06	0.10	0.16	<<.05	<<.05	<<.05
Minimum		20.1		100	0.06	0.10	0.16	<0.05	<0.05	<0.05
Maximum		20.2		100	0.06	0.11	0.17	<0.05	<0.05	<0.05
St.dev.		0.1		0.0	0.00	0.01	0.01	~0.00	~0.00	~0.00
Count		3		3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 10A Skagodden, Latitude: 70°04.19N, Longitude: 30°09.83E.
Catch,date : 1996-0905, Count: 599, Sample type: Bulked.

. Analytical Lab. =>																										
. Analysis Code. =>					NIVA 312	NIVA 311	NIVA 310	NIVA 312	NIVA 311	NIVA 341	NIVA 341	NIVA 341	NIVA 341	NIVA 341	NIVA 341	NIVA 341	NIVA 341	NIVA 341	NIVA 341	NIVA 341	NILU 841	NILU 841	NILU 841	NILU 841	Σ(*) !
____ Detection Limit.____ =>					0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.00	0.00	0.00	0.00	!
Samp/ Shell-length -wght No of					Mean Weight	___ Dry	___ Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB77	CB81	CB126	CB169	CB_Σ4
Repl. Min:Max,Mean mean shell					g	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppp	ppp	ppp	ppp	ppp
no.	mm:mm	mm	g					w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	20:29	24.0	0.70	100	0.41	19.00	1.91	0.450	1.360	0.010	0.130	18.20	0.05	0.05	0.07	0.05	0.14	0.26	0.39	<0.05	<0.05	<0.05	.	.	.	.	.
02/ 1	20:29	24.0	0.72	100	0.41	20.40	1.81	0.470	1.600	0.012	0.150	18.20	<0.05	0.05	0.07	0.05	0.13	0.22	0.35	<0.05	<0.05	<0.05	.	.	.	.	.
03/ 1	20:29	23.0	0.62	99	0.36	20.50	1.92	0.480	1.660	0.014	0.170	19.40	0.05	0.05	0.07	0.05	0.14	0.24	0.38	<0.05	<0.05	<0.05	.	.	.	.	.
04/ 1	20:36	22.0	0.59	300	0.33	16.50	1.27	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6.44	0.20	1.28	0.26	8.18
Mean		23.3	0.66	149.8	0.38	19.10	1.73	0.467	1.540	0.012	0.150	18.60	<<0.05	0.05	0.07	0.05	0.14	0.24	0.37	<<0.05	<<0.05	<<0.05	6.44	0.20	1.28	0.26	8.18
Minimum		22.0	0.59	99	0.33	16.50	1.27	0.450	1.360	0.010	0.130	18.20	<0.05	0.05	0.07	0.05	0.13	0.22	0.35	<0.05	<0.05	<0.05	6.44	0.20	1.28	0.26	8.18
Maximum		24.0	0.72	300	0.41	20.50	1.92	0.480	1.660	0.014	0.170	19.40	0.05	0.05	0.07	0.05	0.14	0.26	0.39	<0.05	<0.05	<0.05	6.44	0.20	1.28	0.26	8.18
St.dev.		1.0	0.06	100.2	0.04	1.86	0.31	0.015	0.159	0.002	0.020	0.69	~0.00	0.00	0.00	0.00	0.01	0.02	0.02	~0.00	~0.00	~0.00	.	.	.	.	.
Count		4	4	4	4	4	4	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	1	1	1	1	1

s/q (20) ! Suspect value(s)
miss(4) ! Missing value.

Tab.width cont'd MYTI EDU, SB, J99, 10A Skagodden, 1996-0905.

. Analytical Lab. =>					Σ(*) !	Σ(*) !	Σ(*) !	Σ(*) !	NIVA 341	NIVA 341	Σ(*) !	NIVA 341	NIVA 341	Σ(*) !	NIVA 341	NIVA 341	NIVA 341	NIVA 309	NIVA 309	NIVA 309	NIVA 309	NIVA 309	NIVA 309	NIVA 309	NIVA 309	NIVA 309	NIVA 309
. Analysis Code. =>																											
____ Detection Limit.____ =>					!	!	!	!	0.10	0.05	!	0.05	0.05	!	0.05	0.05	0.05	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Samp/ Shell-length -wght No of					TECBW	TECBS	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn	HCHA	HCHG	HC_Σn	HCB	QCB	OCS	NAP	NAPC1	NAPC2	NAPC3	BIPN	ACNLE	ACNE	FLE	PA	PAC1
Repl. Min:Max,Mean mean shell					ppp	ppp	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no.	mm:mm	mm	g		w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	20:29	24.0	0.70	100	.	.	<1.0	<1.1	0.1	<0.05	<0.14	0.05	0.08	0.13	<0.05	<0.05	<0.05	63.0	42.0	25.0	12.0	2.0	<0.5	1.6	3.0	5.5	2.7
02/ 1	20:29	24.0	0.72	100	.	.	<0.9	<0.9	0.1	<0.05	<0.13	0.05	0.09	0.14	<0.05	<0.05	<0.05	miss	miss	34.0	23.0	miss	<0.5	<0.5	<0.5	4.6	3.0
03/ 1	20:29	23.0	0.62	99	.	.	<1.0	<1.0	0.1	<0.05	<0.14	0.05	0.09	0.14	<0.05	<0.05	<0.05	20.0	90.0	43.0	18.0	2.9	<0.5	<0.5	2.9	5.3	3.4
04/ 1	20:36	22.0	0.59	300	0.13	0.21	.	0.0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Mean		23.3	0.66	149.8	0.13	0.21	<<1.0	<<0.8	0.1	<<0.05	<<0.14	0.05	0.09	0.14	<<.05	<<.05	<<.05	41.5	66.0	34.0	17.7	2.5	<<0.5	<<0.9	<<2.1	5.1	3.0
Minimum		22.0	0.59	99	0.13	0.21	<0.9	0.0	0.1	<0.05	<0.13	0.05	0.08	0.13	<0.05	<0.05	<0.05	20.0	42.0	25.0	12.0	2.0	<0.5	<0.5	<0.5	4.6	2.7
Maximum		24.0	0.72	300	0.13	0.21	<1.0	<1.1	0.1	<0.05	<0.14	0.05	0.09	0.14	<0.05	<0.05	<0.05	63.0	90.0	43.0	23.0	2.9	<0.5	1.6	3.0	5.5	3.4
St.dev.		1.0	0.06	100.2	.	.	~0.1	~0.5	0.0	~0.00	~0.01	0.00	0.01	0.01	~0.00	~0.00	~0.00	30.4	33.9	9.0	5.5	0.6	~0.0	~0.6	~1.4	0.5	0.4
Count		4	4	4	1	1	3	4	3	3	3	3	3	3	3	3	3	2	2	3	3	2	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J99, 10A Skagodden, 1996-0905.**

. Analytical Lab. ⇒	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)	NILU	NILU	NILU
. Analysis Code. ⇒	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	!	!	!	!	841	841	841
_____ Detection Limit._____ ⇒	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	!	!	!	!	0.00	0.00	0.00
Samp/ Shell-length -wght No of	PAC2	ANT	FLU	PYR	BAA	CHR	BBF	BJKF	BEP	BAP	PER	ICDP	DBA3A	BGHIP	DBTC 1	DBTC 2	DBTC 3	DI_Σn	P_Σn	PK_Σn	PAHΣΣ	TCDD	CDDST	CDD1N
Repl. Min:Max,Mean mean shell	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppp	ppp	ppp
no. mm:mm mm g	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 20:29 24.0 0.70 100	2.7	<0.5	1.6	1.3	<0.5	0.7	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	<0.5	1.3	144.0	<21.9	<2.8	<165.9	.	.	.
02/ 1 20:29 24.0 0.72 100	2.5	<0.5	1.8	1.4	<0.5	0.8	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	<0.5	1.1	57.0	<16.2	<2.1	<73.2	.	.	.
03/ 1 20:29 23.0 0.62 99	3.0	<0.5	1.7	1.4	<0.5	1.0	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.7	<0.5	0.9	173.9	<21.3	<2.6	<195.2	.	.	.
04/ 1 20:36 22.0 0.59 300	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	s0.05	0.27	<0.01
Mean 23.3 0.66 149.8	2.7	<<0.5	1.7	1.4	<<0.5	0.8	<<0.5	<<0.5	<<0.5	<<0.5	<<0.5	<<0.5	<<0.5	<<0.5	0.6	<<0.5	1.1	125.0	<<19.8	<<2.5	<<144.8	s0.05	0.27	<0.01
Minimum 22.0 0.59 99	2.5	<0.5	1.6	1.3	<0.5	0.7	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	<0.5	0.9	57.0	<16.2	<2.1	<73.2	s0.05	0.27	<0.01
Maximum 24.0 0.72 300	3.0	<0.5	1.8	1.4	<0.5	1.0	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.7	<0.5	1.3	173.9	<21.9	<2.8	<195.2	s0.05	0.27	<0.01
St.dev. 1.0 0.06 100.2	0.3	~0.0	0.1	0.1	~0.0	0.2	~0.0	~0.0	~0.0	~0.0	~0.0	~0.0	~0.0	~0.0	0.1	~0.0	0.2	60.7	~3.1	~0.4	~63.7	.	.	.
Count 4 4 4	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	1	1	1

Tab.width cont'd **MYTI EDU, SB, J99, 10A Skagodden, 1996-0905.**

. Analytical Lab. ⇒	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU
. Analysis Code. ⇒	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841
_____ Detection Limit._____ ⇒	0.00	2000000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Samp/ Shell-length -wght No of	CDDSN	0.0	CDD6X	CDD9X	CDDSX	CDD6P	CDDSP	CDDO	PCDD	CDF2T	CDFST	CDFDN	CDF2N	CDFSN	CDFDX	CDF6X	CDF9X	CDF4X	CDFSX	CDF6P	CDF9P	CDFSP
Repl. Min:Max,Mean mean shell	ppp	CDD4X	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp
no. mm:mm mm g	w.wt	ppp w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 20:29 24.0 0.70 100	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
02/ 1 20:29 24.0 0.72 100	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
03/ 1 20:29 23.0 0.62 99	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
04/ 1 20:36 22.0 0.59 300	0.08	<0.02	<0.02	<0.02	<0.02	0.05	0.10	0.33	0.78	0.15	0.95	<0.01	s0.03	0.03	<0.02	<0.02	<0.02	<0.02	<0.02	s0.03	miss	0.03
Mean 23.3 0.66 149.8	0.08	<0.02	<0.02	<0.02	<0.02	0.05	0.10	0.33	0.78	0.15	0.95	<0.01	s0.03	0.03	<0.02	<0.02	<0.02	<0.02	<0.02	s0.03	.	0.03
Minimum 22.0 0.59 99	0.08	<0.02	<0.02	<0.02	<0.02	0.05	0.10	0.33	0.78	0.15	0.95	<0.01	s0.03	0.03	<0.02	<0.02	<0.02	<0.02	<0.02	s0.03	.	0.03
Maximum 24.0 0.72 300	0.08	<0.02	<0.02	<0.02	<0.02	0.05	0.10	0.33	0.78	0.15	0.95	<0.01	s0.03	0.03	<0.02	<0.02	<0.02	<0.02	<0.02	s0.03	.	0.03
St.dev. 1.0 0.06 100.2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Count 4 4 4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	.	1		

Tab.width cont'd **MYTI EDU, SB, J99, 10A Skagodden, 1996-0905.**

. Analytical Lab. ⇒	NILU	NILU	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. ⇒	841	841	!	!	!
_____ Detection Limit._____ ⇒	0.00	0.00	!	!	!
Samp/ Shell-length -wght No of	CDFO	PCDF	CDDFS	TCDDI	TCDDN
Repl. Min:Max,Mean mean shell	ppp	ppp	ppp	ppp	ppp
no. mm:mm mm g	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 20:29 24.0 0.70 100	.	.	.	.	.
02/ 1 20:29 24.0 0.72 100	.	.	.	.	.
03/ 1 20:29 23.0 0.62 99	.	.	.	.	.
04/ 1 20:36 22.0 0.59 300	<0.10	1.11	0.13	s<0.09	s<0.09
Mean 23.3 0.66 149.8	<0.10	1.11	0.13	s<0.09	s<0.09
Minimum 22.0 0.59 99	<0.10	1.11	0.13	s<0.09	s<0.09
Maximum 24.0 0.72 300	<0.10	1.11	0.13	s<0.09	s<0.09
St.dev. 1.0 0.06 100.2	.	.	.	.	.
Count 4 4 4	1	1	1	1	1

742

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 10A Skagodden, Latitude: 70°04.19N, Longitude: 30°09.83E.
Catch,date : 1997-1130, Count: 299, Sample type: Bulked.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>					312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!
_____ Detection Limit._____ =>					0.050	0.010	0.005	0.040	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!
Samp/ Shell-length		-wght		No of	Mean																				
Repl. Min:Max,Mean		mean		shell	Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn
no. mm:mm	mm	g			g	%	%	ppm w.wt	ppm w.wt	ppm w.wt	ppm w.wt	ppm w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt
01/ 1 15:24	18.6	0.37	100		0.22	17.40	1.28	0.184	0.980	0.011	0.140	19.30	<0.05	<0.05	0.07	0.05	0.16	0.35	0.44	<0.05	<0.05	<0.05	<1.1	<1.1	0.3	0.07	0.33
02/ 1 15:24	18.8	0.37	99		0.24	16.20	1.24	0.162	0.950	0.010	0.140	18.40	<0.05	<0.05	0.07	0.07	0.19	0.41	0.53	<0.05	<0.05	<0.05	<1.3	<1.3	0.3	0.07	0.37
03/ 1 15:24	18.6	0.34	100		0.21	16.10	1.23	0.181	0.920	0.009	0.130	19.00	<0.05	<0.05	0.05	0.05	0.15	0.32	0.41	<0.05	<0.05	<0.05	<1.0	<1.0	0.2	0.07	0.31
Mean	18.7	0.36	99.7		0.22	16.57	1.25	0.176	0.950	0.010	0.137	18.90	<<0.05	<<0.05	0.06	0.06	0.17	0.36	0.46	<<0.05	<<0.05	<<0.05	<<1.1	<<1.2	0.3	0.07	0.34
Minimum	18.6	0.34	99		0.21	16.10	1.23	0.162	0.920	0.009	0.130	18.40	<0.05	<0.05	0.05	0.05	0.15	0.32	0.41	<0.05	<0.05	<0.05	<1.0	<1.0	0.2	0.07	0.31
Maximum	18.8	0.37	100		0.24	17.40	1.28	0.184	0.980	0.011	0.140	19.30	<0.05	<0.05	0.07	0.07	0.19	0.41	0.53	<0.05	<0.05	<0.05	<1.3	<1.3	0.3	0.07	0.37
St.dev.	0.1	0.02	0.6		0.02	0.72	0.03	0.012	0.030	0.001	0.006	0.46	~0.00	~0.00	0.01	0.01	0.02	0.05	0.06	~0.00	~0.00	~0.00	~0.1	~0.1	0.0	0.00	0.03
Count	3	3	3		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J99, 10A Skagodden, 1997-1130.

. Analytical Lab. =>					NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>					341	341	!	341	341	341
_____ Detection Limit._____ =>					0.05	0.05	!	0.05	0.05	0.05
Samp/ Shell-length		-wght		No of	HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl. Min:Max,Mean		mean		shell	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm	mm	g			w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 15:24	18.6	0.37	100		0.06	0.07	0.13	0.05	<0.05	<0.05
02/ 1 15:24	18.8	0.37	99		<0.05	0.06	<0.11	<0.05	<0.05	<0.05
03/ 1 15:24	18.6	0.34	100		0.06	0.07	0.13	0.05	<0.05	<0.05
Mean	18.7	0.36	99.7		<<0.06	0.07	<<0.12	<<.05	<<.05	<<.05
Minimum	18.6	0.34	99		<0.05	0.06	<0.11	<0.05	<0.05	<0.05
Maximum	18.8	0.37	100		0.06	0.07	0.13	0.05	<0.05	<0.05
St.dev.	0.1	0.02	0.6		~0.01	0.01	~0.01	~0.00	~0.00	~0.00
Count	3	3	3		3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 11A Sildkroneset,Bøkfj, Latitude: 69°47.02N, Longitude: 30°11.10E.
Catch,date : 1994-0825, Count: 147, Sample type: Bulked.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>					312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!
_____ Detection Limit._____ =>					0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!
Samp/ Shell-length		-wght		No of	Mean																				
Repl. Min:Max,Mean		mean		shell	Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn
no. mm:mm	mm	g			g	%	%	ppm w.wt	ppm w.wt	ppm w.wt	ppm w.wt	ppm w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt
01/ 1 30:39	32.8		49		0.83	13.50	0.98	0.183	1.370	0.027	0.220	12.00	<0.05	0.08	0.12	0.05	0.17	0.26	0.33	<0.05	<0.05	<0.05	<1.0	<1.1	0.2	<0.05	<0.22
02/ 1 30:39	32.8		49		0.82	14.60	1.07	0.191	1.400	0.026	0.200	12.20	<0.05	0.09	0.13	0.05	0.17	0.27	0.33	<0.05	<0.05	<0.05	<1.0	<1.1	0.2	0.12	0.31
03/ 1 30:39	32.9		49		0.84	14.30	1.10	0.186	1.420	0.026	0.220	12.40	<0.05	0.07	0.13	0.05	0.18	0.28	0.37	<0.05	0.05	<0.05	<1.1	<1.2	0.2	<0.05	<0.25
Mean	32.8		49.0		0.83	14.13	1.05	0.187	1.397	0.026	0.213	12.20	<<0.05	0.08	0.13	0.05	0.17	0.27	0.34	<<0.05	<<0.05	<<0.05	<<1.1	<<1.1	0.2	<<0.07	<<0.26
Minimum	32.8		49		0.82	13.50	0.98	0.183	1.370	0.026	0.200	12.00	<0.05	0.07	0.12	0.05	0.17	0.26	0.33	<0.05	<0.05	<0.05	<1.0	<1.1	0.2	<0.05	<0.22
Maximum	32.9		49		0.84	14.60	1.10	0.191	1.420	0.027	0.220	12.40	<0.05	0.09	0.13	0.05	0.18	0.28	0.37	<0.05	0.05	<0.05	<1.1	<1.2	0.2	0.12	0.31
St.dev.	0.1		0.0		0.01	0.57	0.06	0.004	0.025	0.001	0.012	0.20	~0.00	0.01	0.01	0.00	0.01	0.01	0.02	~0.00	~0.00	~0.00	~0.1	~0.1	0.0	~0.04	~0.05
Count	3		3		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J99, 11A Sildkroneset,Bøkfj, 1994-0825.**

. Analytical Lab. ⇒				NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. ⇒				341	341	!	341	341	341
____ Detection Limit.____ ⇒				0.05	0.05	!	0.05	0.05	0.05
Samp/ Repl. no.	Shell-length Min:Max, mm:mm	Mean mm	-wght mean g	No of shell	HCHA ppb w.wt	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt
01/ 1	30:39	32.8		49	0.05	0.06	0.11	<0.05	<0.05	<0.05
02/ 1	30:39	32.8		49	0.05	0.07	0.12	<0.05	<0.05	<0.05
03/ 1	30:39	32.9		49	0.05	0.06	0.11	<0.05	<0.05	<0.05
Mean		32.8		49.0	0.05	0.06	0.11	<<.05	<<.05	<<.05
Minimum		32.8		49	0.05	0.06	0.11	<0.05	<0.05	<0.05
Maximum		32.9		49	0.05	0.07	0.12	<0.05	<0.05	<0.05
St.dev.		0.1		0.0	0.00	0.01	0.01	~0.00	~0.00	~0.00
Count		3		3	3	3	3	3	3	3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J99 Undefined**, Tissue : **Whole SOFT BODY.**
Locality : **11A Sildkroneset,Bøkfj**, Latitude: 69°47.02N, Longitude: 30°11.10E.
Catch,date : **1995-0830**, Count: 150, Sample type: **Bulked.**

. Analytical Lab. ⇒						NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	NIVA	Σ(*)
. Analysis Code. ⇒						312	311	310	312	311	341	341	341	341	341	341	341	341	341	!	!	341	340	341	!
____ Detection Limit.____ ⇒						0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	0.05	!
Samp/ Repl. no.	Shell-length Min:Max, mm:mm	Mean mm	-wght mean g	No of shell	Dry %	Fat %	Cd ppm w.wt	Cu ppm w.wt	Hg ppm w.wt	Pb ppm w.wt	Zn ppm w.wt	CB28 ppb w.wt	CB52 ppb w.wt	CB101 ppb w.wt	CB105 ppb w.wt	CB118 ppb w.wt	CB138 ppb w.wt	CB153 ppb w.wt	CB156 ppb w.wt	CB180 ppb w.wt	CB209 ppb w.wt	CB_Σ7 ppb w.wt	CB_ΣΣ ppb w.wt	DDEPP ppb w.wt	DDTPP ppb w.wt	TDEPP ppb w.wt	DD_Σn ppb w.wt
01/ 1	30:39	33.5		50	11.40	1.06	0.146	1.110	0.018	0.170	11.90	<0.05	0.06	0.08	0.05	0.15	0.21	0.26	<0.05	<0.05	<0.05	<0.8	<0.9	0.2	<0.05	0.09	<0.36
02/ 1	30:39	33.5		50	11.70	1.03	0.153	2.240	0.017	0.170	11.50	<0.05	0.06	0.08	0.05	0.15	0.21	0.26	<0.05	<0.05	<0.05	<0.8	<0.9	0.2	<0.05	0.09	<0.36
03/ 1	30:39	33.4		50	12.20	1.06	0.153	1.170	0.017	0.180	11.40	<0.05	0.08	0.09	0.05	0.14	0.19	0.25	<0.05	<0.05	<0.05	<0.8	<0.9	0.2	<0.05	0.08	<0.34
Mean		33.5		50.0	11.77	1.05	0.151	1.507	0.017	0.173	11.60	<<0.05	0.07	0.08	0.05	0.15	0.20	0.26	<<0.05	<<0.05	<<0.05	<<0.8	<<0.9	0.2	<<0.05	0.09	<<0.35
Minimum		33.4		50	11.40	1.03	0.146	1.110	0.017	0.170	11.40	<0.05	0.06	0.08	0.05	0.14	0.19	0.25	<0.05	<0.05	<0.05	<0.8	<0.9	0.2	<0.05	0.08	<0.34
Maximum		33.5		50	12.20	1.06	0.153	2.240	0.018	0.180	11.90	<0.05	0.08	0.09	0.05	0.15	0.21	0.26	<0.05	<0.05	<0.05	<0.8	<0.9	0.2	<0.05	0.09	<0.36
St.dev.		0.1		0.0	0.40	0.02	0.004	0.636	0.001	0.006	0.26	~0.00	0.01	0.01	0.00	0.01	0.01	0.01	~0.00	~0.00	~0.00	~0.0	~0.0	0.0	~0.00	0.01	~0.01
Count		3		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J99, 11A Sildkroneset,Bøkfj, 1995-0830.**

. Analytical Lab. ⇒				NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. ⇒				341	341	!	341	341	341	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309
____ Detection Limit.____ ⇒				0.05	0.05	!	0.05	0.05	0.05	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Samp/ Repl. no.	Shell-length Min:Max, mm:mm	Mean mm	-wght mean g	No of shell	HCHA ppb w.wt	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt	NAP ppb w.wt	NAP2M ppb w.wt	NAP1M ppb w.wt	BIPN ppb w.wt	NAPDI ppb w.wt	NAPTM ppb w.wt	ACNLE ppb w.wt	ACNE ppb w.wt	FLE ppb w.wt	PA ppb w.wt	ANT ppb w.wt	PAM1 ppb w.wt	FLU ppb w.wt	PYR ppb w.wt	BAA ppb w.wt	CHRT R ppb w.wt	BBF ppb w.wt	BJKF ppb w.wt
01/ 1	30:39	33.5		50	<0.05	0.06	<0.11	<0.05	<0.05	<0.05	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	0.6	2.4	<0.5	1.0	1.2	0.7	<0.5	<0.5	<0.5	<0.5
02/ 1	30:39	33.5		50	<0.05	0.06	<0.11	<0.05	<0.05	<0.05	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.3	2.5	<0.5	0.8	1.1	0.6	<0.5	<0.5	<0.5	<0.5
03/ 1	30:39	33.4		50	0.05	0.06	0.11	<0.05	<0.05	<0.05	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	<0.5	0.6	1.7	3.2	<0.5	1.1	1.4	0.7	<0.5	0.5	<0.5	<0.5
Mean		33.5		50.0	<<0.05	0.06	<<0.11	<<.05	<<.05	<<.05	<<0.5	<<0.5	<<0.5	<<0.5	<<0.5	<<0.5	<<0.5	<<0.5	1.2	2.7	<<0.5	1.0	1.2	0.7	<<0.5	<<0.5	<<0.5	<<0.5
Minimum		33.4		50	<0.05	0.06	<0.11	<0.05	<0.05	<0.05	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	2.4	<0.5	0.8	1.1	0.6	<0.5	<0.5	<0.5	<0.5
Maximum		33.5		50	0.05	0.06	0.11	<0.05	<0.05	<0.05	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	<0.5	0.6	1.7	3.2	<0.5	1.1	1.4	0.7	<0.5	0.5	<0.5	<0.5
St.dev.		0.1		0.0	~0.00	0.00	~0.00	~0.00	~0.00	~0.00	~0.0	~0.0	~0.0	~0.0	~0.0	~0.0	~0.0	~0.1	0.6	0.4	~0.0	0.2	0.2	0.1	~0.0	~0.0	~0.0	~0.0
Count		3		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J99, 11A Sildkroneset,Bøkfj, 1995-0830.

. Analytical Lab. ⇒				NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. ⇒				309	309	309	309	309	309	!	!	!	!
____ Detection Limit.____ ⇒				0.20	0.20	0.20	0.20	0.20	0.20	!	!	!	!
Samp/ Shell-length		-wght	No of	BEP	BAP	PER	ICDP	DBA3A	BGHIP	DI_Σn	P_Σn	PK_Σn	PAHΣΣ
Repl. Min:Max,Mean	mean	shell		ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm	mm	g		w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 30:39	33.5		50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<6.9	<0.5	<6.9
02/ 1 30:39	33.5		50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<6.8	<0.5	<6.8
03/ 1 30:39	33.4		50	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1.0	<10.2	<0.5	<10.7
Mean	33.5		50.0	<<0.5	<<0.5	<<0.5	<<0.5	<<0.5	<<0.5	<<0.7	<<8.0	<<0.5	<<8.1
Minimum	33.4		50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<6.8	<0.5	<6.8
Maximum	33.5		50	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1.0	<10.2	<0.5	<10.7
St.dev.	0.1		0.0	~0.0	~0.0	~0.0	~0.0	~0.0	~0.0	~0.3	~1.9	~0.0	~2.2
Count	3		3	3	3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 11A Sildkroneset,Bøkfj, Latitude: 69°47.02N, Longitude: 30°11.10E.
Catch,date : 1996-0905, Count: 210, Sample type: Bulked.

. Analytical Lab. ⇒							NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NILU	NILU	NILU	NILU	Σ(*)
. Analysis Code. ⇒							312	311	310	312	311	341	341	341	341	341	341	341	341	341	841	841	841	841	!
____ Detection Limit.____ ⇒							0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.00	0.00	0.00	0.00	!
Samp/ Shell-length		-wght	No of	Mean Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB77	CB81	CB126	CB169	CB_Σ4
Repl. Min:Max,Mean	mean	shell		g	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppp	ppp	ppp	ppp	ppp
no. mm:mm	mm	g					w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 30:39	34.7	1.34	50	1.02	14.90	1.39	0.160	1.730	0.012	0.050	11.40	<0.05	<0.05	0.09	<0.05	0.12	0.18	0.22	<0.05	<0.05	<0.05	.	.	.	.	.
02/ 1 30:39	34.0	1.30	50	0.97	14.70	1.29	0.160	1.580	0.013	0.040	12.00	<0.05	<0.05	0.08	<0.05	0.11	0.16	0.21	<0.05	<0.05	<0.05	.	.	.	.	.
03/ 1 30:39	34.0	1.23	50	0.89	16.30	1.28	0.160	1.980	0.014	0.090	11.90	<0.05	<0.05	0.07	<0.05	0.09	0.14	0.18	<0.05	<0.05	<0.05	.	.	.	.	.
04/ 1 30:39	34.0	1.34	60	0.78	13.00	0.76	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5.04	0.19	s0.64	0.19	s6.06
Mean	34.2	1.30	52.5	0.92	14.73	1.18	0.160	1.763	0.013	0.060	11.77	<<0.05	<<0.05	0.08	<<0.05	0.11	0.16	0.20	<<0.05	<<0.05	<<0.05	5.04	0.19	s0.64	0.19	s6.06
Minimum	34.0	1.23	50	0.78	13.00	0.76	0.160	1.580	0.012	0.040	11.40	<0.05	<0.05	0.07	<0.05	0.09	0.14	0.18	<0.05	<0.05	<0.05	5.04	0.19	s0.64	0.19	s6.06
Maximum	34.7	1.34	60	1.02	16.30	1.39	0.160	1.980	0.014	0.090	12.00	<0.05	<0.05	0.09	<0.05	0.12	0.18	0.22	<0.05	<0.05	<0.05	5.04	0.19	s0.64	0.19	s6.06
St.dev.	0.4	0.05	5.0	0.10	1.35	0.28	0.000	0.202	0.001	0.026	0.32	~0.00	~0.00	0.01	~0.00	0.02	0.02	0.02	~0.00	~0.00	~0.00	.	.	.	.	.
Count	4	4	4	4	4	4	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	1	1	1	1	1

s/q(41) ! Suspect value(s)
i (1) ! Suspect or ambiguous basis-value(s) ignored in statistics.

Tab.width cont'd MYTI EDU, SB, J99, 11A Sildkroneset,Bøkfj, 1996-0905.

. Analytical Lab. ⇒				Σ(*)	Σ(*)	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)	NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU
. Analysis Code. ⇒				!	!	!	!	341	341	!	341	341	!	341	341	341	841	841	841	841	841	841	841	841	841
____ Detection Limit.____ ⇒				!	!	!	!	0.10	0.05	!	0.05	0.05	!	0.05	0.05	0.05	0.00	0.00	0.00	0.00	2000000	0.00	0.00	0.00	0.00	0.00
Samp/ Shell-length		-wght	No of	TECBW	TECBS	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn	HCHA	HCHG	HC_Σn	HCB	QCB	OCS	TCDD	CDDST	CDD1N	CDDSN	0.0	CDD6X	CDD9X	CDDSX	CDD6P	CDDSP
Repl. Min:Max,Mean	mean	shell		ppp	ppp	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppp	ppp	ppp	ppp	CDD4X	ppp	ppp	ppp	ppp	ppp
no. mm:mm	mm	g		w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	ppp w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 30:39	34.7	1.34	50	.	.	<0.7	<0.7	0.1	<0.05	<0.12	0.06	0.06	0.12	<0.05	<0.05	<0.05	.	.	.	.	.	.	.	.	.	.
02/ 1 30:39	34.0	1.30	50	.	.	<0.6	<0.6	0.1	<0.05	<0.11	<0.05	0.05	<0.10	<0.05	<0.05	<0.05	.	.	.	.	.	.	.	.	.	.
03/ 1 30:39	34.0	1.23	50	.	.	<0.5	<0.5	0.1	<0.05	<0.11	<0.05	0.05	<0.10	<0.05	<0.05	<0.05	.	.	.	.	.	.	.	.	.	.
04/ 1 30:39	34.0	1.34	60	s0.07	s0.12	.	s0.0	.	.	.	.	.	.	.	.	.	<0.01	0.55	<0.01	<0.01	<0.02	<0.02	<0.02	<0.02	<0.04	<0.04
Mean	34.2	1.30	52.5	s0.07	s0.12	<<0.6	<<0.6	0.1	<<0.05	<<0.11	<<0.05	0.05	<<0.11	<<.05	<<.05	<<.05	<0.01	0.55	<0.01	<0.01	<0.02	<0.02	<0.02	<0.02	<0.04	<0.04
Minimum	34.0	1.23	50	s0.07	s0.12	<0.5	<0.5	0.1	<0.05	<0.11	<0.05	0.05	<0.10	<0.05	<0.05	<0.05	<0.01	0.55	<0.01	<0.01	<0.02	<0.02	<0.02	<0.02	<0.04	<0.04
Maximum	34.7	1.34	60	s0.07	s0.12	<0.7	<0.7	0.1	<0.05	<0.12	0.06	0.06	0.12	<0.05	<0.05	<0.05	<0.01	0.55	<0.01	<0.01	<0.02	<0.02	<0.02	<0.02	<0.04	<0.04
St.dev.	0.4	0.05	5.0	.	.	~0.1	~0.1	0.0	~0.00	~0.01	~0.01	0.01	~0.01	~0.00	~0.00	~0.00	.	.	.	.	.	.	.	.	.	.
Count	4	4	4	1	1	3	i3	3	3	3	3	3	3	3	3	3	1	1	1	1	1	1	1	1	1	1

Tab.width cont'd MYTI EDU, SB, J99, 11A Sildkroneset,Bøkfj, 1996-0905.

Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	CDDO ppb w.wt	PCDD ppb w.wt	CDF2T ppb w.wt	CDFST ppb w.wt	CDFDN ppb w.wt	CDF2N ppb w.wt	CDFSN ppb w.wt	CDFDX ppb w.wt	CDF6X ppb w.wt	CDF9X ppb w.wt	CDF4X ppb w.wt	CDFSX ppb w.wt	CDF6P ppb w.wt	CDF9P ppb w.wt	CDFSP ppb w.wt	CDFO ppb w.wt	PCDF ppb w.wt	CDDFS ppb w.wt	TCDDI ppb w.wt	TCDDN ppb w.wt
01/ 1	30:39	34.7	1.34	50	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
02/ 1	30:39	34.0	1.30	50	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
03/ 1	30:39	34.0	1.23	50	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
04/ 1	30:39	34.0	1.34	60	0.44	0.99	s0.65	4.87	s0.06	s0.08	2.12	<0.02	<0.02	<0.02	<0.02	3.02	s0.06	<0.08	0.06	<0.10	10.20	<0.10	s<0.12	s<0.12
Mean		34.2	1.30	52.5	0.44	0.99	s0.65	4.87	s0.06	s0.08	2.12	<0.02	<0.02	<0.02	<0.02	3.02	s0.06	<0.08	0.06	<0.10	10.20	<0.10	s<0.12	s<0.12
Minimum		34.0	1.23	50	0.44	0.99	s0.65	4.87	s0.06	s0.08	2.12	<0.02	<0.02	<0.02	<0.02	3.02	s0.06	<0.08	0.06	<0.10	10.20	<0.10	s<0.12	s<0.12
Maximum		34.7	1.34	60	0.44	0.99	s0.65	4.87	s0.06	s0.08	2.12	<0.02	<0.02	<0.02	<0.02	3.02	s0.06	<0.08	0.06	<0.10	10.20	<0.10	s<0.12	s<0.12
St.dev.		0.4	0.05	5.0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Count		4	4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 11A Sildkroneset,Bøkfj, Latitude: 69°47.02N, Longitude: 30°11.10E.
Catch,date : 1997-0922, Count: 150, Sample type: Bulked.

Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	NIVA 312 0.050 Cd ppm w.wt	NIVA 311 0.010 Cu ppm w.wt	NIVA 310 0.005 Hg ppm w.wt	NIVA 312 0.040 Pb ppm w.wt	NIVA 311 1.00 Zn ppm w.wt	NIVA 341 0.05 CB28 ppb w.wt	NIVA 341 0.05 CB52 ppb w.wt	NIVA 341 0.05 CB101 ppb w.wt	NIVA 341 0.05 CB105 ppb w.wt	NIVA 341 0.05 CB118 ppb w.wt	NIVA 341 0.05 CB138 ppb w.wt	NIVA 341 0.05 CB153 ppb w.wt	NIVA 341 0.05 CB156 ppb w.wt	NIVA 341 0.05 CB180 ppb w.wt	NIVA 341 0.05 CB209 ppb w.wt	Σ(*) ! CB_Σ7 ppb w.wt	Σ(*) ! CB_ΣΣ ppb w.wt	NIVA 341 0.10 DDEPP ppb w.wt	NIVA 341 0.05 TDEPP ppb w.wt	Σ(*) ! DD_Σn ppb w.wt
01/ 1	30:39	33.4	1.60	50	0.93	11.40	0.71	0.154	0.870	0.015	0.040	9.38	<0.05	<0.05	0.07	0.05	0.10	0.19	0.22	<0.05	<0.05	<0.05	<0.6	<0.7	0.1	0.06	0.20
02/ 1	30:39	32.6	1.57	50	0.94	10.90	0.74	0.173	0.910	0.017	0.040	9.62	<0.05	<0.05	0.06	0.05	0.10	0.18	0.20	<0.05	<0.05	<0.05	<0.6	<0.6	0.1	0.06	0.20
03/ 1	30:39	33.9	1.58	50	0.95	10.30	0.81	0.170	0.900	0.015	0.040	9.68	<0.05	<0.05	0.06	<0.05	0.09	0.18	0.19	<0.05	<0.05	<0.05	<0.6	<0.6	0.1	0.14	0.26
Mean		33.3	1.58	50.0	0.94	10.87	0.75	0.166	0.893	0.016	0.040	9.56	<<0.05	<<0.05	0.06	<<0.05	0.10	0.18	0.20	<<0.05	<<0.05	<<0.05	<<0.6	<<0.6	0.1	0.09	0.22
Minimum		32.6	1.57	50	0.93	10.30	0.71	0.154	0.870	0.015	0.040	9.38	<0.05	<0.05	0.06	<0.05	0.09	0.18	0.19	<0.05	<0.05	<0.05	<0.6	<0.6	0.1	0.06	0.20
Maximum		33.9	1.60	50	0.95	11.40	0.81	0.173	0.910	0.017	0.040	9.68	<0.05	<0.05	0.07	0.05	0.10	0.19	0.22	<0.05	<0.05	<0.05	<0.6	<0.7	0.1	0.14	0.26
St.dev.		0.7	0.02	0.0	0.01	0.55	0.05	0.010	0.021	0.001	0.000	0.16	~0.00	~0.00	0.01	0.00	0.01	0.01	0.02	~0.00	~0.00	~0.00	~0.0	~0.1	0.0	0.05	0.03
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J99, 11A Sildkroneset,Bøkfj, 1997-0922.

Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	NIVA 341 0.05 HCHA ppb w.wt	NIVA 341 0.05 HCHG ppb w.wt	Σ(*) ! HC_Σn ppb w.wt	NIVA 341 0.05 HCB ppb w.wt	NIVA 341 0.05 QCB ppb w.wt	NIVA 341 0.05 OCS ppb w.wt
01/ 1	30:39	33.4	1.60	50	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
02/ 1	30:39	32.6	1.57	50	0.05	<0.05	<0.10	0.05	<0.05	<0.05
03/ 1	30:39	33.9	1.58	50	<0.05	<0.05	<0.05	0.05	<0.05	<0.05
Mean		33.3	1.58	50.0	<<0.05	<<0.05	<<0.07	<<.05	<<.05	<<.05
Minimum		32.6	1.57	50	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Maximum		33.9	1.60	50	<0.05	<0.05	<0.10	0.05	<0.05	<0.05
St.dev.		0.7	0.02	0.0	~0.00	~0.00	~0.03	~0.00	~0.00	~0.00
Count		3	3	3	3	3	3	3	3	3

946

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : 11X Brashavn, Latitude: 69°53.92N, Longitude: 29°44.65E.
Catch,date : 1997-0920, Count: 150, Sample type: Bulked.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>					312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!
____ Detection Limit.____ =>				Mean	0.050	0.010	0.005	0.040	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!
Samp/ Shell-length -wght No of				Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn
Repl. Min:Max,Mean mean shell				g	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g							w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 30:39	32.8	1.57	50	0.92	14.80	1.04	0.244	0.810	0.012	0.110	15.70	<0.05	<0.05	0.05	<0.05	0.07	0.15	0.15	<0.05	<0.05	<0.05	<0.5	<0.5	0.1	0.05	0.17
02/ 1 30:38	32.3	1.53	50	0.86	14.00	1.01	0.259	0.790	0.011	0.120	14.60	<0.05	<0.05	<0.05	<0.05	0.07	0.13	0.14	<0.05	<0.05	<0.05	<0.4	<0.4	0.1	<0.05	<0.16
03/ 1 30:39	33.2	1.72	50	1.03	14.70	1.08	0.236	0.810	0.012	0.090	14.20	<0.05	<0.05	0.05	<0.05	0.08	0.15	0.17	<0.05	<0.05	<0.05	<0.5	<0.5	0.1	0.05	0.19
Mean	32.8	1.61	50.0	0.94	14.50	1.04	0.246	0.803	0.012	0.107	14.83	<<0.05	<<0.05	<<0.05	<<0.05	0.07	0.14	0.15	<<0.05	<<0.05	<<0.05	<<0.5	<<0.5	0.1	<<0.05	<<0.17
Minimum	32.3	1.53	50	0.86	14.00	1.01	0.236	0.790	0.011	0.090	14.20	<0.05	<0.05	<0.05	<0.05	0.07	0.13	0.14	<0.05	<0.05	<0.05	<0.4	<0.4	0.1	<0.05	<0.16
Maximum	33.2	1.72	50	1.03	14.80	1.08	0.259	0.810	0.012	0.120	15.70	<0.05	<0.05	0.05	<0.05	0.08	0.15	0.17	<0.05	<0.05	<0.05	<0.5	<0.5	0.1	0.05	0.19
St.dev.	0.5	0.10	0.0	0.09	0.44	0.04	0.012	0.012	0.001	0.015	0.78	~0.00	~0.00	~0.00	~0.00	0.01	0.01	0.02	~0.00	~0.00	~0.00	~0.1	~0.1	0.0	~0.00	~0.02
Count	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J99, 11X Brashavn, 1997-0920.

. Analytical Lab. =>				NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>				341	341	!	341	341	341
____ Detection Limit.____ =>				0.05	0.05	!	0.05	0.05	0.05
Samp/ Shell-length -wght No of				HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl. Min:Max,Mean mean shell				ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g				w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 30:39	32.8	1.57	50	<0.05	0.05	<0.10	<0.05	<0.05	<0.05
02/ 1 30:38	32.3	1.53	50	<0.05	0.05	<0.10	<0.05	<0.05	<0.05
03/ 1 30:39	33.2	1.72	50	<0.05	0.05	<0.10	<0.05	<0.05	<0.05
Mean	32.8	1.61	50.0	<<0.05	0.05	<<0.10	<<.05	<<.05	<<.05
Minimum	32.3	1.53	50	<0.05	0.05	<0.10	<0.05	<0.05	<0.05
Maximum	33.2	1.72	50	<0.05	0.05	<0.10	<0.05	<0.05	<0.05
St.dev.	0.5	0.10	0.0	~0.00	0.00	~0.00	~0.00	~0.00	~0.00
Count	3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J26 Oslofjorden, Tissue : Whole SOFT BODY.
Locality : I001 Sponvikskansen, Latitude: 59°05.40N, Longitude: 11°12.50E.
Catch,date : 1995-1024, Count: 81, Sample type: Bulked.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>					312	311	310	312	311
____ Detection Limit.____ =>				Mean	0.050	0.010	0.005	0.030	1.00
Samp/ Shell-length -wght No of				Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn
Repl. Min:Max,Mean mean shell				g	%	%	ppm	ppm	ppm	ppm	ppm
no. mm:mm mm g							w.wt	w.wt	w.wt	w.wt	w.wt
03/ 1 33:48	40.8	2.37	27	2.71	19.80	.	0.172	1.090	0.008	0.090	14.80

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J26 Oslofjorden**, Tissue : **Whole SOFT BODY.**
Locality : **I001 Sponvikskansen**, Latitude: 59°05.40N, Longitude: 11°12.50E.
Catch,date : **1996-1001**, Count: 60, Sample type: **Bulked.**

. Analytical Lab. =>								NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>								312	311	310	312	311
Detection Limit. =>							Mean	0.050	0.010	0.005	0.030	1.00
Samp/ Repl. no.	Shell-length Min:Max mm:mm	Mean mm	-wght mean g	No of shell			Weight g	Dry %	Fat %	Cd ppm w.wt	Cu ppm w.wt	Hg ppm w.wt	Pb ppm w.wt	Zn ppm w.wt
01/ 1	38:47	42.5	2.99	20			2.32	18.20	.	0.108	1.360	0.016	0.150	15.80
02/ 1	38:47	43.0	3.16	20			2.33	16.80	.	0.108	1.050	0.018	0.110	14.90
03/ 1	38:47	43.0	2.97	20			1.99	15.70	.	0.111	1.190	0.019	0.160	15.70
Mean		42.8	3.04	20.0			2.21	16.90	.	0.109	1.200	0.018	0.140	15.47
Minimum		42.5	2.97	20			1.99	15.70	.	0.108	1.050	0.016	0.110	14.90
Maximum		43.0	3.16	20			2.33	18.20	.	0.111	1.360	0.019	0.160	15.80
St.dev.		0.3	0.10	0.0			0.19	1.25	.	0.002	0.155	0.002	0.026	0.49
Count		3	3	3			3	3	.	3	3	3	3	3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J26 Oslofjorden**, Tissue : **Whole SOFT BODY.**
Locality : **I011 Kråkenebbet**, Latitude: 59°06.10N, Longitude: 11°17.30E.
Catch,date : **1995-1024**, Count: 105, Sample type: **Bulked.**

. Analytical Lab. =>								NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>								312	311	310	312	311
Detection Limit. =>							Mean	0.050	0.010	0.005	0.030	1.00
Samp/ Repl. no.	Shell-length Min:Max mm:mm	Mean mm	-wght mean g	No of shell			Weight g	Dry %	Fat %	Cd ppm w.wt	Cu ppm w.wt	Hg ppm w.wt	Pb ppm w.wt	Zn ppm w.wt
01/ 1	37:49	44.4	3.19	35			4.05	18.00	.	0.102	1.300	0.012	0.110	13.20
02/ 1	37:48	44.1	3.21	35			3.92	18.30	.	0.103	1.330	0.012	0.120	13.90
03/ 1	33:49	44.1	3.21	35			3.89	18.30	.	0.103	1.290	0.012	0.120	13.80
Mean		44.2	3.20	35.0			3.95	18.20	.	0.103	1.307	0.012	0.117	13.63
Minimum		44.1	3.19	35			3.89	18.00	.	0.102	1.290	0.012	0.110	13.20
Maximum		44.4	3.21	35			4.05	18.30	.	0.103	1.330	0.012	0.120	13.90
St.dev.		0.2	0.01	0.0			0.09	0.17	.	0.001	0.021	0.000	0.006	0.38
Count		3	3	3			3	3	.	3	3	3	3	3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J26 Oslofjorden**, Tissue : **Whole SOFT BODY.**
Locality : **I011 Kråkenebbet**, Latitude: 59°06.10N, Longitude: 11°17.30E.
Catch,date : **1996-1001**, Count: 60, Sample type: **Bulked.**

. Analytical Lab. =>								NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>								312	311	310	312	311
Detection Limit. =>							Mean	0.050	0.010	0.005	0.030	1.00
Samp/ Repl. no.	Shell-length Min:Max mm:mm	Mean mm	-wght mean g	No of shell			Weight g	Dry %	Fat %	Cd ppm w.wt	Cu ppm w.wt	Hg ppm w.wt	Pb ppm w.wt	Zn ppm w.wt
01/ 1	36:49	43.6	4.20	20			3.29	20.40	.	0.062	1.460	0.061	0.150	15.90
02/ 1	36:49	44.5	4.59	20			3.56	20.40	.	0.067	1.700	0.014	0.150	15.90
03/ 1	36:49	45.0	4.55	20			3.08	19.40	.	0.066	1.470	0.013	0.150	16.40
Mean		44.4	4.45	20.0			3.31	20.07	.	0.065	1.543	0.029	0.150	16.07
Minimum		43.6	4.20	20			3.08	19.40	.	0.062	1.460	0.013	0.150	15.90
Maximum		45.0	4.59	20			3.56	20.40	.	0.067	1.700	0.061	0.150	16.40
St.dev.		0.7	0.21	0.0			0.24	0.58	.	0.003	0.136	0.027	0.000	0.29
Count		3	3	3			3	3	.	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J26 Oslofjorden, Tissue : Whole SOFT BODY.
Locality : I021 Kjøkø,south, Latitude: 59°07.80N, Longitude: 10°57.10E.
Catch,date : 1995-1026, Count: 96, Sample type: Bulked.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>					312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!
_____ Detection Limit._____ =>				Mean	0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!
Samp/ Shell-length		-wght	No of	Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn
Repl. Min:Max,Mean		mean	shell	g	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm	mm	g					w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 33:49	41.2	2.32	32	2.15	15.60	1.55	0.270	1.470	0.033	0.230	15.70	0.33	0.51	1.32	0.33	1.01	1.44	1.87	0.13	0.25	<0.05	6.7	<7.2	0.7	0.14	0.86
02/ 1 34:49	39.9	2.27	32	2.02	16.00	1.51	0.292	1.290	0.034	0.170	15.00	0.32	0.54	1.28	0.32	0.97	1.35	1.86	0.13	0.26	<0.05	6.6	<7.1	0.7	0.14	0.81
03/ 1 35:51	41.5	2.41	32	2.20	16.10	1.54	0.273	1.320	0.034	0.170	15.20	0.33	0.59	1.43	0.37	1.09	1.56	2.11	0.14	0.27	<0.05	7.4	<7.9	0.7	0.17	0.91
Mean	40.9	2.33	32.0	2.12	15.90	1.53	0.278	1.360	0.034	0.190	15.30	0.33	0.55	1.34	0.34	1.02	1.45	1.95	0.13	0.26	<<0.05	6.9	<<7.4	0.7	0.15	0.86
Minimum	39.9	2.27	32	2.02	15.60	1.51	0.270	1.290	0.033	0.170	15.00	0.32	0.51	1.28	0.32	0.97	1.35	1.86	0.13	0.25	<0.05	6.6	<7.1	0.7	0.14	0.81
Maximum	41.5	2.41	32	2.20	16.10	1.55	0.292	1.470	0.034	0.230	15.70	0.33	0.59	1.43	0.37	1.09	1.56	2.11	0.14	0.27	<0.05	7.4	<7.9	0.7	0.17	0.91
St.dev.	0.9	0.07	0.0	0.09	0.26	0.02	0.012	0.096	0.001	0.035	0.36	0.01	0.04	0.08	0.03	0.06	0.11	0.14	0.01	0.01	~0.00	0.4	~0.5	0.0	0.02	0.05
Count	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J26, I021 Kjøkø,south, 1995-1026.

. Analytical Lab. =>				NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>				341	341	!	341	341	341
_____ Detection Limit._____ =>				0.05	0.05	!	0.05	0.05	0.05
Samp/ Shell-length	-wght	No of		HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl. Min:Max,Mean	mean	shell		ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm	g			w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 33:49 41.2	2.32	32		0.12	0.23	0.35	0.13	0.09	<0.05
02/ 1 34:49 39.9	2.27	32		0.15	0.23	0.38	0.14	<0.05	<0.05
03/ 1 35:51 41.5	2.41	32		0.15	0.27	0.42	0.13	<0.05	<0.05
Mean 40.9	2.33	32.0		0.14	0.24	0.38	0.13	<<.06	<<.05
Minimum 39.9	2.27	32		0.12	0.23	0.35	0.13	<0.05	<0.05
Maximum 41.5	2.41	32		0.15	0.27	0.42	0.14	0.09	<0.05
St.dev. 0.9	0.07	0.0		0.02	0.02	0.04	0.01	~0.02	~0.00
Count 3	3	3		3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J26 Oslofjorden, Tissue : Whole SOFT BODY.
Locality : I021 Kjøkø,south, Latitude: 59°07.80N, Longitude: 10°57.10E.
Catch,date : 1996-0930, Count: 60, Sample type: Bulked.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>					312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!
_____ Detection Limit._____ =>				Mean	0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!
Samp/ Shell-length		-wght	No of	Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn
Repl. Min:Max,Mean		mean	shell	g	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm	mm	g					w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 38:49	43.2	2.36	20	1.71	13.10	1.01	0.302	1.980	0.052	0.290	27.10	0.16	0.24	0.63	0.19	0.69	1.06	1.26	0.08	0.12	<0.05	4.2	<4.5	0.2	<0.05	<0.21
02/ 1 38:49	43.0	2.42	20	1.90	13.10	1.16	0.258	1.640	0.042	0.300	19.60	0.17	0.23	0.64	0.19	0.69	1.06	1.26	0.07	0.12	<0.05	4.2	<4.5	0.2	<0.05	<0.24
03/ 1 38:49	43.0	2.35	20	1.69	12.30	1.28	0.278	1.560	0.084	0.340	17.90	0.17	0.27	0.69	0.22	0.76	1.23	1.42	0.09	0.14	<0.05	4.7	<5.0	0.2	<0.05	<0.26
Mean	43.1	2.38	20.0	1.77	12.83	1.15	0.279	1.727	0.059	0.310	21.53	0.17	0.25	0.65	0.20	0.71	1.12	1.31	0.08	0.13	<<0.05	4.3	<<4.7	0.2	<<0.05	<<0.24
Minimum	43.0	2.35	20	1.69	12.30	1.01	0.258	1.560	0.042	0.290	17.90	0.16	0.23	0.63	0.19	0.69	1.06	1.26	0.07	0.12	<0.05	4.2	<4.5	0.2	<0.05	<0.21
Maximum	43.2	2.42	20	1.90	13.10	1.28	0.302	1.980	0.084	0.340	27.10	0.17	0.27	0.69	0.22	0.76	1.23	1.42	0.09	0.14	<0.05	4.7	<5.0	0.2	<0.05	<0.26
St.dev.	0.1	0.04	0.0	0.12	0.46	0.14	0.022	0.223	0.022	0.026	4.90	0.01	0.02	0.03	0.02	0.04	0.10	0.09	0.01	0.01	~0.00	0.3	~0.3	0.0	~0.00	~0.03
Count	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J26, I021 Kjøkø,south, 1996-0930.**

. Analytical Lab. ⇒					NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. ⇒					341	341	!	341	341	341
____ Detection Limit.____ ⇒					0.05	0.05	!	0.05	0.05	0.05
Samp/	Shell-length		-wght	No of	HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl.	Min:Max,Mean		mean	shell	ppb	ppb	ppb	ppb	ppb	ppb
no.	mm:mm	mm	g		w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	38:49	43.2	2.36	20	0.05	0.10	0.15	0.11	<0.05	<0.05
02/ 1	38:49	43.0	2.42	20	0.05	0.12	0.17	0.12	<0.05	<0.05
03/ 1	38:49	43.0	2.35	20	0.06	0.12	0.18	0.13	<0.05	<0.05
Mean		43.1	2.38	20.0	0.05	0.11	0.17	0.12	<<.05	<<.05
Minimum		43.0	2.35	20	0.05	0.10	0.15	0.11	<0.05	<0.05
Maximum		43.2	2.42	20	0.06	0.12	0.18	0.13	<0.05	<0.05
St.dev.		0.1	0.04	0.0	0.01	0.01	0.02	0.01	~0.00	~0.00
Count		3	3	3	3	3	3	3	3	3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J26 Oslofjorden**, Tissue : **Whole SOFT BODY.**
Locality : **I021 Kjøkø,south**, Latitude: 59°07.79N, Longitude: 10°57.10E.
Catch,date : **1997-1012**, Count: 60, Sample type: **Bulked.**

. Analytical Lab. ⇒								NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. ⇒								312	311	310	312	311	341	341	341	341	341	341	341	341	!	!	341	341	!
____ Detection Limit.____ ⇒								0.050	0.010	0.005	0.040	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!
Samp/	Shell-length		-wght	No of	Mean			Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn
Repl.	Min:Max,Mean		mean	shell	Weight	Dry	Fat	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no.	mm:mm	mm	g		g	%	%	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	37:49	44.1	2.95	20	2.36	10.90	0.92	0.272	1.100	0.057	0.200	17.80	0.15	0.15	0.55	0.24	0.53	0.97	1.05	0.10	0.11	<0.05	3.5	<3.9	0.5	0.11	0.64
02/ 1	37:49	44.3	2.95	20	2.15	12.50	1.06	0.310	1.290	0.061	0.200	16.80	0.17	0.15	0.51	0.20	0.44	0.80	0.90	0.06	0.10	<0.05	3.1	<3.4	0.5	0.08	0.55
03/ 1	37:49	44.1	2.83	20	2.03	12.70	1.18	0.309	1.440	0.063	0.210	23.00	0.19	0.13	0.79	0.28	0.66	1.13	1.22	0.11	0.15	<0.05	4.3	<4.7	0.6	0.11	0.72
Mean		44.2	2.91	20.0	2.18	12.03	1.05	0.297	1.277	0.060	0.203	19.20	0.17	0.14	0.62	0.24	0.54	0.97	1.06	0.09	0.12	<<0.05	3.6	<<4.0	0.5	0.10	0.64
Minimum		44.1	2.83	20	2.03	10.90	0.92	0.272	1.100	0.057	0.200	16.80	0.15	0.13	0.51	0.20	0.44	0.80	0.90	0.06	0.10	<0.05	3.1	<3.4	0.5	0.08	0.55
Maximum		44.3	2.95	20	2.36	12.70	1.18	0.310	1.440	0.063	0.210	23.00	0.19	0.15	0.79	0.28	0.66	1.13	1.22	0.11	0.15	<0.05	4.3	<4.7	0.6	0.11	0.72
St.dev.		0.1	0.07	0.0	0.17	0.99	0.13	0.022	0.170	0.003	0.006	3.33	0.02	0.01	0.15	0.04	0.11	0.17	0.16	0.03	0.03	~0.00	0.6	~0.7	0.1	0.02	0.09
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J26, I021 Kjøkø,south, 1997-1012.**

. Analytical Lab. ⇒					NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. ⇒					341	341	!	341	341	341
____ Detection Limit.____ ⇒					0.05	0.05	!	0.05	0.05	0.05
Samp/	Shell-length		-wght	No of	HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl.	Min:Max,Mean		mean	shell	ppb	ppb	ppb	ppb	ppb	ppb
no.	mm:mm	mm	g		w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	37:49	44.1	2.95	20	<0.05	0.12	<0.17	0.05	<0.05	<0.05
02/ 1	37:49	44.3	2.95	20	0.05	0.14	0.19	0.06	<0.05	<0.05
03/ 1	37:49	44.1	2.83	20	0.06	0.17	0.23	0.10	<0.05	<0.05
Mean		44.2	2.91	20.0	<<0.05	0.14	<<0.20	0.07	<<.05	<<.05
Minimum		44.1	2.83	20	<0.05	0.12	<0.17	0.05	<0.05	<0.05
Maximum		44.3	2.95	20	0.06	0.17	0.23	0.10	<0.05	<0.05
St.dev.		0.1	0.07	0.0	~0.01	0.03	~0.03	0.03	~0.00	~0.00
Count		3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J26 Oslofjorden, Tissue : Whole SOFT BODY.
Locality : I022 West Damholmen, Latitude: 59°06.20N, Longitude: 10°57.90E.
Catch,date : 1995-1025, Count: 90, Sample type: Bulked.

Samp/ Repl. no.	Shell-length Min:Max, mm	Shell-length Mean, mm	-wght mean, g	No of shell	Mean Weight g	Dry %	Fat %	NIVA 312 0.050 Cd ppm w.wt	NIVA 311 0.010 Cu ppm w.wt	NIVA 310 0.005 Hg ppm w.wt	NIVA 312 0.030 Pb ppm w.wt	NIVA 311 1.00 Zn ppm w.wt	NIVA 341 0.05 CB28 ppb w.wt	NIVA 341 0.05 CB52 ppb w.wt	NIVA 341 0.05 CB101 ppb w.wt	NIVA 341 0.05 CB105 ppb w.wt	NIVA 341 0.05 CB118 ppb w.wt	NIVA 341 0.05 CB138 ppb w.wt	NIVA 341 0.05 CB153 ppb w.wt	NIVA 341 0.05 CB156 ppb w.wt	NIVA 341 0.05 CB180 ppb w.wt	NIVA 341 0.05 CB209 ppb w.wt	Σ(*) ! CB_Σ7 ppb w.wt	Σ(*) ! CB_ΣΣ ppb w.wt	NIVA 341 0.10 DDEPP ppb w.wt	NIVA 341 0.05 TDEPP ppb w.wt	Σ(*) ! DD_Σn ppb w.wt
01/ 1	38:50	44.2	3.82	30	3.16	18.00	1.74	0.257	1.600	0.026	0.220	15.50	0.19	0.62	1.85	0.53	1.64	2.55	3.38	0.23	0.44	<0.05	10.7	<11.5	1.1	0.33	1.47
02/ 1	36:48	43.6	3.55	30	3.00	20.00	1.67	0.270	1.600	0.026	0.200	17.40	0.16	0.45	1.18	0.32	0.94	1.44	1.99	0.13	0.26	<0.05	6.4	<6.9	0.8	0.17	0.93
03/ 1	35:49	43.7	3.86	30	2.98	19.00	1.72	0.284	1.470	0.016	0.180	17.60	0.17	0.41	1.12	0.30	0.90	1.35	1.87	0.12	0.23	<0.05	6.1	<6.5	0.8	0.15	0.90
Mean		43.8	3.74	30.0	3.05	19.00	1.71	0.270	1.557	0.023	0.200	16.83	0.17	0.49	1.38	0.38	1.16	1.78	2.41	0.16	0.31	<<0.05	7.7	<<8.3	0.9	0.22	1.10
Minimum		43.6	3.55	30	2.98	18.00	1.67	0.257	1.470	0.016	0.180	15.50	0.16	0.41	1.12	0.30	0.90	1.35	1.87	0.12	0.23	<0.05	6.1	<6.5	0.8	0.15	0.90
Maximum		44.2	3.86	30	3.16	20.00	1.74	0.284	1.600	0.026	0.220	17.60	0.19	0.62	1.85	0.53	1.64	2.55	3.38	0.23	0.44	<0.05	10.7	<11.5	1.1	0.33	1.47
St.dev.		0.3	0.17	0.0	0.10	1.00	0.04	0.014	0.075	0.006	0.020	1.16	0.02	0.11	0.41	0.13	0.42	0.67	0.84	0.06	0.11	~0.00	2.6	~2.8	0.2	0.10	0.32
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J26, I022 West Damholmen, 1995-1025.

Samp/ Repl. no.	Shell-length Min:Max, mm	Shell-length Mean, mm	-wght mean, g	No of shell	NIVA 341 0.05 HCHA ppb w.wt	NIVA 341 0.05 HCHG ppb w.wt	Σ(*) ! HC_Σn ppb w.wt	NIVA 341 0.05 HCB ppb w.wt	NIVA 341 0.05 QCB ppb w.wt	NIVA 341 0.05 OCS ppb w.wt
01/ 1	38:50	44.2	3.82	30	0.16	0.34	0.50	0.10	<0.05	<0.05
02/ 1	36:48	43.6	3.55	30	0.13	0.31	0.44	0.08	0.18	<0.05
03/ 1	35:49	43.7	3.86	30	0.13	0.30	0.43	0.08	<0.05	<0.05
Mean		43.8	3.74	30.0	0.14	0.32	0.46	0.09	<<.09	<<.05
Minimum		43.6	3.55	30	0.13	0.30	0.43	0.08	<0.05	<0.05
Maximum		44.2	3.86	30	0.16	0.34	0.50	0.10	0.18	<0.05
St.dev.		0.3	0.17	0.0	0.02	0.02	0.04	0.01	~0.08	~0.00
Count		3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J26 Oslofjorden, Tissue : Whole SOFT BODY.
Locality : I022 West Damholmen, Latitude: 59°06.20N, Longitude: 10°57.90E.
Catch,date : 1996-0930, Count: 60, Sample type: Bulked.

Samp/ Repl. no.	Shell-length Min:Max, mm	Shell-length Mean, mm	-wght mean, g	No of shell	Mean Weight g	Dry %	Fat %	NIVA 312 0.050 Cd ppm w.wt	NIVA 311 0.010 Cu ppm w.wt	NIVA 310 0.005 Hg ppm w.wt	NIVA 312 0.030 Pb ppm w.wt	NIVA 311 1.00 Zn ppm w.wt	NIVA 341 0.05 CB28 ppb w.wt	NIVA 341 0.05 CB52 ppb w.wt	NIVA 341 0.05 CB101 ppb w.wt	NIVA 341 0.05 CB105 ppb w.wt	NIVA 341 0.05 CB118 ppb w.wt	NIVA 341 0.05 CB138 ppb w.wt	NIVA 341 0.05 CB153 ppb w.wt	NIVA 341 0.05 CB156 ppb w.wt	NIVA 341 0.05 CB180 ppb w.wt	NIVA 341 0.05 CB209 ppb w.wt	Σ(*) ! CB_Σ7 ppb w.wt	Σ(*) ! CB_ΣΣ ppb w.wt	NIVA 341 0.10 DDEPP ppb w.wt	NIVA 341 0.05 TDEPP ppb w.wt	Σ(*) ! DD_Σn ppb w.wt
01/ 1	41:49	45.4	5.07	20	3.65	16.40	1.93	0.213	1.420	0.022	0.100	19.50	0.17	0.27	0.76	0.20	0.71	1.07	1.39	0.07	0.12	<0.05	4.5	<4.8	0.4	<0.05	<0.49
02/ 1	41:49	45.0	4.85	20	3.47	16.70	1.94	0.227	1.460	0.021	0.100	21.70	0.16	0.40	0.74	0.19	0.65	0.93	1.32	0.07	0.12	<0.05	4.3	<4.6	0.2	<0.05	<0.27
03/ 1	42:49	45.0	5.07	20	3.10	15.20	1.84	0.256	1.280	0.024	0.090	20.80	0.15	0.31	0.66	0.17	0.58	0.85	1.17	0.06	0.10	<0.05	3.8	<4.1	0.2	<0.05	<0.26
Mean		45.1	5.00	20.0	3.41	16.10	1.90	0.232	1.387	0.022	0.097	20.67	0.16	0.33	0.72	0.19	0.65	0.95	1.29	0.07	0.11	<<0.05	4.2	<<4.5	0.3	<<0.05	<<0.34
Minimum		45.0	4.85	20	3.10	15.20	1.84	0.213	1.280	0.021	0.090	19.50	0.15	0.27	0.66	0.17	0.58	0.85	1.17	0.06	0.10	<0.05	3.8	<4.1	0.2	<0.05	<0.26
Maximum		45.4	5.07	20	3.65	16.70	1.94	0.256	1.460	0.024	0.100	21.70	0.17	0.40	0.76	0.20	0.71	1.07	1.39	0.07	0.12	<0.05	4.5	<4.8	0.4	<0.05	<0.49
St.dev.		0.2	0.13	0.0	0.28	0.79	0.06	0.022	0.095	0.002	0.006	1.11	0.01	0.07	0.05	0.02	0.07	0.11	0.11	0.01	0.01	~0.00	0.3	~0.4	0.1	~0.00	~0.13
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J26, I022 West Damholmen, 1996-0930.**

. Analytical Lab. =>				NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>				341	341	!	341	341	341
Detection Limit. =>				0.05	0.05	!	0.05	0.05	0.05
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	HCHA ppb w.wt	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt
01/ 1	41:49	45.4	5.07	20	0.10	0.25	0.35	0.11	<0.05	<0.05
02/ 1	41:49	45.0	4.85	20	<0.05	0.14	<0.19	0.08	<0.05	<0.05
03/ 1	42:49	45.0	5.07	20	<0.05	0.16	<0.21	0.06	<0.05	<0.05
Mean		45.1	5.00	20.0	<<0.07	0.18	<<0.25	0.08	<<.05	<<.05
Minimum		45.0	4.85	20	<0.05	0.14	<0.19	0.06	<0.05	<0.05
Maximum		45.4	5.07	20	0.10	0.25	0.35	0.11	<0.05	<0.05
St.dev.		0.2	0.13	0.0	~0.03	0.06	~0.09	0.03	~0.00	~0.00
Count		3	3	3	3	3	3	3	3	3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J26 Oslofjorden**, Tissue : **Whole SOFT BODY.**
Locality : **I022 West Damholmen**, Latitude: 59°06.20N, Longitude: 10°57.90E.
Catch,date : **1997-1013**, Count: 60, Sample type: **Bulked.**

. Analytical Lab. =>							NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>							312	311	310	312	311	341	341	341	341	341	341	341	341	341	!	!	341	341	!
Detection Limit. =>							0.050	0.010	0.005	0.040	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	Cd ppm w.wt	Cu ppm w.wt	Hg ppm w.wt	Pb ppm w.wt	Zn ppm w.wt	CB28 ppb w.wt	CB52 ppb w.wt	CB101 ppb w.wt	CB105 ppb w.wt	CB118 ppb w.wt	CB138 ppb w.wt	CB153 ppb w.wt	CB156 ppb w.wt	CB180 ppb w.wt	CB209 ppb w.wt	CB_Σ7 ppb w.wt	CB_ΣΣ ppb w.wt	DDEPP ppb w.wt	TDEPP ppb w.wt	DD_Σn ppb w.wt
01/ 1	36:48	40.8	2.87	20	2.54	12.20	1.53	0.163	1.390	0.040	0.180	15.10	0.18	16.00	0.84	0.34	0.81	1.34	1.66	0.13	0.22	<0.05	21.1	<21.6	1.0	0.09	1.12
02/ 1	36:47	40.4	2.79	20	2.50	13.40	1.51	0.166	1.370	0.043	0.150	15.80	0.18	0.25	0.80	0.32	0.75	1.24	1.60	0.11	0.19	0.18	5.0	5.6	0.9	0.15	1.03
03/ 1	36:47	40.1	2.71	20	2.28	13.60	1.62	0.171	1.350	0.042	0.160	16.70	0.19	0.28	0.89	0.37	0.81	1.44	1.75	0.13	0.25	<0.05	5.6	<6.2	1.0	0.17	1.14
Mean		40.4	2.79	20.0	2.44	13.07	1.55	0.167	1.370	0.042	0.163	15.87	0.18	5.51	0.84	0.34	0.79	1.34	1.67	0.12	0.22	<<0.09	10.6	<<11.1	1.0	0.14	1.10
Minimum		40.1	2.71	20	2.28	12.20	1.51	0.163	1.350	0.040	0.150	15.10	0.18	0.25	0.80	0.32	0.75	1.24	1.60	0.11	0.19	<0.05	5.0	5.6	0.9	0.09	1.03
Maximum		40.8	2.87	20	2.54	13.60	1.62	0.171	1.390	0.043	0.180	16.70	0.19	16.00	0.89	0.37	0.81	1.44	1.75	0.13	0.25	0.18	21.1	<21.6	1.0	0.17	1.14
St.dev.		0.4	0.08	0.0	0.14	0.76	0.06	0.004	0.020	0.002	0.015	0.80	0.01	9.08	0.05	0.03	0.03	0.10	0.08	0.01	0.03	~0.08	9.1	~9.1	0.1	0.04	0.06
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J26, I022 West Damholmen, 1997-1013.**

. Analytical Lab. =>				NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>				341	341	!	341	341	341
Detection Limit. =>				0.05	0.05	!	0.05	0.05	0.05
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	HCHA ppb w.wt	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt
01/ 1	36:48	40.8	2.87	20	0.12	0.34	0.46	0.15	<0.05	<0.05
02/ 1	36:47	40.4	2.79	20	0.10	0.28	0.38	0.13	<0.05	<0.05
03/ 1	36:47	40.1	2.71	20	0.11	0.31	0.42	0.13	<0.05	<0.05
Mean		40.4	2.79	20.0	0.11	0.31	0.42	0.14	<<.05	<<.05
Minimum		40.1	2.71	20	0.10	0.28	0.38	0.13	<0.05	<0.05
Maximum		40.8	2.87	20	0.12	0.34	0.46	0.15	<0.05	<0.05
St.dev.		0.4	0.08	0.0	0.01	0.03	0.04	0.01	~0.00	~0.00
Count		3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J26 Oslofjorden, Tissue : Whole SOFT BODY.
Locality : I023 Singlekalven, south, Latitude: 59°05.70N, Longitude: 11°08.20E.
Catch,date : 1995-1024, Count: 93, Sample type: Bulked.

. Analytical Lab. =>				NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>				312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!
_____ Detection Limit._____ =>				0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!
Samp/ Shell-length -wght No of				Mean																				
Repl. Min:Max,Mean mean shell				Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn
no. mm:mm mm g				g	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
							w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 32:49	40.4	3.03	31	2.17	15.50	1.80	0.254	1.270	0.022	0.120	16.40	0.08	0.20	0.51	0.16	0.41	0.69	0.94	0.05	0.09	<0.05	2.9	<3.2	0.3	<0.05	<0.31
02/ 1 30:48	41.4	3.24	31	2.44	15.00	1.74	0.242	1.040	0.021	0.390	15.20	0.08	0.22	0.57	0.18	0.48	0.78	1.13	0.06	0.11	<0.05	3.4	<3.7	0.3	<0.05	<0.35
03/ 1 33:47	41.3	3.30	31	2.42	16.60	1.88	0.245	1.140	0.021	0.090	16.30	0.09	0.22	0.57	0.18	0.47	0.75	1.04	0.06	0.11	<0.05	3.3	<3.5	0.3	<0.05	<0.35
Mean	41.0	3.19	31.0	2.34	15.70	1.81	0.247	1.150	0.021	0.200	15.97	0.08	0.21	0.55	0.17	0.45	0.74	1.04	0.06	0.10	<<0.05	3.2	<<3.5	0.3	<<0.05	<<0.34
Minimum	40.4	3.03	31	2.17	15.00	1.74	0.242	1.040	0.021	0.090	15.20	0.08	0.20	0.51	0.16	0.41	0.69	0.94	0.05	0.09	<0.05	2.9	<3.2	0.3	<0.05	<0.31
Maximum	41.4	3.30	31	2.44	16.60	1.88	0.254	1.270	0.022	0.390	16.40	0.09	0.22	0.57	0.18	0.48	0.78	1.13	0.06	0.11	<0.05	3.4	<3.7	0.3	<0.05	<0.35
St.dev.	0.6	0.14	0.0	0.15	0.82	0.07	0.006	0.115	0.001	0.165	0.67	0.01	0.01	0.03	0.01	0.04	0.05	0.10	0.01	0.01	~0.00	0.2	~0.2	0.0	~0.00	~0.02
Count	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J26, I023 Singlekalven, south, 1995-1024.

. Analytical Lab. =>				NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>				341	341	!	341	341	341
_____ Detection Limit._____ =>				0.05	0.05	!	0.05	0.05	0.05
Samp/ Shell-length -wght No of				HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl. Min:Max,Mean mean shell				ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g				w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 32:49	40.4	3.03	31	0.08	0.19	0.27	0.08	<0.05	<0.05
02/ 1 30:48	41.4	3.24	31	0.08	0.18	0.26	0.07	<0.05	<0.05
03/ 1 33:47	41.3	3.30	31	0.09	0.20	0.29	0.08	<0.05	<0.05
Mean	41.0	3.19	31.0	0.08	0.19	0.27	0.08	<<.05	<<.05
Minimum	40.4	3.03	31	0.08	0.18	0.26	0.07	<0.05	<0.05
Maximum	41.4	3.30	31	0.09	0.20	0.29	0.08	<0.05	<0.05
St.dev.	0.6	0.14	0.0	0.01	0.01	0.02	0.01	~0.00	~0.00
Count	3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J26 Oslofjorden, Tissue : Whole SOFT BODY.
Locality : I023 Singlekalven, south, Latitude: 59°05.70N, Longitude: 11°08.20E.
Catch,date : 1996-1001, Count: 60, Sample type: Bulked.

. Analytical Lab. =>				NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>				312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!
_____ Detection Limit._____ =>				0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!
Samp/ Shell-length -wght No of				Mean																				
Repl. Min:Max,Mean mean shell				Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn
no. mm:mm mm g				g	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
							w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 38:49	42.9	3.02	20	1.88	14.70	1.38	0.206	1.490	0.021	0.170	19.00	0.07	0.15	0.44	0.14	0.48	0.79	1.09	0.05	0.05	<0.05	3.1	<3.3	0.2	<0.05	<0.22
02/ 1 38:48	42.8	3.14	20	2.28	11.80	1.20	0.167	1.160	0.018	0.150	15.30	0.06	0.13	0.40	0.12	0.42	0.66	0.94	<0.05	<0.05	<0.05	<2.7	<2.8	0.2	<0.05	<0.21
03/ 1 38:48	42.8	2.78	20	2.02	13.60	1.28	0.157	1.480	0.019	0.180	16.00	0.07	0.14	0.41	0.11	0.41	0.64	0.90	<0.05	0.05	<0.05	2.6	<2.8	0.2	<0.05	<0.23
Mean	42.8	2.98	20.0	2.06	13.37	1.29	0.177	1.377	0.019	0.167	16.77	0.07	0.14	0.42	0.12	0.44	0.70	0.98	<<0.05	<<0.05	<<0.05	<<2.8	<<3.0	0.2	<<0.05	<<0.22
Minimum	42.8	2.78	20	1.88	11.80	1.20	0.157	1.160	0.018	0.150	15.30	0.06	0.13	0.40	0.11	0.41	0.64	0.90	<0.05	<0.05	<0.05	2.6	<2.8	0.2	<0.05	<0.21
Maximum	42.9	3.14	20	2.28	14.70	1.38	0.206	1.490	0.021	0.180	19.00	0.07	0.15	0.44	0.14	0.48	0.79	1.09	0.05	0.05	<0.05	3.1	<3.3	0.2	<0.05	<0.23
St.dev.	0.1	0.18	0.0	0.20	1.46	0.09	0.026	0.188	0.002	0.015	1.97	0.01	0.01	0.02	0.02	0.04	0.08	0.10	~0.00	~0.00	~0.00	~0.2	~0.3	0.0	~0.00	~0.01
Count	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J26, I023 Singlekalven, south, 1996-1001.**

. Analytical Lab. =>				NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>				341	341	!	341	341	341
____ Detection Limit.____ =>				0.05	0.05	!	0.05	0.05	0.05
Samp/ Shell-length		-wght	No of	HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl. Min:Max,Mean	mean		shell	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm	mm	g		w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 38:49	42.9	3.02	20	0.05	0.14	0.19	<0.05	<0.05	<0.05
02/ 1 38:48	42.8	3.14	20	0.05	0.12	0.17	<0.05	<0.05	<0.05
03/ 1 38:48	42.8	2.78	20	0.06	0.13	0.19	0.06	<0.05	<0.05
Mean	42.8	2.98	20.0	0.05	0.13	0.18	<<.05	<<.05	<<.05
Minimum	42.8	2.78	20	0.05	0.12	0.17	<0.05	<0.05	<0.05
Maximum	42.9	3.14	20	0.06	0.14	0.19	0.06	<0.05	<0.05
St.dev.	0.1	0.18	0.0	0.01	0.01	0.01	~0.01	~0.00	~0.00
Count	3	3	3	3	3	3	3	3	3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J26 Oslofjorden**, Tissue : **Whole SOFT BODY.**
Locality : **I023 Singlekalven, south**, Latitude: 59°05.70N, Longitude: 11°08.20E.
Catch,date : **1997-1013**, Count: 60, Sample type: **Bulked.**

. Analytical Lab. =>							NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>							312	311	310	312	311	341	341	341	341	341	341	341	341	341	!	!	341	341	!
____ Detection Limit.____ =>				Mean			0.050	0.010	0.005	0.040	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!
Samp/ Shell-length		-wght	No of	Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn
Repl. Min:Max,Mean	mean		shell	g	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm	mm	g					w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 35:49	41.6	3.16	20	1.65	11.60	0.95	0.203	0.760	0.032	0.160	15.90	0.08	0.18	0.47	0.25	0.52	0.76	0.96	0.06	0.05	<0.05	3.0	<3.4	0.4	0.08	0.49
02/ 1 35:48	41.5	3.16	20	1.68	11.60	1.03	0.220	0.770	0.036	0.190	18.50	0.08	0.17	0.47	0.26	0.56	0.85	1.05	0.07	0.05	<0.05	3.2	<3.6	0.4	0.09	0.53
03/ 1 35:48	41.5	2.92	20	1.63	12.90	1.18	0.228	0.880	0.038	0.170	21.80	0.09	0.22	0.55	0.24	0.38	0.80	1.03	0.05	0.05	<0.05	3.1	<3.5	0.5	0.06	0.58
Mean	41.5	3.08	20.0	1.65	12.03	1.05	0.217	0.803	0.035	0.173	18.73	0.08	0.19	0.50	0.25	0.49	0.80	1.01	0.06	0.05	<<0.05	3.1	<<3.5	0.5	0.08	0.53
Minimum	41.5	2.92	20	1.63	11.60	0.95	0.203	0.760	0.032	0.160	15.90	0.08	0.17	0.47	0.24	0.38	0.76	0.96	0.05	0.05	<0.05	3.0	<3.4	0.4	0.06	0.49
Maximum	41.6	3.16	20	1.68	12.90	1.18	0.228	0.880	0.038	0.190	21.80	0.09	0.22	0.55	0.26	0.56	0.85	1.05	0.07	0.05	<0.05	3.2	<3.6	0.5	0.09	0.58
St.dev.	0.1	0.14	0.0	0.03	0.75	0.12	0.013	0.067	0.003	0.015	2.96	0.01	0.03	0.05	0.01	0.09	0.05	0.05	0.01	0.00	~0.00	0.1	~0.1	0.1	0.02	0.05
Count	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J26, I023 Singlekalven, south, 1997-1013.**

. Analytical Lab. =>				NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>				341	341	!	341	341	341
____ Detection Limit.____ =>				0.05	0.05	!	0.05	0.05	0.05
Samp/ Shell-length		-wght	No of	HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl. Min:Max,Mean	mean		shell	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm	mm	g		w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 35:49	41.6	3.16	20	0.08	0.23	0.31	<0.05	<0.05	<0.05
02/ 1 35:48	41.5	3.16	20	0.10	0.28	0.38	0.05	<0.05	<0.05
03/ 1 35:48	41.5	2.92	20	0.10	0.30	0.40	0.06	<0.05	<0.05
Mean	41.5	3.08	20.0	0.09	0.27	0.36	<<.05	<<.05	<<.05
Minimum	41.5	2.92	20	0.08	0.23	0.31	<0.05	<0.05	<0.05
Maximum	41.6	3.16	20	0.10	0.30	0.40	0.06	<0.05	<0.05
St.dev.	0.1	0.14	0.0	0.01	0.04	0.05	~0.01	~0.00	~0.00
Count	3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J26 Oslofjorden, Tissue : Whole SOFT BODY.
Locality : I024 Kirkøy, north west, Latitude: 59°04.90N, Longitude: 10°59.20E.
Catch,date : 1995-1025, Count: 93, Sample type: Bulked.

Samp/ Repl. no.	Shell-length Min:Max, mm	Mean mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	NIVA 312 0.050 Cd ppm w.wt	NIVA 311 0.010 Cu ppm w.wt	NIVA 310 0.005 Hg ppm w.wt	NIVA 312 0.030 Pb ppm w.wt	NIVA 311 1.00 Zn ppm w.wt	NIVA 341 0.05 CB28 ppb w.wt	NIVA 341 0.05 CB52 ppb w.wt	NIVA 341 0.05 CB101 ppb w.wt	NIVA 341 0.05 CB105 ppb w.wt	NIVA 341 0.05 CB118 ppb w.wt	NIVA 341 0.05 CB138 ppb w.wt	NIVA 341 0.05 CB153 ppb w.wt	NIVA 341 0.05 CB156 ppb w.wt	NIVA 341 0.05 CB180 ppb w.wt	NIVA 341 0.05 CB209 ppb w.wt	Σ(*) ! CB_Σ7 ppb w.wt	Σ(*) ! CB_ΣΣ ppb w.wt	NIVA 341 0.10 DDEPP ppb w.wt	NIVA 341 0.05 TDEPP ppb w.wt	Σ(*) ! DD_Σn ppb w.wt
01/ 1	30:46	36.9	2.42	31	1.98	20.50	1.85	0.269	1.610	0.016	0.160	16.00	0.20	0.53	1.24	0.34	0.95	1.39	1.98	0.13	0.22	<0.05	6.5	<7.0	0.8	0.18	0.96
02/ 1	30:48	37.7	2.64	31	2.15	20.60	2.01	0.259	1.770	0.022	0.200	19.20	0.21	0.57	1.27	0.34	0.98	1.39	2.00	0.13	0.22	<0.05	6.6	<7.2	0.7	0.16	0.88
03/ 1	30:46	37.5	2.55	31	2.07	20.10	0.48	0.265	1.710	0.024	0.710	16.90	0.07	0.13	0.34	0.10	0.29	0.47	0.59	<0.05	0.06	<0.05	2.0	<2.1	0.3	0.05	0.36
Mean		37.4	2.54	31.0	2.07	20.40	1.45	0.264	1.697	0.021	0.357	17.37	0.16	0.41	0.95	0.26	0.74	1.08	1.52	<<0.10	0.17	<<0.05	5.0	<<5.4	0.6	0.13	0.73
Minimum		36.9	2.42	31	1.98	20.10	0.48	0.259	1.610	0.016	0.160	16.00	0.07	0.13	0.34	0.10	0.29	0.47	0.59	<0.05	0.06	<0.05	2.0	<2.1	0.3	0.05	0.36
Maximum		37.7	2.64	31	2.15	20.60	2.01	0.269	1.770	0.024	0.710	19.20	0.21	0.57	1.27	0.34	0.98	1.39	2.00	0.13	0.22	<0.05	6.6	<7.2	0.8	0.18	0.96
St.dev.		0.4	0.11	0.0	0.09	0.26	0.84	0.005	0.081	0.004	0.307	1.65	0.08	0.24	0.53	0.14	0.39	0.53	0.81	0.05	0.09	~0.00	2.7	~2.9	0.3	0.07	0.33
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J26, I024 Kirkøy, north west, 1995-1025.

Samp/ Repl. no.	Shell-length Min:Max, mm	Mean mm	-wght mean g	No of shell	NIVA 341 0.05 HCHA ppb w.wt	NIVA 341 0.05 HCHG ppb w.wt	Σ(*) ! HC_Σn ppb w.wt	NIVA 341 0.05 HCB ppb w.wt	NIVA 341 0.05 QCB ppb w.wt	NIVA 341 0.05 OCS ppb w.wt
01/ 1	30:46	36.9	2.42	31	0.19	0.34	0.53	0.10	<0.05	<0.05
02/ 1	30:48	37.7	2.64	31	0.21	0.37	0.58	0.12	<0.05	<0.05
03/ 1	30:46	37.5	2.55	31	0.07	0.16	0.23	<0.05	<0.05	<0.05
Mean		37.4	2.54	31.0	0.16	0.29	0.45	<<.09	<<.05	<<.05
Minimum		36.9	2.42	31	0.07	0.16	0.23	<0.05	<0.05	<0.05
Maximum		37.7	2.64	31	0.21	0.37	0.58	0.12	<0.05	<0.05
St.dev.		0.4	0.11	0.0	0.08	0.11	0.19	0.04	~0.00	~0.00
Count		3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J26 Oslofjorden, Tissue : Whole SOFT BODY.
Locality : I024 Kirkøy, north west, Latitude: 59°04.90N, Longitude: 10°59.20E.
Catch,date : 1996-0930, Count: 60, Sample type: Bulked.

Samp/ Repl. no.	Shell-length Min:Max, mm	Mean mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	NIVA 312 0.050 Cd ppm w.wt	NIVA 311 0.010 Cu ppm w.wt	NIVA 310 0.005 Hg ppm w.wt	NIVA 312 0.030 Pb ppm w.wt	NIVA 311 1.00 Zn ppm w.wt	NIVA 341 0.05 CB28 ppb w.wt	NIVA 341 0.05 CB52 ppb w.wt	NIVA 341 0.05 CB101 ppb w.wt	NIVA 341 0.05 CB105 ppb w.wt	NIVA 341 0.05 CB118 ppb w.wt	NIVA 341 0.05 CB138 ppb w.wt	NIVA 341 0.05 CB153 ppb w.wt	NIVA 341 0.05 CB156 ppb w.wt	NIVA 341 0.05 CB180 ppb w.wt	NIVA 341 0.05 CB209 ppb w.wt	Σ(*) ! CB_Σ7 ppb w.wt	Σ(*) ! CB_ΣΣ ppb w.wt	NIVA 341 0.10 DDEPP ppb w.wt	NIVA 341 0.05 TDEPP ppb w.wt	Σ(*) ! DD_Σn ppb w.wt
01/ 1	38:49	42.1	3.38	20	2.17	15.00	1.28	0.244	1.430	0.027	0.090	19.50	0.13	0.24	0.76	0.19	0.71	1.04	1.40	0.07	0.11	<0.05	4.4	<4.7	0.5	<0.05	<0.55
02/ 1	38:46	41.8	3.35	20	2.33	13.30	1.47	0.220	1.590	0.025	0.180	19.60	0.15	0.26	0.83	0.21	0.78	1.17	1.53	0.07	0.11	<0.05	4.8	<5.2	0.5	<0.05	<0.56
03/ 1	38:46	41.7	3.23	20	2.59	14.50	1.56	0.225	1.410	0.023	0.160	18.80	0.16	0.29	0.92	0.23	0.84	1.24	1.67	0.08	0.11	<0.05	5.2	<5.6	0.5	<0.05	<0.56
Mean		41.9	3.32	20.0	2.36	14.27	1.44	0.230	1.477	0.025	0.143	19.30	0.15	0.26	0.84	0.21	0.78	1.15	1.53	0.07	0.11	<<0.05	4.8	<<5.1	0.5	<<0.05	<<0.56
Minimum		41.7	3.23	20	2.17	13.30	1.28	0.220	1.410	0.023	0.090	18.80	0.13	0.24	0.76	0.19	0.71	1.04	1.40	0.07	0.11	<0.05	4.4	<4.7	0.5	<0.05	<0.55
Maximum		42.1	3.38	20	2.59	15.00	1.56	0.244	1.590	0.027	0.180	19.60	0.16	0.29	0.92	0.23	0.84	1.24	1.67	0.08	0.11	<0.05	5.2	<5.6	0.5	<0.05	<0.56
St.dev.		0.2	0.08	0.0	0.21	0.87	0.14	0.013	0.099	0.002	0.047	0.44	0.02	0.03	0.08	0.02	0.07	0.10	0.14	0.01	0.00	~0.00	0.4	~0.4	0.0	~0.00	~0.01
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J26, I024 Kirkøy, north west, 1996-0930.**

. Analytical Lab. =>				NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>				341	341	!	341	341	341
____ Detection Limit.____ =>				0.05	0.05	!	0.05	0.05	0.05
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	HCHA ppb w.wt	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt
01/ 1	38:49	42.1	3.38	20	0.08	0.19	0.27	0.09	<0.05	<0.05
02/ 1	38:46	41.8	3.35	20	0.08	0.19	0.27	0.08	<0.05	<0.05
03/ 1	38:46	41.7	3.23	20	0.08	0.20	0.28	0.09	<0.05	<0.05
Mean		41.9	3.32	20.0	0.08	0.19	0.27	0.09	<<.05	<<.05
Minimum		41.7	3.23	20	0.08	0.19	0.27	0.08	<0.05	<0.05
Maximum		42.1	3.38	20	0.08	0.20	0.28	0.09	<0.05	<0.05
St.dev.		0.2	0.08	0.0	0.00	0.01	0.01	0.01	~0.00	~0.00
Count		3	3	3	3	3	3	3	3	3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J26 Oslofjorden**, Tissue : **Whole SOFT BODY.**
Locality : **I024 Kirkøy, north west**, Latitude: 59°04.90N, Longitude: 10°59.20E.
Catch,date : **1997-1012**, Count: 60, Sample type: **Bulked.**

. Analytical Lab. =>							NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>							312	311	310	312	311	341	341	341	341	341	341	341	341	341	!	!	341	341	!
____ Detection Limit.____ =>							0.050	0.010	0.005	0.040	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	Cd ppm w.wt	Cu ppm w.wt	Hg ppm w.wt	Pb ppm w.wt	Zn ppm w.wt	CB28 ppb w.wt	CB52 ppb w.wt	CB101 ppb w.wt	CB105 ppb w.wt	CB118 ppb w.wt	CB138 ppb w.wt	CB153 ppb w.wt	CB156 ppb w.wt	CB180 ppb w.wt	CB209 ppb w.wt	CB_Σ7 ppb w.wt	CB_ΣΣ ppb w.wt	DDEPP ppb w.wt	TDEPP ppb w.wt	DD_Σn ppb w.wt
01/ 1	35:49	41.5	3.49	20	2.42	11.10	1.04	0.226	1.250	0.050	0.110	18.00	0.14	0.10	0.75	0.29	0.70	1.24	1.52	0.12	0.15	<0.05	4.6	<5.1	0.9	0.11	0.97
02/ 1	35:49	41.7	3.15	20	2.14	11.00	1.18	0.232	1.180	0.055	0.150	21.10	0.14	0.07	0.84	0.34	0.78	1.36	1.67	0.11	0.16	0.18	5.0	5.6	1.0	0.16	1.14
03/ 1	35:48	40.9	3.35	20	2.14	11.20	1.20	0.228	1.160	0.050	0.130	17.00	0.18	0.21	1.02	0.40	0.90	1.61	1.96	0.14	0.13	<0.05	6.0	<6.6	1.3	0.11	1.36
Mean		41.4	3.33	20.0	2.23	11.10	1.14	0.229	1.197	0.052	0.130	18.70	0.15	0.13	0.87	0.34	0.79	1.40	1.72	0.12	0.15	<<0.09	5.2	<<5.8	1.0	0.13	1.16
Minimum		40.9	3.15	20	2.14	11.00	1.04	0.226	1.160	0.050	0.110	17.00	0.14	0.07	0.75	0.29	0.70	1.24	1.52	0.11	0.13	<0.05	4.6	<5.1	0.9	0.11	0.97
Maximum		41.7	3.49	20	2.42	11.20	1.20	0.232	1.250	0.055	0.150	21.10	0.18	0.21	1.02	0.40	0.90	1.61	1.96	0.14	0.16	0.18	6.0	<6.6	1.3	0.16	1.36
St.dev.		0.4	0.17	0.0	0.16	0.10	0.09	0.003	0.047	0.003	0.020	2.14	0.02	0.07	0.14	0.06	0.10	0.19	0.22	0.02	0.02	~0.08	0.7	~0.8	0.2	0.03	0.20
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J26, I024 Kirkøy, north west, 1997-1012.**

. Analytical Lab. =>				NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>				341	341	!	341	341	341
____ Detection Limit.____ =>				0.05	0.05	!	0.05	0.05	0.05
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	HCHA ppb w.wt	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt
01/ 1	35:49	41.5	3.49	20	0.06	0.16	0.22	0.10	<0.05	<0.05
02/ 1	35:49	41.7	3.15	20	0.08	0.22	0.30	0.15	<0.05	<0.05
03/ 1	35:48	40.9	3.35	20	0.08	0.21	0.29	0.13	<0.05	<0.05
Mean		41.4	3.33	20.0	0.07	0.20	0.27	0.13	<<.05	<<.05
Minimum		40.9	3.15	20	0.06	0.16	0.22	0.10	<0.05	<0.05
Maximum		41.7	3.49	20	0.08	0.22	0.30	0.15	<0.05	<0.05
St.dev.		0.4	0.17	0.0	0.01	0.03	0.04	0.03	~0.00	~0.00
Count		3	3	3	3	3	3	3	3	3

156

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J26 Oslofjorden, Tissue : Whole SOFT BODY.
Locality : I301 Akershuskaia, Latitude: 59°54.23N, Longitude: 10°45.47E.
Catch,date : 1995-1002, Count: 96, Sample type: Bulked.

. Analytical Lab. ⇒					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)	NIVA
. Analysis Code. ⇒					312	311	310	311	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!	341
____ Detection Limit.____ ⇒					0.050	0.010	0.005	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!	0.05
Samp/ Shell-length -wght No of					Mean	___	___	Cd	Cu	Hg	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn	HCHA
Repl. Min:Max,Mean mean shell					Weight	Dry	Fat	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g					g	%	%	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	33:48	39.9	2.22	32	2.09	17.00	1.87	0.140	1.630	0.011	17.30	0.47	1.14	4.01	1.52	4.32	4.79	4.87	0.40	0.40	<0.05	20.0	<22.0	0.4	0.28	0.72	0.06
02/ 1	33:49	39.3	2.14	32	1.81	18.00	2.51	0.151	1.330	0.013	17.70	0.61	2.60	5.76	1.85	5.36	5.86	6.00	0.47	0.57	<0.05	26.8	<29.1	0.6	0.36	0.91	0.09
03/ 1	35:50	40.0	2.29	32	2.08	18.30	1.95	0.148	1.280	0.012	17.80	0.18	0.42	1.01	0.50	1.16	1.19	1.49	0.08	0.07	<0.05	5.5	<6.1	0.3	0.11	0.45	0.05
Mean		39.7	2.22	32.0	1.99	17.77	2.11	0.146	1.413	0.012	17.60	0.42	1.39	3.59	1.29	3.61	3.95	4.12	0.32	0.35	<<0.05	17.4	<<19.1	0.4	0.25	0.69	0.07
Minimum		39.3	2.14	32	1.81	17.00	1.87	0.140	1.280	0.011	17.30	0.18	0.42	1.01	0.50	1.16	1.19	1.49	0.08	0.07	<0.05	5.5	<6.1	0.3	0.11	0.45	0.05
Maximum		40.0	2.29	32	2.09	18.30	2.51	0.151	1.630	0.013	17.80	0.61	2.60	5.76	1.85	5.36	5.86	6.00	0.47	0.57	<0.05	26.8	<29.1	0.6	0.36	0.91	0.09
St.dev.		0.4	0.08	0.0	0.16	0.68	0.35	0.006	0.189	0.001	0.26	0.22	1.11	2.40	0.70	2.19	2.45	2.35	0.21	0.25	~0.00	10.9	~11.8	0.1	0.13	0.23	0.02
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

miss(2) ! Missing value.

Tab.width cont'd MYTI EDU, SB, J26, I301 Akershuskaia, 1995-1002.

. Analytical Lab. ⇒					NIVA	Σ(*)	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. ⇒					341	!	341	341	341	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309
____ Detection Limit.____ ⇒					0.05	!	0.05	0.05	0.05	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Samp/ Shell-length -wght No of					HCHG	HC_Σn	HCB	QCB	OCS	NAP	NAPC1	NAPC2	NAPC3	BIPN	ACNLE	ACNE	FLE	PA	PAC1	PAC2	ANT	FLU	PYR	BAA	CHR	BBF	BJKF	BEP
Repl. Min:Max,Mean mean shell					ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g					w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	33:48	39.9	2.22	32	0.15	0.21	<0.05	<0.05	<0.05	miss	miss	5.3	13.0	<0.5	<0.5	0.8	0.9	6.0	4.1	24.0	0.7	35.0	23.0	5.2	12.0	5.3	3.0	7.3
02/ 1	33:49	39.3	2.14	32	0.22	0.31	0.07	<0.05	<0.05	1.2	3.4	3.5	8.1	<0.5	<0.5	<0.5	0.9	5.0	5.8	20.0	0.7	32.0	22.0	4.2	10.0	3.7	1.8	5.9
03/ 1	35:50	40.0	2.29	32	0.18	0.23	<0.05	<0.05	<0.05	1.2	3.5	4.6	9.4	<0.5	<0.5	0.6	1.0	5.9	6.6	20.0	0.9	33.0	21.0	5.1	11.0	3.9	2.1	6.8
Mean		39.7	2.22	32.0	0.18	0.25	<<.06	<<.05	<<.05	1.2	3.5	4.5	10.2	<<0.5	<<0.5	<<0.6	0.9	5.6	5.5	21.3	0.8	33.3	22.0	4.8	11.0	4.3	2.3	6.7
Minimum		39.3	2.14	32	0.15	0.21	<0.05	<0.05	<0.05	1.2	3.4	3.5	8.1	<0.5	<0.5	<0.5	0.9	5.0	4.1	20.0	0.7	32.0	21.0	4.2	10.0	3.7	1.8	5.9
Maximum		40.0	2.29	32	0.22	0.31	0.07	<0.05	<0.05	1.2	3.5	5.3	13.0	<0.5	<0.5	0.8	1.0	6.0	6.6	24.0	0.9	35.0	23.0	5.2	12.0	5.3	3.0	7.3
St.dev.		0.4	0.08	0.0	0.04	0.05	~0.01	~0.00	~0.00	0.0	0.1	0.9	2.5	~0.0	~0.0	~0.2	0.1	0.6	1.3	2.3	0.1	1.5	1.0	0.6	1.0	0.9	0.6	0.7
Count		3	3	3	3	3	3	3	3	2	2	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J26, I301 Akershuskaia, 1995-1002.

. Analytical Lab. ⇒					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. ⇒					309	309	309	309	309	309	309	309	!	!	!	!
____ Detection Limit.____ ⇒					0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	!	!	!	!
Samp/ Shell-length -wght No of					BAP	PER	ICDP	DBA3A	BGHIP	DBTC 1	DBTC 2	DBTC 3	DI_Σn	P_Σn	PK_Σn	PAHΣΣ
Repl. Min:Max,Mean mean shell					ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g					w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	33:48	39.9	2.22	32	1.0	1.1	1.3	<0.5	1.9	1.2	1.2	7.2	<18.8	<142.7	<25.9	<161.0
02/ 1	33:49	39.3	2.14	32	0.8	0.9	1.1	<0.5	1.5	1.9	1.8	6.0	<16.7	<126.5	<21.8	<142.7
03/ 1	35:50	40.0	2.29	32	0.8	1.0	1.2	<0.5	1.9	1.9	2.1	5.6	<19.2	<132.9	<23.2	<151.6
Mean		39.7	2.22	32.0	0.9	1.0	1.2	<<0.5	1.8	1.7	1.7	6.3	<<18.2	<<134.0	<<23.6	<<151.8
Minimum		39.3	2.14	32	0.8	0.9	1.1	<0.5	1.5	1.2	1.2	5.6	<16.7	<126.5	<21.8	<142.7
Maximum		40.0	2.29	32	1.0	1.1	1.3	<0.5	1.9	1.9	2.1	7.2	<19.2	<142.7	<25.9	<161.0
St.dev.		0.4	0.08	0.0	0.1	0.1	0.1	~0.0	0.2	0.4	0.5	0.8	~1.3	~8.2	~2.1	~9.2
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J26 Oslofjorden, Tissue : Whole SOFT BODY.
Locality : I301 Akershuskaia, Latitude: 59°54.23N, Longitude: 10°45.47E.
Catch,date : 1996-1003, Count: 60, Sample type: Bulked.

. Analytical Lab. ⇒					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)	NIVA
. Analysis Code. ⇒					312	311	310	311	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!	341
____ Detection Limit.____ ⇒					0.050	0.010	0.005	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!	0.05
Samp/ Shell-length -wght No of					Mean	___	___	Cd	Cu	Hg	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn	HCHA
Repl. Min:Max,Mean mean shell					Weight	Dry	Fat	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g					g	%	%	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	35:47	40.0	2.71	20	1.95	16.80	2.38	0.155	1.860	0.012	21.70	0.81	2.47	4.02	1.37	3.49	3.68	3.95	0.40	0.56	<0.05	19.0	<20.8	0.7	0.43	1.08	0.09
02/ 1	35:47	40.0	2.51	20	1.82	19.20	2.66	0.140	2.220	0.012	18.40	0.77	2.59	4.50	1.37	3.88	4.18	4.61	0.44	0.59	<0.05	21.1	<23.0	0.6	0.42	1.01	0.08
03/ 1	35:48	40.0	2.63	20	1.90	17.60	2.26	0.140	1.750	0.012	19.40	0.90	2.58	4.35	1.61	3.97	4.08	4.31	0.49	0.67	<0.05	20.9	<23.0	0.7	0.42	1.08	0.08
Mean		40.0	2.62	20.0	1.89	17.87	2.43	0.145	1.943	0.012	19.83	0.83	2.55	4.29	1.45	3.78	3.98	4.29	0.44	0.61	<<0.05	20.3	<<22.3	0.6	0.42	1.06	0.08
Minimum		40.0	2.51	20	1.82	16.80	2.26	0.140	1.750	0.012	18.40	0.77	2.47	4.02	1.37	3.49	3.68	3.95	0.40	0.56	<0.05	19.0	<20.8	0.6	0.42	1.01	0.08
Maximum		40.0	2.71	20	1.95	19.20	2.66	0.155	2.220	0.012	21.70	0.90	2.59	4.50	1.61	3.97	4.18	4.61	0.49	0.67	<0.05	21.1	<23.0	0.7	0.43	1.08	0.09
St.dev.		0.0	0.10	0.0	0.07	1.22	0.21	0.009	0.246	0.000	1.69	0.07	0.07	0.25	0.14	0.26	0.26	0.33	0.05	0.06	~0.00	1.2	~1.3	0.0	0.01	0.04	0.01
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

miss(10) ! Missing value.

Tab.width cont'd MYTI EDU, SB, J26, I301 Akershuskaia, 1996-1003.

. Analytical Lab. ⇒					NIVA	Σ(*)	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. ⇒					341	!	341	341	341	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309
____ Detection Limit.____ ⇒					0.05	!	0.05	0.05	0.05	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Samp/ Shell-length -wght No of					HCHG	HC_Σn	HCB	QCB	OCS	NAP	NAPC1	NAPC2	NAPC3	BIPN	ACNLE	ACNE	FLE	PA	PAC1	PAC2	ANT	FLU	PYR	BAA	CHR	BBF	BJKF	BEP
Repl. Min:Max,Mean mean shell					ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g					w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	35:47	40.0	2.71	20	0.22	0.31	<0.05	<0.05	<0.05	miss	miss	miss	miss	miss	<0.5	<0.5	5.3	32.0	90.0	68.0	12.0	117.0	69.0	18.0	35.0	14.0	4.9	17.0
02/ 1	35:47	40.0	2.51	20	0.21	0.29	<0.05	0.05	<0.05	miss	miss	miss	miss	miss	<0.5	<0.5	9.6	34.0	78.0	79.0	12.0	126.0	70.0	22.0	39.0	17.0	6.2	18.0
03/ 1	35:48	40.0	2.63	20	0.22	0.30	<0.05	<0.05	<0.05	12.0	11.0	19.0	53.0	0.6	0.6	3.5	12.0	35.0	62.0	74.0	13.0	112.0	63.0	16.0	32.0	14.0	4.8	16.0
Mean		40.0	2.62	20.0	0.22	0.30	<<.05	<<.05	<<.05	12.0	11.0	19.0	53.0	0.6	<<0.5	<<1.5	9.0	33.7	76.7	73.7	12.3	118.3	67.3	18.7	35.3	15.0	5.3	17.0
Minimum		40.0	2.51	20	0.21	0.29	<0.05	<0.05	<0.05	12.0	11.0	19.0	53.0	0.6	<0.5	<0.5	5.3	32.0	62.0	68.0	12.0	112.0	63.0	16.0	32.0	14.0	4.8	16.0
Maximum		40.0	2.71	20	0.22	0.31	<0.05	<0.05	<0.05	12.0	11.0	19.0	53.0	0.6	0.6	3.5	12.0	35.0	90.0	79.0	13.0	126.0	70.0	22.0	39.0	17.0	6.2	18.0
St.dev.		0.0	0.10	0.0	0.01	0.01	~0.00	~0.00	~0.00	.	.	.	.	.	~0.1	~1.7	3.4	1.5	14.0	5.5	0.6	7.1	3.8	3.1	3.5	1.7	0.8	1.0
Count		3	3	3	3	3	3	3	3	1	1	1	1	1	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J26, I301 Akershuskaia, 1996-1003.

. Analytical Lab. ⇒					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. ⇒					309	309	309	309	309	309	309	309	!	!	!	!
____ Detection Limit.____ ⇒					0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	!	!	!	!
Samp/ Shell-length -wght No of					BAP	PER	ICDP	DBA3A	BGHIP	DBTC 1	DBTC 2	DBTC 3	DI_Σn	P_Σn	PK_Σn	PAHΣΣ
Repl. Min:Max,Mean mean shell					ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g					w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	35:47	40.0	2.71	20	3.3	2.5	2.4	0.5	3.4	18.0	85.0	47.0	.	<644.8	193.1	<644.8
02/ 1	35:47	40.0	2.51	20	3.7	2.3	2.6	0.6	3.5	16.0	69.0	47.0	.	<656.0	184.1	<656.0
03/ 1	35:48	40.0	2.63	20	3.3	2.5	2.0	<0.5	2.9	14.0	54.0	57.0	95.6	<594.1	<165.6	<689.7
Mean		40.0	2.62	20.0	3.4	2.4	2.3	<<0.5	3.3	16.0	69.3	50.3	95.6	<<631.6	<<180.9	<<663.5
Minimum		40.0	2.51	20	3.3	2.3	2.0	<0.5	2.9	14.0	54.0	47.0	95.6	<594.1	<165.6	<644.8
Maximum		40.0	2.71	20	3.7	2.5	2.6	0.6	3.5	18.0	85.0	57.0	95.6	<656.0	193.1	<689.7
St.dev.		0.0	0.10	0.0	0.2	0.1	0.3	0.1	0.3	2.0	15.5	5.8	.	~33.0	14.0	~23.4
Count		3	3	3	3	3	3	3	3	3	3	3	1	3	3	3

158

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J26 Oslofjorden, Tissue : Whole SOFT BODY.
Locality : I301 Akershuskaia, Latitude: 59°54.23N, Longitude: 10°45.47E.
Catch,date : 1997-1014, Count: 60, Sample type: Bulked.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)	NIVA
. Analysis Code. =>					312	311	310	311	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!	341
____ Detection Limit.____ =>				Mean	0.050	0.010	0.005	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!	0.05
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm mm	-wght mean g	No of shell	Weight g	Dry %	Fat %	Cd ppm w.wt	Cu ppm w.wt	Hg ppm w.wt	Zn ppm w.wt	CB28 ppb w.wt	CB52 ppb w.wt	CB101 ppb w.wt	CB105 ppb w.wt	CB118 ppb w.wt	CB138 ppb w.wt	CB153 ppb w.wt	CB156 ppb w.wt	CB180 ppb w.wt	CB209 ppb w.wt	CB_Σ7 ppb w.wt	CB_ΣΣ ppb w.wt	DDEPP ppb w.wt	TDEPP ppb w.wt	DD_Σn ppb w.wt	HCHA ppb w.wt
01/ 1	35:49 43.2	3.78	20	3.03	18.60	2.91	0.152	1.680	0.010	21.30	0.87	2.71	7.43	2.81	5.92	8.12	7.39	0.81	1.37	<0.05	33.8	<37.5	3.3	8.81	12.08	0.22
02/ 1	35:49 43.2	3.71	20	2.63	18.70	2.87	0.157	1.460	0.011	23.00	0.92	3.38	7.60	2.94	6.12	8.53	7.67	0.87	1.43	<0.05	35.7	<39.5	3.9	8.90	12.79	0.21
03/ 1	35:49 43.2	3.82	20	2.91	18.90	2.88	0.143	1.520	0.011	25.30	0.92	3.15	6.91	2.76	5.86	8.00	7.29	0.81	1.34	<0.05	33.5	<37.1	3.4	8.60	11.97	0.20
Mean	43.2	3.77	20.0	2.86	18.73	2.89	0.151	1.553	0.011	23.20	0.90	3.08	7.31	2.84	5.97	8.22	7.45	0.83	1.38	<<0.05	34.3	<<38.0	3.5	8.77	12.28	0.21
Minimum	43.2	3.71	20	2.63	18.60	2.87	0.143	1.460	0.010	21.30	0.87	2.71	6.91	2.76	5.86	8.00	7.29	0.81	1.34	<0.05	33.5	<37.1	3.3	8.60	11.97	0.20
Maximum	43.2	3.82	20	3.03	18.90	2.91	0.157	1.680	0.011	25.30	0.92	3.38	7.60	2.94	6.12	8.53	7.67	0.87	1.43	<0.05	35.7	<39.5	3.9	8.90	12.79	0.22
St.dev.	0.0	0.06	0.0	0.21	0.15	0.02	0.007	0.114	0.001	2.01	0.03	0.34	0.36	0.09	0.14	0.28	0.20	0.03	0.05	¯0.00	1.2	¯1.3	0.3	0.15	0.45	0.01
Count	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J26, I301 Akershuskaia, 1997-1014.

. Analytical Lab. =>				NIVA	Σ(*)	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>				341	!	341	341	341	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309
____ Detection Limit.____ =>				0.05	!	0.05	0.05	0.05	0.20	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.20	0.50	0.50	0.20	0.20	0.50	0.50	0.20	0.20	0.50	0.50
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm mm	-wght mean g	No of shell	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt	NAP ppb w.wt	NAP2M ppb w.wt	NAP1M ppb w.wt	BIPN ppb w.wt	NAPDI ppb w.wt	NAPIM ppb w.wt	ACNLE ppb w.wt	ACNE ppb w.wt	FLE ppb w.wt	PA ppb w.wt	ANT ppb w.wt	PAM1 ppb w.wt	FLU ppb w.wt	PYR ppb w.wt	BAA ppb w.wt	R	CHRT ppb w.wt	F	BBJK ppb w.wt	BEP ppb w.wt	BAP ppb w.wt
01/ 1	35:49 43.2	3.78	20	0.45	0.67	0.13	<0.05	<0.05	3.4	5.8	3.4	1.7	8.0	8.5	5.0	3.5	6.8	33.0	8.9	<0.5	122.0	83.0	15.0		49.0		13.0	21.0	3.5
02/ 1	35:49 43.2	3.71	20	0.46	0.67	0.13	<0.05	<0.05	3.1	5.2	3.0	1.4	6.3	9.9	4.1	3.5	7.7	34.0	8.7	<0.5	120.0	84.0	16.0		45.0		24.0	40.0	6.5
03/ 1	35:49 43.2	3.82	20	0.45	0.65	0.12	<0.05	<0.05	3.5	6.0	3.3	1.3	5.8	7.5	3.1	3.2	5.8	25.0	7.0	<0.5	98.0	65.0	15.0		46.0		18.0	20.0	2.7
Mean	43.2	3.77	20.0	0.45	0.66	0.13	<<.05	<<.05	3.3	5.7	3.2	1.5	6.7	8.6	4.1	3.4	6.8	30.7	8.2	<<0.5	113.3	77.3	15.3		46.7		18.3	27.0	4.2
Minimum	43.2	3.71	20	0.45	0.65	0.12	<0.05	<0.05	3.1	5.2	3.0	1.3	5.8	7.5	3.1	3.2	5.8	25.0	7.0	<0.5	98.0	65.0	15.0		45.0		13.0	20.0	2.7
Maximum	43.2	3.82	20	0.46	0.67	0.13	<0.05	<0.05	3.5	6.0	3.4	1.7	8.0	9.9	5.0	3.5	7.7	34.0	8.9	<0.5	122.0	84.0	16.0		49.0		24.0	40.0	6.5
St.dev.	0.0	0.06	0.0	0.01	0.01	0.01	¯0.00	¯0.00	0.2	0.4	0.2	0.2	1.2	1.2	1.0	0.2	1.0	4.9	1.0	¯0.0	13.3	10.7	0.6		2.1		5.5	11.3	2.0
Count	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3		3		3	3	3

Tab.width cont'd MYTI EDU, SB, J26, I301 Akershuskaia, 1997-1014.

. Analytical Lab. =>				NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. =>				309	309	309	309	!	!	!	!
____ Detection Limit.____ =>				0.50	0.50	0.50	0.50	!	!	!	!
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm mm	-wght mean g	No of shell	PER ppb w.wt	ICDP ppb w.wt	DBA3A ppb w.wt	BGHIP ppb w.wt	DI_Σn ppb w.wt	P_Σn ppb w.wt	PK_Σn ppb w.wt	PAHΣΣ ppb w.wt
01/ 1	35:49 43.2	3.78	20	2.0	0.9	<0.5	6.0	30.8	<373.1	<32.9	<403.9
02/ 1	35:49 43.2	3.71	20	1.6	<0.5	<0.5	4.9	28.9	<400.5	<47.0	<429.4
03/ 1	35:49 43.2	3.82	20	2.2	1.2	<0.5	9.8	27.4	<322.5	<37.4	<349.9
Mean	43.2	3.77	20.0	1.9	<<0.9	<<0.5	6.9	29.0	<<365.4	<<39.1	<<394.4
Minimum	43.2	3.71	20	1.6	<0.5	<0.5	4.9	27.4	<322.5	<32.9	<349.9
Maximum	43.2	3.82	20	2.2	1.2	<0.5	9.8	30.8	<400.5	<47.0	<429.4
St.dev.	0.0	0.06	0.0	0.3	¯0.4	¯0.0	2.6	1.7	¯39.6	¯7.2	¯40.6
Count	3	3	3	3	3	3	3	3	3	3	3

691

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J26 Oslofjorden**, Tissue : **Whole SOFT BODY.**
Locality : **I304 Gåsøya**, Latitude: 59°51.11N, Longitude: 10°35.51E.
Catch,date : **1995-1002**, Count: 75, Sample type: **Bulked.**

. Analytical Lab. =>					NIVA			NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)	NIVA
. Analysis Code. =>					312	311	310	311	341	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!	341
____ Detection Limit.____ =>				Mean	___	___	0.050	0.010	0.005	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!	0.05
Samp/ Shell-length -wght No of				Weight	Dry	Fat	Cd	Cu	Hg	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn	HCHA
Repl. Min:Max,Mean mean shell				g	%	%	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g							w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	30:44	36.3	3.47	25	1.60	14.90	1.68	0.198	1.340	0.007	27.00	0.13	0.33	0.69	0.40	0.91	0.98	1.21	0.06	0.05	<0.05	4.3	<4.8	0.3	0.07	0.32	0.05
02/ 1	31:50	36.9	3.54	25	1.68	14.50	1.40	0.186	1.160	0.006	27.90	0.19	0.46	0.93	0.45	1.06	1.06	1.34	0.08	0.07	<0.05	5.1	<5.7	0.3	0.11	0.42	0.07
03/ 1	30:45	35.9	3.14	25	1.56	15.80	1.68	0.218	1.640	0.009	44.20	0.46	1.02	3.47	1.31	3.77	4.01	4.02	0.36	0.38	<0.05	17.1	<18.9	0.4	0.26	0.65	0.07
Mean		36.4	3.38	25.0	1.61	15.07	1.59	0.201	1.380	0.007	33.03	0.26	0.60	1.70	0.72	1.91	2.02	2.19	0.17	0.17	<<0.05	8.8	<<9.8	0.3	0.15	0.46	0.06
Minimum		35.9	3.14	25	1.56	14.50	1.40	0.186	1.160	0.006	27.00	0.13	0.33	0.69	0.40	0.91	0.98	1.21	0.06	0.05	<0.05	4.3	<4.8	0.3	0.07	0.32	0.05
Maximum		36.9	3.54	25	1.68	15.80	1.68	0.218	1.640	0.009	44.20	0.46	1.02	3.47	1.31	3.77	4.01	4.02	0.36	0.38	<0.05	17.1	<18.9	0.4	0.26	0.65	0.07
St.dev.		0.5	0.21	0.0	0.06	0.67	0.16	0.016	0.242	0.002	9.68	0.18	0.37	1.54	0.51	1.61	1.73	1.59	0.17	0.19	¯0.00	7.2	¯7.9	0.1	0.10	0.17	0.01
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

miss(2) ! Missing value.

Tab.width cont'd **MYTI EDU, SB, J26, I304 Gåsøya, 1995-1002.**

. Analytical Lab. =>					NIVA	Σ(*)	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>					341	!	341	341	341	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309
____ Detection Limit.____ =>					0.05	!	0.05	0.05	0.05	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Samp/ Shell-length -wght No of					HCHG	HC_Σn	HCB	QCB	OCS	NAP	NAPC1	NAPC2	NAPC3	BIPN	ACNLE	ACNE	FLE	PA	PAC1	PAC2	ANT	FLU	PYR	BAA	CHR	BBF	BJKF	BEP
Repl. Min:Max,Mean mean shell					ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g					w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	30:44	36.3	3.47	25	0.14	0.19	<0.05	<0.05	<0.05	miss	miss	5.2	5.8	<0.5	<0.5	<0.5	1.4	1.2	0.8	1.4	<0.5	2.7	1.8	0.9	1.0	<0.5	<0.5	0.7
02/ 1	31:50	36.9	3.54	25	0.19	0.26	<0.05	<0.05	<0.05	1.0	1.8	0.8	1.9	<0.5	<0.5	<0.5	<0.5	1.3	0.7	2.1	<0.5	4.1	3.1	1.7	1.5	0.6	<0.5	0.9
03/ 1	30:45	35.9	3.14	25	0.18	0.25	0.05	<0.05	<0.05	<0.5	<0.5	1.1	1.9	<0.5	<0.5	<0.5	<0.5	1.3	0.7	1.5	<0.5	3.0	2.0	0.9	1.2	<0.5	<0.5	0.7
Mean		36.4	3.38	25.0	0.17	0.23	<<.05	<<.05	<<.05	<<0.8	<<1.2	2.4	3.2	<<0.5	<<0.5	<<0.5	<<0.8	1.3	0.7	1.7	<<0.5	3.3	2.3	1.2	1.2	<<0.5	<<0.5	0.8
Minimum		35.9	3.14	25	0.14	0.19	<0.05	<0.05	<0.05	<0.5	<0.5	0.8	1.9	<0.5	<0.5	<0.5	<0.5	1.2	0.7	1.4	<0.5	2.7	1.8	0.9	1.0	<0.5	<0.5	0.7
Maximum		36.9	3.54	25	0.19	0.26	0.05	<0.05	<0.05	1.0	1.8	5.2	5.8	<0.5	<0.5	<0.5	1.4	1.3	0.8	2.1	<0.5	4.1	3.1	1.7	1.5	0.6	<0.5	0.9
St.dev.		0.5	0.21	0.0	0.03	0.04	¯0.00	¯0.00	¯0.00	0.4	0.9	2.5	2.3	¯0.0	¯0.0	¯0.0	¯0.5	0.1	0.1	0.4	¯0.0	0.7	0.7	0.5	0.3	¯0.1	¯0.0	0.1
Count		3	3	3	3	3	3	3	3	2	2	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J26, I304 Gåsøya, 1995-1002.**

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. =>					309	309	309	309	309	309	309	309	!	!	!	!
____ Detection Limit.____ =>					0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	!	!	!	!
Samp/ Shell-length -wght No of					BAP	PER	ICDP	DBA3A	BGHIP	DBTC 1	DBTC 2	DBTC 3	DI_Σn	P_Σn	PK_Σn	PAHΣΣ
Repl. Min:Max,Mean mean shell					ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g					w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	30:44	36.3	3.47	25	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	<11.5	<12.9	<1.9	<23.9
02/ 1	31:50	36.9	3.54	25	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.1	<6.0	<17.6	<3.9	<23.1
03/ 1	30:45	35.9	3.14	25	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<3.5	<11.8	<1.4	<14.8
Mean		36.4	3.38	25.0	<<0.5	<<0.5	<<0.5	<<0.5	<<0.5	<<0.5	<<0.5	<<0.7	<<7.0	<<14.1	<<2.4	<<20.6
Minimum		35.9	3.14	25	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<3.5	<11.8	<1.4	<14.8
Maximum		36.9	3.54	25	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.1	<11.5	<17.6	<3.9	<23.9
St.dev.		0.5	0.21	0.0	¯0.0	¯0.0	¯0.0	¯0.0	¯0.0	¯0.0	¯0.0	0.3	¯4.1	¯3.1	¯1.3	¯5.0
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J26 Oslofjorden, Tissue : Whole SOFT BODY.
Locality : I304 Gåsøya, Latitude: 59°51.11N, Longitude: 10°35.51E.
Catch,date : 1996-1003, Count: 60, Sample type: Bulked.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)	NIVA
. Analysis Code. =>					312	311	310	311	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!	341
____ Detection Limit.____ =>				Mean	0.050	0.010	0.005	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!	0.05
Samp/ Shell-length		-wght	No of	Weight	Dry	Fat	Cd	Cu	Hg	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn	HCHA
Repl. Min:Max,Mean		mean	shell	g	%	%	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm	mm	g					w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 34:48	40.0	3.85	20	2.21	17.80	2.07	0.128	1.520	0.010	23.90	0.41	0.93	1.20	0.56	1.28	1.16	1.43	0.08	0.11	<0.05	6.5	<7.2	0.2	0.07	0.28	0.07
02/ 1 34:47	40.0	3.70	20	2.15	18.60	0.74	0.115	1.340	0.031	22.30	0.18	0.35	0.49	0.20	0.51	0.46	0.56	<0.05	<0.05	<0.05	<2.6	<2.8	0.1	<0.05	<0.14	0.05
03/ 1 35:48	40.0	4.03	20	2.13	17.30	1.19	0.134	1.420	0.012	23.60	0.26	0.60	0.78	0.35	0.79	0.72	0.90	0.05	0.07	<0.05	4.1	<4.6	0.1	<0.05	<0.18	0.06
Mean	40.0	3.86	20.0	2.16	17.90	1.33	0.126	1.427	0.018	23.27	0.28	0.63	0.82	0.37	0.86	0.78	0.96	<<0.06	<<0.08	<<0.05	<<4.4	<<4.9	0.1	<<0.06	<<0.20	0.06
Minimum	40.0	3.70	20	2.13	17.30	0.74	0.115	1.340	0.010	22.30	0.18	0.35	0.49	0.20	0.51	0.46	0.56	<0.05	<0.05	<0.05	<2.6	<2.8	0.1	<0.05	<0.14	0.05
Maximum	40.0	4.03	20	2.21	18.60	2.07	0.134	1.520	0.031	23.90	0.41	0.93	1.20	0.56	1.28	1.16	1.43	0.08	0.11	<0.05	6.5	<7.2	0.2	0.07	0.28	0.07
St.dev.	0.0	0.17	0.0	0.04	0.66	0.68	0.010	0.090	0.012	0.85	0.12	0.29	0.36	0.18	0.39	0.35	0.44	~0.02	~0.03	~0.00	~2.0	~2.2	0.1	~0.01	~0.07	0.01
Count	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J26, I304 Gåsøya, 1996-1003.

. Analytical Lab. =>				NIVA	Σ(*)	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>				341	!	341	341	341	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309
____ Detection Limit.____ =>				0.05	!	0.05	0.05	0.05	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Samp/ Shell-length	-wght		No of	HCHG	HC_Σn	HCB	QCB	OCS	NAP	NAPC1	NAPC2	NAPC3	BIPN	ACNLE	ACNE	FLE	PA	PAC1	PAC2	ANT	FLU	PYR	BAA	CHR	BBF	BJKF	BEP
Repl. Min:Max,Mean	mean		shell	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm	mm	g		w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 34:48	40.0	3.85	20	0.18	0.25	<0.05	<0.05	<0.05	14.0	12.0	2.6	4.1	<0.5	<0.5	<0.5	1.0	2.4	5.7	9.2	<0.5	5.9	3.6	1.1	3.1	1.0	0.7	1.6
02/ 1 34:47	40.0	3.70	20	0.12	0.17	<0.05	<0.05	<0.05	12.0	8.6	3.9	4.2	<0.5	<0.5	0.5	0.9	2.4	5.0	10.0	<0.5	5.4	3.3	1.0	2.8	0.6	0.5	1.4
03/ 1 35:48	40.0	4.03	20	0.15	0.21	<0.05	<0.05	<0.05	7.9	5.3	3.7	4.0	<0.5	<0.5	<0.5	1.2	2.5	4.3	9.7	<0.5	5.6	3.3	0.9	2.8	0.5	<0.5	1.5
Mean	40.0	3.86	20.0	0.15	0.21	<<.05	<<.05	<<.05	11.3	8.6	3.4	4.1	<<0.5	<<0.5	<<0.5	1.0	2.4	5.0	9.6	<<0.5	5.6	3.4	1.0	2.9	0.7	<<0.6	1.5
Minimum	40.0	3.70	20	0.12	0.17	<0.05	<0.05	<0.05	7.9	5.3	2.6	4.0	<0.5	<0.5	<0.5	0.9	2.4	4.3	9.2	<0.5	5.4	3.3	0.9	2.8	0.5	<0.5	1.4
Maximum	40.0	4.03	20	0.18	0.25	<0.05	<0.05	<0.05	14.0	12.0	3.9	4.2	<0.5	<0.5	<0.5	1.2	2.5	5.7	10.0	<0.5	5.9	3.6	1.1	3.1	1.0	0.7	1.6
St.dev.	0.0	0.17	0.0	0.03	0.04	~0.00	~0.00	~0.00	3.1	3.4	0.7	0.1	~0.0	~0.0	~0.0	0.2	0.1	0.7	0.4	~0.0	0.3	0.2	0.1	0.2	0.3	0.1	0.1
Count	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J26, I304 Gåsøya, 1996-1003.

. Analytical Lab. =>				NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. =>				309	309	309	309	309	309	309	309	309	!	!	!	!
____ Detection Limit.____ =>				0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	!	!	!	!
Samp/ Shell-length	-wght		No of	BAP	PER	ICDP	DBA3A	BGHIP	DBTC 1	DBTC 2	DBTC 3	DI_Σn	P_Σn	PK_Σn	PAHΣΣ
Repl. Min:Max,Mean	mean		shell	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm	mm	g		w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 34:48	40.0	3.85	20	<0.5	<0.5	0.6	<0.5	0.9	0.9	0.7	2.1	<33.2	<41.0	<7.6	<73.7
02/ 1 34:47	40.0	3.70	20	<0.5	<0.5	0.5	<0.5	0.7	1.1	4.4	5.8	<29.2	<46.8	<14.4	<75.5
03/ 1 35:48	40.0	4.03	20	<0.5	<0.5	<0.5	<0.5	0.7	1.1	7.0	8.7	<21.4	<50.3	<18.7	<71.2
Mean	40.0	3.86	20.0	<<0.5	<<0.5	<<0.5	<<0.5	0.8	1.0	4.0	5.5	<<27.9	<<46.0	<<13.6	<<73.5
Minimum	40.0	3.70	20	<0.5	<0.5	<0.5	<0.5	0.7	0.9	0.7	2.1	<21.4	<41.0	<7.6	<71.2
Maximum	40.0	4.03	20	<0.5	<0.5	0.6	<0.5	0.9	1.1	7.0	8.7	<33.2	<50.3	<18.7	<75.5
St.dev.	0.0	0.17	0.0	~0.0	~0.0	0.1	~0.0	0.1	0.1	3.2	3.3	~6.0	~4.7	~5.6	~2.2
Count	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J26 Oslofjorden, Tissue : Whole SOFT BODY.
Locality : I304 Gåsøya, Latitude: 59°51.11N, Longitude: 10°35.51E.
Catch,date : 1997-1014, Count: 60, Sample type: Bulked.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)	NIVA
. Analysis Code. =>					312	311	310	311	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!	341
____ Detection Limit.____ =>					0.050	0.010	0.005	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!	0.05
Samp/ Shell-length		-wght		No of	Mean	___	___	Cd	Cu	Hg	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn	HCHA
Repl. Min:Max,Mean		mean		shell	Weight	Dry	Fat	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm	mm	g			g	%	%	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 35:48	42.1	3.87	20		2.62	15.20	1.98	0.114	0.960	0.006	16.50	0.31	0.47	1.54	0.66	1.37	1.45	1.45	0.12	0.16	<0.05	6.8	<7.6	0.5	1.15	1.67	0.15
02/ 1 35:48	42.0	4.01	20		2.73	13.90	1.72	0.109	1.000	0.006	18.50	0.29	0.70	1.41	0.61	1.25	1.34	1.38	0.11	0.15	<0.05	6.5	<7.3	0.5	1.03	1.52	0.12
03/ 1 35:48	42.0	3.78	20		2.48	15.30	1.99	0.121	0.960	0.006	17.30	0.33	0.70	1.48	0.63	1.30	1.40	1.42	0.11	0.16	<0.05	6.8	<7.6	0.5	1.00	1.50	0.16
Mean	42.0	3.89	20.0		2.61	14.80	1.90	0.115	0.973	0.006	17.43	0.31	0.62	1.48	0.63	1.31	1.40	1.42	0.11	0.16	<<0.05	6.7	<<7.5	0.5	1.06	1.56	0.14
Minimum	42.0	3.78	20		2.48	13.90	1.72	0.109	0.960	0.006	16.50	0.29	0.47	1.41	0.61	1.25	1.34	1.38	0.11	0.15	<0.05	6.5	<7.3	0.5	1.00	1.50	0.12
Maximum	42.1	4.01	20		2.73	15.30	1.99	0.121	1.000	0.006	18.50	0.33	0.70	1.54	0.66	1.37	1.45	1.45	0.12	0.16	<0.05	6.8	<7.6	0.5	1.15	1.67	0.16
St.dev.	0.1	0.12	0.0		0.13	0.78	0.15	0.006	0.023	0.000	1.01	0.02	0.13	0.07	0.03	0.06	0.06	0.04	0.01	0.01	~0.00	0.1	~0.2	0.0	0.08	0.09	0.02
Count	3	3	3		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J26, I304 Gåsøya, 1997-1014.

. Analytical Lab. =>					NIVA	Σ(*)	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>					341	!	341	341	341	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309
____ Detection Limit.____ =>					0.05	!	0.05	0.05	0.05	0.20	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.20	0.50	0.50	0.20	0.20	0.50	0.50	0.20	0.20	0.50
Samp/ Shell-length		-wght		No of	HCHG	HC_Σn	HCB	QCB	OCS	NAP	NAP2M	NAP1M	BIPN	NAPDI	NAPIM	ACNLE	ACNE	FLE	PA	ANT	PAM1	FLU	PYR	BAA	CHRT	BBJK	BEP	BAP
Repl. Min:Max,Mean		mean		shell	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb R	ppb F	ppb	ppb	ppb	ppb
no. mm:mm	mm	g			w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 35:48	42.1	3.87	20		0.40	0.55	0.11	<0.05	<0.05	1.7	2.3	1.2	0.6	1.3	1.3	0.7	<0.5	1.1	4.0	0.5	<0.5	12.0	3.0	<0.5	1.9	<0.5	0.7	<0.5
02/ 1 35:48	42.0	4.01	20		0.33	0.45	0.08	<0.05	<0.05	2.0	1.7	0.9	0.5	0.9	1.1	0.6	<0.5	1.0	3.6	<0.5	<0.5	9.7	5.5	<0.5	<0.5	0.9	1.0	<0.5
03/ 1 35:48	42.0	3.78	20		0.38	0.54	0.11	<0.05	<0.05	1.6	1.8	1.0	0.5	1.1	1.1	0.6	<0.5	1.1	4.2	0.5	1.0	11.0	6.1	0.8	7.7	0.6	1.2	<0.5
Mean	42.0	3.89	20.0		0.37	0.51	0.10	<<.05	<<.05	1.8	1.9	1.0	0.5	1.1	1.2	0.6	<<0.5	1.1	3.9	<<0.5	<<0.7	10.9	4.9	<<0.6	<<3.4	<<0.7	1.0	<<0.5
Minimum	42.0	3.78	20		0.33	0.45	0.08	<0.05	<0.05	1.6	1.7	0.9	0.5	0.9	1.1	0.6	<0.5	1.0	3.6	<0.5	<0.5	9.7	3.0	<0.5	<0.5	<0.5	0.7	<0.5
Maximum	42.1	4.01	20		0.40	0.55	0.11	<0.05	<0.05	2.0	2.3	1.2	0.6	1.3	1.3	0.7	<0.5	1.1	4.2	0.5	1.0	12.0	6.1	0.8	7.7	0.9	1.2	<0.5
St.dev.	0.1	0.12	0.0		0.04	0.06	0.02	~0.00	~0.00	0.2	0.3	0.2	0.1	0.2	0.1	0.1	~0.0	0.1	0.3	~0.0	~0.3	1.2	1.6	~0.2	~3.8	~0.2	0.3	~0.0
Count	3	3	3		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J26, I304 Gåsøya, 1997-1014.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. =>					309	309	309	309	!	!	!	!
____ Detection Limit.____ =>					0.50	0.50	0.50	0.50	!	!	!	!
Samp/ Shell-length		-wght		No of	PER	ICDP	DBA3A	BGHIP	DI_Σn	P_Σn	PK_Σn	PAHΣΣ
Repl. Min:Max,Mean		mean		shell	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm	mm	g			w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 35:48	42.1	3.87	20		<0.5	<0.5	<0.5	1.0	8.4	<25.4	<0.5	<33.8
02/ 1 35:48	42.0	4.01	20		<0.5	<0.5	<0.5	2.3	7.1	<25.1	<1.4	<32.2
03/ 1 35:48	42.0	3.78	20		<0.5	<0.5	<0.5	2.0	7.1	<37.3	<1.9	<44.4
Mean	42.0	3.89	20.0		<<0.5	<<0.5	<<0.5	1.8	7.5	<<29.3	<<1.3	<<36.8
Minimum	42.0	3.78	20		<0.5	<0.5	<0.5	1.0	7.1	<25.1	<0.5	<32.2
Maximum	42.1	4.01	20		<0.5	<0.5	<0.5	2.3	8.4	<37.3	<1.9	<44.4
St.dev.	0.1	0.12	0.0		~0.0	~0.0	~0.0	0.7	0.8	~7.0	~0.7	~6.6
Count	3	3	3		3	3	3	3	3	3	3	3

162

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J26 Oslofjorden, Tissue : Whole SOFT BODY.
Locality : I306 Håøya, Latitude: 59°42.69N, Longitude: 10°33.35E.
Catch,date : 1995-1003, Count: 84, Sample type: Bulked.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)	NIVA
. Analysis Code. =>					312	311	310	311	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!	341
____ Detection Limit.____ =>				Mean	0.050	0.010	0.005	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!	0.05
Samp/ Shell-length -wght No of				Weight																				
Repl. Min:Max,Mean mean shell					Cd	Cu	Hg	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn	HCHA
no. mm:mm mm g				g	%	%	ppm w.wt	ppm w.wt	ppm w.wt	ppm w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt
01/ 1	34:50	45.7	6.29	28	3.93	16.70	1.30	0.135	0.970	0.007	18.60	0.09	0.22	0.48	0.26	0.56	0.55	0.70	<0.05	0.05	<0.05	2.7	<3.0	0.3	0.47	0.77	0.10
02/ 1	35:49	44.8	5.84	28	3.41	16.70	1.39	0.150	1.110	0.010	19.60	0.09	0.19	0.53	0.28	0.62	0.60	0.76	<0.05	0.05	<0.05	2.8	<3.2	0.4	0.47	0.82	0.10
03/ 1	35:50	45.1	6.26	28	3.49	17.90	1.37	0.145	0.990	0.008	22.90	0.09	0.20	0.53	0.28	0.64	0.62	0.81	<0.05	0.05	<0.05	2.9	<3.3	0.3	0.43	0.76	0.09
Mean		45.2	6.13	28.0	3.61	17.10	1.35	0.143	1.023	0.008	20.37	0.09	0.20	0.51	0.27	0.61	0.59	0.76	<<0.05	0.05	<<0.05	2.8	<<3.1	0.3	0.46	0.78	0.10
Minimum		44.8	5.84	28	3.41	16.70	1.30	0.135	0.970	0.007	18.60	0.09	0.19	0.48	0.26	0.56	0.55	0.70	<0.05	0.05	<0.05	2.7	<3.0	0.3	0.43	0.76	0.09
Maximum		45.7	6.29	28	3.93	17.90	1.39	0.150	1.110	0.010	22.90	0.09	0.22	0.53	0.28	0.64	0.62	0.81	<0.05	0.05	<0.05	2.9	<3.3	0.4	0.47	0.82	0.10
St.dev.		0.5	0.25	0.0	0.28	0.69	0.05	0.008	0.076	0.002	2.25	0.00	0.02	0.03	0.01	0.04	0.04	0.06	~0.00	0.00	~0.00	0.1	~0.2	0.0	0.02	0.03	0.01
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J26, I306 Håøya, 1995-1003.

. Analytical Lab. =>					NIVA	Σ(*)	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>					341	!	341	341	341	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309
____ Detection Limit.____ =>					0.05	!	0.05	0.05	0.05	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Samp/ Shell-length -wght No of					HCHG	HC_Σn	HCB	QCB	OCS	NAP	NAPC1	NAPC2	NAPC3	BIPN	ACNLE	ACNE	FLE	PA	PAC1	PAC2	ANT	FLU	PYR	BAA	CHR	BBF	BJKF	BEP
Repl. Min:Max,Mean mean shell																													
no. mm:mm mm g					ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt
01/ 1	34:50	45.7	6.29	28	0.24	0.34	<0.05	0.24	<0.05	1.0	1.9	0.6	1.2	<0.5	<0.5	0.5	<0.5	1.7	0.5	1.8	<0.5	3.2	2.2	0.5	1.1	0.6	<0.5	0.7
02/ 1	35:49	44.8	5.84	28	0.25	0.35	<0.05	0.37	<0.05	1.4	2.7	1.3	1.6	<0.5	<0.5	0.5	<0.5	2.0	0.5	1.5	<0.5	3.2	2.1	0.6	1.2	0.7	<0.5	0.8
03/ 1	35:50	45.1	6.26	28	0.21	0.30	<0.05	<0.05	<0.05	1.7	3.0	1.2	1.4	<0.5	<0.5	0.5	<0.5	2.1	0.6	1.4	<0.5	3.6	2.4	0.6	1.1	0.7	<0.5	1.0
Mean		45.2	6.13	28.0	0.23	0.33	<<.05	<<.22	<<.05	1.4	2.5	1.0	1.4	<<0.5	<<0.5	0.5	<<0.5	1.9	0.5	1.6	<<0.5	3.3	2.2	0.6	1.1	0.7	<<0.5	0.8
Minimum		44.8	5.84	28	0.21	0.30	<0.05	<0.05	<0.05	1.0	1.9	0.6	1.2	<0.5	<0.5	0.5	<0.5	1.7	0.5	1.4	<0.5	3.2	2.1	0.5	1.1	0.6	<0.5	0.7
Maximum		45.7	6.29	28	0.25	0.35	<0.05	0.37	<0.05	1.7	3.0	1.3	1.6	<0.5	<0.5	0.5	<0.5	2.1	0.6	1.8	<0.5	3.6	2.4	0.6	1.2	0.7	<0.5	1.0
St.dev.		0.5	0.25	0.0	0.02	0.03	~0.00	0.16	~0.00	0.4	0.6	0.4	0.2	~0.0	~0.0	0.0	~0.0	0.2	0.1	0.2	~0.0	0.2	0.2	0.1	0.1	0.1	~0.0	0.2
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J26, I306 Håøya, 1995-1003.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. =>					309	309	309	309	309	309	309	309	!	!	!	!
____ Detection Limit.____ =>					0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	!	!	!	!
Samp/ Shell-length -wght No of					BAP	PER	ICDP	DBA3A	BGHIP	DBTC 1	DBTC 2	DBTC 3	DI_Σn	P_Σn	PK_Σn	PAHΣΣ
Repl. Min:Max,Mean mean shell																
no. mm:mm mm g					ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt	ppb w.wt
01/ 1	34:50	45.7	6.29	28	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.1	<5.2	<14.4	<2.7	<19.1
02/ 1	35:49	44.8	5.84	28	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.1	<7.5	<14.7	<2.9	<21.7
03/ 1	35:50	45.1	6.26	28	<0.5	<0.5	<0.5	<0.5	0.5	<0.5	<0.5	0.9	<7.8	<15.9	<2.7	<23.2
Mean		45.2	6.13	28.0	<<0.5	<<0.5	<<0.5	<<0.5	<<0.5	<<0.5	<<0.5	1.0	<<6.8	<<15.0	<<2.8	<<21.3
Minimum		44.8	5.84	28	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.9	<5.2	<14.4	<2.7	<19.1
Maximum		45.7	6.29	28	<0.5	<0.5	<0.5	<0.5	0.5	<0.5	<0.5	1.1	<7.8	<15.9	<2.9	<23.2
St.dev.		0.5	0.25	0.0	~0.0	~0.0	~0.0	~0.0	~0.0	~0.0	~0.0	0.1	~1.4	~0.8	~0.1	~2.1
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J26 Oslofjorden, Tissue : Whole SOFT BODY.
Locality : I306 Håøya, Latitude: 59°42.69N, Longitude: 10°33.35E.
Catch,date : 1996-1003, Count: 60, Sample type: Bulked.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)	NIVA
. Analysis Code. =>					312	311	310	311	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!	341
____ Detection Limit.____ =>				Mean	0.050	0.010	0.005	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!	0.05
Samp/ Shell-length		-wght	No of	Weight	Dry	Fat	Cd	Cu	Hg	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn	HCHA
Repl. Min:Max,Mean		mean	shell	g	%	%	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm	mm	g					w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 39:49	45.0	6.18	20	3.36	16.20	1.77	0.134	1.230	0.010	22.90	0.19	0.58	0.93	0.41	0.91	0.86	1.08	0.05	0.06	<0.05	4.6	<5.1	0.1	0.07	0.17	<0.05
02/ 1 39:49	45.0	6.43	20	3.34	16.30	0.50	0.127	1.310	0.009	26.00	0.11	0.23	0.34	0.14	0.31	0.24	0.36	<0.05	<0.05	<0.05	<1.6	<1.8	0.1	<0.05	<0.10	<0.05
03/ 1 39:49	45.0	6.67	20	3.39	17.60	0.98	0.120	0.920	0.023	13.20	0.13	0.32	0.58	0.22	0.56	0.50	0.64	<0.05	<0.05	<0.05	<2.8	<3.0	0.1	<0.05	<0.13	<0.05
Mean	45.0	6.43	20.0	3.36	16.70	1.08	0.127	1.153	0.014	20.70	0.14	0.38	0.62	0.26	0.59	0.53	0.69	<<0.05	<<0.05	<<0.05	<<3.0	<<3.3	0.1	<<0.06	<<0.13	<<0.05
Minimum	45.0	6.18	20	3.34	16.20	0.50	0.120	0.920	0.009	13.20	0.11	0.23	0.34	0.14	0.31	0.24	0.36	<0.05	<0.05	<0.05	<1.6	<1.8	0.1	<0.05	<0.10	<0.05
Maximum	45.0	6.67	20	3.39	17.60	1.77	0.134	1.310	0.023	26.00	0.19	0.58	0.93	0.41	0.91	0.86	1.08	0.05	0.06	<0.05	4.6	<5.1	0.1	0.07	0.17	<0.05
St.dev.	0.0	0.25	0.0	0.03	0.78	0.64	0.007	0.206	0.008	6.68	0.04	0.18	0.30	0.14	0.30	0.31	0.36	~0.00	~0.01	~0.00	~1.5	~1.7	0.0	~0.01	~0.04	~0.00
Count	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J26, I306 Håøya, 1996-1003.

. Analytical Lab. =>					NIVA	Σ(*)	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>					341	!	341	341	341	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309
____ Detection Limit.____ =>					0.05	!	0.05	0.05	0.05	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Samp/ Shell-length		-wght	No of		HCHG	HC_Σn	HCB	QCB	OCS	NAP	NAPC1	NAPC2	NAPC3	BIPN	ACNLE	ACNE	FLE	PA	PAC1	PAC2	ANT	FLU	PYR	BAA	CHR	BBF	BJKF	BEP
Repl. Min:Max,Mean		mean	shell		ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm	mm	g			w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 39:49	45.0	6.18	20		0.11	<0.16	<0.05	<0.05	<0.05	<0.5	0.9	2.3	4.7	<0.5	<0.5	<0.5	<0.5	2.0	14.0	24.0	<0.5	3.5	2.1	0.8	2.5	<0.5	<0.5	1.2
02/ 1 39:49	45.0	6.43	20		0.09	<0.14	<0.05	<0.05	<0.05	<0.5	0.7	2.6	4.1	<0.5	<0.5	<0.5	<0.5	2.2	23.0	40.0	<0.5	2.9	1.8	0.9	2.6	0.7	0.6	1.1
03/ 1 39:49	45.0	6.67	20		0.12	<0.17	<0.05	<0.05	<0.05	<0.5	0.5	2.4	3.6	<0.5	<0.5	<0.5	<0.5	1.9	18.0	29.0	<0.5	2.8	1.8	0.9	2.3	0.5	<0.5	1.2
Mean	45.0	6.43	20.0		0.11	<<0.16	<<.05	<<.05	<<.05	<<0.5	0.7	2.4	4.1	<<0.5	<<0.5	<<0.5	<<0.5	2.0	18.3	31.0	<<0.5	3.1	1.9	0.9	2.5	<<0.6	<<0.5	1.2
Minimum	45.0	6.18	20		0.09	<0.14	<0.05	<0.05	<0.05	<0.5	0.5	2.3	3.6	<0.5	<0.5	<0.5	<0.5	1.9	14.0	24.0	<0.5	2.8	1.8	0.8	2.3	<0.5	<0.5	1.1
Maximum	45.0	6.67	20		0.12	<0.17	<0.05	<0.05	<0.05	<0.5	0.9	2.6	4.7	<0.5	<0.5	<0.5	<0.5	2.2	23.0	40.0	<0.5	3.5	2.1	0.9	2.6	0.7	0.6	1.2
St.dev.	0.0	0.25	0.0		0.02	~0.02	~0.00	~0.00	~0.00	~0.0	0.2	0.2	0.6	~0.0	~0.0	~0.0	~0.0	0.2	4.5	8.2	~0.0	0.4	0.2	0.1	0.2	~0.1	~0.1	0.1
Count	3	3	3		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J26, I306 Håøya, 1996-1003.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. =>					309	309	309	309	309	309	309	309	!	!	!	!
____ Detection Limit.____ =>					0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	!	!	!	!
Samp/ Shell-length		-wght	No of		BAP	PER	ICDP	DBA3A	BGHIP	DBTC 1	DBTC 2	DBTC 3	DI_Σn	P_Σn	PK_Σn	PAHΣΣ
Repl. Min:Max,Mean		mean	shell		ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm	mm	g			w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 39:49	45.0	6.18	20		<0.5	<0.5	0.5	<0.5	0.7	2.1	5.2	8.8	<8.4	<67.9	<17.9	<75.8
02/ 1 39:49	45.0	6.43	20		<0.5	<0.5	0.6	<0.5	0.8	3.7	13.0	20.0	<7.9	<114.4	<40.0	<121.8
03/ 1 39:49	45.0	6.67	20		<0.5	<0.5	0.5	<0.5	0.7	2.4	9.2	16.0	<7.0	<87.7	<30.0	<94.2
Mean	45.0	6.43	20.0		<<0.5	<<0.5	0.5	<<0.5	0.7	2.7	9.1	14.9	<<7.8	<<90.0	<<29.3	<<97.3
Minimum	45.0	6.18	20		<0.5	<0.5	0.5	<0.5	0.7	2.1	5.2	8.8	<7.0	<67.9	<17.9	<75.8
Maximum	45.0	6.67	20		<0.5	<0.5	0.6	<0.5	0.8	3.7	13.0	20.0	<8.4	<114.4	<40.0	<121.8
St.dev.	0.0	0.25	0.0		~0.0	~0.0	0.1	~0.0	0.1	0.9	3.9	5.7	~0.7	~23.3	~11.1	~23.2
Count	3	3	3		3	3	3	3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J26 Oslofjorden, Tissue : Whole SOFT BODY.
Locality : I306 Håøya, Latitude: 59°42.69N, Longitude: 10°33.35E.
Catch,date : 1997-1014, Count: 60, Sample type: Bulked.

. Analytical Lab. ⇒					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)	NIVA
. Analysis Code. ⇒					312	311	310	311	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!	341
____ Detection Limit.____ ⇒					0.050	0.010	0.005	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!	0.05
Samp/ Shell-length -wght No of					Mean																			
Repl. Min:Max,Mean mean shell					Weight	Dry	Fat	Cd	Cu	Hg	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn	HCHA
no. mm:mm mm g					g	%	%	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
								w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	32:49	42.9	5.76	20	3.67	17.40	2.49	0.129	1.790	0.007	20.00	0.39	1.07	2.08	1.13	2.03	1.87	1.83	0.18	0.26	<0.05	9.5	<10.9	0.7	0.45	1.19	0.20
02/ 1	32:49	42.7	4.92	20	3.48	16.80	2.38	0.105	1.190	0.006	16.80	0.36	0.82	1.96	1.10	2.00	1.89	1.82	0.17	0.26	<0.05	9.1	<10.4	0.7	0.45	1.17	0.18
03/ 1	32:49	42.9	5.45	20	3.49	18.10	2.47	0.117	1.460	0.007	19.20	0.33	0.74	1.47	0.68	1.36	1.35	1.39	0.10	0.14	<0.05	6.8	<7.6	0.6	0.48	1.12	0.16
Mean		42.8	5.38	20.0	3.55	17.43	2.45	0.117	1.480	0.007	18.67	0.36	0.88	1.84	0.97	1.80	1.70	1.68	0.15	0.22	<<0.05	8.5	<<9.6	0.7	0.46	1.16	0.18
Minimum		42.7	4.92	20	3.48	16.80	2.38	0.105	1.190	0.006	16.80	0.33	0.74	1.47	0.68	1.36	1.35	1.39	0.10	0.14	<0.05	6.8	<7.6	0.6	0.45	1.12	0.16
Maximum		42.9	5.76	20	3.67	18.10	2.49	0.129	1.790	0.007	20.00	0.39	1.07	2.08	1.13	2.03	1.89	1.83	0.18	0.26	<0.05	9.5	<10.9	0.7	0.48	1.19	0.20
St.dev.		0.1	0.42	0.0	0.11	0.65	0.06	0.012	0.300	0.001	1.67	0.03	0.17	0.32	0.25	0.38	0.31	0.25	0.04	0.07	~0.00	1.5	~1.8	0.1	0.02	0.04	0.02
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

miss(9) ! Missing value.

Tab.width cont'd MYTI EDU, SB, J26, I306 Håøya, 1997-1014.

. Analytical Lab. ⇒					NIVA	Σ(*)	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. ⇒					341	!	341	341	341	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309
____ Detection Limit.____ ⇒					0.05	!	0.05	0.05	0.05	0.20	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.20	0.50	0.50	0.20	0.20	0.50	0.50	0.20	0.20	0.50
Samp/ Shell-length -wght No of					HCHG	HC_Σn	HCB	QCB	OCS	NAP	NAP2M	NAP1M	BIPN	NAPDI	NAPTM	ACNLE	ACNE	FLE	PA	ANT	PAM1	FLU	PYR	BAA	CHRT	BBJK	BEP	BAP
Repl. Min:Max,Mean mean shell					ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	R ppb F	ppb	ppb	ppb
no. mm:mm mm g					w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	32:49	42.9	5.76	20	0.59	0.79	0.13	<0.05	<0.05	3.3	1.9	0.6	<0.5	0.9	0.5	<0.5	<0.5	0.6	4.8	<0.5	1.9	14.0	24.0	1.2	4.0	4.7	2.4	<0.5
02/ 1	32:49	42.7	4.92	20	0.55	0.73	0.13	<0.05	<0.05	3.3	1.8	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	4.0	<0.5	1.6	10.0	5.7	1.2	3.5	3.9	2.8	<0.5
03/ 1	32:49	42.9	5.45	20	0.48	0.64	0.20	<0.05	<0.05	miss	miss	miss	miss	miss	miss	miss	miss	miss	3.7	<0.5	0.6	12.0	7.0	1.0	3.8	3.6	2.6	<0.5
Mean		42.8	5.38	20.0	0.54	0.72	0.15	<<.05	<<.05	3.3	1.9	<<0.6	<<0.5	<<0.7	<<0.5	<<0.5	<<0.5	<<0.6	4.2	<<0.5	1.4	12.0	12.2	1.1	3.8	4.1	2.6	<<0.5
Minimum		42.7	4.92	20	0.48	0.64	0.13	<0.05	<0.05	3.3	1.8	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	3.7	<0.5	0.6	10.0	5.7	1.0	3.5	3.6	2.4	<0.5
Maximum		42.9	5.76	20	0.59	0.79	0.20	<0.05	<0.05	3.3	1.9	0.6	<0.5	0.9	0.5	<0.5	<0.5	0.6	4.8	<0.5	1.9	14.0	24.0	1.2	4.0	4.7	2.8	<0.5
St.dev.		0.1	0.42	0.0	0.06	0.08	0.04	~0.00	~0.00	0.0	0.1	~0.1	~0.0	~0.3	~0.0	~0.0	~0.0	~0.1	0.6	~0.0	0.7	2.0	10.2	0.1	0.3	0.6	0.2	~0.0
Count		3	3	3	3	3	3	3	3	2	2	2	2	2	2	2	2	2	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J26, I306 Håøya, 1997-1014.

. Analytical Lab. ⇒					NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. ⇒					309	309	309	309	!	!	!	!
____ Detection Limit.____ ⇒					0.50	0.50	0.50	0.50	!	!	!	!
Samp/ Shell-length -wght No of					PER	ICDP	DBA3A	BGHIP	DI_Σn	P_Σn	PK_Σn	PAHΣΣ
Repl. Min:Max,Mean mean shell					ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g					w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	32:49	42.9	5.76	20	<0.5	0.7	<0.5	1.8	<7.7	<60.6	<7.1	<67.8
02/ 1	32:49	42.7	4.92	20	<0.5	<0.5	<0.5	1.5	<5.6	<34.7	<5.6	<39.8
03/ 1	32:49	42.9	5.45	20	<0.5	<0.5	<0.5	1.3	.	<36.1	<5.1	<36.1
Mean		42.8	5.38	20.0	<<0.5	<<0.6	<<0.5	1.5	<<6.6	<<43.8	<<5.9	<<47.9
Minimum		42.7	4.92	20	<0.5	<0.5	<0.5	1.3	<5.6	<34.7	<5.1	<36.1
Maximum		42.9	5.76	20	<0.5	0.7	<0.5	1.8	<7.7	<60.6	<7.1	<67.8
St.dev.		0.1	0.42	0.0	~0.0	~0.1	~0.0	0.3	~1.5	~14.6	~1.0	~17.3
Count		3	3	3	3	3	3	3	2	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J26 Oslofjorden, Tissue : Whole SOFT BODY.
Locality : I307 Ramtonholmen, Latitude: 59°44.70N, Longitude: 10°31.40E.
Catch,date : 1995-1003, Count: 78, Sample type: Bulked.

. Analytical Lab. =>																												
. Analysis Code. =>																												
____ Detection Limit.____ =>																												
Samp/ Repl. no.	Shell-length Min:Max, mm:mm	Mean mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	NIVA 312 0.050 Cd ppm w.wt	NIVA 311 0.010 Cu ppm w.wt	NIVA 310 0.005 Hg ppm w.wt	NIVA 311 1.00 Zn ppm w.wt	NIVA 341 0.05 CB28 ppb w.wt	NIVA 341 0.05 CB52 ppb w.wt	NIVA 341 0.05 CB101 ppb w.wt	NIVA 341 0.05 CB105 ppb w.wt	NIVA 341 0.05 CB118 ppb w.wt	NIVA 341 0.05 CB138 ppb w.wt	NIVA 341 0.05 CB153 ppb w.wt	NIVA 341 0.05 CB156 ppb w.wt	NIVA 341 0.05 CB180 ppb w.wt	NIVA 341 0.05 CB209 ppb w.wt	Σ(*) ! CB_Σ7 ppb w.wt	Σ(*) ! CB_ΣΣ ppb w.wt	NIVA 341 0.10 DDEPP ppb w.wt	NIVA 341 0.05 TDEPP ppb w.wt	Σ(*) ! DD_Σn ppb w.wt	NIVA 341 0.05 HCHA ppb w.wt
01/ 1	31:50	44.0	6.63	26	3.82	17.40	1.65	0.168	1.080	0.008	20.40	0.15	0.34	0.71	0.35	0.75	0.70	0.88	0.05	0.06	<0.05	3.6	<4.0	0.4	0.48	0.86	0.13
02/ 1	33:50	45.0	7.43	26	4.31	18.30	1.52	0.172	1.140	0.007	19.00	0.12	0.34	0.61	0.31	0.67	0.61	0.76	<0.05	0.06	<0.05	3.2	<3.5	0.4	0.54	0.90	0.10
03/ 1	31:50	43.8	6.82	26	4.03	18.70	1.72	0.167	1.120	0.007	19.80	0.16	0.41	0.77	0.38	0.82	0.76	0.95	0.05	0.05	<0.05	3.9	<4.4	0.4	0.62	1.05	0.11
Mean		44.3	6.96	26.0	4.05	18.13	1.63	0.169	1.113	0.007	19.73	0.14	0.36	0.70	0.35	0.75	0.69	0.86	<<0.05	0.06	<<0.05	3.6	<<4.0	0.4	0.55	0.94	0.11
Minimum		43.8	6.63	26	3.82	17.40	1.52	0.167	1.080	0.007	19.00	0.12	0.34	0.61	0.31	0.67	0.61	0.76	<0.05	0.05	<0.05	3.2	<3.5	0.4	0.48	0.86	0.10
Maximum		45.0	7.43	26	4.31	18.70	1.72	0.172	1.140	0.008	20.40	0.16	0.41	0.77	0.38	0.82	0.76	0.95	0.05	0.06	<0.05	3.9	<4.4	0.4	0.62	1.05	0.13
St.dev.		0.6	0.42	0.0	0.25	0.67	0.10	0.003	0.031	0.001	0.70	0.02	0.04	0.08	0.04	0.08	0.08	0.10	~0.00	0.01	~0.00	0.4	~0.4	0.0	0.07	0.10	0.02
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J26, I307 Ramtonholmen, 1995-1003.

. Analytical Lab. =>																												
. Analysis Code. =>																												
____ Detection Limit.____ =>																												
Samp/ Repl. no.	Shell-length Min:Max, mm:mm	Mean mm	-wght mean g	No of shell	NIVA 341 0.05 HCHG ppb w.wt	Σ(*) ! HC_Σn ppb w.wt	NIVA 341 0.05 HCB ppb w.wt	NIVA 341 0.05 QCB ppb w.wt	NIVA 341 0.05 OCS ppb w.wt	NIVA 309 0.20 NAP ppb w.wt	NIVA 309 0.20 NAPC1 ppb w.wt	NIVA 309 0.20 NAPC2 ppb w.wt	NIVA 309 0.20 NAPC3 ppb w.wt	NIVA 309 0.20 BIPN ppb w.wt	NIVA 309 0.20 ACNLE ppb w.wt	NIVA 309 0.20 ACNE ppb w.wt	NIVA 309 0.20 FLE ppb w.wt	NIVA 309 0.20 PA ppb w.wt	NIVA 309 0.20 PAC1 ppb w.wt	NIVA 309 0.20 PAC2 ppb w.wt	NIVA 309 0.20 ANT ppb w.wt	NIVA 309 0.20 FLU ppb w.wt	NIVA 309 0.20 PYR ppb w.wt	NIVA 309 0.20 BAA ppb w.wt	NIVA 309 0.20 CHR ppb w.wt	NIVA 309 0.20 BBF ppb w.wt	NIVA 309 0.20 BJKF ppb w.wt	NIVA 309 0.20 BEP ppb w.wt
01/ 1	31:50	44.0	6.63	26	0.28	0.41	<0.05	0.88	<0.05	<0.5	<0.5	2.0	7.6	<0.5	<0.5	2.3	<0.5	1.9	0.8	1.5	<0.5	3.4	2.3	0.6	1.1	0.5	<0.5	0.8
02/ 1	33:50	45.0	7.43	26	0.31	0.41	<0.05	0.88	<0.05	<0.5	1.4	0.7	2.5	<0.5	<0.5	0.8	<0.5	1.5	0.5	1.2	<0.5	2.7	1.7	0.6	1.0	0.5	<0.5	0.6
03/ 1	31:50	43.8	6.82	26	0.29	0.40	<0.05	0.43	<0.05	1.2	2.1	0.9	1.8	<0.5	<0.5	<0.5	<0.5	1.7	<0.5	2.0	<0.5	3.0	2.0	0.6	1.0	0.6	<0.5	0.8
Mean		44.3	6.96	26.0	0.29	0.41	<<.05	0.73	<<.05	<<0.7	<<1.3	1.2	4.0	<<0.5	<<0.5	<<1.2	<<0.5	1.7	<<0.6	1.6	<<0.5	3.0	2.0	0.6	1.0	0.5	<<0.5	0.7
Minimum		43.8	6.63	26	0.28	0.40	<0.05	0.43	<0.05	<0.5	<0.5	0.7	1.8	<0.5	<0.5	<0.5	<0.5	1.5	<0.5	1.2	<0.5	2.7	1.7	0.6	1.0	0.5	<0.5	0.6
Maximum		45.0	7.43	26	0.31	0.41	<0.05	0.88	<0.05	1.2	2.1	2.0	7.6	<0.5	<0.5	2.3	<0.5	1.9	0.8	2.0	<0.5	3.4	2.3	0.6	1.1	0.6	<0.5	0.8
St.dev.		0.6	0.42	0.0	0.02	0.01	~0.00	0.26	~0.00	~0.4	~0.8	0.7	3.2	~0.0	~0.0	1.0	~0.0	0.2	0.2	0.4	~0.0	0.4	0.3	0.0	0.1	0.1	~0.0	0.1
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J26, I307 Ramtonholmen, 1995-1003.

. Analytical Lab. =>															
. Analysis Code. =>															
____ Detection Limit.____ =>															
Samp/ Repl. no.	Shell-length Min:Max, mm:mm	Mean mm	-wght mean g	No of shell	NIVA 309 0.20 BAP ppb w.wt	NIVA 309 0.20 PER ppb w.wt	NIVA 309 0.20 ICDP ppb w.wt	NIVA 309 0.20 DBA3A ppb w.wt	NIVA 309 0.20 BGHIP ppb w.wt	NIVA 309 0.20 DBTC 1 ppb w.wt	NIVA 309 0.20 DBTC 2 ppb w.wt	NIVA 309 0.20 DBTC 3 ppb w.wt	Σ(*) ! DI_Σn ppb w.wt	Σ(*) ! P_Σn ppb w.wt	Σ(*) ! PK_Σn ppb w.wt	Σ(*) ! PAHΣΣ ppb w.wt
01/ 1	31:50	44.0	6.63	26	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	<10.1	<16.3	<2.2	<25.9
02/ 1	33:50	45.0	7.43	26	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	<5.1	<12.2	<2.2	<16.8
03/ 1	31:50	43.8	6.82	26	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.7	<6.5	<12.9	<2.4	<18.9
Mean		44.3	6.96	26.0	<<0.5	<<0.5	<<0.5	<<0.5	<<0.5	<<0.5	<<0.5	0.6	<<7.2	<<13.8	<<2.3	<<20.5
Minimum		43.8	6.63	26	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	<5.1	<12.2	<2.2	<16.8
Maximum		45.0	7.43	26	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.7	<10.1	<16.3	<2.4	<25.9
St.dev.		0.6	0.42	0.0	~0.0	~0.0	~0.0	~0.0	~0.0	~0.0	~0.0	0.1	~2.6	~2.2	~0.1	~4.8
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J26 Oslofjorden, Tissue : Whole SOFT BODY.
Locality : I307 Ramtonholmen, Latitude: 59°44.70N, Longitude: 10°31.40E.
Catch,date : 1996-1003, Count: 60, Sample type: Bulked.

. Analytical Lab. =>					NIVA			NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)	NIVA
. Analysis Code. =>					312	311	310	311	341	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!	341
____ Detection Limit.____ =>				Mean	0.050	0.010	0.005	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!	0.05
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	Weight g	Dry %	Fat %	Cd ppm w.wt	Cu ppm w.wt	Hg ppm w.wt	Zn ppm w.wt	CB28 ppb w.wt	CB52 ppb w.wt	CB101 ppb w.wt	CB105 ppb w.wt	CB118 ppb w.wt	CB138 ppb w.wt	CB153 ppb w.wt	CB156 ppb w.wt	CB180 ppb w.wt	CB209 ppb w.wt	CB_Σ7 ppb w.wt	CB_ΣΣ ppb w.wt	DDEPP ppb w.wt	TDEPP ppb w.wt	DD_Σn ppb w.wt	HCHA ppb w.wt
01/ 1	37:49	43.5	5.59	20	2.88	15.60	1.61	0.147	1.050	0.011	21.40	0.24	0.56	0.81	0.38	0.87	0.82	1.06	0.06	0.08	<0.05	4.4	<4.9	0.2	<0.05	<0.21	0.06
02/ 1	38:49	43.0	5.09	20	2.69	16.10	1.79	0.128	1.120	0.016	19.80	0.29	0.65	0.84	0.39	0.90	0.80	1.03	0.06	0.08	<0.05	4.6	<5.1	0.2	<0.05	<0.20	0.07
03/ 1	38:49	44.0	4.91	20	2.51	15.70	1.78	0.128	1.080	0.008	16.10	0.29	0.66	0.87	0.41	0.92	0.86	1.11	0.06	0.09	<0.05	4.8	<5.3	0.2	<0.05	<0.23	0.07
Mean		43.5	5.20	20.0	2.69	15.80	1.73	0.134	1.083	0.012	19.10	0.27	0.62	0.84	0.39	0.90	0.83	1.07	0.06	0.08	<<0.05	4.6	<<5.1	0.2	<<0.05	<<0.21	0.07
Minimum		43.0	4.91	20	2.51	15.60	1.61	0.128	1.050	0.008	16.10	0.24	0.56	0.81	0.38	0.87	0.80	1.03	0.06	0.08	<0.05	4.4	<4.9	0.2	<0.05	<0.20	0.06
Maximum		44.0	5.59	20	2.88	16.10	1.79	0.147	1.120	0.016	21.40	0.29	0.66	0.87	0.41	0.92	0.86	1.11	0.06	0.09	<0.05	4.8	<5.3	0.2	<0.05	<0.23	0.07
St.dev.		0.5	0.35	0.0	0.19	0.26	0.10	0.011	0.035	0.004	2.72	0.03	0.06	0.03	0.02	0.03	0.03	0.04	0.00	0.01	~0.00	0.2	~0.2	0.0	~0.00	~0.02	0.01
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J26, I307 Ramtonholmen, 1996-1003.

. Analytical Lab. =>					NIVA	Σ(*)	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>					341	!	341	341	341	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309
____ Detection Limit.____ =>					0.05	!	0.05	0.05	0.05	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt	NAP ppb w.wt	NAPC1 ppb w.wt	NAPC2 ppb w.wt	NAPC3 ppb w.wt	BIPN ppb w.wt	ACNLE ppb w.wt	ACNE ppb w.wt	FLE ppb w.wt	PA ppb w.wt	PAC1 ppb w.wt	PAC2 ppb w.wt	ANT ppb w.wt	FLU ppb w.wt	PYR ppb w.wt	BAA ppb w.wt	CHR ppb w.wt	BBF ppb w.wt	BJKF ppb w.wt	BEP ppb w.wt
01/ 1	37:49	43.5	5.59	20	0.14	0.20	<0.05	<0.05	<0.05	11.0	8.1	3.2	2.9	<0.5	<0.5	<0.5	0.7	1.8	6.3	6.9	<0.5	3.1	1.9	1.1	2.1	0.5	<0.5	1.7
02/ 1	38:49	43.0	5.09	20	0.17	0.24	<0.05	<0.05	<0.05	8.3	5.4	3.5	3.1	<0.5	<0.5	<0.5	0.8	3.7	4.2	7.1	<0.5	11.0	7.6	3.5	4.3	2.8	1.2	2.6
03/ 1	38:49	44.0	4.91	20	0.16	0.23	<0.05	<0.05	<0.05	<0.5	0.6	1.8	1.9	<0.5	<0.5	<0.5	<0.5	1.5	2.2	2.1	<0.5	3.0	1.6	1.1	2.1	<0.5	<0.5	1.2
Mean		43.5	5.20	20.0	0.16	0.22	<<.05	<<.05	<<.05	<<6.6	4.7	2.8	2.6	<<0.5	<<0.5	<<0.5	<<0.7	2.3	4.2	5.4	<<0.5	5.7	3.7	1.9	2.8	<<1.3	<<0.7	1.8
Minimum		43.0	4.91	20	0.14	0.20	<0.05	<0.05	<0.05	<0.5	0.6	1.8	1.9	<0.5	<0.5	<0.5	<0.5	1.5	2.2	2.1	<0.5	3.0	1.6	1.1	2.1	<0.5	<0.5	1.2
Maximum		44.0	5.59	20	0.17	0.24	<0.05	<0.05	<0.05	11.0	8.1	3.5	3.1	<0.5	<0.5	<0.5	0.8	3.7	6.3	7.1	<0.5	11.0	7.6	3.5	4.3	2.8	1.2	2.6
St.dev.		0.5	0.35	0.0	0.02	0.02	~0.00	~0.00	~0.00	5.5	3.8	0.9	0.6	~0.0	~0.0	~0.0	0.2	1.2	2.1	2.8	~0.0	4.6	3.4	1.4	1.3	1.3	~0.4	0.7
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J26, I307 Ramtonholmen, 1996-1003.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. =>					309	309	309	309	309	309	309	309	!	!	!	!
____ Detection Limit.____ =>					0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	!	!	!	!
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	BAP ppb w.wt	PER ppb w.wt	ICDP ppb w.wt	DBA3A ppb w.wt	BGHIP ppb w.wt	DBTC 1 ppb w.wt	DBTC 2 ppb w.wt	DBTC 3 ppb w.wt	DI_Σn ppb w.wt	P_Σn ppb w.wt	PK_Σn ppb w.wt	PAHΣΣ ppb w.wt
01/ 1	37:49	43.5	5.59	20	<0.5	<0.5	0.6	<0.5	0.8	1.7	7.2	4.7	<25.7	<41.6	<16.3	<66.8
02/ 1	38:49	43.0	5.09	20	2.4	0.7	1.7	<0.5	1.9	0.8	5.0	5.1	<20.8	<66.9	<23.0	<87.2
03/ 1	38:49	44.0	4.91	20	<0.5	<0.5	0.5	<0.5	0.8	<0.5	1.5	3.9	<4.8	<22.0	<7.5	<26.3
Mean		43.5	5.20	20.0	<<1.1	<<0.6	0.9	<<0.5	1.2	<<1.0	4.6	4.6	<<17.1	<<43.5	<<15.6	<<60.1
Minimum		43.0	4.91	20	<0.5	<0.5	0.5	<0.5	0.8	<0.5	1.5	3.9	<4.8	<22.0	<7.5	<26.3
Maximum		44.0	5.59	20	2.4	0.7	1.7	<0.5	1.9	1.7	7.2	5.1	<25.7	<66.9	<23.0	<87.2
St.dev.		0.5	0.35	0.0	~1.1	~0.1	0.7	~0.0	0.6	0.6	2.9	0.6	~10.9	~22.5	~7.8	~31.0
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J26 Oslofjorden, Tissue : Whole SOFT BODY.
Locality : I307 Ramtonholmen, Latitude: 59°44.70N, Longitude: 10°31.40E.
Catch,date : 1997-1014, Count: 60, Sample type: Bulked.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)	NIVA
. Analysis Code. =>					312	311	310	311	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!	341
____ Detection Limit.____ =>				Mean	0.050	0.010	0.005	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!	0.05
Samp/ Shell-length		-wght		No of	Weight	Dry	Fat	Cd	Cu	Hg	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn	HCHA
Repl. Min:Max,Mean		mean		shell	g	%	%	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm	mm	g						w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 35:49	43.8	6.51	20		3.93	17.80	2.10	0.124	1.100	0.006	18.60	0.39	1.00	2.09	1.14	2.06	1.92	1.87	0.17	0.25	<0.05	9.6	<10.9	0.8	0.50	1.26	0.20
02/ 1 35:49	43.9	6.32	20		3.83	18.20	2.11	0.125	1.060	0.006	23.00	0.32	0.70	1.48	0.69	1.38	1.34	1.35	0.10	0.15	0.07	6.7	7.6	0.6	0.87	1.48	0.17
03/ 1 35:49	43.5	5.99	20		3.39	18.40	2.33	0.123	1.110	0.007	23.40	0.36	0.96	1.61	0.74	1.47	1.40	1.43	0.11	0.17	<0.05	7.4	<8.3	0.6	0.87	1.50	1.18
Mean	43.7	6.27	20.0		3.72	18.13	2.18	0.124	1.090	0.006	21.67	0.36	0.89	1.73	0.86	1.64	1.55	1.55	0.13	0.19	<<0.06	7.9	<<8.9	0.7	0.75	1.41	0.52
Minimum	43.5	5.99	20		3.39	17.80	2.10	0.123	1.060	0.006	18.60	0.32	0.70	1.48	0.69	1.38	1.34	1.35	0.10	0.15	<0.05	6.7	7.6	0.6	0.50	1.26	0.17
Maximum	43.9	6.51	20		3.93	18.40	2.33	0.125	1.110	0.007	23.40	0.39	1.00	2.09	1.14	2.06	1.92	1.87	0.17	0.25	0.07	9.6	<10.9	0.8	0.87	1.50	1.18
St.dev.	0.2	0.26	0.0		0.29	0.31	0.13	0.001	0.026	0.001	2.66	0.04	0.16	0.32	0.25	0.37	0.32	0.28	0.04	0.05	~0.01	1.5	~1.8	0.1	0.21	0.13	0.57
Count	3	3	3		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J26, I307 Ramtonholmen, 1997-1014.

. Analytical Lab. =>					NIVA	Σ(*)	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>					341	!	341	341	341	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309
____ Detection Limit.____ =>					0.05	!	0.05	0.05	0.05	0.20	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.20	0.50	0.50	0.20	0.20	0.50	0.50	0.20	0.20	0.50
Samp/ Shell-length		-wght		No of	HCHG	HC_Σn	HCB	QCB	OCS	NAP	NAP2M	NAP1M	BIPN	NAPDI	NAPIM	ACNLE	ACNE	FLE	PA	ANT	PAM1	FLU	PYR	BAA	CHRT	BBJK	BEP	BAP
Repl. Min:Max,Mean		mean		shell	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	R ppb	F ppb	ppb	ppb	ppb
no. mm:mm	mm	g			w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 35:49	43.8	6.51	20		0.59	0.79	0.12	<0.05	<0.05	1.6	1.0	<0.5	<0.5	<0.5	0.9	<0.5	<0.5	1.0	3.5	<0.5	1.5	8.8	4.7	0.9	3.5	1.9	1.6	<0.5
02/ 1 35:49	43.9	6.32	20		0.48	0.65	0.12	<0.05	<0.05	1.5	1.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	3.6	<0.5	<0.5	9.3	4.7	0.9	4.1	2.0	1.7	<0.5
03/ 1 35:49	43.5	5.99	20		0.52	1.70	1.13	<0.05	<0.05	<0.5	<0.5	<0.5	<0.5	<0.5	1.0	0.5	<0.5	1.0	4.0	<0.5	1.4	10.0	5.5	<0.5	4.9	0.5	1.1	<0.5
Mean	43.7	6.27	20.0		0.53	1.05	0.46	<<.05	<<.05	<<1.2	<<0.9	<<0.5	<<0.5	<<0.5	<<0.8	<<0.5	<<0.5	1.1	3.7	<<0.5	<<1.1	9.4	5.0	<<0.8	4.2	1.5	1.5	<<0.5
Minimum	43.5	5.99	20		0.48	0.65	0.12	<0.05	<0.05	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.0	3.5	<0.5	<0.5	8.8	4.7	<0.5	3.5	0.5	1.1	<0.5
Maximum	43.9	6.51	20		0.59	1.70	1.13	<0.05	<0.05	1.6	1.3	<0.5	<0.5	<0.5	1.0	0.5	<0.5	1.2	4.0	<0.5	1.5	10.0	5.5	0.9	4.9	2.0	1.7	<0.5
St.dev.	0.2	0.26	0.0		0.06	0.57	0.58	~0.00	~0.00	0.6	0.4	~0.0	~0.0	~0.0	~0.3	~0.0	~0.0	0.1	0.3	~0.0	~0.6	0.6	0.5	0.2	0.7	0.8	0.3	~0.0
Count	3	3	3		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J26, I307 Ramtonholmen, 1997-1014.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. =>					309	309	309	309	!	!	!	!
____ Detection Limit.____ =>					0.50	0.50	0.50	0.50	!	!	!	!
Samp/ Shell-length		-wght		No of	PER	ICDP	DBA3A	BGHIP	DI_Σn	P_Σn	PK_Σn	PAHΣΣ
Repl. Min:Max,Mean		mean		shell	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm	mm	g			w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 35:49	43.8	6.51	20		<0.5	<0.5	<0.5	0.5	<4.0	<28.4	<3.3	<31.9
02/ 1 35:49	43.9	6.32	20		<0.5	<0.5	<0.5	0.5	<3.3	<28.5	<3.4	<31.3
03/ 1 35:49	43.5	5.99	20		<0.5	<0.5	<0.5	1.6	<1.5	<31.0	<1.0	<32.0
Mean	43.7	6.27	20.0		<<0.5	<<0.5	<<0.5	0.9	<<2.9	<<29.3	<<2.6	<<31.7
Minimum	43.5	5.99	20		<0.5	<0.5	<0.5	0.5	<1.5	<28.4	<1.0	<31.3
Maximum	43.9	6.51	20		<0.5	<0.5	<0.5	1.6	<4.0	<31.0	<3.4	<32.0
St.dev.	0.2	0.26	0.0		~0.0	~0.0	~0.0	0.6	~1.3	~1.5	~1.4	~0.4
Count	3	3	3		3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : I711 Steinholmen, Latitude: 59°03.15N, Longitude: 09°40.70E.
Catch,date : 1995-1101, Count: 78, Sample type: Bulked.

. Analytical Lab. ⇒					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)	NIVA	NIVA	Σ(*)	NIVA	NIVA
. Analysis Code. ⇒					341	341	341	341	341	341	341	341	341	341	!	!	341	341	!	341	341	!	341	341
Detection Limit. ⇒					0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!	0.05	0.05	!	0.05	0.05
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	CB28 ppb w.wt	CB52 ppb w.wt	CB101 ppb w.wt	CB105 ppb w.wt	CB118 ppb w.wt	CB138 ppb w.wt	CB153 ppb w.wt	CB156 ppb w.wt	CB180 ppb w.wt	CB209 ppb w.wt	CB_Σ7 ppb w.wt	CB_ΣΣ ppb w.wt	DDEEPP ppb w.wt	TDEPP ppb w.wt	DD_Σn ppb w.wt	HCHA ppb w.wt	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt
01/ 1	32:49	44.0	2.68	26	2.13	12.70	1.04	<0.05	0.08	0.40	0.20	0.51	0.82	1.03	0.23	0.25	0.31	<3.1	<3.9	0.4	0.34	0.78	0.06	0.16	0.22	0.49	0.31
02/ 1	36:50	44.8	2.97	26	2.44	13.20	1.09	0.05	0.10	0.48	0.24	0.60	0.95	1.16	0.27	0.28	0.31	3.6	4.4	0.5	0.41	0.93	0.07	0.20	0.27	0.60	0.07
03/ 1	37:51	43.5	2.78	26	2.25	13.70	1.08	0.05	0.07	0.44	0.23	0.57	0.90	1.12	0.24	0.25	0.28	3.4	4.2	0.5	0.39	0.85	0.07	0.20	0.27	0.61	0.40
Mean		44.1	2.81	26.0	2.27	13.20	1.07	<<0.05	0.08	0.44	0.22	0.56	0.89	1.10	0.25	0.26	0.30	<<3.4	<<4.2	0.5	0.38	0.85	0.07	0.19	0.25	0.57	0.26
Minimum		43.5	2.68	26	2.13	12.70	1.04	<0.05	0.07	0.40	0.20	0.51	0.82	1.03	0.23	0.25	0.28	<3.1	<3.9	0.4	0.34	0.78	0.06	0.16	0.22	0.49	0.07
Maximum		44.8	2.97	26	2.44	13.70	1.09	0.05	0.10	0.48	0.24	0.60	0.95	1.16	0.27	0.28	0.31	3.6	4.4	0.5	0.41	0.93	0.07	0.20	0.27	0.61	0.40
St.dev.		0.7	0.15	0.0	0.16	0.50	0.03	~0.00	0.02	0.04	0.02	0.05	0.07	0.07	0.02	0.02	0.02	~0.2	~0.3	0.0	0.04	0.08	0.01	0.02	0.03	0.07	0.17
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J99, I711 Steinholmen, 1995-1101.

. Analytical Lab. ⇒					NIVA
. Analysis Code. ⇒					341
Detection Limit. ⇒					0.05
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	OCS ppb w.wt
01/ 1	32:49	44.0	2.68	26	<0.05
02/ 1	36:50	44.8	2.97	26	<0.05
03/ 1	37:51	43.5	2.78	26	<0.05
Mean		44.1	2.81	26.0	<<.05
Minimum		43.5	2.68	26	<0.05
Maximum		44.8	2.97	26	<0.05
St.dev.		0.7	0.15	0.0	~0.00
Count		3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : I711 Steinholmen, Latitude: 59°03.15N, Longitude: 09°40.70E.
Catch,date : 1996-1122, Count: 120, Sample type: Bulked.

. Analytical Lab. ⇒					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NILU	NILU	NILU	NILU	Σ(*)	Σ(*)	Σ(*)	Σ(*)	Σ(*)	NIVA
. Analysis Code. ⇒					341	341	341	341	341	341	341	341	341	341	841	841	841	841	!	!	!	!	!	341
Detection Limit. ⇒					0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.00	0.00	0.00	0.00	!	!	!	!	!	0.10
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	CB28 ppb w.wt	CB52 ppb w.wt	CB101 ppb w.wt	CB105 ppb w.wt	CB118 ppb w.wt	CB138 ppb w.wt	CB153 ppb w.wt	CB156 ppb w.wt	CB180 ppb w.wt	CB209 ppb w.wt	CB77 ppp w.wt	CB81 ppp w.wt	CB126 ppp w.wt	CB169 ppp w.wt	CB_Σ4 ppp w.wt	TECBW ppp w.wt	TECBS ppp w.wt	CB_Σ7 ppb w.wt	CB_ΣΣ ppb w.wt	DDEEPP ppb w.wt
01/ 1	34:49	43.5	2.44	20	2.06	13.30	0.33	<0.05	0.09	0.22	0.10	0.27	0.46	0.54	0.09	0.07	0.07	.	.	.	.	.	.	.	<1.7	<2.0	0.1
02/ 1	34:49	44.0	2.25	20	1.98	14.60	0.54	0.05	0.11	0.40	0.15	0.50	0.71	0.85	0.15	0.11	0.09	.	.	.	.	.	.	.	2.7	3.1	0.2
03/ 1	34:49	44.0	2.41	20	1.97	13.90	0.38	<0.05	0.09	0.24	0.10	0.32	0.50	0.59	0.11	0.08	0.07	.	.	.	.	.	.	.	<1.9	<2.1	0.1
04/ 1	30:49	45.0	2.58	60	2.19	12.60	1.45	.	.	.	.	.	.	.	.	.	.	17.00	0.81	3.48	s1.22	s22.51	s0.37	s0.58	.	s0.0	.
Mean		44.1	2.42	30.0	2.05	13.60	0.68	<<0.05	0.10	0.29	0.12	0.36	0.56	0.66	0.12	0.09	0.08	17.00	0.81	3.48	s1.22	s22.51	s0.37	s0.58	<<2.1	<<2.4	0.1
Minimum		43.5	2.25	20	1.97	12.60	0.33	<0.05	0.09	0.22	0.10	0.27	0.46	0.54	0.09	0.07	0.07	17.00	0.81	3.48	s1.22	s22.51	s0.37	s0.58	<1.7	<2.0	0.1
Maximum		45.0	2.58	60	2.19	14.60	1.45	<0.05	0.11	0.40	0.15	0.50	0.71	0.85	0.15	0.11	0.09	17.00	0.81	3.48	s1.22	s22.51	s0.37	s0.58	2.7	3.1	0.2
St.dev.		0.6	0.14	20.0	0.10	0.85	0.52	~0.00	0.01	0.10	0.03	0.12	0.13	0.17	0.03	0.02	0.01	.	.	.	.	.	.	.	~0.6	~0.6	0.0
Count		4	4	4	4	4	4	3	3	3	3	3	3	3	3	3	3	1	1	1	1	1	1	1	3	i3	3

s/q(29) ! Suspect value(s)
i (1) ! Suspect or ambiguous basis-value(s) ignored in statistics.

Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	TDEPP ppb w.wt	DD_Σn ppb w.wt	HCHA ppb w.wt	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt	TCDD ppq w.wt	CDDST ppq w.wt	CDD1N ppq w.wt	CDDSN ppq w.wt	0.0 CDD4X ppq w.wt	CDD6X ppq w.wt	CDD9X ppq w.wt	CDDSX ppq w.wt	CDD6P ppq w.wt	CDDSP ppq w.wt	CDDO ppq w.wt	PCDD ppq w.wt	CDF2T ppq w.wt	CDFST ppq w.wt	CDFDN ppq w.wt
	Analytical Lab.			⇒	NIVA 341	Σ(*) !	NIVA 341	NIVA 341	Σ(*) !	NIVA 341	NIVA 341	NIVA 341	NILU 841	NILU 841	NILU 841	NILU 841	NILU 841	NILU 841	NILU 841	NILU 841	NILU 841	NILU 841	NILU 841	NILU 841	NILU 841	NILU 841	NILU 841
	Analysis Code.			⇒																							
	Detection Limit.			⇒	0.05	!	0.05	0.05	!	0.05	0.05	0.05	0.00	0.00	0.00	0.00	2000000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
01/ 1	34:49	43.5	2.44	20	0.05	0.13	<0.05	0.07	<0.12	0.58	0.06	<0.05	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
02/ 1	34:49	44.0	2.25	20	0.09	0.24	<0.05	0.11	<0.16	0.97	0.10	<0.05	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
03/ 1	34:49	44.0	2.41	20	0.07	0.17	<0.05	0.10	<0.15	0.77	0.08	<0.05	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
04/ 1	30:49	45.0	2.58	60	.	.	.	.	.	.	.	.	0.24	6.67	0.47	2.62	0.57	0.55	s0.40	1.52	1.23	1.23	2.92	15.00	12.10	83.50	7.23
Mean		44.1	2.42	30.0	0.07	0.18	<<0.05	0.09	<<0.14	0.77	0.08	<<.05	0.24	6.67	0.47	2.62	0.57	0.55	s0.40	1.52	1.23	1.23	2.92	15.00	12.10	83.50	7.23
Minimum		43.5	2.25	20	0.05	0.13	<0.05	0.07	<0.12	0.58	0.06	<0.05	0.24	6.67	0.47	2.62	0.57	0.55	s0.40	1.52	1.23	1.23	2.92	15.00	12.10	83.50	7.23
Maximum		45.0	2.58	60	0.09	0.24	<0.05	0.11	<0.16	0.97	0.10	<0.05	0.24	6.67	0.47	2.62	0.57	0.55	s0.40	1.52	1.23	1.23	2.92	15.00	12.10	83.50	7.23
St.dev.		0.6	0.14	20.0	0.02	0.06	~0.00	0.02	~0.02	0.20	0.02	~0.00	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Count		4	4	4	3	3	3	3	3	3	3	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

Tab.width cont'd MYTI EDU, SB, J99, I711 Steinholmen, 1996-1122.

Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	CDF2N ppq w.wt	CDFSN ppq w.wt	CDFDX ppq w.wt	CDF6X ppq w.wt	CDF9X ppq w.wt	CDF4X ppq w.wt	CDFSX ppq w.wt	CDF6P ppq w.wt	CDF9P ppq w.wt	CDFSP ppq w.wt	CDFO ppq w.wt	PCDF ppq w.wt	Σ(*) ! ppq w.wt	Σ(*) ! ppq w.wt	Σ(*) ! ppq w.wt
	Analytical Lab.			⇒	NILU 841	NILU 841	NILU 841	NILU 841	NILU 841	NILU 841	NILU 841	NILU 841	NILU 841	NILU 841	NILU 841	NILU 841			
	Analysis Code.			⇒															
	Detection Limit.			⇒	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	!	!	!
01/ 1	34:49	43.5	2.44	20	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
02/ 1	34:49	44.0	2.25	20	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
03/ 1	34:49	44.0	2.41	20	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
04/ 1	30:49	45.0	2.58	60	3.37	42.20	3.92	1.96	1.16	0.62	10.70	5.73	2.53	11.90	27.50	176.00	13.13	s4.77	s4.49
Mean		44.1	2.42	30.0	3.37	42.20	3.92	1.96	1.16	0.62	10.70	5.73	2.53	11.90	27.50	176.00	13.13	s4.77	s4.49
Minimum		43.5	2.25	20	3.37	42.20	3.92	1.96	1.16	0.62	10.70	5.73	2.53	11.90	27.50	176.00	13.13	s4.77	s4.49
Maximum		45.0	2.58	60	3.37	42.20	3.92	1.96	1.16	0.62	10.70	5.73	2.53	11.90	27.50	176.00	13.13	s4.77	s4.49
St.dev.		0.6	0.14	20.0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Count		4	4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : I711 Steinholmen, Latitude: 59°03.15N, Longitude: 09°40.70E.
Catch,date : 1997-1010, Count: 60, Sample type: Bulked.

Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	CB28 ppb w.wt	CB52 ppb w.wt	CB101 ppb w.wt	CB105 ppb w.wt	CB118 ppb w.wt	CB138 ppb w.wt	CB153 ppb w.wt	CB156 ppb w.wt	CB180 ppb w.wt	CB209 ppb w.wt	CB_Σ7 ppb w.wt	CB_ΣΣ ppb w.wt	DDEPP ppb w.wt	TDEPP ppb w.wt	DD_Σn ppb w.wt	HCHA ppb w.wt	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt
	Analytical Lab.			⇒				NIVA 341	NIVA 341	NIVA 341	NIVA 341	NIVA 341	NIVA 341	NIVA 341	NIVA 341	NIVA 341	NIVA 341	Σ(*) !	Σ(*) !	NIVA 341	NIVA 341	Σ(*) !	NIVA 341	NIVA 341	Σ(*) !	NIVA 341	NIVA 341
	Analysis Code.			⇒																							
	Detection Limit.			⇒				0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!	0.05	0.05	!	0.05	0.05
01/ 1	30:39	34.7	1.07	20	0.98	9.00	0.50	0.05	<0.05	0.14	0.10	0.19	0.32	0.34	0.06	<0.05	<0.05	<1.1	<1.3	0.1	0.29	0.40	<0.05	0.06	<0.11	<0.05	<0.05
02/ 1	31:39	34.8	1.17	20	0.98	8.70	0.55	0.06	<0.05	0.15	0.10	0.20	0.34	0.36	0.07	<0.05	<0.05	<1.2	<1.3	0.1	0.28	0.41	<0.05	0.08	<0.13	0.05	<0.05
03/ 1	31:39	34.7	1.04	20	0.89	9.10	0.57	<0.05	<0.05	0.17	0.11	0.22	0.38	0.41	0.08	<0.05	<0.05	<1.2	<1.4	0.1	0.33	0.47	<0.05	0.08	<0.13	0.12	<0.05
Mean		34.7	1.09	20.0	0.95	8.93	0.54	<<0.05	<<0.05	0.15	0.10	0.20	0.35	0.37	0.07	<<0.05	<<0.05	<<1.2	<<1.3	0.1	0.30	0.43	<<0.05	0.07	<<0.12	<<.07	<<.05
Minimum		34.7	1.04	20	0.89	8.70	0.50	<0.05	<0.05	0.14	0.10	0.19	0.32	0.34	0.06	<0.05	<0.05	<1.1	<1.3	0.1	0.28	0.40	<0.05	0.06	<0.11	<0.05	<0.05
Maximum		34.8	1.17	20	0.98	9.10	0.57	0.06	<0.05	0.17	0.11	0.22	0.38	0.41	0.08	<0.05	<0.05	<1.2	<1.4	0.1	0.33	0.47	<0.05	0.08	<0.13	0.12	<0.05
St.dev.		0.1	0.07	0.0	0.05	0.21	0.04	0.01	~0.00	0.02	0.01	0.02	0.03	0.04	0.01	~0.00	~0.00	~0.1	~0.1	0.0	0.03	0.04	~0.00	0.01	~0.01	~0.04	~0.00
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J99, I711 Steinholmen, 1997-1010.**

. Analytical Lab. ⇒				NIVA
. Analysis Code. ⇒				341
____ Detection Limit.____ ⇒				0.05
Samp/ Repl. no.	Shell-length Min:Max, mm:mm	Mean mm	-wght mean g	No of shell OCS ppb w.wt
01/ 1	30:39	34.7	1.07	20 <0.05
02/ 1	31:39	34.8	1.17	20 <0.05
03/ 1	31:39	34.7	1.04	20 <0.05
Mean		34.7	1.09	20.0 <<.05
Minimum		34.7	1.04	20 <0.05
Maximum		34.8	1.17	20 <0.05
St.dev.		0.1	0.07	0.0 ~0.00
Count		3	3	3 3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J99 Undefined**, Tissue : **Whole SOFT BODY.**
Locality : **I712 Gjemesholmen**, Latitude: 59°02.75N, Longitude: 09°42.47E.
Catch,date : **1995-1101**, Count: 114, Sample type: **Bulked.**

. Analytical Lab. ⇒							NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)	NIVA	NIVA	Σ(*)	NIVA	NIVA
. Analysis Code. ⇒							341	341	341	341	341	341	341	341	341	341	!	!	341	341	!	341	341	!	341	341
____ Detection Limit.____ ⇒							0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!	0.05	0.05	!	0.05	0.05
Samp/ Repl. no.	Shell-length Min:Max, mm:mm	Mean mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	CB28 ppb w.wt	CB52 ppb w.wt	CB101 ppb w.wt	CB105 ppb w.wt	CB118 ppb w.wt	CB138 ppb w.wt	CB153 ppb w.wt	CB156 ppb w.wt	CB180 ppb w.wt	CB209 ppb w.wt	CB_Σ7 ppb w.wt	CB_ΣΣ ppb w.wt	DDEPP ppb w.wt	TDEPP ppb w.wt	DD_Σn ppb w.wt	HCHA ppb w.wt	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt
01/ 1	31:48	37.5	2.21	38	1.51	14.00	1.29	0.09	0.16	0.61	0.22	0.64	1.24	1.70	0.29	0.32	0.21	4.8	5.5	0.3	0.18	0.52	0.06	0.14	0.20	0.48	0.08
02/ 1	30:48	37.7	1.72	38	1.23	14.30	1.14	0.06	0.13	0.55	0.21	0.62	1.37	1.66	0.29	0.35	0.31	4.7	5.5	0.4	0.18	0.56	0.06	0.15	0.21	0.56	0.05
03/ 1	30:50	37.2	2.05	38	1.27	14.00	1.18	<0.05	0.13	0.58	0.19	0.52	1.26	1.71	0.33	0.44	0.36	<4.7	<5.6	0.3	0.08	0.37	<0.05	0.07	<0.12	0.26	0.36
Mean		37.5	1.99	38.0	1.34	14.10	1.20	<<0.07	0.14	0.58	0.21	0.59	1.29	1.69	0.30	0.37	0.29	<<4.7	<<5.5	0.3	0.15	0.48	<<0.06	0.12	<<0.18	0.43	0.16
Minimum		37.2	1.72	38	1.23	14.00	1.14	<0.05	0.13	0.55	0.19	0.52	1.24	1.66	0.29	0.32	0.21	<4.7	5.5	0.3	0.08	0.37	<0.05	0.07	<0.12	0.26	0.05
Maximum		37.7	2.21	38	1.51	14.30	1.29	0.09	0.16	0.61	0.22	0.64	1.37	1.71	0.33	0.44	0.36	4.8	<5.6	0.4	0.18	0.56	0.06	0.15	0.21	0.56	0.36
St.dev.		0.3	0.25	0.0	0.15	0.17	0.08	0.02	0.02	0.03	0.02	0.06	0.07	0.03	0.02	0.06	0.08	0.0	0.0	0.0	0.06	0.10	0.01	0.04	0.05	0.16	0.17
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J99, I712 Gjemesholmen, 1995-1101.**

. Analytical Lab. ⇒				NIVA
. Analysis Code. ⇒				341
____ Detection Limit.____ ⇒				0.05
Samp/ Repl. no.	Shell-length Min:Max, mm:mm	Mean mm	-wght mean g	No of shell OCS ppb w.wt
01/ 1	31:48	37.5	2.21	38 <0.05
02/ 1	30:48	37.7	1.72	38 <0.05
03/ 1	30:50	37.2	2.05	38 <0.05
Mean		37.5	1.99	38.0 <<.05
Minimum		37.2	1.72	38 <0.05
Maximum		37.7	2.21	38 <0.05
St.dev.		0.3	0.25	0.0 ~0.00
Count		3	3	3 3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : I712 Gjemesholmen, Latitude: 59°02.75N, Longitude: 09°42.47E.
Catch,date : 1996-0929, Count: 120, Sample type: Bulked.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NILU	NILU	NILU	NILU	Σ(*)	Σ(*)	Σ(*)	Σ(*)	Σ(*)	NIVA
. Analysis Code. =>					341	341	341	341	341	341	341	341	341	341	841	841	841	841	!	!	!	!	!	341
Detection Limit. =>					0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.00	0.00	0.00	0.00	!	!	!	!	!	0.10
Samp/ Shell-length -wght No of					Mean			CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB77	CB81	CB126	CB169	CB_Σ4	TECBW	TECBS	CB_Σ7	CB_ΣΣ	DDEPP
Repl. Min:Max,Mean mean shell					Weight	Dry	Fat	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g					g	%	%	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	39:49	43.0	2.09	20	2.17	14.20	0.64	0.06	0.12	0.27	0.12	0.39	0.51	0.60	0.13	0.11	0.17	.	.	.	.	.	.	.	2.1	2.5	0.1
02/ 1	39:49	43.0	1.96	20	2.12	12.30	1.45	0.11	0.20	0.66	0.31	0.93	1.14	1.39	0.43	0.38	0.53	.	.	.	.	.	.	.	4.8	6.1	0.2
03/ 1	39:49	43.0	2.02	20	2.07	13.40	1.25	0.10	0.15	0.56	0.25	0.77	1.02	1.24	0.41	0.34	0.51	.	.	.	.	.	.	.	4.2	5.4	0.2
04/ 1	36:48	42.0	1.93	60	1.84	13.80	1.24	.	.	.	.	.	.	.	.	.	.	55.10	2.55	8.40	3.00	69.05	0.90	1.54	.	0.1	.
Mean		42.8	2.00	30.0	2.05	13.43	1.15	0.09	0.16	0.50	0.23	0.70	0.89	1.08	0.32	0.28	0.40	55.10	2.55	8.40	3.00	69.05	0.90	1.54	3.7	3.5	0.2
Minimum		42.0	1.93	20	1.84	12.30	0.64	0.06	0.12	0.27	0.12	0.39	0.51	0.60	0.13	0.11	0.17	55.10	2.55	8.40	3.00	69.05	0.90	1.54	2.1	0.1	0.1
Maximum		43.0	2.09	60	2.17	14.20	1.45	0.11	0.20	0.66	0.31	0.93	1.14	1.39	0.43	0.38	0.53	55.10	2.55	8.40	3.00	69.05	0.90	1.54	4.8	6.1	0.2
St.dev.		0.5	0.07	20.0	0.15	0.82	0.35	0.03	0.04	0.20	0.10	0.28	0.33	0.42	0.17	0.15	0.20	.	.	.	.	.	.	.	1.4	2.8	0.1
Count		4	4	4	4	4	4	3	3	3	3	3	3	3	3	3	3	1	1	1	1	1	1	1	3	4	3

Tab.width cont'd MYTI EDU, SB, J99, I712 Gjemesholmen, 1996-0929.

. Analytical Lab. =>					NIVA	Σ(*)	NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU
. Analysis Code. =>					341	!	341	341	!	341	341	341	841	841	841	841	841	841	841	841	841	841	841	841	841	841
Detection Limit. =>					0.05	!	0.05	0.05	!	0.05	0.05	0.05	0.00	0.00	0.00	0.00	2000000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Samp/ Shell-length -wght No of					TDEPP	DD_Σn	HCHA	HCHG	HC_Σn	HCB	QCB	OCS	TCDD	CDDST	CDD1N	CDDSN	0.0 CDD4X	CDD6X	CDD9X	CDDSX	CDD6P	CDDSP	CDDO	PCDD	CDF2T	CDFST	CDFDN
Repl. Min:Max,Mean mean shell					ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp
no. mm:mm mm g					w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	39:49	43.0	2.09	20	0.07	0.17	0.05	0.12	0.17	1.12	0.12	<0.05	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
02/ 1	39:49	43.0	1.96	20	0.09	0.29	0.05	0.14	0.19	2.67	0.28	<0.05	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
03/ 1	39:49	43.0	2.02	20	0.08	0.26	0.06	0.14	0.20	2.20	0.26	<0.05	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
04/ 1	36:48	42.0	1.93	60	.	.	.	.	.	.	.	.	0.75	17.10	1.27	8.78	1.13	1.59	1.04	9.69	6.87	11.00	20.10	66.70	32.40	217.00	19.50
Mean		42.8	2.00	30.0	0.08	0.24	0.05	0.13	0.19	2.00	0.22	<<.05	0.75	17.10	1.27	8.78	1.13	1.59	1.04	9.69	6.87	11.00	20.10	66.70	32.40	217.00	19.50
Minimum		42.0	1.93	20	0.07	0.17	0.05	0.12	0.17	1.12	0.12	<0.05	0.75	17.10	1.27	8.78	1.13	1.59	1.04	9.69	6.87	11.00	20.10	66.70	32.40	217.00	19.50
Maximum		43.0	2.09	60	0.09	0.29	0.06	0.14	0.20	2.67	0.28	<0.05	0.75	17.10	1.27	8.78	1.13	1.59	1.04	9.69	6.87	11.00	20.10	66.70	32.40	217.00	19.50
St.dev.		0.5	0.07	20.0	0.01	0.06	0.01	0.01	0.02	0.79	0.09	~0.00	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Count		4	4	4	3	3	3	3	3	3	3	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

Tab.width cont'd MYTI EDU, SB, J99, I712 Gjemesholmen, 1996-0929.

. Analytical Lab. =>					NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. =>					841	841	841	841	841	841	841	841	841	841	841	841	!	!	!
Detection Limit. =>					0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	!	!	!
Samp/ Shell-length -wght No of					CDF2N	CDFSN	CDF1X	CDF6X	CDF9X	CDF4X	CDFSX	CDF6P	CDF9P	CDFSP	CDFO	PCDF	CDDFS	TCDDI	TCDDN
Repl. Min:Max,Mean mean shell					ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppp
no. mm:mm mm g					w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	39:49	43.0	2.09	20	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
02/ 1	39:49	43.0	1.96	20	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
03/ 1	39:49	43.0	2.02	20	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
04/ 1	36:48	42.0	1.93	60	7.88	163.00	23.80	13.30	1.71	3.11	121.00	47.60	20.90	111.00	195.00	807.00	122.00	15.08	14.30
Mean		42.8	2.00	30.0	7.88	163.00	23.80	13.30	1.71	3.11	121.00	47.60	20.90	111.00	195.00	807.00	122.00	15.08	14.30
Minimum		42.0	1.93	20	7.88	163.00	23.80	13.30	1.71	3.11	121.00	47.60	20.90	111.00	195.00	807.00	122.00	15.08	14.30
Maximum		43.0	2.09	60	7.88	163.00	23.80	13.30	1.71	3.11	121.00	47.60	20.90	111.00	195.00	807.00	122.00	15.08	14.30
St.dev.		0.5	0.07	20.0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Count		4	4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

1712

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : I712 Gjemesholmen, Latitude: 59°02.75N, Longitude: 09°42.47E.
Catch,date : 1997-1010, Count: 60, Sample type: Bulked.

. Analytical Lab. =>				NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)	NIVA	NIVA	Σ(*)	NIVA	NIVA
. Analysis Code. =>				341	341	341	341	341	341	341	341	341	341	!	!	341	341	!	341	341	!	341	341
____ Detection Limit.____ =>				0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!	0.05	0.05	!	0.05	0.05
Samp/ Shell-length -wght No of				Mean			CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn	HCHA	HCHG	HC_Σn	HCB	QCB
Repl. Min:Max,Mean mean shell				Weight	Dry	Fat	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g				g	%	%	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 33:46	39.2	1.94	20	1.39	9.60	0.85	0.06	0.12	0.21	0.14	0.32	0.59	0.65	0.16	0.05	<0.05	2.0	<2.4	0.2	0.41	0.65	0.05	0.16	0.21	<0.05	<0.05
02/ 1 33:48	39.9	2.23	20	1.58	10.50	0.99	0.13	<0.05	0.30	0.19	0.45	0.78	0.88	0.19	0.09	<0.05	<2.7	<3.1	0.3	0.30	0.63	0.07	0.19	0.26	0.83	0.08
03/ 1 33:48	39.6	2.09	20	1.39	11.30	1.12	0.16	0.05	0.39	0.23	0.56	0.96	1.10	0.23	0.11	<0.05	3.3	<3.8	0.4	0.40	0.80	0.08	0.21	0.29	0.97	0.10
Mean	39.6	2.09	20.0	1.45	10.47	0.99	0.12	<<0.07	0.30	0.19	0.44	0.78	0.88	0.19	0.08	<<0.05	<<2.7	<<3.1	0.3	0.37	0.69	0.07	0.19	0.25	<<.62	<<.08
Minimum	39.2	1.94	20	1.39	9.60	0.85	0.06	<0.05	0.21	0.14	0.32	0.59	0.65	0.16	0.05	<0.05	2.0	<2.4	0.2	0.30	0.63	0.05	0.16	0.21	<0.05	<0.05
Maximum	39.9	2.23	20	1.58	11.30	1.12	0.16	0.12	0.39	0.23	0.56	0.96	1.10	0.23	0.11	<0.05	3.3	<3.8	0.4	0.41	0.80	0.08	0.21	0.29	0.97	0.10
St.dev.	0.4	0.15	0.0	0.11	0.85	0.14	0.05	¯0.04	0.09	0.05	0.12	0.19	0.23	0.04	0.03	¯0.00	¯0.7	¯0.7	0.1	0.06	0.09	0.02	0.03	0.04	¯0.50	¯0.03
Count	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J99, I712 Gjemesholmen, 1997-1010.

. Analytical Lab. =>	NIVA
. Analysis Code. =>	341
____ Detection Limit.____ =>	0.05
Samp/ Shell-length -wght No of	OCS
Repl. Min:Max,Mean mean shell	ppb
no. mm:mm mm g	w.wt
01/ 1 33:46 39.2 1.94 20	<0.05
02/ 1 33:48 39.9 2.23 20	<0.05
03/ 1 33:48 39.6 2.09 20	<0.05
Mean 39.6 2.09 20.0	<<.05
Minimum 39.2 1.94 20	<0.05
Maximum 39.9 2.23 20	<0.05
St.dev. 0.4 0.15 0.0	¯0.00
Count 3 3 3	3

173

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : I131 Lastad, Latitude: 58°03.30N, Longitude: 07°42.40E.
Catch,date : 1995-1029, Count: 85, Sample type: Bulked.

. Analytical Lab. =>				NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)	NIVA
. Analysis Code. =>				312	311	310	311	341	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!	341
____ Detection Limit.____ =>				0.050	0.010	0.005	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!	0.05
Samp/ Shell-length -wght No of				Mean			Cd	Cu	Hg	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn	HCHA
Repl. Min:Max,Mean mean shell				Weight	Dry	Fat	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g				g	%	%	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 30:54	42.2	4.95	29	4.95	18.90	0.41	0.188	1.030	0.013	17.50	<0.05	<0.05	0.07	<0.05	0.08	0.15	0.21	<0.05	<0.05	<0.05	<0.6	<0.6	0.1	<0.05	<0.14	<0.05
02/ 1 33:55	42.9	4.82	29	1.99	15.40	1.26	0.210	0.930	0.022	16.40	<0.05	0.11	0.15	0.06	0.18	0.39	0.54	<0.05	0.06	<0.05	<1.5	<1.5	0.2	0.08	0.31	0.05
03/ 1 31:58	42.4	4.66	27	2.08	15.80	1.37	0.196	1.260	0.020	18.90	<0.05	0.05	0.15	0.05	0.17	0.34	0.47	<0.05	0.05	<0.05	<1.3	<1.3	0.2	0.09	0.32	0.05
Mean	42.5	4.81	28.3	3.01	16.70	1.01	0.198	1.073	0.018	17.60	<<0.05	<<0.07	0.12	<<0.05	0.14	0.29	0.41	<<0.05	<<0.05	<<0.05	<<1.1	<<1.1	0.2	<<0.07	<<0.26	<<0.05
Minimum	42.2	4.66	27	1.99	15.40	0.41	0.188	0.930	0.013	16.40	<0.05	<0.05	0.07	<0.05	0.08	0.15	0.21	<0.05	<0.05	<0.05	<0.6	<0.6	0.1	<0.05	<0.14	<0.05
Maximum	42.9	4.95	29	4.95	18.90	1.37	0.210	1.260	0.022	18.90	<0.05	0.11	0.15	0.06	0.18	0.39	0.54	<0.05	0.06	<0.05	<1.5	<1.5	0.2	0.09	0.32	0.05
St.dev.	0.4	0.15	1.2	1.68	1.92	0.53	0.011	0.169	0.005	1.25	¯0.00	¯0.03	0.05	¯0.01	0.06	0.13	0.17	¯0.00	¯0.01	¯0.00	¯0.5	¯0.5	0.1	¯0.02	¯0.10	¯0.00
Count	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

miss(3) ! Missing value.

Tab.width cont'd **MYTI EDU, SB, J99, I131 Lastad, 1995-1029.**

. Analytical Lab. ⇒					NIVA	Σ(*)	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. ⇒					341	!	341	341	341	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309
____ Detection Limit.____ ⇒					0.05	!	0.05	0.05	0.05	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt	NAP ppb w.wt	NAPC1 ppb w.wt	NAPC2 ppb w.wt	NAPC3 ppb w.wt	BIPN ppb w.wt	ACNLE ppb w.wt	ACNE ppb w.wt	FLE ppb w.wt	PA ppb w.wt	PAC1 ppb w.wt	PAC2 ppb w.wt	ANT ppb w.wt	FLU ppb w.wt	PYR ppb w.wt	BAA ppb w.wt	CHR ppb w.wt	BJKF ppb w.wt	BBJK F ppb w.wt	BEP ppb w.wt
01/ 1	30:54	42.2	4.95	29	0.08	<0.13	<0.05	<0.05	<0.05	0.7	1.7	<0.5	<0.5	<0.5	<0.5	0.8	<0.5	1.2	2.2	4.6	<0.5	2.0	1.5	1.1	4.1	miss	4.0	2.9
02/ 1	33:55	42.9	4.82	29	0.14	0.19	<0.05	<0.05	<0.05	0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.3	2.2	4.4	<0.5	1.9	1.4	1.3	4.2	miss	4.4	3.1
03/ 1	31:58	42.4	4.66	27	0.16	0.21	<0.05	<0.05	<0.05	0.8	1.8	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.4	2.7	5.5	<0.5	2.2	1.7	2.3	4.9	miss	4.2	3.2
Mean		42.5	4.81	28.3	0.13	<<0.18	<<.05	<<.05	<<.05	0.7	1.6	<<0.5	<<0.5	<<0.5	<<0.5	<<0.6	<<0.5	1.3	2.4	4.8	<<0.5	2.0	1.5	1.6	4.4	.	4.2	3.1
Minimum		42.2	4.66	27	0.08	<0.13	<0.05	<0.05	<0.05	0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	2.2	4.4	<0.5	1.9	1.4	1.1	4.1	.	4.0	2.9
Maximum		42.9	4.95	29	0.16	0.21	<0.05	<0.05	<0.05	0.8	1.8	<0.5	<0.5	<0.5	<0.5	0.8	<0.5	1.4	2.7	5.5	<0.5	2.2	1.7	2.3	4.9	.	4.4	3.2
St.dev.		0.4	0.15	1.2	0.04	~0.04	~0.00	~0.00	~0.00	0.1	0.3	~0.0	~0.0	~0.0	~0.0	~0.2	~0.0	0.1	0.3	0.6	~0.0	0.2	0.2	0.6	0.4	.	0.2	0.2
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	.	3	3

Tab.width cont'd **MYTI EDU, SB, J99, I131 Lastad, 1995-1029.**

. Analytical Lab. ⇒					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. ⇒					309	309	309	309	309	309	309	309	!	!	!	!
____ Detection Limit.____ ⇒					0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	!	!	!	!
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	BAP ppb w.wt	PER ppb w.wt	ICDP ppb w.wt	DBA3A ppb w.wt	BGHIP ppb w.wt	DBTC 1 ppb w.wt	DBTC 2 ppb w.wt	DBTC 3 ppb w.wt	DI_Σn ppb w.wt	P_Σn ppb w.wt	PK_Σn ppb w.wt	PAHΣΣ ppb w.wt
01/ 1	30:54	42.2	4.95	29	0.5	<0.5	1.0	<0.5	1.3	<0.5	1.5	2.4	<2.9	<31.6	<11.0	<34.0
02/ 1	33:55	42.9	4.82	29	0.5	<0.5	1.0	<0.5	1.3	<0.5	1.3	1.9	<2.3	<30.7	<10.9	<32.5
03/ 1	31:58	42.4	4.66	27	0.6	<0.5	1.2	<0.5	1.3	<0.5	1.5	2.3	<3.1	<35.5	<12.6	<38.1
Mean		42.5	4.81	28.3	0.5	<<0.5	1.1	<<0.5	1.3	<<0.5	1.4	2.2	<<2.8	<<32.6	<<11.5	<<34.9
Minimum		42.2	4.66	27	0.5	<0.5	1.0	<0.5	1.3	<0.5	1.3	1.9	<2.3	<30.7	<10.9	<32.5
Maximum		42.9	4.95	29	0.6	<0.5	1.2	<0.5	1.3	<0.5	1.5	2.4	<3.1	<35.5	<12.6	<38.1
St.dev.		0.4	0.15	1.2	0.1	~0.0	0.1	~0.0	0.0	~0.0	0.1	0.3	~0.4	~2.6	~1.0	~2.9
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J99 Undefined**, Tissue : **Whole SOFT BODY.**
Locality : **I131 Lastad**, Latitude: 58°03.30N, Longitude: 07°42.40E.
Catch,date : **1996-0926**, Count: 60, Sample type: **Bulked.**

. Analytical Lab. ⇒								NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)	NIVA
. Analysis Code. ⇒								312	311	310	311	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!	341
____ Detection Limit.____ ⇒					Mean			0.050	0.010	0.005	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!	0.05
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	Weight g	Dry %	Fat %	Cd ppm w.wt	Cu ppm w.wt	Hg ppm w.wt	Zn ppm w.wt	CB28 ppb w.wt	CB52 ppb w.wt	CB101 ppb w.wt	CB105 ppb w.wt	CB118 ppb w.wt	CB138 ppb w.wt	CB153 ppb w.wt	CB156 ppb w.wt	CB180 ppb w.wt	CB209 ppb w.wt	CB_Σ7 ppb w.wt	CB_ΣΣ ppb w.wt	DDEPP ppb w.wt	TDEPP ppb w.wt	DD_Σn ppb w.wt	HCHA ppb w.wt
01/ 1	34:48	41.0	2.87	20	1.91	16.80	1.48	0.147	1.210	0.012	18.80	0.07	0.15	0.33	0.12	0.37	0.48	0.69	<0.05	<0.05	<0.05	<2.1	<2.3	0.1	<0.05	<0.15	0.07
02/ 1	34:49	42.0	3.20	20	2.11	18.80	1.68	0.160	1.050	0.013	19.50	0.07	0.14	0.33	0.12	0.35	0.47	0.68	<0.05	<0.05	<0.05	<2.1	<2.2	0.1	0.08	0.21	0.08
03/ 1	35:49	42.0	3.30	20	2.11	19.50	2.11	0.200	1.810	0.012	20.80	0.09	0.23	0.37	0.13	0.38	0.47	0.70	<0.05	0.05	<0.05	2.3	<2.5	0.2	<0.05	<0.20	0.10
Mean		41.7	3.12	20.0	2.04	18.37	1.76	0.169	1.357	0.012	19.70	0.08	0.17	0.34	0.12	0.37	0.47	0.69	<<0.05	<<0.05	<<0.05	<<2.2	<<2.3	0.1	<<0.06	<<0.19	0.08
Minimum		41.0	2.87	20	1.91	16.80	1.48	0.147	1.050	0.012	18.80	0.07	0.14	0.33	0.12	0.35	0.47	0.68	<0.05	<0.05	<0.05	<2.1	<2.2	0.1	<0.05	<0.15	0.07
Maximum		42.0	3.30	20	2.11	19.50	2.11	0.200	1.810	0.013	20.80	0.09	0.23	0.37	0.13	0.38	0.48	0.70	<0.05	0.05	<0.05	2.3	<2.5	0.2	0.08	0.21	0.10
St.dev.		0.6	0.23	0.0	0.12	1.40	0.32	0.028	0.401	0.001	1.01	0.01	0.05	0.02	0.01	0.02	0.01	0.01	~0.00	~0.00	~0.00	~0.1	~0.1	0.0	~0.02	~0.03	0.02
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J99, I131 Lastad, 1996-0926.

. Analytical Lab. =>				NIVA	Σ(*)	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>				341	!	341	341	341	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309
____ Detection Limit.____ =>				0.05	!	0.05	0.05	0.05	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt	NAP ppb w.wt	NAPC1 ppb w.wt	NAPC2 ppb w.wt	NAPC3 ppb w.wt	BIPN ppb w.wt	ACNLE ppb w.wt	ACNE ppb w.wt	FLE ppb w.wt	PA ppb w.wt	PAC1 ppb w.wt	PAC2 ppb w.wt	ANT ppb w.wt	FLU ppb w.wt	PYR ppb w.wt	BAA ppb w.wt	CHR ppb w.wt	BBF ppb w.wt	BJKF ppb w.wt	BEP ppb w.wt
01/ 1	34:48	41.0	2.87	20	0.18	0.25	0.05	<0.05	<0.05	0.7	1.8	4.3	6.6	<0.5	<0.5	<0.5	0.7	2.8	13.0	5.6	<0.5	3.3	3.3	0.9	2.4	1.1	<0.5	1.3
02/ 1	34:49	42.0	3.20	20	0.21	0.29	<0.05	<0.05	<0.05	0.6	2.8	5.3	7.9	<0.5	<0.5	0.5	0.9	3.2	18.0	6.7	<0.5	4.0	2.6	0.9	2.7	1.3	<0.5	1.6
03/ 1	35:49	42.0	3.30	20	0.25	0.35	0.06	<0.05	<0.05	<0.5	1.9	4.3	6.3	<0.5	<0.5	0.5	0.8	3.4	13.0	6.1	<0.5	3.7	2.5	0.9	2.6	1.4	<0.5	1.5
Mean		41.7	3.12	20.0	0.21	0.30	<<.05	<<.05	<<.05	<<0.6	2.2	4.6	6.9	<<0.5	<<0.5	<<0.5	0.8	3.1	14.7	6.1	<<0.5	3.7	2.8	0.9	2.6	1.3	<<0.5	1.5
Minimum		41.0	2.87	20	0.18	0.25	<0.05	<0.05	<0.05	<0.5	1.8	4.3	6.3	<0.5	<0.5	<0.5	0.7	2.8	13.0	5.6	<0.5	3.3	2.5	0.9	2.4	1.1	<0.5	1.3
Maximum		42.0	3.30	20	0.25	0.35	0.06	<0.05	<0.05	0.7	2.8	5.3	7.9	<0.5	<0.5	0.5	0.9	3.4	18.0	6.7	<0.5	4.0	3.3	0.9	2.7	1.4	<0.5	1.6
St.dev.		0.6	0.23	0.0	0.04	0.05	~0.01	~0.00	~0.00	0.1	0.6	0.6	0.9	~0.0	~0.0	~0.0	0.1	0.3	2.9	0.6	~0.0	0.4	0.4	0.0	0.2	0.2	~0.0	0.2
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J99, I131 Lastad, 1996-0926.

. Analytical Lab. =>				NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. =>				309	309	309	309	309	309	309	309	!	!	!	!
____ Detection Limit.____ =>				0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	!	!	!	!
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	BAP ppb w.wt	PER ppb w.wt	ICDP ppb w.wt	DBA3A ppb w.wt	BGHIP ppb w.wt	DBTC 1 ppb w.wt	DBTC 2 ppb w.wt	DBTC 3 ppb w.wt	DI_Σn ppb w.wt	P_Σn ppb w.wt	PK_Σn ppb w.wt	PAHΣΣ ppb w.wt
01/ 1	34:48	41.0	2.87	20	<0.5	<0.5	<0.5	<0.5	0.9	<0.5	3.2	2.1	<13.9	<41.1	<7.8	<54.5
02/ 1	34:49	42.0	3.20	20	<0.5	<0.5	<0.5	<0.5	0.9	0.8	5.1	2.7	<17.1	<52.4	<11.3	<69.0
03/ 1	35:49	42.0	3.30	20	<0.5	<0.5	0.5	<0.5	0.9	0.9	3.1	2.3	<13.0	<44.6	<9.6	<57.1
Mean		41.7	3.12	20.0	<<0.5	<<0.5	<<0.5	<<0.5	0.9	<<0.7	3.8	2.4	<<14.7	<<46.0	<<9.6	<<60.2
Minimum		41.0	2.87	20	<0.5	<0.5	<0.5	<0.5	0.9	<0.5	3.1	2.1	<13.0	<41.1	<7.8	<54.5
Maximum		42.0	3.30	20	<0.5	<0.5	0.5	<0.5	0.9	0.9	5.1	2.7	<17.1	<52.4	<11.3	<69.0
St.dev.		0.6	0.23	0.0	~0.0	~0.0	~0.0	~0.0	0.0	~0.2	1.1	0.3	~2.2	~5.8	~1.8	~7.7
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : I131 Lastad, Latitude: 58°03.30N, Longitude: 07°42.40E.
Catch,date : 1997-1008, Count: 60, Sample type: Bulked.

. Analytical Lab. =>						NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)	NIVA
. Analysis Code. =>						312	311	310	311	341	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!	341
____ Detection Limit.____ =>						0.050	0.010	0.005	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!	0.05
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	Cd ppm w.wt	Cu ppm w.wt	Hg ppm w.wt	Zn ppm w.wt	CB28 ppb w.wt	CB52 ppb w.wt	CB101 ppb w.wt	CB105 ppb w.wt	CB118 ppb w.wt	CB138 ppb w.wt	CB153 ppb w.wt	CB156 ppb w.wt	CB180 ppb w.wt	CB209 ppb w.wt	CB_Σ7 ppb w.wt	CB_ΣΣ ppb w.wt	DDEPP ppb w.wt	TDEPP ppb w.wt	DD_Σn ppb w.wt	HCHA ppb w.wt
01/ 1	30:49	38.2	3.12	20	2.44	18.30	2.02	0.212	1.210	0.011	20.70	0.10	0.09	0.36	0.19	0.36	0.62	0.64	0.10	0.08	<0.05	2.3	<2.6	0.3	0.19	0.52	0.11
02/ 1	30:49	38.2	2.71	20	2.17	18.50	2.09	0.201	1.230	0.009	17.30	0.10	0.13	0.42	0.23	0.40	0.65	0.63	0.10	0.10	<0.05	2.4	<2.8	0.4	0.23	0.58	0.11
03/ 1	30:49	38.0	2.60	20	2.21	18.00	2.52	0.206	1.270	0.011	19.60	0.07	0.11	0.45	0.23	0.44	0.77	0.80	0.14	0.11	<0.05	2.8	<3.2	0.4	0.24	0.65	0.13
Mean		38.1	2.81	20.0	2.27	18.27	2.21	0.206	1.237	0.010	19.20	0.09	0.11	0.41	0.22	0.40	0.68	0.69	0.11	0.10	<<0.05	2.5	<<2.9	0.4	0.22	0.58	0.12
Minimum		38.0	2.60	20	2.17	18.00	2.02	0.201	1.210	0.009	17.30	0.07	0.09	0.36	0.19	0.36	0.62	0.63	0.10	0.08	<0.05	2.3	<2.6	0.3	0.19	0.52	0.11
Maximum		38.2	3.12	20	2.44	18.50	2.52	0.212	1.270	0.011	20.70	0.10	0.13	0.45	0.23	0.44	0.77	0.80	0.14	0.11	<0.05	2.8	<3.2	0.4	0.24	0.65	0.13
St.dev.		0.1	0.27	0.0	0.15	0.25	0.27	0.006	0.031	0.001	1.73	0.02	0.02	0.05	0.02	0.04	0.08	0.10	0.02	0.02	~0.00	0.3	~0.3	0.0	0.03	0.07	0.01
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J99, I131 Lastad, 1997-1008.**

. Analytical Lab. ⇒				NIVA	Σ(*)	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. ⇒				341	!	341	341	341	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309
____ Detection Limit.____ ⇒				0.05	!	0.05	0.05	0.05	0.20	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.20	0.50	0.50	0.20	0.20	0.50	0.50	0.20	0.20	0.50
Samp/ Shell-length		-wght	No of	HCHG	HC_Σn	HCB	QCB	OCS	NAP	NAP2M	NAP1M	BIPN	NAPDI	NAPTM	ACNLE	ACNE	FLE	PA	ANT	PAM1	FLU	PYR	BAA	CHRT	BBJK	BEP	BAP
Repl. Min:Max,Mean		mean	shell	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb R	ppb	ppb F	ppb	ppb
no. mm:mm	mm	g		w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 30:49	38.2	3.12	20	0.42	0.53	<0.05	<0.05	<0.05	2.6	2.3	1.4	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.9	<0.5	2.7	3.5	4.7	<0.5	2.0	2.3	1.3	<0.5
02/ 1 30:49	38.2	2.71	20	0.42	0.53	<0.05	<0.05	0.06	2.1	3.6	1.7	<0.5	<0.5	<0.5	<0.5	<0.5	1.3	3.4	0.9	3.6	7.5	13.0	1.0	3.5	4.8	2.1	<0.5
03/ 1 30:49	38.0	2.60	20	0.53	0.66	0.06	<0.05	0.06	0.9	2.7	1.4	<0.5	<0.5	<0.5	0.7	<0.5	<0.5	3.5	<0.5	3.2	5.5	3.5	0.8	3.3	4.9	1.9	<0.5
Mean	38.1	2.81	20.0	0.46	0.57	<<.05	<<.05	<<.06	1.9	2.9	1.5	<<0.5	<<0.5	<<0.5	<<0.6	<<0.5	<<0.8	2.9	<<0.6	3.2	5.5	7.1	<<0.8	2.9	4.0	1.8	<<0.5
Minimum	38.0	2.60	20	0.42	0.53	<0.05	<0.05	<0.05	0.9	2.3	1.4	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.9	<0.5	2.7	3.5	3.5	<0.5	2.0	2.3	1.3	<0.5
Maximum	38.2	3.12	20	0.53	0.66	0.06	<0.05	0.06	2.6	3.6	1.7	<0.5	<0.5	<0.5	0.7	<0.5	1.3	3.5	0.9	3.6	7.5	13.0	1.0	3.5	4.9	2.1	<0.5
St.dev.	0.1	0.27	0.0	0.06	0.08	~0.01	~0.00	~0.01	0.9	0.7	0.2	~0.0	~0.0	~0.0	~0.1	~0.0	~0.5	0.9	~0.2	0.5	2.0	5.2	~0.3	0.8	1.5	0.4	~0.0
Count	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J99, I131 Lastad, 1997-1008.**

. Analytical Lab. ⇒				NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. ⇒				309	309	309	309	!	!	!	!
____ Detection Limit.____ ⇒				0.50	0.50	0.50	0.50	!	!	!	!
Samp/ Shell-length		-wght	No of	PER	ICDP	DBA3A	BGHIP	DI_Σn	P_Σn	PK_Σn	PAHΣΣ
Repl. Min:Max,Mean		mean	shell	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm	mm	g		w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 30:49	38.2	3.12	20	<0.5	<0.5	<0.5	<0.5	<6.8	<18.9	<2.8	<25.2
02/ 1 30:49	38.2	2.71	20	<0.5	<0.5	<0.5	1.3	<7.9	<42.9	<6.3	<50.3
03/ 1 30:49	38.0	2.60	20	<0.5	0.5	<0.5	1.2	<5.5	<29.5	<6.7	<34.5
Mean	38.1	2.81	20.0	<<0.5	<<0.5	<<0.5	<<1.0	<<6.7	<<30.4	<<5.3	<<36.7
Minimum	38.0	2.60	20	<0.5	<0.5	<0.5	<0.5	<5.5	<18.9	<2.8	<25.2
Maximum	38.2	3.12	20	<0.5	0.5	<0.5	1.3	<7.9	<42.9	<6.7	<50.3
St.dev.	0.1	0.27	0.0	~0.0	~0.0	~0.0	~0.4	~1.2	~12.0	~2.1	~12.7
Count	3	3	3	3	3	3	3	3	3	3	3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J99 Undefined**, Tissue : **Whole SOFT BODY.**
Locality : **I132 Fiskåtangen**, Latitude: 58°07.70N, Longitude: 07°58.60E.
Catch,date : **1995-1029**, Count: 84, Sample type: **Bulked.**

. Analytical Lab. ⇒							NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NILU	NILU	NILU	NILU	Σ(*)	Σ(*)	Σ(*)	Σ(*)	Σ(*)	NIVA
. Analysis Code. ⇒							341	341	341	341	341	341	341	341	341	341	841	841	841	841	!	!	!	!	!	341
____ Detection Limit.____ ⇒				Mean			0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.00	0.00	0.00	0.00	!	!	!	!	!	0.10
Samp/ Shell-length		-wght	No of	Weight	Dry	Fat	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB77	CB81	CB126	CB169	CB_Σ4	TECBW	TECBS	CB_Σ7	CB_ΣΣ	DDEPP
Repl. Min:Max,Mean		mean	shell	g	%	%	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppp	ppp	ppp	ppp	ppb	ppp	ppp	ppb	ppb	ppb
no. mm:mm	mm	g					w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 35:55	43.4	5.84	28	3.14	18.80	1.52	0.11	0.41	0.75	miss	1.45	0.93	1.10	0.10	0.14	0.09	.	.	.	.	.	.	.	4.9	5.1	0.3
02/ 1 35:55	45.0	6.36	28	3.26	18.50	1.73	0.14	0.40	0.79	0.25	1.41	1.02	1.16	0.10	0.16	0.10	.	.	.	.	.	.	.	5.1	5.5	0.4
03/ 1 33:53	43.7	6.16	28	2.94	18.10	1.57	0.13	0.53	0.75	0.18	1.56	0.94	1.09	0.09	0.14	0.10	.	.	.	.	.	.	.	5.1	5.5	0.3
04/ 1 33:55	44.0		84	0.90	18.50	.	.	.	.	.	.	.	.	.	.	.	104.00	15.10	20.70	2.51	142.31	2.15	3.24	.	0.1	.
Mean	44.0	6.12	42.0	2.56	18.48	1.61	0.13	0.45	0.76	0.22	1.47	0.96	1.12	0.10	0.15	0.10	104.00	15.10	20.70	2.51	142.31	2.15	3.24	5.0	4.1	0.3
Minimum	43.4	5.84	28	0.90	18.10	1.52	0.11	0.40	0.75	0.18	1.41	0.93	1.09	0.09	0.14	0.09	104.00	15.10	20.70	2.51	142.31	2.15	3.24	4.9	0.1	0.3
Maximum	45.0	6.36	84	3.26	18.80	1.73	0.14	0.53	0.79	0.25	1.56	1.02	1.16	0.10	0.16	0.10	104.00	15.10	20.70	2.51	142.31	2.15	3.24	5.1	5.5	0.4
St.dev.	0.7	0.26	28.0	1.11	0.29	0.11	0.02	0.07	0.02	0.05	0.08	0.05	0.04	0.01	0.01	0.01	.	.	.	.	.	.	.	0.1	2.6	0.0
Count	4	3	4	4	4	3	3	3	3	2	3	3	3	3	3	3	1	1	1	1	1	1	1	3	4	3

s/q (12) ! Suspect value(s)
miss(5) ! Missing value.

Tab.width cont'd **MYTI EDU, SB, J99, I132 Fiskåtangen, 1995-1029.**

. Analytical Lab. ⇒					NIVA	Σ(*)	NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. ⇒					341	!	341	341	!	341	341	341	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309
____ Detection Limit.____ ⇒					0.05	!	0.05	0.05	!	0.05	0.05	0.05	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	TDEPP ppb w.wt	DD_Σn ppb w.wt	HCHA ppb w.wt	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt	NAP ppb w.wt	NAPC1 ppb w.wt	NAPC2 ppb w.wt	NAPC3 ppb w.wt	BIPN ppb w.wt	ACNLE ppb w.wt	ACNE ppb w.wt	FLE ppb w.wt	PA ppb w.wt	PAC1 ppb w.wt	PAC2 ppb w.wt	ANT ppb w.wt	FLU ppb w.wt	PYR ppb w.wt	BAA ppb w.wt	CHR ppb w.wt
01/ 1	35:55	43.4	5.84	28	0.20	0.50	s0.25	0.68	s0.93	8.93	2.18	0.08	1.6	5.8	9.3	20.0	0.6	<0.5	2.3	4.0	42.0	6.0	35.0	5.3	89.0	56.0	46.0	73.0
02/ 1	35:55	45.0	6.36	28	0.23	0.58	s0.31	0.76	s1.07	10.14	2.47	0.10	1.6	6.0	10.0	21.0	0.6	<0.5	2.5	4.2	43.0	21.0	miss	5.9	101.0	67.0	46.0	72.0
03/ 1	33:53	43.7	6.16	28	0.23	0.57	s0.28	0.73	s1.01	9.55	2.21	0.10	1.5	4.6	8.9	18.0	0.6	<0.5	2.8	3.8	43.0	51.0	45.0	5.3	93.0	66.0	43.0	68.0
04/ 1	33:55	44.0		84	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Mean		44.0	6.12	42.0	0.22	0.55	s0.28	0.72	s1.00	9.54	2.29	0.09	1.6	5.5	9.4	19.7	0.6	<<0.5	2.5	4.0	42.7	26.0	40.0	5.5	94.3	63.0	45.0	71.0
Minimum		43.4	5.84	28	0.20	0.50	s0.25	0.68	s0.93	8.93	2.18	0.08	1.5	4.6	8.9	18.0	0.6	<0.5	2.3	3.8	42.0	6.0	35.0	5.3	89.0	56.0	43.0	68.0
Maximum		45.0	6.36	84	0.23	0.58	s0.31	0.76	s1.07	10.14	2.47	0.10	1.6	6.0	10.0	21.0	0.6	<0.5	2.8	4.2	43.0	51.0	45.0	5.9	101.0	67.0	46.0	73.0
St.dev.		0.7	0.26	28.0	0.02	0.04	0.03	0.04	0.07	0.61	0.16	0.01	0.1	0.8	0.6	1.5	0.0	¯0.0	0.3	0.2	0.6	22.9	7.1	0.3	6.1	6.1	1.7	2.6
Count		4	3	4	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	2	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J99, I132 Fiskåtangen, 1995-1029.**

. Analytical Lab. ⇒					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU
. Analysis Code. ⇒					309	309	309	309	309	309	309	309	309	309	309	!	!	!	!	841	841	841	841	841	841	841	841
____ Detection Limit.____ ⇒					0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	!	!	!	!	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	BBF ppb w.wt	BJKF ppb w.wt	BEP ppb w.wt	BAP ppb w.wt	PER ppb w.wt	ICDP ppb w.wt	DBA3A ppb w.wt	BGHIP ppb w.wt	DBTC 1 ppb w.wt	DBTC 2 ppb w.wt	DBTC 3 ppb w.wt	DI_Σn ppb w.wt	P_Σn ppb w.wt	PK_Σn ppb w.wt	PAHΣΣ ppb w.wt	TCDD ppp w.wt	CDDST ppp w.wt	CDD1N ppp w.wt	CDD4X ppp w.wt	CDD6X ppp w.wt	CDD9X ppp w.wt	CDD6P ppp w.wt	CDDSP ppp w.wt
01/ 1	35:55	43.4	5.84	28	45.0	miss	38.0	13.0	6.2	6.2	1.4	7.5	2.6	9.5	19.0	37.3	<507.5	142.7	<544.8	.	.	.	.	.	.	.	.
02/ 1	35:55	45.0	6.36	28	46.0	miss	42.0	14.0	6.6	6.0	1.4	7.1	3.4	1.0	20.0	39.2	<510.6	137.8	<549.8	.	.	.	.	.	.	.	.
03/ 1	33:53	43.7	6.16	28	43.0	miss	40.0	13.0	5.8	6.4	1.2	7.9	3.1	21.0	51.0	33.6	<613.8	181.7	<647.4	.	.	.	.	.	.	.	.
04/ 1	33:55	44.0		84	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	0.12	1.90	<0.03	<0.11	<0.09	<0.09	0.48	1.18
Mean		44.0	6.12	42.0	44.7	.	40.0	13.3	6.2	6.2	1.3	7.5	3.0	10.5	30.0	36.7	<<544.0	154.1	<<580.7	0.12	1.90	<0.03	<0.11	<0.09	<0.09	0.48	1.18
Minimum		43.4	5.84	28	43.0	.	38.0	13.0	5.8	6.0	1.2	7.1	2.6	1.0	19.0	33.6	<507.5	137.8	<544.8	0.12	1.90	<0.03	<0.11	<0.09	<0.09	0.48	1.18
Maximum		45.0	6.36	84	46.0	.	42.0	14.0	6.6	6.4	1.4	7.9	3.4	21.0	51.0	39.2	<613.8	181.7	<647.4	0.12	1.90	<0.03	<0.11	<0.09	<0.09	0.48	1.18
St.dev.		0.7	0.26	28.0	1.5	.	2.0	0.6	0.4	0.2	0.1	0.4	0.4	10.0	18.2	2.8	¯60.5	24.1	¯57.8	.	.	.	.	.	.	.	.
Count		4	3	4	3	.	3	3	3	3	3	3	3	3	3	3	3	3	3	1	1	1	1	1	1	1	1

Tab.width cont'd **MYTI EDU, SB, J99, I132 Fiskåtangen, 1995-1029.**

. Analytical Lab. ⇒					NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. ⇒					841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	!	!	!
____ Detection Limit.____ ⇒					0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	!	!	!
Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	CDDO ppp w.wt	PCDD ppp w.wt	CDF2T ppp w.wt	CDFST ppp w.wt	CDFDN ppp w.wt	CDF2N ppp w.wt	CDFSN ppp w.wt	CDFDX ppp w.wt	CDF6X ppp w.wt	CDF9X ppp w.wt	CDF4X ppp w.wt	CDFSX ppp w.wt	CDF6P ppp w.wt	CDF9P ppp w.wt	CDFSP ppp w.wt	CDFO ppp w.wt	PCDF ppp w.wt	CDDFS ppp w.wt	TCDDI ppp w.wt	TCDDN ppp w.wt
01/ 1	35:55	43.4	5.84	28	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
02/ 1	35:55	45.0	6.36	28	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
03/ 1	33:53	43.7	6.16	28	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
04/ 1	33:55	44.0		84	2.11	5.19	7.25	12.50	1.73	1.25	13.40	0.72	0.37	<0.24	0.40	3.07	0.60	<0.14	0.71	2.11	31.80	1.89	<1.74	<1.68
Mean		44.0	6.12	42.0	2.11	5.19	7.25	12.50	1.73	1.25	13.40	0.72	0.37	<0.24	0.40	3.07	0.60	<0.14	0.71	2.11	31.80	1.89	<1.74	<1.68
Minimum		43.4	5.84	28	2.11	5.19	7.25	12.50	1.73	1.25	13.40	0.72	0.37	<0.24	0.40	3.07	0.60	<0.14	0.71	2.11	31.80	1.89	<1.74	<1.68
Maximum		45.0	6.36	84	2.11	5.19	7.25	12.50	1.73	1.25	13.40	0.72	0.37	<0.24	0.40	3.07	0.60	<0.14	0.71	2.11	31.80	1.89	<1.74	<1.68
St.dev.		0.7	0.26	28.0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Count		4	3	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : I132 Fiskåtangen, Latitude: 58°07.70N, Longitude: 07°58.60E.
Catch,date : 1996-0927, Count: 120, Sample type: Bulked.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NILU	NILU	NILU	NILU	Σ(*)	Σ(*)	Σ(*)	Σ(*)	Σ(*)	NIVA
. Analysis Code. =>					341	341	341	341	341	341	341	341	341	341	841	841	841	841	!	!	!	!	!	341
____ Detection Limit.____ =>				Mean	___	___	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.00	0.00	0.00	0.00	!	!	!	!	!	0.10
Samp/ Shell-length -wght No of				Weight	Dry	Fat	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB77	CB81	CB126	CB169	CB_Σ4	TECBW	TECBS	CB_Σ7	CB_ΣΣ	DDEPP
Repl. Min:Max,Mean mean shell				g	%	%	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppb	ppb	ppb
no. mm:mm mm g							w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	39:49	43.0	3.30	20	2.35	18.80	0.34	0.05	0.10	0.22	miss	0.42	0.28	0.31	0.05	<0.05	<0.05	.	.	.	.	.	.	.	<1.4	<1.5	0.1
02/ 1	39:49	43.0	3.20	20	2.53	19.10	1.82	0.16	0.28	1.15	miss	2.12	1.47	1.59	0.20	0.21	0.11	.	.	.	.	.	.	.	7.0	7.3	0.3
03/ 1	39:49	43.0	3.21	20	2.42	19.70	1.87	0.16	0.27	1.12	miss	1.90	1.44	1.53	0.20	0.22	0.12	.	.	.	.	.	.	.	6.6	7.0	0.3
04/ 1	34:49	39.0	2.62	60	1.84	18.70	1.57	.	.	.	.	.	.	.	.	.	.	191.00	38.00	40.10	s4.37	s273.47	s4.15	s6.14	.	s0.3	.
Mean		42.0	3.08	30.0	2.29	19.08	1.40	0.12	0.22	0.83	.	1.48	1.06	1.14	0.15	<<0.16	<<0.09	191.00	38.00	40.10	s4.37	s273.47	s4.15	s6.14	<<5.0	<<5.2	0.2
Minimum		39.0	2.62	20	1.84	18.70	0.34	0.05	0.10	0.22	.	0.42	0.28	0.31	0.05	<0.05	<0.05	191.00	38.00	40.10	s4.37	s273.47	s4.15	s6.14	<1.4	<1.5	0.1
Maximum		43.0	3.30	60	2.53	19.70	1.87	0.16	0.28	1.15	.	2.12	1.47	1.59	0.20	0.22	0.12	191.00	38.00	40.10	s4.37	s273.47	s4.15	s6.14	7.0	7.3	0.3
St.dev.		2.0	0.31	20.0	0.31	0.45	0.72	0.06	0.10	0.53	.	0.92	0.68	0.72	0.09	~0.10	~0.04	.	.	.	.	.	.	.	~3.1	~3.3	0.1
Count		4	4	4	4	4	4	3	3	3	.	3	3	3	3	3	3	1	1	1	1	1	1	1	3	i3	3

s/q (49) ! Suspect value(s)
i (1) ! Suspect or ambiguous basis-value(s) ignored in statistics.
miss(8) ! Missing value.

178

Tab.width cont'd MYTI EDU, SB, J99, I132 Fiskåtangen, 1996-0927.

. Analytical Lab. =>					NIVA	Σ(*)	NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>					341	!	341	341	!	341	341	341	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309
____ Detection Limit.____ =>					0.05	!	0.05	0.05	!	0.05	0.05	0.05	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Samp/ Shell-length -wght No of					TDEPP	DD_Σn	HCHA	HCHG	HC_Σn	HCB	QCB	OCS	NAP	NAPC1	NAPC2	NAPC3	BIPN	ACNLE	ACNE	FLE	PA	PAC1	PAC2	ANT	FLU	PYR	BAA	CHR
Repl. Min:Max,Mean mean shell					ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g					w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	39:49	43.0	3.30	20	0.07	0.13	miss	0.54	0.54	5.79	0.89	<0.05	<0.5	2.1	3.1	5.6	<0.5	<0.5	1.0	5.1	35.0	39.0	34.0	5.0	125.0	51.0	29.0	43.0
02/ 1	39:49	43.0	3.20	20	0.35	0.61	miss	1.32	1.32	17.55	2.87	0.19	1.4	2.2	2.6	3.9	<0.5	<0.5	2.2	7.7	39.0	26.0	32.0	5.3	133.0	58.0	31.0	46.0
03/ 1	39:49	43.0	3.21	20	0.35	0.64	miss	1.39	1.39	17.67	2.96	0.22	miss	miss	3.9	6.9	<0.5	<0.5	<0.5	5.3	39.0	28.0	34.0	6.5	114.0	57.0	38.0	41.0
04/ 1	34:49	39.0	2.62	60	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Mean		42.0	3.08	30.0	0.26	0.46	.	1.08	1.08	13.67	2.24	<<.15	<<1.0	2.2	3.2	5.5	<<0.5	<<0.5	<<1.2	6.0	37.7	31.0	33.3	5.6	124.0	55.3	32.7	43.3
Minimum		39.0	2.62	20	0.07	0.13	.	0.54	0.54	5.79	0.89	<0.05	<0.5	2.1	2.6	3.9	<0.5	<0.5	<0.5	5.1	35.0	26.0	32.0	5.0	114.0	51.0	29.0	41.0
Maximum		43.0	3.30	60	0.35	0.64	.	1.39	1.39	17.67	2.96	0.22	1.4	2.2	3.9	6.9	<0.5	<0.5	2.2	7.7	39.0	39.0	34.0	6.5	133.0	58.0	38.0	46.0
St.dev.		2.0	0.31	20.0	0.16	0.29	.	0.47	0.47	6.82	1.17	~0.09	~0.6	0.1	0.7	1.5	~0.0	~0.0	~0.9	1.4	2.3	7.0	1.2	0.8	9.5	3.8	4.7	2.5
Count		4	4	4	3	3	.	3	3	3	3	3	2	2	3	3	3	3	3	3	3	3	3	3	3	3	3	3

. Analytical Lab. =>				NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU
. Analysis Code. =>				309	309	309	309	309	309	309	309	309	309	309	!	!	!	!	841	841	841	841	841	841	841	841
____ Detection Limit.____ =>				0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	!	!	!	!	0.00	0.00	0.00	0.00	2000000	0.00	0.00	0.00
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	BBF ppb w.wt	BJKF ppb w.wt	BBJK F ppb w.wt	BEP ppb w.wt	BAP ppb w.wt	PER ppb w.wt	ICDP ppb w.wt	DBA3A ppb w.wt	BGHIP ppb w.wt	DBTC 1 ppb w.wt	DBTC 2 ppb w.wt	DBTC 3 ppb w.wt	DI_Σn ppb w.wt	P_Σn ppb w.wt	PK_Σn ppb w.wt	PAHΣΣ ppb w.wt	TCDD ppp w.wt	CDDST ppp w.wt	CDD1N ppp w.wt	CDDSN ppp w.wt	0.0 CDD4X ppp w.wt	CDD6X ppp w.wt	CDD9X ppp w.wt	CDDSX ppp w.wt
01/ 1	39:49	43.0	3.30	20	33.0	18.0	.	24.0	16.0	6.6	12.0	2.2	12.0	4.0	26.0	21.0	<11.3	<542.4	161.2	<553.2	.	.	.	.	.	.	.	.
02/ 1	39:49	43.0	3.20	20	.	.	44.0	27.0	17.0	15.0	12.0	1.8	13.0	3.0	4.3	19.0	<10.6	<536.8	132.1	<546.9	.	.	.	.	.	.	.	.
03/ 1	39:49	43.0	3.21	20	36.0	25.0	.	35.0	18.0	7.7	14.0	2.6	16.0	2.9	13.0	19.0	<11.3	<552.5	168.5	<563.3	.	.	.	.	.	.	.	.
04/ 1	34:49	39.0	2.62	60	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	0.09	1.35	0.10	0.28	s0.06	s0.09	<0.02	s0.15
Mean		42.0	3.08	30.0	34.5	21.5	44.0	28.7	17.0	9.8	12.7	2.2	13.7	3.3	14.4	19.7	<<11.1	<<543.9	153.9	<<554.5	0.09	1.35	0.10	0.28	s0.06	s0.09	<0.02	s0.15
Minimum		39.0	2.62	20	33.0	18.0	44.0	24.0	16.0	6.6	12.0	1.8	12.0	2.9	4.3	19.0	<10.6	<536.8	132.1	<546.9	0.09	1.35	0.10	0.28	s0.06	s0.09	<0.02	s0.15
Maximum		43.0	3.30	60	36.0	25.0	44.0	35.0	18.0	15.0	14.0	2.6	16.0	4.0	26.0	21.0	<11.3	<552.5	168.5	<563.3	0.09	1.35	0.10	0.28	s0.06	s0.09	<0.02	s0.15
St.dev.		2.0	0.31	20.0	2.1	4.9	.	5.7	1.0	4.6	1.2	0.4	2.1	0.6	10.9	1.2	~0.4	~8.0	19.3	~8.3	.	.	.	.	.	.	.	.
Count		4	4	4	2	2	1	3	3	3	3	3	3	3	3	3	3	3	3	3	1	1	1	1	1	1	1	1

Tab.width cont'd MYTI EDU, SB, J99, I132 Fiskåtangen, 1996-0927.

. Analytical Lab. =>				NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. =>				841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	!	!	!
____ Detection Limit.____ =>				0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	!	!	!
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	CDD6P ppp w.wt	CDDSP ppp w.wt	CDDO ppp w.wt	PCDD ppp w.wt	CDF2T ppp w.wt	CDFST ppp w.wt	CDFDN ppp w.wt	CDF2N ppp w.wt	CDFSN ppp w.wt	CDFDX ppp w.wt	CDF6X ppp w.wt	CDF9X ppp w.wt	CDF4X ppp w.wt	CDFSX ppp w.wt	CDF6P ppp w.wt	CDF9P ppp w.wt	CDFSP ppp w.wt	CDFO ppp w.wt	PCDF ppp w.wt	CDDFS ppp w.wt	TCDDI ppp w.wt	TCDDN ppp w.wt
01/ 1	39:49	43.0	3.30	20	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
02/ 1	39:49	43.0	3.20	20	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
03/ 1	39:49	43.0	3.21	20	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
04/ 1	34:49	39.0	2.62	60	s0.63	0.77	3.57	6.12	8.69	157.00	2.10	1.73	15.70	1.05	0.63	s0.32	0.70	5.06	4.30	s0.31	5.70	7.72	191.00	6.47	s<2.33	s<2.25
Mean		42.0	3.08	30.0	s0.63	0.77	3.57	6.12	8.69	157.00	2.10	1.73	15.70	1.05	0.63	s0.32	0.70	5.06	4.30	s0.31	5.70	7.72	191.00	6.47	s<2.33	s<2.25
Minimum		39.0	2.62	20	s0.63	0.77	3.57	6.12	8.69	157.00	2.10	1.73	15.70	1.05	0.63	s0.32	0.70	5.06	4.30	s0.31	5.70	7.72	191.00	6.47	s<2.33	s<2.25
Maximum		43.0	3.30	60	s0.63	0.77	3.57	6.12	8.69	157.00	2.10	1.73	15.70	1.05	0.63	s0.32	0.70	5.06	4.30	s0.31	5.70	7.72	191.00	6.47	s<2.33	s<2.25
St.dev.		2.0	0.31	20.0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Count		4	4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : I132 Fiskåtangen, Latitude: 58°07.70N, Longitude: 07°58.60E.
Catch,date : 1997-1008, Count: 60, Sample type: Bulked.

. Analytical Lab. =>							NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)	NIVA	NIVA	Σ(*)	NIVA	NIVA
. Analysis Code. =>							341	341	341	341	341	341	341	341	341	341	!	!	341	341	!	341	341	!	341	341
____ Detection Limit.____ =>							0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!	0.05	0.05	!	0.05	0.05
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	CB28 ppb w.wt	CB52 ppb w.wt	CB101 ppb w.wt	CB105 ppb w.wt	CB118 ppb w.wt	CB138 ppb w.wt	CB153 ppb w.wt	CB156 ppb w.wt	CB180 ppb w.wt	CB209 ppb w.wt	CB_Σ7 ppb w.wt	CB_ΣΣ ppb w.wt	DDEPP ppb w.wt	TDEPP ppb w.wt	DD_Σn ppb w.wt	HCHA ppb w.wt	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt
01/ 1	32:49	40.7	3.56	20	2.77	18.70	1.70	<0.05	0.05	1.15	0.67	0.99	1.81	1.73	0.40	0.22	0.14	<6.0	<7.2	0.5	1.26	1.74	0.44	0.37	0.81	4.43	1.18
02/ 1	32:49	41.2	3.85	20	3.00	19.50	1.92	0.30	0.24	1.19	0.67	0.98	1.68	1.67	0.29	0.19	<0.05	6.3	<7.3	0.4	0.80	1.22	0.55	0.46	1.01	7.83	2.20
03/ 1	32:49	41.8	3.67	20	2.86	17.20	1.52	0.20	0.14	0.88	0.49	0.73	1.38	1.34	0.24	0.20	<0.05	4.9	<5.7	0.4	0.55	0.91	0.35	0.36	0.71	7.59	1.80
Mean		41.2	3.69	20.0	2.88	18.47	1.71	<<0.18	0.14	1.07	0.61	0.90	1.62	1.58	0.31	0.20	<<0.08	<<5.7	<<6.7	0.4	0.87	1.29	0.45	0.40	0.84	6.62	1.73
Minimum		40.7	3.56	20	2.77	17.20	1.52	<0.05	0.05	0.88	0.49	0.73	1.38	1.34	0.24	0.19	<0.05	4.9	<5.7	0.4	0.55	0.91	0.35	0.36	0.71	4.43	1.18
Maximum		41.8	3.85	20	3.00	19.50	1.92	0.30	0.24	1.19	0.67	0.99	1.81	1.73	0.40	0.22	0.14	6.3	<7.3	0.5	1.26	1.74	0.55	0.46	1.01	7.83	2.20
St.dev.		0.6	0.15	0.0	0.12	1.17	0.20	~0.13	0.10	0.17	0.10	0.15	0.22	0.21	0.08	0.02	~0.05	~0.7	~0.9	0.1	0.36	0.42	0.10	0.06	0.15	1.90	0.51
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

. Analytical Lab. =>				NIVA	IFEN	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>				341	607	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309
____ Detection Limit.____ =>				0.05	50.0	0.20	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.20	0.50	0.50	0.20	0.20	0.50	0.50	0.20	0.20	0.50	0.50	0.50	0.50
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	OCS ppb w.wt	EPOCL ppb w.wt	NAP ppb w.wt	NAP2M ppb w.wt	NAP1M ppb w.wt	BIPN ppb w.wt	NAPDI ppb w.wt	NAPIM ppb w.wt	ACNLE ppb w.wt	ACNE ppb w.wt	FLE ppb w.wt	PA ppb w.wt	ANT ppb w.wt	PAM1 ppb w.wt	FLU ppb w.wt	PYR ppb w.wt	BAA ppb w.wt	R	CHRT ppb w.wt	F	BBJK ppb w.wt	BEP ppb w.wt	BAP ppb w.wt	PER ppb w.wt	ICDP ppb w.wt	DBA3A ppb w.wt
01/ 1	32:49	40.7	3.56	20	0.07	5000.0	0.8	3.2	<0.5	2.1	<0.5	<0.5	<0.5	1.6	4.9	48.0	3.0	5.6	74.0	35.0	18.0		25.0		30.0	14.0	4.0	2.0	2.5	1.0
02/ 1	32:49	41.2	3.85	20	0.06	1300.0	1.4	3.6	1.7	<0.5	1.1	<0.5	<0.5	1.4	3.4	47.0	3.0	5.6	78.0	34.0	16.0		22.0		25.0	13.0	3.1	1.5	2.1	1.0
03/ 1	32:49	41.8	3.67	20	<0.05	1200.0	0.8	3.2	1.7	2.3	<0.5	<0.5	<0.5	2.4	7.4	48.0	3.0	4.8	56.0	24.0	16.0		22.0		26.0	10.0	3.2	1.5	2.2	1.0
Mean		41.2	3.69	20.0	<<.06	2500.0	1.0	3.3	<<1.3	<<1.6	<<0.7	<<0.5	<<0.5	1.8	5.2	47.7	3.0	5.3	69.3	31.0	16.7		23.0		27.0	12.3	3.4	1.7	2.3	1.0
Minimum		40.7	3.56	20	<0.05	1200.0	0.8	3.2	<0.5	<0.5	<0.5	<0.5	<0.5	1.4	3.4	47.0	3.0	4.8	56.0	24.0	16.0		22.0		25.0	10.0	3.1	1.5	2.1	1.0
Maximum		41.8	3.85	20	0.07	5000.0	1.4	3.6	1.7	2.3	1.1	<0.5	<0.5	2.4	7.4	48.0	3.0	5.6	78.0	35.0	18.0		25.0		30.0	14.0	4.0	2.0	2.5	1.0
St.dev.		0.6	0.15	0.0	0.01	2165.6	0.3	0.2	~0.7	~1.0	~0.3	~0.0	~0.0	0.5	2.0	0.6	0.0	0.5	11.7	6.1	1.2		1.7		2.6	2.1	0.5	0.3	0.2	0.0
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3		3		3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J99, I132 Fiskåtangen, 1997-1008.

. Analytical Lab. =>				NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. =>				309	!	!	!	!
____ Detection Limit.____ =>				0.50	!	!	!	!
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	BGHIP ppb w.wt	DI_Σn ppb w.wt	P_Σn ppb w.wt	PK_Σn ppb w.wt	PAHΣΣ ppb w.wt
01/ 1	32:49	40.7	3.56	20	3.3	<6.6	<272.4	55.5	<278.5
02/ 1	32:49	41.2	3.85	20	3.5	<8.3	<260.1	47.2	<267.9
03/ 1	32:49	41.8	3.67	20	3.3	<8.5	<231.3	48.4	<239.3
Mean		41.2	3.69	20.0	3.4	<<7.8	<<254.6	50.4	<<261.9
Minimum		40.7	3.56	20	3.3	<6.6	<231.3	47.2	<239.3
Maximum		41.8	3.85	20	3.5	<8.5	<272.4	55.5	<278.5
St.dev.		0.6	0.15	0.0	0.1	~1.0	~21.1	4.5	~20.3
Count		3	3	3	3	3	3	3	3

180

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : I133 Odderø,west, Latitude: 58°07.90N, Longitude: 08°00.20E.
Catch,date : 1995-1029, Count: 84, Sample type: Bulked.

. Analytical Lab. =>							NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NILU	NILU	NILU	NILU	Σ(*)	Σ(*)	Σ(*)	Σ(*)	Σ(*)	NIVA
. Analysis Code. =>							341	341	341	341	341	341	341	341	341	341	841	841	841	841	!	!	!	!	!	341
____ Detection Limit.____ =>				Mean			0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.00	0.00	0.00	0.00	!	!	!	!	!	0.10
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	Weight g	Dry %	Fat %	CB28 ppb w.wt	CB52 ppb w.wt	CB101 ppb w.wt	CB105 ppb w.wt	CB118 ppb w.wt	CB138 ppb w.wt	CB153 ppb w.wt	CB156 ppb w.wt	CB180 ppb w.wt	CB209 ppb w.wt	CB77 ppp w.wt	CB81 ppp w.wt	CB126 ppp w.wt	CB169 ppp w.wt	CB_Σ4 ppp w.wt	TECBW ppp w.wt	TECBS ppp w.wt	CB_Σ7 ppb w.wt	CB_ΣΣ ppb w.wt	DDEPP ppb w.wt
01/ 1	37:60	48.2	3.89	28	2.86	18.60	1.69	0.21	0.36	0.67	0.12	0.88	0.85	0.95	0.08	0.18	0.10	.	.	.	.	.	.	.	4.1	4.4	0.4
02/ 1	37:55	46.9	3.55	28	2.45	19.40	1.67	0.21	0.37	0.70	0.17	1.03	0.91	1.00	0.09	0.21	0.12	.	.	.	.	.	.	.	4.4	4.8	0.4
03/ 1	38:63	47.7	3.99	28	2.78	17.80	1.71	0.23	0.39	0.74	0.22	1.01	0.91	1.03	0.08	0.21	0.11	.	.	.	.	.	.	.	4.5	4.9	0.4
04/ 1	30:60	47.6		84	0.89	18.60	.	.	.	.	.	.	.	.	.	.	.	85.70	8.72	12.10	1.56	108.08	1.27	2.15	.	0.1	.
Mean		47.6	3.81	42.0	2.25	18.60	1.69	0.22	0.37	0.70	0.17	0.97	0.89	0.99	0.08	0.20	0.11	85.70	8.72	12.10	1.56	108.08	1.27	2.15	4.4	3.6	0.4
Minimum		46.9	3.55	28	0.89	17.80	1.67	0.21	0.36	0.67	0.12	0.88	0.85	0.95	0.08	0.18	0.10	85.70	8.72	12.10	1.56	108.08	1.27	2.15	4.1	0.1	0.4
Maximum		48.2	3.99	84	2.86	19.40	1.71	0.23	0.39	0.74	0.22	1.03	0.91	1.03	0.09	0.21	0.12	85.70	8.72	12.10	1.56	108.08	1.27	2.15	4.5	4.9	0.4
St.dev.		0.5	0.23	28.0	0.92	0.65	0.02	0.01	0.02	0.04	0.05	0.08	0.03	0.04	0.01	0.02	0.01	.	.	.	.	.	.	.	0.2	2.3	0.0
Count		4	3	4	4	4	3	3	3	3	3	3	3	3	3	3	3	1	1	1	1	1	1	1	3	4	3

s/q (4) ! Suspect value(s)
i (2) ! Suspect or ambiguous basis-value(s) ignored in statistics.
miss(5) ! Missing value.

Tab.width cont'd MYTI EDU, SB, J99, I133 Oddero,west, 1995-1029.

. Analytical Lab. =>					NIVA	Σ(*)	NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>					341	!	341	341	!	341	341	341	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309
____ Detection Limit.____ =>					0.05	!	0.05	0.05	!	0.05	0.05	0.05	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	TDEPP ppb w.wt	DD_Σn ppb w.wt	HCHA ppb w.wt	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt	NAP ppb w.wt	NAPC1 ppb w.wt	NAPC2 ppb w.wt	NAPC3 ppb w.wt	BIPN ppb w.wt	ACNLE ppb w.wt	ACNE ppb w.wt	FLE ppb w.wt	PA ppb w.wt	PAC1 ppb w.wt	PAC2 ppb w.wt	ANT ppb w.wt	FLU ppb w.wt	PYR ppb w.wt	BAA ppb w.wt	CHR ppb w.wt
01/ 1	37:60	48.2	3.89	28	0.25	0.64	s0.16	0.54	s0.70	3.36	1.15	0.05	1.8	13.0	35.0	104.0	1.0	0.6	2.8	5.2	41.0	163.0	263.0	7.6	67.0	47.0	43.0	72.0
02/ 1	37:55	46.9	3.55	28	0.27	0.69	s0.16	0.53	s0.69	3.28	1.08	0.05	1.6	11.0	29.0	95.0	0.9	<0.5	2.4	5.7	41.0	190.0	240.0	8.7	65.0	48.0	45.0	77.0
03/ 1	38:63	47.7	3.99	28	0.25	0.65	0.18	0.58	0.76	3.87	1.24	0.05	2.7	13.0	30.0	62.0	1.1	0.6	2.9	6.5	46.0	128.0	272.0	1.7	94.0	58.0	97.0	miss
04/ 1	30:60	47.6		84	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Mean		47.6	3.81	42.0	0.26	0.66	0.18	0.55	0.76	3.50	1.16	0.05	2.0	12.3	31.3	87.0	1.0	<<0.6	2.7	5.8	42.7	160.3	258.3	6.0	75.3	51.0	61.7	74.5
Minimum		46.9	3.55	28	0.25	0.64	0.18	0.53	0.76	3.28	1.08	0.05	1.6	11.0	29.0	62.0	0.9	<0.5	2.4	5.2	41.0	128.0	240.0	1.7	65.0	47.0	43.0	72.0
Maximum		48.2	3.99	84	0.27	0.69	0.18	0.58	0.76	3.87	1.24	0.05	2.7	13.0	35.0	104.0	1.1	0.6	2.9	6.5	46.0	190.0	272.0	8.7	94.0	58.0	97.0	77.0
St.dev.		0.5	0.23	28.0	0.01	0.03	.	0.03	.	0.32	0.08	0.00	0.6	1.2	3.2	22.1	0.1	¯0.1	0.3	0.7	2.9	31.1	16.5	3.8	16.2	6.1	30.6	3.5
Count		4	3	4	3	3	i1	3	i1	3	3	3	3	3	3	3	3	¯3	3	3	3	3	3	3	3	3	3	2

Tab.width cont'd MYTI EDU, SB, J99, I133 Oddero,west, 1995-1029.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU
. Analysis Code. =>					309	309	309	309	309	309	309	309	309	309	309	!	!	!	!	841	841	841	841	841	841	841	841
____ Detection Limit.____ =>					0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	!	!	!	!	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	BBF ppb w.wt	BJKF ppb w.wt	BEP ppb w.wt	BAP ppb w.wt	PER ppb w.wt	ICDP ppb w.wt	DBA3A ppb w.wt	BGHIP ppb w.wt	DBTC 1 ppb w.wt	DBTC 2 ppb w.wt	DBTC 3 ppb w.wt	DI_Σn ppb w.wt	P_Σn ppb w.wt	PK_Σn ppb w.wt	PAHΣΣ ppb w.wt	TCDD ppp w.wt	CDDST ppp w.wt	CDD1N ppp w.wt	CDDSN ppp w.wt	CDD4X ppp w.wt	CDD6X ppp w.wt	CDD9X ppp w.wt	CDDSX ppp w.wt
01/ 1	37:60	48.2	3.89	28	44.0	miss	34.0	15.0	5.7	6.3	1.6	7.7	30.0	105.0	127.0	154.8	1088.5	371.9	1243.3	.	.	.	.	.	.	.	.
02/ 1	37:55	46.9	3.55	28	48.0	miss	36.0	15.0	5.9	6.9	1.8	8.4	19.0	116.0	124.0	137.5	<1104.3	375.7	<1241.8	.	.	.	.	.	.	.	.
03/ 1	38:63	47.7	3.99	28	46.0	miss	40.0	16.0	6.2	7.2	1.6	8.7	16.0	miss	163.0	108.8	1011.4	346.8	1120.2	.	.	.	.	.	.	.	.
04/ 1	30:60	47.6		84	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	0.11	2.92	0.09	0.95	0.07	0.13	0.08	1.45
Mean		47.6	3.81	42.0	46.0	.	36.7	15.3	5.9	6.8	1.7	8.3	21.7	110.5	138.0	133.7	<<1068.1	364.8	<<1201.8	0.11	2.92	0.09	0.95	0.07	0.13	0.08	1.45
Minimum		46.9	3.55	28	44.0	.	34.0	15.0	5.7	6.3	1.6	7.7	16.0	105.0	124.0	108.8	1011.4	346.8	1120.2	0.11	2.92	0.09	0.95	0.07	0.13	0.08	1.45
Maximum		48.2	3.99	84	48.0	.	40.0	16.0	6.2	7.2	1.8	8.7	30.0	116.0	163.0	154.8	<1104.3	375.7	1243.3	0.11	2.92	0.09	0.95	0.07	0.13	0.08	1.45
St.dev.		0.5	0.23	28.0	2.0	.	3.1	0.6	0.3	0.5	0.1	0.5	7.4	7.8	21.7	23.2	¯49.7	15.7	¯70.6	.	.	.	.	.	.	.	.
Count		4	3	4	3	.	3	3	3	3	3	3	3	2	3	3	3	3	3	1	1	1	1	1	1	1	1

Tab.width cont'd MYTI EDU, SB, J99, I133 Oddero,west, 1995-1029.

. Analytical Lab. =>					NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	NILU	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. =>					841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	!	!	!
____ Detection Limit.____ =>					0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	!	!	!
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	CDD6P ppp w.wt	CDDSP ppp w.wt	CDDO ppp w.wt	PCDD ppp w.wt	CDF2T ppp w.wt	CDFST ppp w.wt	CDF1N ppp w.wt	CDF2N ppp w.wt	CDFSN ppp w.wt	CDFDX ppp w.wt	CDF6X ppp w.wt	CDF9X ppp w.wt	CDF4X ppp w.wt	CDFSX ppp w.wt	CDF6P ppp w.wt	CDF9P ppp w.wt	CDFSP ppp w.wt	CDFO ppp w.wt	PCDF ppp w.wt	CDFS ppp w.wt	TCDDI ppp w.wt	TCDDN ppp w.wt
01/ 1	37:60	48.2	3.89	28	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
02/ 1	37:55	46.9	3.55	28	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
03/ 1	38:63	47.7	3.99	28	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
04/ 1	30:60	47.6		84	0.96	2.01	2.55	9.88	4.54	83.30	0.88	0.81	8.62	0.31	0.24	0.02	0.29	2.67	0.45	0.10	0.70	1.50	96.80	2.71	1.19	1.16
Mean		47.6	3.81	42.0	0.96	2.01	2.55	9.88	4.54	83.30	0.88	0.81	8.62	0.31	0.24	0.02	0.29	2.67	0.45	0.10	0.70	1.50	96.80	2.71	1.19	1.16
Minimum		46.9	3.55	28	0.96	2.01	2.55	9.88	4.54	83.30	0.88	0.81	8.62	0.31	0.24	0.02	0.29	2.67	0.45	0.10	0.70	1.50	96.80	2.71	1.19	1.16
Maximum		48.2	3.99	84	0.96	2.01	2.55	9.88	4.54	83.30	0.88	0.81	8.62	0.31	0.24	0.02	0.29	2.67	0.45	0.10	0.70	1.50	96.80	2.71	1.19	1.16
St.dev.		0.5	0.23	28.0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Count		4	3	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : I133 Odderø,west, Latitude: 58°07.90N, Longitude: 08°00.20E.
Catch,date : 1996-0928, Count: 120, Sample type: Bulked.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NILU	NILU	NILU	NILU	Σ(*)	Σ(*)	Σ(*)	Σ(*)	Σ(*)	NIVA
. Analysis Code. =>					341	341	341	341	341	341	341	341	341	341	841	841	841	841	!	!	!	!	!	341
____ Detection Limit.____ =>				Mean	___	___	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.00	0.00	0.00	0.00	!	!	!	!	!	0.10
Samp/ Shell-length -wght No of				Weight	Dry	Fat	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB77	CB81	CB126	CB169	CB_Σ4	TECBW	TECBS	CB_Σ7	CB_ΣΣ	DDEPP
Repl. Min:Max,Mean mean shell				g	%	%	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppp	ppp	ppp	ppp	ppp	ppp	ppp	ppb	ppb	ppb
no. mm:mm mm g							w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	38:49	44.0	4.15	20	2.71	17.00	1.62	0.10	0.19	0.73	miss	1.01	0.97	1.09	0.12	0.16	<0.05	.	.	.	.	.	.	.	4.3	<4.4	0.2
02/ 1	38:49	44.0	4.30	20	2.80	16.80	0.36	<0.05	0.09	0.19	miss	0.28	0.27	0.32	<0.05	0.05	<0.05	.	.	.	.	.	.	.	<1.3	<1.3	0.1
03/ 1	38:49	44.0	4.28	20	2.73	18.20	1.48	0.10	0.19	0.74	miss	0.92	0.92	1.06	0.09	0.12	<0.05	.	.	.	.	.	.	.	4.1	<4.2	0.2
04/ 1	33:49	40.0	3.34	60	2.03	19.60	1.67	.	.	.	.	.	.	.	.	.	.	101.00	11.60	16.20	1.88	130.68	1.69	2.72	.	0.1	.
Mean		43.0	4.02	30.0	2.57	17.90	1.28	<<0.08	0.16	0.55	.	0.74	0.72	0.82	<<0.09	0.11	<<0.05	101.00	11.60	16.20	1.88	130.68	1.69	2.72	<<3.2	<<2.5	0.1
Minimum		40.0	3.34	20	2.03	16.80	0.36	<0.05	0.09	0.19	.	0.28	0.27	0.32	<0.05	0.05	<0.05	101.00	11.60	16.20	1.88	130.68	1.69	2.72	<1.3	0.1	0.1
Maximum		44.0	4.30	60	2.80	19.60	1.67	0.10	0.19	0.74	.	1.01	0.97	1.09	0.12	0.16	<0.05	101.00	11.60	16.20	1.88	130.68	1.69	2.72	4.3	<4.4	0.2
St.dev.		2.0	0.46	20.0	0.36	1.29	0.62	~0.03	0.06	0.31	.	0.40	0.39	0.44	~0.04	0.06	~0.00	.	.	.	.	.	.	.	~1.7	~2.1	0.1
Count		4	4	4	4	4	4	3	3	3	.	3	3	3	3	3	3	1	1	1	1	1	1	1	3	4	3

s/q (20) ! Suspect value(s)
miss(7) ! Missing value.

Tab.width cont'd MYTI EDU, SB, J99, I133 Odderø,west, 1996-0928.

. Analytical Lab. =>					NIVA	Σ(*)	NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>					341	!	341	341	!	341	341	341	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309
____ Detection Limit.____ =>					0.05	!	0.05	0.05	!	0.05	0.05	0.05	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Samp/ Shell-length -wght No of					TDEPP	DD_Σn	HCHA	HCHG	HC_Σn	HCB	QCB	OCS	NAP	NAPC1	NAPC2	NAPC3	BIPN	ACNLE	ACNE	FLE	PA	PAC1	PAC2	ANT	FLU	PYR	BAA	CHR
Repl. Min:Max,Mean mean shell					ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g					w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	38:49	44.0	4.15	20	0.13	0.30	miss	0.75	0.75	7.39	1.31	<0.05	1.0	8.5	18.0	42.0	<0.5	<0.5	0.5	4.5	21.0	40.0	88.0	1.1	42.0	16.0	7.5	13.0
02/ 1	38:49	44.0	4.30	20	<0.05	<0.10	miss	0.33	0.33	2.59	0.45	<0.05	0.9	7.6	17.0	33.0	<0.5	<0.5	0.5	4.0	21.0	24.0	62.0	1.1	38.0	16.0	5.6	12.0
03/ 1	38:49	44.0	4.28	20	0.17	0.33	miss	0.80	0.80	8.09	1.32	0.05	2.3	11.6	19.0	42.0	0.6	<0.5	0.7	4.6	23.0	69.0	82.0	1.2	46.0	19.0	7.3	14.0
04/ 1	33:49	40.0	3.34	60	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Mean		43.0	4.02	30.0	<<0.12	<<0.24	.	0.63	0.63	6.02	1.03	<<.05	1.4	9.2	18.0	39.0	<<0.5	<<0.5	0.6	4.4	21.7	44.3	77.3	1.1	42.0	17.0	6.8	13.0
Minimum		40.0	3.34	20	<0.05	<0.10	.	0.33	0.33	2.59	0.45	<0.05	0.9	7.6	17.0	33.0	<0.5	<0.5	0.5	4.0	21.0	24.0	62.0	1.1	38.0	16.0	5.6	12.0
Maximum		44.0	4.30	60	0.17	0.33	.	0.80	0.80	8.09	1.32	<0.05	2.3	11.6	19.0	42.0	0.6	<0.5	0.7	4.6	23.0	69.0	88.0	1.2	46.0	19.0	7.5	14.0
St.dev.		2.0	0.46	20.0	~0.06	~0.13	.	0.26	0.26	2.99	0.50	~0.00	0.8	2.1	1.0	5.2	~0.1	~0.0	0.1	0.3	1.2	22.8	13.6	0.1	4.0	1.7	1.0	1.0
Count		4	4	4	3	3	.	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

182

Tab.width cont'd MYTI EDU, SB, J99, I133 Odderø,west, 1996-0928.

Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	BBF ppb w.wt	BJKF ppb w.wt	BEP ppb w.wt	BAP ppb w.wt	PER ppb w.wt	ICDP ppb w.wt	DBA3A ppb w.wt	BGHIP ppb w.wt	DBTC 1 ppb w.wt	DBTC 2 ppb w.wt	DBTC 3 ppb w.wt	DI_Σn ppb w.wt	P_Σn ppb w.wt	PK_Σn ppb w.wt	PAHΣΣ ppb w.wt	TCDD ppp w.wt	CDDST ppp w.wt	CDD1N ppp w.wt	CDDSN ppp w.wt	0.0 CDD4X ppp w.wt	CDD6X ppp w.wt	CDD9X ppp w.wt	CDDSX ppp w.wt
NIVA	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	!	!	!	!	841	841	841	841	841	841	841	841
Detection Limit.	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	!	!	!	!	0.00	0.00	0.00	0.00	2000000	0.00	0.00	0.00
01/ 1	38:49	44.0	4.15	20	5.6	2.9	5.9	2.3	0.9	2.0	<0.5	2.7	1.9	17.0	37.0	<70.0	<312.3	<76.7	<381.8	.	.	.	.	.	.	.	.
02/ 1	38:49	44.0	4.30	20	5.9	3.0	6.0	2.3	1.0	2.0	<0.5	2.7	3.2	8.0	26.0	<59.0	<244.8	<56.5	<303.3	.	.	.	.	.	.	.	.
03/ 1	38:49	44.0	4.28	20	6.7	3.6	6.9	2.6	1.1	2.2	<0.5	2.9	0.7	miss	28.0	75.5	<322.0	<51.6	<397.5	.	.	.	.	.	.	.	.
04/ 1	33:49	40.0	3.34	60	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	s0.03	1.05	s0.03	1.05	0.06	0.04	0.04	0.23
Mean		43.0	4.02	30.0	6.1	3.2	6.3	2.4	1.0	2.1	<<0.5	2.8	1.9	12.5	30.3	<<68.2	<<293.0	<<61.6	<<360.9	s0.03	1.05	s0.03	1.05	0.06	0.04	0.04	0.23
Minimum		40.0	3.34	20	5.6	2.9	5.9	2.3	0.9	2.0	<0.5	2.7	0.7	8.0	26.0	<59.0	<244.8	<51.6	<303.3	s0.03	1.05	s0.03	1.05	0.06	0.04	0.04	0.23
Maximum		44.0	4.30	60	6.7	3.6	6.9	2.6	1.1	2.2	<0.5	2.9	3.2	17.0	37.0	75.5	<322.0	<76.7	<397.5	s0.03	1.05	s0.03	1.05	0.06	0.04	0.04	0.23
St.dev.		2.0	0.46	20.0	0.6	0.4	0.6	0.2	0.1	0.1	~0.0	0.1	1.3	6.4	5.9	~8.4	~42.1	~13.3	~50.5	.	.	.	.	.	.	.	.
Count		4	4	4	3	3	3	3	3	3	3	3	3	2	3	3	3	3	3	1	1	1	1	1	1	1	1

Tab.width cont'd MYTI EDU, SB, J99, I133 Odderø,west, 1996-0928.

Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	CDD6P ppp w.wt	CDDSP ppp w.wt	CDDO ppp w.wt	PCDD ppp w.wt	CDF2T ppp w.wt	CDFST ppp w.wt	CDF1N ppp w.wt	CDF2N ppp w.wt	CDFSN ppp w.wt	CDFDX ppp w.wt	CDF6X ppp w.wt	CDF9X ppp w.wt	CDF4X ppp w.wt	CDFSX ppp w.wt	CDF6P ppp w.wt	CDF9P ppp w.wt	CDFSP ppp w.wt	CDFO ppp w.wt	PCDF ppp w.wt	CDFS ppp w.wt	TCDDI ppp w.wt	TCDDN ppp w.wt
NIVA	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	841	!	!	!
Detection Limit.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	!	!	!
01/ 1	38:49	44.0	4.15	20	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
02/ 1	38:49	44.0	4.30	20	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
03/ 1	38:49	44.0	4.28	20	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
04/ 1	33:49	40.0	3.34	60	0.44	0.90	2.40	5.63	3.29	66.80	0.75	0.44	6.29	0.30	0.22	<0.02	0.25	2.21	0.83	s0.07	1.09	1.22	77.60	1.99	s<0.74	s<0.71
Mean		43.0	4.02	30.0	0.44	0.90	2.40	5.63	3.29	66.80	0.75	0.44	6.29	0.30	0.22	<0.02	0.25	2.21	0.83	s0.07	1.09	1.22	77.60	1.99	s<0.74	s<0.71
Minimum		40.0	3.34	20	0.44	0.90	2.40	5.63	3.29	66.80	0.75	0.44	6.29	0.30	0.22	<0.02	0.25	2.21	0.83	s0.07	1.09	1.22	77.60	1.99	s<0.74	s<0.71
Maximum		44.0	4.30	60	0.44	0.90	2.40	5.63	3.29	66.80	0.75	0.44	6.29	0.30	0.22	<0.02	0.25	2.21	0.83	s0.07	1.09	1.22	77.60	1.99	s<0.74	s<0.71
St.dev.		2.0	0.46	20.0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Count		4	4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

183

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : I133 Odderø,west, Latitude: 58°07.90N, Longitude: 08°00.20E.
Catch,date : 1997-1008, Count: 60, Sample type: Bulked.

Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	NIVA 341 0.05 CB28 ppb w.wt	NIVA 341 0.05 CB52 ppb w.wt	NIVA 341 0.05 CB101 ppb w.wt	NIVA 341 0.05 CB105 ppb w.wt	NIVA 341 0.05 CB118 ppb w.wt	NIVA 341 0.05 CB138 ppb w.wt	NIVA 341 0.05 CB153 ppb w.wt	NIVA 341 0.05 CB156 ppb w.wt	NIVA 341 0.05 CB180 ppb w.wt	NIVA 341 0.05 CB209 ppb w.wt	Σ(*) ! CB_Σ7 ppb w.wt	Σ(*) ! CB_ΣΣ ppb w.wt	NIVA 341 0.10 DDEPP ppb w.wt	NIVA 341 0.05 TDEPP ppb w.wt	Σ(*) ! DD_Σn ppb w.wt	NIVA 341 0.05 HCHA ppb w.wt	NIVA 341 0.05 HCHG ppb w.wt	Σ(*) ! HC_Σn ppb w.wt	NIVA 341 0.05 HCB ppb w.wt	NIVA 341 0.05 QCB ppb w.wt
01/ 1	32:49	39.8	3.73	20	1.90	17.30	1.33	<0.05	0.41	0.51	0.29	0.46	1.08	1.10	0.13	0.14	<0.05	<3.8	<4.2	0.3	0.18	0.46	0.16	0.25	0.41	1.41	0.30
02/ 1	32:49	39.8	3.83	20	1.83	17.60	1.49	0.12	0.61	0.57	0.33	0.51	1.23	1.24	0.15	0.16	<0.05	4.4	<5.0	0.3	0.30	0.62	0.18	0.27	0.45	1.43	0.30
03/ 1	32:49	39.8	3.77	20	2.01	17.60	0.54	0.07	0.24	0.22	0.13	0.20	0.47	0.45	0.05	0.05	<0.05	1.7	<1.9	0.1	0.08	0.21	0.10	0.16	0.26	0.57	0.14
Mean		39.8	3.78	20.0	1.91	17.50	1.12	<<0.08	0.42	0.43	0.25	0.39	0.93	0.93	0.11	0.12	<<0.05	<<3.3	<<3.7	0.2	0.19	0.43	0.15	0.23	0.37	1.14	0.25
Minimum		39.8	3.73	20	1.83	17.30	0.54	<0.05	0.24	0.22	0.13	0.20	0.47	0.45	0.05	0.05	<0.05	1.7	<1.9	0.1	0.08	0.21	0.10	0.16	0.26	0.57	0.14
Maximum		39.8	3.83	20	2.01	17.60	1.49	0.12	0.61	0.57	0.33	0.51	1.23	1.24	0.15	0.16	<0.05	4.4	<5.0	0.3	0.30	0.62	0.18	0.27	0.45	1.43	0.30
St.dev.		0.0	0.05	0.0	0.09	0.17	0.51	~0.04	0.19	0.19	0.11	0.17	0.40	0.42	0.05	0.06	~0.00	~1.4	~1.6	0.1	0.11	0.21	0.04	0.06	0.10	0.49	0.09
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J99, I133 Odderø,west, 1997-1008.

. Analytical Lab. ⇒				NIVA	IFEN	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. ⇒				341	607	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309
____ Detection Limit.____ ⇒				0.05	50.0	0.20	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.20	0.50	0.50	0.20	0.50	0.50	0.20	0.20	0.50	0.50	0.50	0.50
Samp/ Shell-length -wght No of				OCS	EPOCL	NAP	NAP2M	NAP1M	BIPN	NAPDI	NAPIM	ACNLE	ACNE	FLE	PA	ANT	PAM1	FLU	PYR	BAA	CHRT	BBJK	BEP	BAP	PER	ICDP	DBA3A
Repl. Min:Max,Mean mean shell				ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	R ppb F	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g				w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 32:49	39.8	3.73	20	<0.05	2300.0	4.2	4.4	2.4	<0.5	6.9	20.0	2.3	3.6	13.0	20.0	2.0	9.4	71.0	49.0	45.0	41.0	56.0	19.0	9.1	3.3	6.1	1.6
02/ 1 32:49	39.8	3.83	20	<0.05	1200.0	4.0	4.4	2.8	<0.5	7.7	4.8	1.0	0.5	2.9	23.0	1.2	9.4	61.0	44.0	39.0	40.0	57.0	20.0	9.1	3.7	6.3	2.5
03/ 1 32:49	39.8	3.77	20	<0.05	1900.0	4.8	5.0	3.1	<0.5	9.0	2.7	1.0	2.6	5.9	19.0	1.0	9.7	66.0	48.0	40.0	40.0	54.0	18.0	8.4	3.4	5.6	2.6
Mean	39.8	3.78	20.0	<<.05	1800.0	4.3	4.6	2.8	<<0.5	7.9	9.2	1.4	2.2	7.3	20.7	1.4	9.5	66.0	47.0	41.3	40.3	55.7	19.0	8.9	3.5	6.0	2.2
Minimum	39.8	3.73	20	<0.05	1200.0	4.0	4.4	2.4	<0.5	6.9	2.7	1.0	0.5	2.9	19.0	1.0	9.4	61.0	44.0	39.0	40.0	54.0	18.0	8.4	3.3	5.6	1.6
Maximum	39.8	3.83	20	<0.05	2300.0	4.8	5.0	3.1	<0.5	9.0	20.0	2.3	3.6	13.0	23.0	2.0	9.7	71.0	49.0	45.0	41.0	57.0	20.0	9.1	3.7	6.3	2.6
St.dev.	0.0	0.05	0.0	~0.00	556.8	0.4	0.3	0.4	~0.0	1.1	9.4	0.8	1.6	5.2	2.1	0.5	0.2	5.0	2.6	3.2	0.6	1.5	1.0	0.4	0.2	0.4	0.6
Count	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J99, I133 Odderø,west, 1997-1008.

. Analytical Lab. ⇒				NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. ⇒				309	!	!	!	!
____ Detection Limit.____ ⇒				0.50	!	!	!	!
Samp/ Shell-length -wght No of				BGHIP	DI_Σn	P_Σn	PK_Σn	PAHΣΣ
Repl. Min:Max,Mean mean shell				ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g				w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 32:49	39.8	3.73	20	6.4	<38.4	357.8	117.8	<396.2
02/ 1 32:49	39.8	3.83	20	6.8	<24.2	327.4	113.9	<351.6
03/ 1 32:49	39.8	3.77	20	6.4	<25.1	331.6	110.6	<356.7
Mean	39.8	3.78	20.0	6.5	<<29.2	338.9	114.1	<<368.2
Minimum	39.8	3.73	20	6.4	<24.2	327.4	110.6	<351.6
Maximum	39.8	3.83	20	6.8	<38.4	357.8	117.8	<396.2
St.dev.	0.0	0.05	0.0	0.2	~8.0	16.5	3.6	~24.4
Count	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : I201 Ekkjegrunn (G1), Latitude: 59°38.65N, Longitude: 06°21.38E.
Catch,date : 1995-1021, Count: 60, Sample type: Bulked.

. Analytical Lab. ⇒							NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. ⇒							312	312	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309
____ Detection Limit.____ ⇒				Mean			0.050	0.030	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Samp/ Shell-length -wght No of				Weight	Dry	Fat	Cd	Pb	NAP	NAPC1	NAPC2	NAPC3	BIPN	ACNLE	ACNE	FLE	PA	PAC1	PAC2	ANT	FLU	PYR	BAA	CHR	BBF	BJKF	BEP
Repl. Min:Max,Mean mean shell				g	%	%	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g							w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 50:66	58.5	6.14	20	6.13	15.00	.	0.133	0.630	1.4	<0.5	<0.5	<0.5	<0.5	<0.5	12.0	<0.5	23.0	17.0	13.0	4.9	77.0	46.0	46.0	38.0	53.0	miss	28.0
02/ 1 46:68	59.7	6.24	20	7.37	16.30	.	0.127	0.550	1.3	<0.5	<0.5	<0.5	<0.5	<0.5	7.7	<0.5	24.0	18.0	14.0	4.7	93.0	72.0	36.0	34.0	49.0	miss	29.0
03/ 1 55:66	61.8	6.76	20	7.28	16.10	.	0.129	0.570	<0.5	<0.5	<0.5	1.8	<0.5	3.0	4.3	<0.5	24.0	17.9	13.0	5.0	90.0	61.0	37.0	36.0	51.0	miss	33.0
Mean	60.0	6.38	20.0	6.93	15.80	.	0.130	0.583	<<1.1	<<0.5	<<0.5	<<0.9	<<0.5	<<1.3	8.0	<<0.5	23.7	17.6	13.3	4.9	86.7	59.7	39.7	36.0	51.0	.	30.0
Minimum	58.5	6.14	20	6.13	15.00	.	0.127	0.550	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	4.3	<0.5	23.0	17.0	13.0	4.7	77.0	46.0	36.0	34.0	49.0	.	28.0
Maximum	61.8	6.76	20	7.37	16.30	.	0.133	0.630	1.4	<0.5	<0.5	1.8	<0.5	3.0	12.0	<0.5	24.0	18.0	14.0	5.0	93.0	72.0	46.0	38.0	53.0	.	33.0
St.dev.	1.7	0.33	0.0	0.69	0.70	.	0.003	0.042	0.5	~0.0	~0.0	~0.8	~0.0	~1.4	3.9	~0.0	0.6	0.6	0.6	0.2	8.5	13.1	5.5	2.0	2.0	.	2.6
Count	3	3	3	3	3	.	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	.	3

miss(3) ! Missing value.

Tab.width cont'd **MYTI EDU, SB, J99, I201 Ekkjegrunn (G1), 1995-1021.**

. Analytical Lab. =>	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. =>	309	309	309	309	309	309	309	309	!	!	!	!
____ Detection Limit.____ =>	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	!	!	!	!
Samp/ Shell-length -wght No of	BAP	PER	ICDP	DBA3A	BGHIP	DBTC 1	DBTC 2	DBTC 3	DI_Σn	P_Σn	PK_Σn	PAHΣΣ
Repl. Min:Max,Mean mean shell	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 50:66 58.5 6.14 20	15.0	5.1	10.0	2.5	13.0	1.3	4.4	4.8	<1.9	<414.5	137.0	<415.9
02/ 1 46:68 59.7 6.24 20	14.0	4.8	7.1	2.0	10.0	1.6	4.1	4.7	<1.8	<430.2	118.5	<431.5
03/ 1 55:66 61.8 6.76 20	15.0	5.5	8.5	2.0	12.0	1.4	3.4	5.3	<2.3	<428.8	123.6	<430.6
Mean 60.0 6.38 20.0	14.7	5.1	8.5	2.2	11.7	1.4	4.0	4.9	<<2.0	<<424.5	126.4	<<426.0
Minimum 58.5 6.14 20	14.0	4.8	7.1	2.0	10.0	1.3	3.4	4.7	<1.8	<414.5	118.5	<415.9
Maximum 61.8 6.76 20	15.0	5.5	10.0	2.5	13.0	1.6	4.4	5.3	<2.3	<430.2	137.0	<431.5
St.dev. 1.7 0.33 0.0	0.6	0.4	1.5	0.3	1.5	0.2	0.5	0.3	~0.3	~8.7	9.6	~8.8
Count 3 3 3	3	3	3	3	3	3	3	3	3	3	3	3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J99 Undefined**, Tissue : **Whole SOFT BODY.**
Locality : **I201 Ekkjegrunn (G1)**, Latitude: 59°38.65N, Longitude: 06°21.38E.
Catch,date : **1996-1026**, Count: 60, Sample type: **Bulked.**

. Analytical Lab. =>				NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>				312	312	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309
____ Detection Limit.____ =>				0.050	0.030	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Samp/ Shell-length -wght No of	Mean			Cd	Pb	NAP	NAPC1	NAPC2	NAPC3	BIPN	ACNLE	ACNE	FLE	PA	PAC1	PAC2	ANT	FLU	PYR	BAA	CHR	BBF	BJKF	BEP
Repl. Min:Max,Mean mean shell	Weight	Dry	Fat	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g	g	%	%	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 46:69 60.0 8.44 20	6.63	17.40	.	0.149	0.620	1.3	0.6	2.6	2.8	<0.5	4.3	2.8	6.6	33.0	21.0	17.0	13.0	213.0	115.0	81.0	79.0	99.0	36.0	68.0
02/ 1 50:68 62.0 10.16 20	7.34	16.90	.	0.186	0.790	0.8	1.5	2.7	2.6	<0.5	4.2	2.7	6.0	30.0	20.0	15.0	12.0	218.0	118.0	79.0	77.0	104.0	29.0	77.0
03/ 1 50:68 64.0 9.00 20	7.47	17.10	.	0.143	0.750	3.5	1.5	3.1	2.7	<0.5	4.0	2.7	7.4	31.0	20.0	16.0	14.0	208.0	101.0	83.0	80.0	113.0	34.0	72.0
Mean 62.0 9.20 20.0	7.15	17.13	.	0.159	0.720	1.9	1.2	2.8	2.7	<<0.5	4.2	2.7	6.7	31.3	20.3	16.0	13.0	213.0	111.3	81.0	78.7	105.3	33.0	72.3
Minimum 60.0 8.44 20	6.63	16.90	.	0.143	0.620	0.8	0.6	2.6	2.6	<0.5	4.0	2.7	6.0	30.0	20.0	15.0	12.0	208.0	101.0	79.0	77.0	99.0	29.0	68.0
Maximum 64.0 10.16 20	7.47	17.40	.	0.186	0.790	3.5	1.5	3.1	2.8	<0.5	4.3	2.8	7.4	33.0	21.0	17.0	14.0	218.0	118.0	83.0	80.0	113.0	36.0	77.0
St.dev. 2.0 0.88 0.0	0.45	0.25	.	0.023	0.089	1.4	0.5	0.3	0.1	~0.0	0.2	0.1	0.7	1.5	0.6	1.0	1.0	5.0	9.1	2.0	1.5	7.1	3.6	4.5
Count 3 3 .	3	3	.	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J99, I201 Ekkjegrunn (G1), 1996-1026.**

. Analytical Lab. =>	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. =>	309	309	309	309	309	309	309	309	!	!	!	!
____ Detection Limit.____ =>	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	!	!	!	!
Samp/ Shell-length -wght No of	BAP	PER	ICDP	DBA3A	BGHIP	DBTC 1	DBTC 2	DBTC 3	DI_Σn	P_Σn	PK_Σn	PAHΣΣ
Repl. Min:Max,Mean mean shell	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 46:69 60.0 8.44 20	33.0	12.0	16.0	3.8	21.0	2.1	1.1	7.3	<7.8	885.0	279.3	<892.8
02/ 1 50:68 62.0 10.16 20	35.0	13.0	18.0	4.0	24.0	1.8	1.8	5.9	<8.1	895.4	278.5	<903.5
03/ 1 50:68 64.0 9.00 20	38.0	13.0	18.0	4.2	23.0	1.9	1.8	5.4	<11.3	891.4	299.3	<902.7
Mean 62.0 9.20 20.0	35.3	12.7	17.3	4.0	22.7	1.9	1.6	6.2	<<9.1	890.6	285.7	<<899.7
Minimum 60.0 8.44 20	33.0	12.0	16.0	3.8	21.0	1.8	1.1	5.4	<7.8	885.0	278.5	<892.8
Maximum 64.0 10.16 20	38.0	13.0	18.0	4.2	24.0	2.1	1.8	7.3	<11.3	895.4	299.3	<903.5
St.dev. 2.0 0.88 0.0	2.5	0.6	1.2	0.2	1.5	0.2	0.4	1.0	~1.9	5.2	11.8	~6.0
Count 3 3 3	3	3	3	3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : I201 Ekkjegrunn (G1), Latitude: 59°38.65N, Longitude: 06°21.38E.
Catch,date : 1997-1031, Count: 60, Sample type: Bulked.

Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	NIVA 312 0.050 Cd ppm w.wt	NIVA 312 0.040 Pb ppm w.wt	NIVA 309 0.20 NAP ppb w.wt	NIVA 309 0.50 NAP2M ppb w.wt	NIVA 309 0.50 NAP1M ppb w.wt	NIVA 309 0.50 BIPN ppb w.wt	NIVA 309 0.50 NAPDI ppb w.wt	NIVA 309 0.50 NAPIM ppb w.wt	NIVA 309 0.50 ACNLE ppb w.wt	NIVA 309 0.50 ACNE ppb w.wt	NIVA 309 0.50 FLE ppb w.wt	NIVA 309 0.20 PA ppb w.wt	NIVA 309 0.50 ANT ppb w.wt	NIVA 309 0.50 PAM1 ppb w.wt	NIVA 309 0.20 FLU ppb w.wt	NIVA 309 0.20 PYR ppb w.wt	NIVA 309 0.50 BAA ppb w.wt	NIVA 309 0.50 CHRT ppb w.wt R	NIVA 309 0.20 BBJK ppb w.wt F	NIVA 309 0.20 BEP ppb w.wt	NIVA 309 0.50 BAP ppb w.wt
01/ 1	44:64	54.5	8.64	20	5.24	15.50	.	0.165	0.740	1.3	1.5	<0.5	<0.5	<0.5	<0.5	2.3	2.0	5.3	90.0	26.0	11.0	708.0	546.0	644.0	263.0	800.0	245.0	139.0
02/ 1	46:63	55.7	10.20	20	5.60	15.90	.	0.181	0.730	2.1	1.1	<0.5	<0.5	<0.5	<0.5	1.9	2.7	4.7	51.0	17.0	7.7	510.0	375.0	488.0	189.0	618.0	196.0	108.0
03/ 1	46:61	56.0	11.93	20	6.19	16.40	.	0.173	0.900	2.2	1.2	<0.5	3.2	<0.5	<0.5	1.3	2.8	5.2	51.0	18.0	7.1	455.0	344.0	382.0	182.0	564.0	192.0	95.0
Mean		55.4	10.26	20.0	5.68	15.93	.	0.173	0.790	1.9	1.3	<<0.5	<<1.4	<<0.5	<<0.5	1.8	2.5	5.1	64.0	20.3	8.6	557.7	421.7	504.7	211.3	660.7	211.0	114.0
Minimum		54.5	8.64	20	5.24	15.50	.	0.165	0.730	1.3	1.1	<0.5	<0.5	<0.5	<0.5	1.3	2.0	4.7	51.0	17.0	7.1	455.0	344.0	382.0	182.0	564.0	192.0	95.0
Maximum		56.0	11.93	20	6.19	16.40	.	0.181	0.900	2.2	1.5	<0.5	3.2	<0.5	<0.5	2.3	2.8	5.3	90.0	26.0	11.0	708.0	546.0	644.0	263.0	800.0	245.0	139.0
St.dev.		0.8	1.65	0.0	0.48	0.45	.	0.008	0.095	0.5	0.2	~0.0	~1.6	~0.0	~0.0	0.5	0.4	0.3	22.5	4.9	2.1	133.1	108.8	131.8	44.9	123.7	29.5	22.6
Count		3	3	3	3	3	.	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J99, I201 Ekkjegrunn (G1), 1997-1031.

Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	NIVA 309 0.50 PER ppb w.wt	NIVA 309 0.50 ICDP ppb w.wt	NIVA 309 0.50 DBA3A ppb w.wt	NIVA 309 0.50 BGHIP ppb w.wt	Σ(*) ! DI_Σn ppb w.wt	Σ(*) ! P_Σn ppb w.wt	Σ(*) ! PK_Σn ppb w.wt	Σ(*) ! PAHΣΣ ppb w.wt
01/ 1	44:64	54.5	8.64	20	49.0	42.0	19.0	49.0	<3.3	3640.6	1644.0	<3643.9
02/ 1	46:63	55.7	10.20	20	39.0	37.0	16.0	44.0	<3.7	2705.0	1267.0	<2708.7
03/ 1	46:61	56.0	11.93	20	36.0	35.0	14.0	43.0	<7.1	2427.4	1090.0	<2434.5
Mean		55.4	10.26	20.0	41.3	38.0	16.3	45.3	<<4.7	2924.3	1333.7	<<2929.0
Minimum		54.5	8.64	20	36.0	35.0	14.0	43.0	<3.3	2427.4	1090.0	<2434.5
Maximum		56.0	11.93	20	49.0	42.0	19.0	49.0	<7.1	3640.6	1644.0	<3643.9
St.dev.		0.8	1.65	0.0	6.8	3.6	2.5	3.2	~2.1	635.6	283.0	~634.1
Count		3	3	3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : I205 Bølsnes (G5), Latitude: 59°35.50N, Longitude: 06°18.30E.
Catch,date : 1995-1021, Count: 36, Sample type: Bulked.

Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	NIVA 312 0.050 Cd ppm w.wt	NIVA 312 0.030 Pb ppm w.wt	NIVA 309 0.20 NAP ppb w.wt	NIVA 309 0.20 NAPC1 ppb w.wt	NIVA 309 0.20 NAPC2 ppb w.wt	NIVA 309 0.20 NAPC3 ppb w.wt	NIVA 309 0.20 BIPN ppb w.wt	NIVA 309 0.20 ACNLE ppb w.wt	NIVA 309 0.20 ACNE ppb w.wt	NIVA 309 0.20 FLE ppb w.wt	NIVA 309 0.20 PA ppb w.wt	NIVA 309 0.20 PAC1 ppb w.wt	NIVA 309 0.20 PAC2 ppb w.wt	NIVA 309 0.20 ANT ppb w.wt	NIVA 309 0.20 FLU ppb w.wt	NIVA 309 0.20 PYR ppb w.wt	NIVA 309 0.20 BAA ppb w.wt	NIVA 309 0.20 CHR ppb w.wt	NIVA 309 0.20 BJKF ppb w.wt F	NIVA 309 0.20 BBJK ppb w.wt	NIVA 309 0.20 BEP ppb w.wt
01/ 1	42:72	60.8	21.95	12	14.28	17.60	.	0.166	0.980	0.6	1.1	0.6	0.6	<0.5	0.8	0.6	0.5	3.9	4.5	3.0	<0.5	24.0	25.0	5.1	6.5	miss	8.3	13.0
02/ 1	44:70	60.2	15.19	12	11.59	19.10	.	0.140	0.780	0.5	1.3	0.7	0.9	<0.5	0.6	0.7	0.5	3.6	3.7	2.7	<0.5	22.0	18.0	3.6	5.9	miss	10.0	9.8
03/ 1	49:69	61.1	18.32	12	11.55	19.30	.	0.158	0.920	0.5	1.2	0.9	2.0	<0.5	0.8	0.8	0.6	4.1	4.1	2.6	0.5	32.0	23.0	5.0	6.0	miss	9.1	14.0
Mean		60.7	18.49	12.0	12.47	18.67	.	0.155	0.893	0.5	1.2	0.7	1.2	<<0.5	0.7	0.7	0.5	3.9	4.1	2.8	<<0.5	26.0	22.0	4.6	6.1	.	9.1	12.3
Minimum		60.2	15.19	12	11.55	17.60	.	0.140	0.780	0.5	1.1	0.6	0.6	<0.5	0.6	0.6	0.5	3.6	3.7	2.6	<0.5	22.0	18.0	3.6	5.9	.	8.3	9.8
Maximum		61.1	21.95	12	14.28	19.30	.	0.166	0.980	0.6	1.3	0.9	2.0	<0.5	0.8	0.8	0.6	4.1	4.5	3.0	0.5	32.0	25.0	5.1	6.5	.	10.0	14.0
St.dev.		0.5	3.38	0.0	1.56	0.93	.	0.013	0.103	0.1	0.1	0.2	0.7	~0.0	0.1	0.1	0.1	0.3	0.4	0.2	~0.0	5.3	3.6	0.8	0.3	.	0.9	2.2
Count		3	3	3	3	3	.	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	.	3	3

miss(3) ! Missing value.

186

Tab.width cont'd **MYTI EDU, SB, J99, I205 Bølsnes (G5), 1995-1021.**

. Analytical Lab. =>				NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. =>				309	309	309	309	309	309	309	309	!	!	!	!
____ Detection Limit.____ =>				0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	!	!	!	!
Samp/ Repl. no.	Shell-length Min:Max, mm:mm	Mean mm	-wght mean g	No of shell	BAP ppb w.wt	PER ppb w.wt	ICDP ppb w.wt	DBA3A ppb w.wt	BGHIP ppb w.wt	DBTC 1 ppb w.wt	DBTC 2 ppb w.wt	DBTC 3 ppb w.wt	DI_Σn ppb w.wt	P_Σn ppb w.wt	PK_Σn ppb w.wt	PAHΣΣ ppb w.wt
01/ 1	42:72	60.8	21.95	12	1.3	0.6	2.1	0.5	5.6	0.5	2.5	1.9	<3.4	<110.7	22.2	<113.6
02/ 1	44:70	60.2	15.19	12	1.4	0.6	2.4	0.5	4.8	0.5	3.0	1.9	<3.9	<96.7	23.3	<100.1
03/ 1	49:69	61.1	18.32	12	1.6	0.6	2.3	0.6	5.5	0.6	2.7	2.0	<5.1	118.5	23.9	<123.6
Mean		60.7	18.49	12.0	1.4	0.6	2.3	0.5	5.3	0.5	2.7	1.9	<<4.1	<<108.6	23.1	<<112.4
Minimum		60.2	15.19	12	1.3	0.6	2.1	0.5	4.8	0.5	2.5	1.9	<3.4	<96.7	22.2	<100.1
Maximum		61.1	21.95	12	1.6	0.6	2.4	0.6	5.6	0.6	3.0	2.0	<5.1	118.5	23.9	<123.6
St.dev.		0.5	3.38	0.0	0.2	0.0	0.2	0.1	0.4	0.1	0.3	0.1	~0.9	~11.0	0.9	~11.8
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J99 Undefined**, Tissue : **Whole SOFT BODY.**
Locality : **I205 Bølsnes (G5)**, Latitude: 59°35.50N, Longitude: 06°18.30E.
Catch,date : **1997-1031**, Count: 60, Sample type: **Bulked.**

. Analytical Lab. =>							NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>							312	312	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309
____ Detection Limit.____ =>							0.050	0.040	0.20	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.20	0.50	0.50	0.20	0.20	0.50	0.50	0.20	0.20	0.50
Samp/ Repl. no.	Shell-length Min:Max, mm:mm	Mean mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	Cd ppm w.wt	Pb ppm w.wt	NAP ppb w.wt	NAP2M ppb w.wt	NAP1M ppb w.wt	BIPN ppb w.wt	NAPDI ppb w.wt	NAPTM ppb w.wt	ACNLE ppb w.wt	ACNE ppb w.wt	FLE ppb w.wt	PA ppb w.wt	ANT ppb w.wt	PAM1 ppb w.wt	FLU ppb w.wt	PYR ppb w.wt	BAA ppb w.wt R	CHRT ppb w.wt F	BBJK ppb w.wt	BEP ppb w.wt	BAP ppb w.wt
01/ 1	46:82	64.9	25.99	20	11.54	18.40	.	0.229	1.280	1.4	0.9	<0.5	1.3	<0.5	<0.5	1.7	3.9	1.3	4.5	0.6	0.8	130.0	37.0	27.0	29.0	48.0	24.0	3.4
02/ 1	40:86	69.8	26.60	20	11.25	17.30	.	0.237	1.150	0.8	0.6	<0.5	<0.5	<0.5	<0.5	1.5	1.9	1.7	4.1	0.6	2.6	122.0	26.0	27.0	26.0	45.0	24.0	4.0
03/ 1	47:86	71.9	31.75	20	12.79	17.40	.	0.251	1.410	1.4	0.7	<0.5	<0.5	<0.5	<0.5	1.6	1.7	1.2	5.1	0.7	0.9	121.0	36.0	33.0	28.0	43.0	26.0	4.7
Mean		68.9	28.11	20.0	11.86	17.70	.	0.239	1.280	1.2	0.7	<<0.5	<<0.8	<<0.5	<<0.5	1.6	2.5	1.4	4.6	0.6	1.4	124.3	33.0	29.0	27.7	45.3	24.7	4.0
Minimum		64.9	25.99	20	11.25	17.30	.	0.229	1.150	0.8	0.6	<0.5	<0.5	<0.5	<0.5	1.5	1.7	1.2	4.1	0.6	0.8	121.0	26.0	27.0	26.0	43.0	24.0	3.4
Maximum		71.9	31.75	20	12.79	18.40	.	0.251	1.410	1.4	0.9	<0.5	1.3	<0.5	<0.5	1.7	3.9	1.7	5.1	0.7	2.6	130.0	37.0	33.0	29.0	48.0	26.0	4.7
St.dev.		3.6	3.16	0.0	0.82	0.61	.	0.011	0.130	0.3	0.2	~0.0	~0.5	~0.0	~0.0	0.1	1.2	0.3	0.5	0.1	1.0	4.9	6.1	3.5	1.5	2.5	1.2	0.7
Count		3	3	3	3	3	.	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J99, I205 Bølsnes (G5), 1997-1031.**

. Analytical Lab. =>				NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. =>				309	309	309	309	!	!	!	!
____ Detection Limit.____ =>				0.50	0.50	0.50	0.50	!	!	!	!
Samp/ Repl. no.	Shell-length Min:Max, mm:mm	Mean mm	-wght mean g	No of shell	PER ppb w.wt	ICDP ppb w.wt	DBA3A ppb w.wt	BGHIP ppb w.wt	DI_Σn ppb w.wt	P_Σn ppb w.wt	PK_Σn ppb w.wt	PAHΣΣ ppb w.wt
01/ 1	46:82	64.9	25.99	20	1.4	3.6	1.5	7.5	<4.1	325.2	83.5	<329.3
02/ 1	40:86	69.8	26.60	20	1.5	4.3	1.0	8.0	<1.9	301.2	81.3	<303.1
03/ 1	47:86	71.9	31.75	20	1.5	3.8	1.3	7.7	<2.6	317.2	85.8	<319.8
Mean		68.9	28.11	20.0	1.5	3.9	1.3	7.7	<<2.9	314.5	83.5	<<317.4
Minimum		64.9	25.99	20	1.4	3.6	1.0	7.5	<1.9	301.2	81.3	<303.1
Maximum		71.9	31.75	20	1.5	4.3	1.5	8.0	<4.1	325.2	85.8	<329.3
St.dev.		3.6	3.16	0.0	0.1	0.4	0.3	0.3	~1.1	12.2	2.3	~13.3
Count		3	3	3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : I241 Nordnes, Latitude: 60°24.10N, Longitude: 05°18.20E.
Catch,date : 1995-1113, Count: 87, Sample type: Bulked.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	NIVA	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>					311	341	341	341	341	341	341	341	341	341	341	!	!	341	340	341	!	341	341	!
____ Detection Limit.____ =>				Mean	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	0.05	!	0.05	0.05	!
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm mm		-wght mean g	No of shell	Weight g	Dry %	Fat %	Zn ppm w.wt	CB28 ppb w.wt	CB52 ppb w.wt	CB101 ppb w.wt	CB105 ppb w.wt	CB118 ppb w.wt	CB138 ppb w.wt	CB153 ppb w.wt	CB156 ppb w.wt	CB180 ppb w.wt	CB209 ppb w.wt	CB_Σ7 ppb w.wt	CB_ΣΣ ppb w.wt	DDEPP ppb w.wt	DDTPP ppb w.wt	TDEPP ppb w.wt	DD_Σn ppb w.wt	HCHA ppb w.wt	HCHG ppb w.wt	HC_Σn ppb w.wt
01/ 1	37:57	45.7	3.44	29	3.21	17.20	2.33	28.30	0.21	0.55	1.60	0.55	1.40	2.60	2.60	0.30	0.43	<0.10	9.4	<10.3	1.1	1.20	0.48	2.78	0.26	0.44	0.70
02/ 1	37:58	46.6	3.80	29	3.36	16.80	2.46	28.60	0.24	0.62	1.10	0.59	1.40	2.70	2.70	0.31	0.36	<0.05	9.1	<10.1	1.1	1.30	0.50	2.90	0.32	0.51	0.83
03/ 1	38:58	48.3	4.08	29	3.58	17.20	2.56	35.80	0.23	0.61	1.10	0.59	1.40	2.70	2.60	0.32	0.37	<0.10	9.0	<10.0	1.1	1.20	0.50	2.80	0.27	0.47	0.74
Mean		46.9	3.77	29.0	3.38	17.07	2.45	30.90	0.23	0.59	1.27	0.58	1.40	2.67	2.63	0.31	0.39	<<0.08	9.2	<<10.1	1.1	1.23	0.49	2.83	0.28	0.47	0.76
Minimum		45.7	3.44	29	3.21	16.80	2.33	28.30	0.21	0.55	1.10	0.55	1.40	2.60	2.60	0.30	0.36	<0.05	9.0	<10.0	1.1	1.20	0.48	2.78	0.26	0.44	0.70
Maximum		48.3	4.08	29	3.58	17.20	2.56	35.80	0.24	0.62	1.60	0.59	1.40	2.70	2.70	0.32	0.43	<0.10	9.4	<10.3	1.1	1.30	0.50	2.90	0.32	0.51	0.83
St.dev.		1.3	0.32	0.0	0.19	0.23	0.12	4.25	0.02	0.04	0.29	0.02	0.00	0.06	0.06	0.01	0.04	~0.03	0.2	~0.2	0.0	0.06	0.01	0.06	0.03	0.04	0.07
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

miss(3) ! Missing value.

Tab.width cont'd MYTI EDU, SB, J99, I241 Nordnes, 1995-1113.

. Analytical Lab. =>				NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>				341	341	341	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309
____ Detection Limit.____ =>				0.05	0.05	0.05	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm mm	-wght mean g	No of shell	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt	NAP ppb w.wt	NAPC1 ppb w.wt	NAPC2 ppb w.wt	NAPC3 ppb w.wt	BIPN ppb w.wt	ACNLE ppb w.wt	ACNE ppb w.wt	FLE ppb w.wt	PA ppb w.wt	PAC1 ppb w.wt	PAC2 ppb w.wt	ANT ppb w.wt	FLU ppb w.wt	PYR ppb w.wt	BAA ppb w.wt	CHR ppb w.wt	BBF ppb w.wt	BJKF ppb w.wt	BEP ppb w.wt	BAP ppb w.wt	PER ppb w.wt	ICDP ppb w.wt
01/ 1	37:57 45.7	3.44	29	0.21	<0.05	<0.05	2.1	7.8	24.0	70.0	0.6	1.5	1.2	2.0	14.0	138.0	253.0	2.3	25.0	22.0	12.0	25.0	17.0	miss	10.0	4.6	2.3	2.5
02/ 1	37:58 46.6	3.80	29	0.23	<0.05	<0.05	2.0	9.3	27.0	77.0	0.5	1.4	1.1	2.1	15.0	302.0	247.0	2.2	30.0	26.0	16.0	32.0	22.0	miss	14.0	6.5	3.0	3.0
03/ 1	38:58 48.3	4.08	29	0.22	<0.05	<0.05	2.0	7.8	23.0	63.0	0.6	1.4	1.0	2.0	14.0	132.0	233.0	2.1	28.0	25.0	14.0	29.0	18.0	miss	12.0	4.8	2.5	2.4
Mean	46.9	3.77	29.0	0.22	<<.05	<<.05	2.0	8.3	24.7	70.0	0.6	1.4	1.1	2.0	14.3	190.7	244.3	2.2	27.7	24.3	14.0	28.7	19.0	.	12.0	5.3	2.6	2.6
Minimum	45.7	3.44	29	0.21	<0.05	<0.05	2.0	7.8	23.0	63.0	0.5	1.4	1.0	2.0	14.0	132.0	233.0	2.1	25.0	22.0	12.0	25.0	17.0	.	10.0	4.6	2.3	2.4
Maximum	48.3	4.08	29	0.23	<0.05	<0.05	2.1	9.3	27.0	77.0	0.6	1.5	1.2	2.1	15.0	302.0	253.0	2.3	30.0	26.0	16.0	32.0	22.0	.	14.0	6.5	3.0	3.0
St.dev.	1.3	0.32	0.0	0.01	~0.00	~0.00	0.1	0.9	2.1	7.0	0.1	0.1	0.1	0.1	0.6	96.5	10.3	0.1	2.5	2.1	2.0	3.5	2.6	.	2.0	1.0	0.4	0.3
Count	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	.	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J99, I241 Nordnes, 1995-1113.

. Analytical Lab. =>				NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. =>				309	309	309	309	309	!	!	!	!
____ Detection Limit.____ =>				0.20	0.20	0.20	0.20	0.20	!	!	!	!
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm mm	-wght mean g	No of shell	DBA3A ppb w.wt	BGHIP ppb w.wt	DBTC 1 ppb w.wt	DBTC 2 ppb w.wt	DBTC 3 ppb w.wt	DI_Σn ppb w.wt	P_Σn ppb w.wt	PK_Σn ppb w.wt	PAHΣΣ ppb w.wt
01/ 1	37:57 45.7	3.44	29	0.5	3.6	9.0	32.0	88.0	104.5	665.5	165.6	770.0
02/ 1	37:58 46.6	3.80	29	0.6	4.2	28.0	100.0	112.0	115.8	968.1	288.1	1083.9
03/ 1	38:58 48.3	4.08	29	0.5	3.6	11.0	70.0	112.0	96.4	718.3	232.7	814.7
Mean	46.9	3.77	29.0	0.5	3.8	16.0	67.3	104.0	105.6	784.0	228.8	889.5
Minimum	45.7	3.44	29	0.5	3.6	9.0	32.0	88.0	96.4	665.5	165.6	770.0
Maximum	48.3	4.08	29	0.6	4.2	28.0	100.0	112.0	115.8	968.1	288.1	1083.9
St.dev.	1.3	0.32	0.0	0.1	0.3	10.4	34.1	13.9	9.7	161.6	61.3	169.8
Count	3	3	3	3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : I241 Nordnes, Latitude: 60°24.10N, Longitude: 05°18.20E.
Catch,date : 1996-0921, Count: 60, Sample type: Bulked.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	NIVA	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>					311	341	341	341	341	341	341	341	341	341	341	!	!	341	340	341	!	341	341	!
_____ Detection Limit._____ =>				Mean			1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	0.05	!	0.05	0.05	!
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	Weight g	Dry %	Fat %	Zn ppm w.wt	CB28 ppb w.wt	CB52 ppb w.wt	CB101 ppb w.wt	CB105 ppb w.wt	CB118 ppb w.wt	CB138 ppb w.wt	CB153 ppb w.wt	CB156 ppb w.wt	CB180 ppb w.wt	CB209 ppb w.wt	CB_Σ7 ppb w.wt	CB_ΣΣ ppb w.wt	DDEPP ppb w.wt	DDTPP ppb w.wt	TDEPP ppb w.wt	DD_Σn ppb w.wt	HCHA ppb w.wt	HCHG ppb w.wt	HC_Σn ppb w.wt
01/ 1	34:48	42.0	2.35	20	2.34	17.70	2.43	35.70	0.24	0.77	2.40	0.94	2.30	3.90	3.80	0.42	0.55	<0.10	14.0	<15.4	1.1	5.50	1.20	7.80	0.27	0.56	0.83
02/ 1	34:48	42.0	2.69	20	2.30	16.40	2.36	35.90	0.25	0.78	2.40	1.00	2.40	4.00	3.90	0.47	0.66	<0.10	14.4	<16.0	1.1	6.10	1.20	8.40	0.28	0.59	0.87
03/ 1	34:48	41.0	2.53	20	2.16	17.00	2.14	31.70	0.22	0.74	2.20	0.91	2.20	3.60	3.60	0.43	0.66	<0.10	13.2	<14.7	1.0	6.00	1.00	8.00	0.25	0.51	0.76
Mean		41.7	2.52	20.0	2.27	17.03	2.31	34.43	0.24	0.76	2.33	0.95	2.30	3.83	3.77	0.44	0.62	<<0.10	13.9	<<15.3	1.1	5.87	1.13	8.07	0.27	0.55	0.82
Minimum		41.0	2.35	20	2.16	16.40	2.14	31.70	0.22	0.74	2.20	0.91	2.20	3.60	3.60	0.42	0.55	<0.10	13.2	<14.7	1.0	5.50	1.00	7.80	0.25	0.51	0.76
Maximum		42.0	2.69	20	2.34	17.70	2.43	35.90	0.25	0.78	2.40	1.00	2.40	4.00	3.90	0.47	0.66	<0.10	14.4	<16.0	1.1	6.10	1.20	8.40	0.28	0.59	0.87
St.dev.		0.6	0.17	0.0	0.09	0.65	0.15	2.37	0.02	0.02	0.12	0.05	0.10	0.21	0.15	0.03	0.06	~0.00	0.6	~0.7	0.1	0.32	0.12	0.31	0.02	0.04	0.06
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J99, I241 Nordnes, 1996-0921.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>					341	341	341	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309
_____ Detection Limit._____ =>					0.05	0.05	0.05	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt	NAP ppb w.wt	NAPC1 ppb w.wt	NAPC2 ppb w.wt	NAPC3 ppb w.wt	BIPN ppb w.wt	ACNLE ppb w.wt	ACNE ppb w.wt	FLE ppb w.wt	PA ppb w.wt	PAC1 ppb w.wt	PAC2 ppb w.wt	ANT ppb w.wt	FLU ppb w.wt	PYR ppb w.wt	BAA ppb w.wt	CHR ppb w.wt	BBF ppb w.wt	BJKF ppb w.wt	BEP ppb w.wt	BAP ppb w.wt	PER ppb w.wt	ICDP ppb w.wt
01/ 1	34:48	42.0	2.35	20	0.12	<0.05	<0.05	11.0	7.5	6.1	10.0	0.6	0.8	0.7	1.8	4.4	16.0	44.0	<0.5	4.8	2.4	1.8	4.3	2.5	1.0	1.6	0.6	<0.5	0.5
02/ 1	34:48	42.0	2.69	20	0.13	<0.05	<0.05	3.3	6.1	5.5	13.0	<0.5	<0.5	1.5	1.6	3.8	18.0	40.0	0.7	5.5	2.8	2.5	4.8	2.8	1.5	1.9	0.8	<0.5	0.6
03/ 1	34:48	41.0	2.53	20	0.12	<0.05	<0.05	3.3	5.2	4.6	9.1	<0.5	0.5	1.8	1.7	3.7	10.0	18.0	0.6	5.2	2.8	2.2	4.2	2.8	1.5	2.0	0.8	<0.5	0.6
Mean		41.7	2.52	20.0	0.12	<<.05	<<.05	5.9	6.3	5.4	10.7	<<0.5	<<0.6	1.3	1.7	4.0	14.7	34.0	<<0.6	5.2	2.7	2.2	4.4	2.7	1.3	1.8	0.7	<<0.5	0.6
Minimum		41.0	2.35	20	0.12	<0.05	<0.05	3.3	5.2	4.6	9.1	<0.5	<0.5	0.7	1.6	3.7	10.0	18.0	<0.5	4.8	2.4	1.8	4.2	2.5	1.0	1.6	0.6	<0.5	0.5
Maximum		42.0	2.69	20	0.13	<0.05	<0.05	11.0	7.5	6.1	13.0	0.6	0.8	1.8	1.8	4.4	18.0	44.0	0.7	5.5	2.8	2.5	4.8	2.8	1.5	2.0	0.8	<0.5	0.6
St.dev.		0.6	0.17	0.0	0.01	~0.00	~0.00	4.4	1.2	0.8	2.0	~0.1	~0.2	0.6	0.1	0.4	4.2	14.0	~0.1	0.4	0.2	0.4	0.3	0.2	0.3	0.2	0.1	~0.0	0.1
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J99, I241 Nordnes, 1996-0921.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. =>					309	309	309	309	309	!	!	!	!
_____ Detection Limit._____ =>					0.20	0.20	0.20	0.20	0.20	!	!	!	!
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	DBA3A ppb w.wt	BGHIP ppb w.wt	DBTC 1 ppb w.wt	DBTC 2 ppb w.wt	DBTC 3 ppb w.wt	DI_Σn ppb w.wt	P_Σn ppb w.wt	PK_Σn ppb w.wt	PAHΣΣ ppb w.wt
01/ 1	34:48	42.0	2.35	20	<0.5	0.7	3.0	2.7	17.0	35.2	<111.1	<29.6	<146.3
02/ 1	34:48	42.0	2.69	20	<0.5	0.9	5.5	4.4	19.0	<28.4	<119.1	<37.6	<147.0
03/ 1	34:48	41.0	2.53	20	<0.5	0.8	3.2	3.7	21.0	<22.7	<87.6	<36.3	<109.8
Mean		41.7	2.52	20.0	<<0.5	0.8	3.9	3.6	19.0	<<28.8	<<105.9	<<34.5	<<134.4
Minimum		41.0	2.35	20	<0.5	0.7	3.0	2.7	17.0	<22.7	<87.6	<29.6	<109.8
Maximum		42.0	2.69	20	<0.5	0.9	5.5	4.4	21.0	35.2	<119.1	<37.6	<147.0
St.dev.		0.6	0.17	0.0	~0.0	0.1	1.4	0.9	2.0	~6.3	~16.4	~4.3	~21.3
Count		3	3	3	3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : I241 Nordnes, Latitude: 60°24.10N, Longitude: 05°18.20E.
Catch,date : 1997-0929, Count: 60, Sample type: Bulked.

. Analytical Lab. =>				NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	NIVA	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>				311	341	341	341	341	341	341	341	341	341	341	!	!	341	340	341	!	341	341	!
_____ Detection Limit._____ =>			Mean	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	0.05	!	0.05	0.05	!
Samp/ Shell-length -wght No of			Weight	Dry	Fat	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	DDTPP	TDEPP	DD_Σn	HCHA	HCHG	HC_Σn
Repl. Min:Max,Mean mean shell			g	%	%	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g						w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 31:47 37.2 1.72 20			1.68	17.40	1.97	25.70	0.18	0.27	1.31	0.62	1.03	2.43	2.50	0.31	0.49	<0.05	8.2	<9.2	0.4	2.20	0.20	2.80	0.13	0.20	0.33
02/ 1 31:47 37.5 1.93 20			1.77	18.30	2.19	24.70	0.22	0.38	1.55	0.71	1.19	2.77	2.81	0.35	0.52	<0.05	9.4	<10.6	0.5	2.60	0.25	3.31	0.14	0.22	0.36
03/ 1 31:49 37.7 1.84 20			1.87	17.90	2.08	31.60	0.19	0.38	1.37	0.64	1.05	2.41	2.46	0.31	0.51	<0.05	8.4	<9.4	0.4	2.20	0.20	2.78	0.12	0.20	0.32
Mean 37.5 1.83 20.0			1.77	17.87	2.08	27.33	0.20	0.34	1.41	0.66	1.09	2.54	2.59	0.32	0.51	<<0.05	8.7	<<9.7	0.4	2.33	0.22	2.96	0.13	0.21	0.34
Minimum 37.2 1.72 20			1.68	17.40	1.97	24.70	0.18	0.27	1.31	0.62	1.03	2.41	2.46	0.31	0.49	<0.05	8.2	<9.2	0.4	2.20	0.20	2.78	0.12	0.20	0.32
Maximum 37.7 1.93 20			1.87	18.30	2.19	31.60	0.22	0.38	1.55	0.71	1.19	2.77	2.81	0.35	0.52	<0.05	9.4	<10.6	0.5	2.60	0.25	3.31	0.14	0.22	0.36
St.dev. 0.3 0.11 0.0			0.10	0.45	0.11	3.73	0.02	0.06	0.12	0.05	0.09	0.20	0.19	0.02	0.02	¯0.00	0.7	¯0.7	0.0	0.23	0.03	0.30	0.01	0.01	0.02
Count 3 3 3			3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J99, I241 Nordnes, 1997-0929.

. Analytical Lab. =>	NIVA	NIVA	NIVA
. Analysis Code. =>	341	341	341
_____ Detection Limit._____ =>	0.05	0.05	0.05
Samp/ Shell-length -wght No of	HCB	QCB	OCS
Repl. Min:Max,Mean mean shell	ppb	ppb	ppb
no. mm:mm mm g	w.wt	w.wt	w.wt
01/ 1 31:47 37.2 1.72 20	0.12	<0.05	<0.05
02/ 1 31:47 37.5 1.93 20	0.13	<0.05	<0.05
03/ 1 31:49 37.7 1.84 20	0.12	<0.05	<0.05
Mean 37.5 1.83 20.0	0.12	<<.05	<<.05
Minimum 37.2 1.72 20	0.12	<0.05	<0.05
Maximum 37.7 1.93 20	0.13	<0.05	<0.05
St.dev. 0.3 0.11 0.0	0.01	¯0.00	¯0.00
Count 3 3 3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : I242 Valheimneset, Latitude: 60°23.70N, Longitude: 05°16.10E.
Catch,date : 1995-1114, Count: 78, Sample type: Bulked.

. Analytical Lab. =>				NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	NIVA	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>				311	341	341	341	341	341	341	341	341	341	341	!	!	341	340	341	!	341	341	!
_____ Detection Limit._____ =>			Mean	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	0.05	!	0.05	0.05	!
Samp/ Shell-length -wght No of			Weight	Dry	Fat	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	DDTPP	TDEPP	DD_Σn	HCHA	HCHG	HC_Σn
Repl. Min:Max,Mean mean shell			g	%	%	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g						w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 37:50 41.9 3.27 26			2.33	17.90	2.25	31.30	0.37	0.65	1.70	0.70	1.70	3.60	3.60	0.37	0.68	<0.05	12.3	<13.4	1.2	1.70	0.63	3.53	0.29	0.40	0.69
02/ 1 31:49 40.4 3.29 26			2.37	19.50	2.23	29.20	0.33	0.65	1.80	0.71	1.60	3.60	3.60	0.36	0.71	<0.10	12.3	<13.5	1.2	1.70	0.63	3.53	0.29	0.40	0.69
03/ 1 32:49 40.2 2.91 26			2.17	18.40	2.12	34.00	0.33	0.59	1.40	0.67	1.60	3.40	3.40	0.35	0.70	0.16	11.4	12.6	1.2	1.80	0.58	3.58	0.28	0.42	0.70
Mean 40.8 3.16 26.0			2.29	18.60	2.20	31.50	0.34	0.63	1.63	0.69	1.63	3.53	3.53	0.36	0.70	<<0.10	12.0	<<13.2	1.2	1.73	0.61	3.55	0.29	0.41	0.69
Minimum 40.2 2.91 26			2.17	17.90	2.12	29.20	0.33	0.59	1.40	0.67	1.60	3.40	3.40	0.35	0.68	<0.05	11.4	12.6	1.2	1.70	0.58	3.53	0.28	0.40	0.69
Maximum 41.9 3.29 26			2.37	19.50	2.25	34.00	0.37	0.65	1.80	0.71	1.70	3.60	3.60	0.37	0.71	0.16	12.3	<13.5	1.2	1.80	0.63	3.58	0.29	0.42	0.70
St.dev. 0.9 0.21 0.0			0.11	0.82	0.07	2.41	0.02	0.03	0.21	0.02	0.06	0.12	0.12	0.01	0.02	¯0.06	0.5	¯0.5	0.0	0.06	0.03	0.03	0.01	0.01	0.01
Count 3 3 3			3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

miss(3) ! Missing value.

Tab.width cont'd **MYTI EDU, SB, J99, I242 Valheimneset, 1995-1114.**

. Analytical Lab. =>				NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>				341	341	341	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309
____ Detection Limit.____ =>				0.05	0.05	0.05	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Samp/ Repl. no.	Shell-length Min:Max, mm:mm	Mean mm	-wght mean g	No of shell	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt	NAP ppb w.wt	NAPC1 ppb w.wt	NAPC2 ppb w.wt	NAPC3 ppb w.wt	BIPN ppb w.wt	ACNLE ppb w.wt	ACNE ppb w.wt	FLE ppb w.wt	PA ppb w.wt	PAC1 ppb w.wt	PAC2 ppb w.wt	ANT ppb w.wt	FLU ppb w.wt	PYR ppb w.wt	BAA ppb w.wt	CHR ppb w.wt	BBF ppb w.wt	BJKF ppb w.wt	BEP ppb w.wt	BAP ppb w.wt	PER ppb w.wt	ICDP ppb w.wt
01/ 1	37:50	41.9	3.27	26	0.23	<0.05	<0.05	5.8	6.0	11.0	27.0	<0.5	1.1	0.7	1.3	6.5	40.0	86.0	0.9	12.0	9.8	5.0	13.0	8.7	miss	5.7	1.8	1.0	1.3
02/ 1	31:49	40.4	3.29	26	0.20	<0.05	<0.05	1.6	4.7	13.0	34.0	0.5	1.0	0.7	1.4	7.8	53.0	121.0	0.9	13.0	11.0	5.0	14.0	8.8	miss	5.7	1.7	1.0	1.4
03/ 1	32:49	40.2	2.91	26	0.22	<0.05	<0.05	2.0	5.5	11.0	28.0	<0.5	1.2	1.0	1.1	7.8	55.0	107.0	1.0	14.0	12.0	5.2	15.0	10.0	miss	6.5	2.0	1.1	1.5
Mean		40.8	3.16	26.0	0.22	<<.05	<<.05	3.1	5.4	11.7	29.7	<<0.5	1.1	0.8	1.3	7.4	49.3	104.7	0.9	13.0	10.9	5.1	14.0	9.2	.	6.0	1.8	1.0	1.4
Minimum		40.2	2.91	26	0.20	<0.05	<0.05	1.6	4.7	11.0	27.0	<0.5	1.0	0.7	1.1	6.5	40.0	86.0	0.9	12.0	9.8	5.0	13.0	8.7	.	5.7	1.7	1.0	1.3
Maximum		41.9	3.29	26	0.23	<0.05	<0.05	5.8	6.0	13.0	34.0	<0.5	1.2	1.0	1.4	7.8	55.0	121.0	1.0	14.0	12.0	5.2	15.0	10.0	.	6.5	2.0	1.1	1.5
St.dev.		0.9	0.21	0.0	0.02	~0.00	~0.00	2.3	0.7	1.2	3.8	~0.0	0.1	0.2	0.2	0.8	8.1	17.6	0.1	1.0	1.1	0.1	1.0	0.7	.	0.5	0.2	0.1	0.1
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	.	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J99, I242 Valheimneset, 1995-1114.**

. Analytical Lab. =>				NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. =>				309	309	309	309	309	!	!	!	!
____ Detection Limit.____ =>				0.20	0.20	0.20	0.20	0.20	!	!	!	!
Samp/ Repl. no.	Shell-length Min:Max, mm:mm	Mean mm	-wght mean g	No of shell	DBA3A ppb w.wt	BGHIP ppb w.wt	DBTC 1 ppb w.wt	DBTC 2 ppb w.wt	DBTC 3 ppb w.wt	DI_Σn ppb w.wt	P_Σn ppb w.wt	PK_Σn ppb w.wt	PAHΣΣ ppb w.wt
01/ 1	37:50	41.9	3.27	26	<0.5	1.9	7.5	25.0	58.0	<50.3	<287.7	<107.8	<337.5
02/ 1	31:49	40.4	3.29	26	<0.5	1.9	1.2	28.0	62.0	53.8	<341.0	<108.6	<394.8
03/ 1	32:49	40.2	2.91	26	<0.5	2.0	9.3	30.0	43.0	<47.0	<326.2	<101.5	<372.7
Mean		40.8	3.16	26.0	<<0.5	1.9	6.0	27.7	54.3	<<50.4	<<318.3	<<106.0	<<368.3
Minimum		40.2	2.91	26	<0.5	1.9	1.2	25.0	43.0	<47.0	<287.7	<101.5	<337.5
Maximum		41.9	3.29	26	<0.5	2.0	9.3	30.0	62.0	53.8	<341.0	<108.6	<394.8
St.dev.		0.9	0.21	0.0	~0.0	0.1	4.3	2.5	10.0	~3.4	~27.5	~3.9	~28.9
Count		3	3	3	3	3	3	3	3	3	3	3	3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J99 Undefined**, Tissue : **Whole SOFT BODY.**
Locality : **I242 Valheimneset**, Latitude: 60°23.70N, Longitude: 05°16.10E.
Catch,date : **1996-0921**, Count: 60, Sample type: **Bulked.**

. Analytical Lab. =>							NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	NIVA	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>							311	341	341	341	341	341	341	341	341	341	341	!	!	341	340	341	!	341	341	!
____ Detection Limit.____ =>							1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	0.05	!	0.05	0.05	!
Samp/ Repl. no.	Shell-length Min:Max, mm:mm	Mean mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	Zn ppm w.wt	CB28 ppb w.wt	CB52 ppb w.wt	CB101 ppb w.wt	CB105 ppb w.wt	CB118 ppb w.wt	CB138 ppb w.wt	CB153 ppb w.wt	CB156 ppb w.wt	CB180 ppb w.wt	CB209 ppb w.wt	CB_Σ7 ppb w.wt	CB_ΣΣ ppb w.wt	DDEPP ppb w.wt	DDTPP ppb w.wt	TDEPP ppb w.wt	DD_Σn ppb w.wt	HCHA ppb w.wt	HCHG ppb w.wt	HC_Σn ppb w.wt
01/ 1	31:48	39.6	3.00	20	1.90	18.70	1.83	33.40	0.18	0.69	2.40	0.89	2.10	4.40	4.30	0.49	0.81	<0.10	14.9	<16.4	1.7	8.00	3.10	12.80	0.23	0.45	0.68
02/ 1	32:49	40.0	2.93	20	1.90	19.50	1.73	47.00	0.31	0.70	2.40	0.97	2.20	4.70	4.70	0.57	0.91	<0.10	15.9	<17.6	1.9	8.10	3.50	13.50	0.24	0.46	0.70
03/ 1	32:45	40.0	3.01	20	1.84	16.80	1.85	32.00	0.32	0.74	2.50	0.98	2.30	4.90	4.90	0.54	0.91	<0.10	16.6	<18.2	1.9	9.30	2.80	14.00	0.23	0.45	0.68
Mean		39.9	2.98	20.0	1.88	18.33	1.80	37.47	0.27	0.71	2.43	0.95	2.20	4.67	4.63	0.53	0.88	<<0.10	15.8	<<17.4	1.8	8.47	3.13	13.43	0.23	0.45	0.69
Minimum		39.6	2.93	20	1.84	16.80	1.73	32.00	0.18	0.69	2.40	0.89	2.10	4.40	4.30	0.49	0.81	<0.10	14.9	<16.4	1.7	8.00	2.80	12.80	0.23	0.45	0.68
Maximum		40.0	3.01	20	1.90	19.50	1.85	47.00	0.32	0.74	2.50	0.98	2.30	4.90	4.90	0.57	0.91	<0.10	16.6	<18.2	1.9	9.30	3.50	14.00	0.24	0.46	0.70
St.dev.		0.2	0.04	0.0	0.03	1.39	0.06	8.29	0.08	0.03	0.06	0.05	0.10	0.25	0.31	0.04	0.06	~0.00	0.9	~0.9	0.1	0.72	0.35	0.60	0.01	0.01	0.01
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

191

Tab.width cont'd **MYTI EDU, SB, J99, I242 Valheimneset, 1996-0921.**

. Analytical Lab. ⇒				NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. ⇒				341	341	341	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309
____ Detection Limit.____ ⇒				0.05	0.05	0.05	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm mm		-wght mean g	No of shell	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt	NAP ppb w.wt	NAPC1 ppb w.wt	NAPC2 ppb w.wt	NAPC3 ppb w.wt	BIPN ppb w.wt	ACNLE ppb w.wt	ACNE ppb w.wt	FLE ppb w.wt	PA ppb w.wt	PAC1 ppb w.wt	PAC2 ppb w.wt	ANT ppb w.wt	FLU ppb w.wt	PYR ppb w.wt	BAA ppb w.wt	CHR ppb w.wt	BBF ppb w.wt	BJKF ppb w.wt	BEP ppb w.wt	BAP ppb w.wt	PER ppb w.wt	ICDP ppb w.wt
01/ 1	31:48	39.6	3.00	20	0.14	<0.05	<0.05	8.0	9.7	7.7	10.0	0.7	0.7	0.6	1.5	4.2	11.0	35.0	<0.5	3.2	1.6	1.2	2.7	1.3	0.9	1.0	<0.5	<0.5	<0.5
02/ 1	32:49	40.0	2.93	20	0.18	<0.05	<0.05	8.9	9.9	7.2	11.0	0.6	0.7	0.7	1.7	3.6	12.0	34.0	<0.5	2.8	1.7	1.2	2.7	1.3	0.5	0.9	<0.5	<0.5	<0.5
03/ 1	32:45	40.0	3.01	20	0.17	<0.05	<0.05	9.5	11.0	7.6	12.0	0.7	0.7	0.8	2.0	4.0	11.0	32.0	<0.5	3.2	1.8	1.1	2.6	1.1	0.5	1.0	<0.5	<0.5	<0.5
Mean		39.9	2.98	20.0	0.16	<<.05	<<.05	8.8	10.2	7.5	11.0	0.7	0.7	0.7	1.7	3.9	11.3	33.7	<<0.5	3.1	1.7	1.2	2.7	1.2	0.6	1.0	<<0.5	<<0.5	<<0.5
Minimum		39.6	2.93	20	0.14	<0.05	<0.05	8.0	9.7	7.2	10.0	0.6	0.7	0.6	1.5	3.6	11.0	32.0	<0.5	2.8	1.6	1.1	2.6	1.1	0.5	0.9	<0.5	<0.5	<0.5
Maximum		40.0	3.01	20	0.18	<0.05	<0.05	9.5	11.0	7.7	12.0	0.7	0.7	0.8	2.0	4.2	12.0	35.0	<0.5	3.2	1.8	1.2	2.7	1.3	0.9	1.0	<0.5	<0.5	<0.5
St.dev.		0.2	0.04	0.0	0.02	~0.00	~0.00	0.8	0.7	0.3	1.0	0.1	0.0	0.1	0.3	0.3	0.6	1.5	~0.0	0.2	0.1	0.1	0.1	0.1	0.2	0.1	~0.0	~0.0	~0.0
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J99, I242 Valheimneset, 1996-0921.**

. Analytical Lab. ⇒				NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. ⇒				309	309	309	309	309	!	!	!	!
____ Detection Limit.____ ⇒				0.20	0.20	0.20	0.20	0.20	!	!	!	!
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm mm		-wght mean g	No of shell	DBA3A ppb w.wt	BGHIP ppb w.wt	DBTC 1 ppb w.wt	DBTC 2 ppb w.wt	DBTC 3 ppb w.wt	DI_Σn ppb w.wt	P_Σn ppb w.wt	PK_Σn ppb w.wt	PAHΣΣ ppb w.wt
01/ 1	31:48	39.6	3.00	20	<0.5	0.6	2.5	9.0	25.0	36.1	<102.5	<40.4	<138.6
02/ 1	32:49	40.0	2.93	20	<0.5	0.5	2.3	4.7	14.0	37.6	<85.8	<24.5	<123.4
03/ 1	32:45	40.0	3.01	20	<0.5	0.5	2.6	3.8	16.0	40.8	<85.2	<25.6	<126.0
Mean		39.9	2.98	20.0	<<0.5	0.5	2.5	5.8	18.3	38.2	<<91.2	<<30.2	<<129.3
Minimum		39.6	2.93	20	<0.5	0.5	2.3	3.8	14.0	36.1	<85.2	<24.5	<123.4
Maximum		40.0	3.01	20	<0.5	0.6	2.6	9.0	25.0	40.8	<102.5	<40.4	<138.6
St.dev.		0.2	0.04	0.0	~0.0	0.1	0.2	2.8	5.9	2.4	~9.8	~8.9	~8.1
Count		3	3	3	3	3	3	3	3	3	3	3	3

192

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J99 Undefined**, Tissue : **Whole SOFT BODY.**
Locality : **I242 Valheimneset**, Latitude: 60°23.70N, Longitude: 05°16.10E.
Catch,date : **1997-0929**, Count: 60, Sample type: **Bulked.**

. Analytical Lab. ⇒							NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	NIVA	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. ⇒							311	341	341	341	341	341	341	341	341	341	341	!	!	341	340	341	!	341	341	!
____ Detection Limit.____ ⇒				Mean	___	___	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	0.05	!	0.05	0.05	!
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	Weight g	Dry %	Fat %	Zn ppm w.wt	CB28 ppb w.wt	CB52 ppb w.wt	CB101 ppb w.wt	CB105 ppb w.wt	CB118 ppb w.wt	CB138 ppb w.wt	CB153 ppb w.wt	CB156 ppb w.wt	CB180 ppb w.wt	CB209 ppb w.wt	CB_Σ7 ppb w.wt	CB_ΣΣ ppb w.wt	DDEPP ppb w.wt	DDTPP ppb w.wt	TDEPP ppb w.wt	DD_Σn ppb w.wt	HCHA ppb w.wt	HCHG ppb w.wt	HC_Σn ppb w.wt
01/ 1	33:48	40.8	2.45	20	1.98	16.40	1.45	36.00	0.11	0.17	0.78	0.40	0.73	1.38	1.43	0.18	0.25	<0.05	4.9	<5.5	0.3	1.20	0.10	1.56	0.09	0.17	0.26
02/ 1	33:48	40.7	2.49	20	2.05	17.80	1.91	35.00	0.14	0.24	0.82	0.40	0.74	1.38	1.41	0.19	0.20	<0.05	4.9	<5.6	0.3	1.20	0.15	1.61	0.11	0.20	0.31
03/ 1	33:48	40.4	2.51	20	1.94	16.50	1.83	36.80	0.13	0.20	0.81	0.41	0.75	1.42	1.45	0.19	0.24	<0.05	5.0	<5.7	0.3	1.30	0.11	1.67	0.10	0.19	0.29
Mean		40.6	2.48	20.0	1.99	16.90	1.73	35.93	0.13	0.20	0.80	0.40	0.74	1.39	1.43	0.19	0.23	<<0.05	4.9	<<5.6	0.3	1.23	0.12	1.61	0.10	0.19	0.29
Minimum		40.4	2.45	20	1.94	16.40	1.45	35.00	0.11	0.17	0.78	0.40	0.73	1.38	1.41	0.18	0.20	<0.05	4.9	<5.5	0.3	1.20	0.10	1.56	0.09	0.17	0.26
Maximum		40.8	2.51	20	2.05	17.80	1.91	36.80	0.14	0.24	0.82	0.41	0.75	1.42	1.45	0.19	0.25	<0.05	5.0	<5.7	0.3	1.30	0.15	1.67	0.11	0.20	0.31
St.dev.		0.2	0.03	0.0	0.06	0.78	0.25	0.90	0.02	0.04	0.02	0.01	0.01	0.02	0.02	0.01	0.03	~0.00	0.1	~0.1	0.0	0.06	0.03	0.06	0.01	0.02	0.03
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J99, I242 Valheimneset, 1997-0929.

. Analytical Lab. ⇒				NIVA	NIVA	NIVA
. Analysis Code. ⇒				341	341	341
____ Detection Limit.____ ⇒				0.05	0.05	0.05
Samp/ Shell-length		-wght	No of	HCB	QCB	OCS
Repl. Min:Max,Mean		mean	shell	ppb	ppb	ppb
no. mm:mm	mm	g		w.wt	w.wt	w.wt
01/ 1 33:48	40.8	2.45	20	0.10	<0.05	<0.05
02/ 1 33:48	40.7	2.49	20	0.10	<0.05	<0.05
03/ 1 33:48	40.4	2.51	20	0.09	<0.05	<0.05
Mean	40.6	2.48	20.0	0.10	<<.05	<<.05
Minimum	40.4	2.45	20	0.09	<0.05	<0.05
Maximum	40.8	2.51	20	0.10	<0.05	<0.05
St.dev.	0.2	0.03	0.0	0.01	¯0.00	¯0.00
Count	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : I243 Hegreneset, Latitude: 60°24.90N, Longitude: 05°18.50E.
Catch,date : 1995-1115, Count: 80, Sample type: Bulked.

193

. Analytical Lab. ⇒							NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	NIVA	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. ⇒							311	341	341	341	341	341	341	341	341	341	341	!	!	341	340	341	!	341	341	!
____ Detection Limit.____ ⇒							1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	0.05	!	0.05	0.05	!
Samp/ Shell-length		-wght	No of	Mean			Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	DDTPP	TDEPP	DD_Σn	HCHA	HCHG	HC_Σn
Repl. Min:Max,Mean		mean	shell	Weight	Dry	Fat	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm	mm	g		g	%	%	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 41:56	46.7	7.14	27	3.93	16.10	1.97	27.90	4.90	2.50	1.90	1.00	2.40	3.20	3.30	0.30	0.39	<0.10	18.6	<20.0	1.2	1.50	0.71	3.41	0.23	0.33	0.56
02/ 1 39:55	46.5	6.28	26	3.76	16.50	2.06	32.00	4.80	2.50	1.90	1.10	2.50	3.40	3.50	0.33	0.40	<0.05	19.0	<20.5	1.4	1.80	0.73	3.93	0.26	0.39	0.65
03/ 1 41:55	46.5	6.52	27	4.02	17.40	2.26	30.50	5.90	2.90	2.20	1.20	2.80	3.60	3.70	0.35	0.46	<0.10	21.6	<23.2	1.3	1.70	0.76	3.76	0.26	0.38	0.64
Mean	46.6	6.65	26.7	3.90	16.67	2.10	30.13	5.20	2.63	2.00	1.10	2.57	3.40	3.50	0.33	0.42	<<0.08	19.7	<<21.2	1.3	1.67	0.73	3.70	0.25	0.37	0.62
Minimum	46.5	6.28	26	3.76	16.10	1.97	27.90	4.80	2.50	1.90	1.00	2.40	3.20	3.30	0.30	0.39	<0.05	18.6	<20.0	1.2	1.50	0.71	3.41	0.23	0.33	0.56
Maximum	46.7	7.14	27	4.02	17.40	2.26	32.00	5.90	2.90	2.20	1.20	2.80	3.60	3.70	0.35	0.46	<0.10	21.6	<23.2	1.4	1.80	0.76	3.93	0.26	0.39	0.65
St.dev.	0.1	0.44	0.6	0.13	0.67	0.15	2.07	0.61	0.23	0.17	0.10	0.21	0.20	0.20	0.03	0.04	¯0.03	1.6	¯1.7	0.1	0.15	0.03	0.27	0.02	0.03	0.05
Count	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

miss(3) ! Missing value.

Tab.width cont'd MYTI EDU, SB, J99, I243 Hegreneset, 1995-1115.

. Analytical Lab. ⇒				NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. ⇒				341	341	341	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309
____ Detection Limit.____ ⇒				0.05	0.05	0.05	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Samp/ Shell-length		-wght	No of	HCB	QCB	OCS	NAP	NAPC1	NAPC2	NAPC3	BIPN	ACNLE	ACNE	FLE	PA	PAC1	PAC2	ANT	FLU	PYR	BAA	CHR	BBF	BJKF	BEP	BAP	PER	ICDP
Repl. Min:Max,Mean		mean	shell	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm	mm	g		w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 41:56	46.7	7.14	27	0.15	<0.05	<0.05	1.1	5.9	13.0	45.0	<0.5	0.8	0.8	1.1	8.1	70.0	160.0	1.1	18.0	18.0	7.3	17.0	12.0	miss	8.7	2.8	1.3	2.0
02/ 1 39:55	46.5	6.28	26	0.19	<0.05	<0.05	1.6	6.7	15.0	49.0	<0.5	1.0	1.0	1.4	9.6	64.0	163.0	1.2	22.0	19.0	8.7	20.0	19.0	miss	11.0	3.7	1.5	2.7
03/ 1 41:55	46.5	6.52	27	0.18	<0.05	<0.05	1.7	5.8	14.0	43.0	<0.5	0.9	0.9	1.4	9.0	72.0	155.0	1.2	19.0	19.0	6.5	17.0	11.0	miss	8.6	2.5	1.3	1.7
Mean	46.6	6.65	26.7	0.17	<<.05	<<.05	1.5	6.1	14.0	45.7	<<0.5	0.9	0.9	1.3	8.9	68.7	159.3	1.2	19.7	18.7	7.5	18.0	14.0	.	9.4	3.0	1.4	2.1
Minimum	46.5	6.28	26	0.15	<0.05	<0.05	1.1	5.8	13.0	43.0	<0.5	0.8	0.8	1.1	8.1	64.0	155.0	1.1	18.0	18.0	6.5	17.0	11.0	.	8.6	2.5	1.3	1.7
Maximum	46.7	7.14	27	0.19	<0.05	<0.05	1.7	6.7	15.0	49.0	<0.5	1.0	1.0	1.4	9.6	72.0	163.0	1.2	22.0	19.0	8.7	20.0	19.0	.	11.0	3.7	1.5	2.7
St.dev.	0.1	0.44	0.6	0.02	¯0.00	¯0.00	0.3	0.5	1.0	3.1	¯0.0	0.1	0.1	0.2	0.8	4.2	4.0	0.1	2.1	0.6	1.1	1.7	4.4	.	1.4	0.6	0.1	0.5
Count	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	.	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J99, I243 Hegreneset, 1995-1115.**

. Analytical Lab. ⇒				NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. ⇒				309	309	309	309	309	!	!	!	!
____ Detection Limit.____ ⇒				0.20	0.20	0.20	0.20	0.20	!	!	!	!
Samp/ Shell-length		-wght	No of	DBA3A	BGHIP	DBTC 1	DBTC 2	DBTC 3	DI Σn	P Σn	PK Σn	PAHΣΣ
Repl. Min:Max,Mean	mean	shell		ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm	g			w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 41:56 46.7	7.14	27		<0.5	2.7	3.5	38.0	54.0	<65.5	<427.7	<120.1	<492.7
02/ 1 39:55 46.5	6.28	26		0.5	3.6	3.3	16.0	56.0	<72.8	428.2	109.9	<501.0
03/ 1 41:55 46.5	6.52	27		<0.5	2.6	4.7	16.0	60.0	<65.0	<410.8	<102.9	<475.3
Mean 46.6	6.65	26.7		<<0.5	3.0	3.8	23.3	56.7	<<67.8	<<422.2	<<111.0	<<489.7
Minimum 46.5	6.28	26		<0.5	2.6	3.3	16.0	54.0	<65.0	<410.8	<102.9	<475.3
Maximum 46.7	7.14	27		<0.5	3.6	4.7	38.0	60.0	<72.8	428.2	<120.1	<501.0
St.dev. 0.1	0.44	0.6		~0.0	0.6	0.8	12.7	3.1	~4.4	~9.9	~8.6	~13.1
Count 3	3	3		3	3	3	3	3	3	3	3	3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J99 Undefined**, Tissue : **Whole SOFT BODY.**
Locality : **I243 Hegreneset**, Latitude: 60°24.90N, Longitude: 05°18.50E.
Catch,date : **1996-0921**, Count: 60, Sample type: **Bulked.**

. Analytical Lab. ⇒					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	NIVA	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. ⇒					311	341	341	341	341	341	341	341	341	341	341	!	!	341	340	341	!	341	341	!
____ Detection Limit.____ ⇒					1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	0.05	!	0.05	0.05	!
Samp/ Shell-length		-wght	No of	Mean				Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB Σ7	CB ΣΣ	DDEPP	DDTPP	TDEPP	DD Σn	HCHA	HCHG	HC Σn
Repl. Min:Max,Mean	mean	shell		Weight	Dry	Fat		ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm	g			g	%	%		w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 34:48 41.0	3.42	20		2.54	18.20	1.97		43.90	13.00	4.80	2.60	1.50	2.90	3.40	3.30	0.37	0.72	<0.10	30.7	<32.7	1.2	6.00	1.30	8.50	0.63	0.37	1.00
02/ 1 37:48 42.0	4.03	20		2.98	19.20	2.07		38.30	14.00	4.90	2.30	1.30	2.60	2.90	2.90	0.32	0.62	<0.10	30.2	<31.9	1.0	5.50	1.20	7.70	0.66	0.37	1.03
03/ 1 34:48 42.0	4.04	20		2.64	19.60	2.11		39.70	15.00	5.20	2.70	1.50	3.00	3.50	3.50	0.39	0.76	<0.10	33.7	<35.7	1.2	6.60	1.30	9.10	0.75	0.41	1.16
Mean 41.7	3.83	20.0		2.72	19.00	2.05		40.63	14.00	4.97	2.53	1.43	2.83	3.27	3.23	0.36	0.70	<<0.10	31.5	<<33.4	1.1	6.03	1.27	8.43	0.68	0.38	1.06
Minimum 41.0	3.42	20		2.54	18.20	1.97		38.30	13.00	4.80	2.30	1.30	2.60	2.90	2.90	0.32	0.62	<0.10	30.2	<31.9	1.0	5.50	1.20	7.70	0.63	0.37	1.00
Maximum 42.0	4.04	20		2.98	19.60	2.11		43.90	15.00	5.20	2.70	1.50	3.00	3.50	3.50	0.39	0.76	<0.10	33.7	<35.7	1.2	6.60	1.30	9.10	0.75	0.41	1.16
St.dev. 0.6	0.36	0.0		0.23	0.72	0.07		2.91	1.00	0.21	0.21	0.12	0.21	0.32	0.31	0.04	0.07	~0.00	1.9	~2.0	0.1	0.55	0.06	0.70	0.06	0.02	0.09
Count 3	3	3		3	3	3		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J99, I243 Hegreneset, 1996-0921.**

. Analytical Lab. ⇒				NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. ⇒				341	341	341	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309
____ Detection Limit.____ ⇒				0.05	0.05	0.05	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Samp/ Shell-length		-wght	No of	HCB	QCB	OCS	NAP	NAPC1	NAPC2	NAPC3	BIPN	ACNLE	ACNE	FLE	PA	PAC1	PAC2	ANT	FLU	PYR	BAA	CHR	BBF	BJKF	BEP	BAP	PER	ICDP
Repl. Min:Max,Mean	mean	shell		ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm	g			w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 34:48 41.0	3.42	20		0.15	<0.05	<0.05	2.0	4.0	4.6	4.3	<0.5	0.5	2.4	1.7	3.3	81.0	81.0	0.8	5.5	3.0	1.8	4.8	2.2	1.3	1.4	0.6	<0.5	<0.5
02/ 1 37:48 42.0	4.03	20		0.09	<0.05	<0.05	2.2	6.1	5.3	10.0	<0.5	0.5	1.6	1.9	4.1	53.0	139.0	0.8	7.4	5.1	2.0	5.5	2.3	1.2	2.0	0.6	<0.5	<0.5
03/ 1 34:48 42.0	4.04	20		0.13	<0.05	<0.05	2.2	5.2	7.7	25.0	<0.5	0.6	2.6	1.7	4.0	22.0	96.0	0.9	7.5	5.0	1.8	5.2	2.0	0.9	2.0	0.5	<0.5	<0.5
Mean 41.7	3.83	20.0		0.12	<<.05	<<.05	2.1	5.1	5.9	13.1	<<0.5	0.5	2.2	1.8	3.8	52.0	105.3	0.8	6.8	4.4	1.9	5.2	2.2	1.1	1.8	0.6	<<0.5	<<0.5
Minimum 41.0	3.42	20		0.09	<0.05	<0.05	2.0	4.0	4.6	4.3	<0.5	0.5	1.6	1.7	3.3	22.0	81.0	0.8	5.5	3.0	1.8	4.8	2.0	0.9	1.4	0.5	<0.5	<0.5
Maximum 42.0	4.04	20		0.15	<0.05	<0.05	2.2	6.1	7.7	25.0	<0.5	0.6	2.6	1.9	4.1	81.0	139.0	0.9	7.5	5.1	2.0	5.5	2.3	1.3	2.0	0.6	<0.5	<0.5
St.dev. 0.6	0.36	0.0		0.03	~0.00	~0.00	0.1	1.1	1.6	10.7	~0.0	0.1	0.5	0.1	0.4	29.5	30.1	0.1	1.1	1.2	0.1	0.4	0.2	0.2	0.3	0.1	~0.0	~0.0
Count 3	3	3		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J99, I243 Hegreneset, 1996-0921.**

. Analytical Lab. ⇒				NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. ⇒				309	309	309	309	309	!	!	!	!
Detection Limit. ⇒				0.20	0.20	0.20	0.20	0.20	!	!	!	!
Samp/ Repl. no.	Shell-length Min:Max, mm:mm	Mean mm	-wght mean g	No of shell	DBA3A ppb w.wt	BGHIP ppb w.wt	DBTC 1 ppb w.wt	DBTC 2 ppb w.wt	DBTC 3 ppb w.wt	DI_Σn ppb w.wt	P_Σn ppb w.wt	PK_Σn ppb w.wt	PAHΣΣ ppb w.wt
01/ 1	34:48	41.0	3.42	20	<0.5	0.7	8.0	5.9	33.0	<15.4	<239.4	<53.3	<254.3
02/ 1	37:48	42.0	4.03	20	<0.5	0.8	15.0	10.0	69.0	<24.1	<322.3	<100.6	<345.9
03/ 1	34:48	42.0	4.04	20	<0.5	0.8	5.8	5.9	54.0	<40.6	<219.7	<71.4	<259.8
Mean		41.7	3.83	20.0	<<0.5	0.8	9.6	7.3	52.0	<<26.7	<<260.5	<<75.1	<<286.7
Minimum		41.0	3.42	20	<0.5	0.7	5.8	5.9	33.0	<15.4	<219.7	<53.3	<254.3
Maximum		42.0	4.04	20	<0.5	0.8	15.0	10.0	69.0	<40.6	<322.3	<100.6	<345.9
St.dev.		0.6	0.36	0.0	~0.0	0.1	4.8	2.4	18.1	~12.8	~54.4	~23.9	~51.4
Count		3	3	3	3	3	3	3	3	3	3	3	3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J99 Undefined**, Tissue : **Whole SOFT BODY.**
Locality : **I243 Hegreneset**, Latitude: 60°24.90N, Longitude: 05°18.50E.
Catch,date : **1997-0929**, Count: 60, Sample type: **Bulked.**

. Analytical Lab. ⇒							NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	NIVA	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. ⇒							311	341	341	341	341	341	341	341	341	341	341	!	!	341	340	341	!	341	341	!
Detection Limit. ⇒				Mean			1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	0.05	!	0.05	0.05	!
Samp/ Repl. no.	Shell-length Min:Max, mm:mm	Mean mm	-wght mean g	No of shell	Weight g	Dry %	Fat %	Zn ppm w.wt	CB28 ppb w.wt	CB52 ppb w.wt	CB101 ppb w.wt	CB105 ppb w.wt	CB118 ppb w.wt	CB138 ppb w.wt	CB153 ppb w.wt	CB156 ppb w.wt	CB180 ppb w.wt	CB209 ppb w.wt	CB_Σ7 ppb w.wt	CB_ΣΣ ppb w.wt	DDEPP ppb w.wt	DDTPP ppb w.wt	TDEPP ppb w.wt	DD_Σn ppb w.wt	HCHA ppb w.wt	HCHG ppb w.wt	HC_Σn ppb w.wt
01/ 1	31:49	40.1	2.56	20	2.34	19.90	2.49	27.00	10.20	4.61	2.37	1.58	2.58	2.17	2.17	0.27	0.44	<0.05	24.5	<26.4	0.4	2.20	0.32	2.94	0.21	0.19	0.40
02/ 1	31:49	41.2	2.95	20	2.57	21.30	2.40	30.90	9.68	4.31	2.12	1.44	2.35	1.98	1.95	0.25	0.46	<0.05	22.9	<24.6	0.3	2.10	0.32	2.70	0.21	0.17	0.38
03/ 1	34:49	41.5	2.84	20	2.74	20.40	2.38	38.40	11.10	4.63	2.19	1.52	2.43	2.03	2.02	0.26	0.41	<0.05	24.8	<26.6	0.4	2.40	0.26	3.01	0.23	0.18	0.41
Mean		40.9	2.78	20.0	2.55	20.53	2.42	32.10	10.33	4.52	2.23	1.51	2.45	2.06	2.05	0.26	0.44	<<0.05	24.1	<<25.9	0.3	2.23	0.30	2.88	0.22	0.18	0.40
Minimum		40.1	2.56	20	2.34	19.90	2.38	27.00	9.68	4.31	2.12	1.44	2.35	1.98	1.95	0.25	0.41	<0.05	22.9	<24.6	0.3	2.10	0.26	2.70	0.21	0.17	0.38
Maximum		41.5	2.95	20	2.74	21.30	2.49	38.40	11.10	4.63	2.37	1.58	2.58	2.17	2.17	0.27	0.46	<0.05	24.8	<26.6	0.4	2.40	0.32	3.01	0.23	0.19	0.41
St.dev.		0.7	0.20	0.0	0.20	0.71	0.06	5.79	0.72	0.18	0.13	0.07	0.12	0.10	0.11	0.01	0.03	~0.00	1.1	~1.1	0.1	0.15	0.03	0.16	0.01	0.01	0.02
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J99, I243 Hegreneset, 1997-0929.**

. Analytical Lab. ⇒					NIVA	NIVA	NIVA
. Analysis Code. ⇒					341	341	341
Detection Limit. ⇒					0.05	0.05	0.05
Samp/ Repl. no.	Shell-length Min:Max, mm:mm	Mean mm	-wght mean g	No of shell	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt
01/ 1	31:49	40.1	2.56	20	0.11	<0.05	<0.05
02/ 1	31:49	41.2	2.95	20	0.11	<0.05	<0.05
03/ 1	34:49	41.5	2.84	20	0.09	<0.05	<0.05
Mean		40.9	2.78	20.0	0.10	<<.05	<<.05
Minimum		40.1	2.56	20	0.09	<0.05	<0.05
Maximum		41.5	2.95	20	0.11	<0.05	<0.05
St.dev.		0.7	0.20	0.0	0.01	~0.00	~0.00
Count		3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : I911 Horvika, Latitude: 62°44.10N, Longitude: 08°31.40E.
Catch,date : 1995-1027, Count: 54, Sample type: Bulked.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>					309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309
Detection Limit. =>					0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Samp/ Repl. no.	Shell-length Min:Max mm:mm	Mean mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	NAP ppb w.wt	NAPC1 ppb w.wt	NAPC2 ppb w.wt	NAPC3 ppb w.wt	BIPN ppb w.wt	ACNLE ppb w.wt	ACNE ppb w.wt	FLE ppb w.wt	PA ppb w.wt	PAC1 ppb w.wt	PAC2 ppb w.wt	ANT ppb w.wt	FLU ppb w.wt	PYR ppb w.wt	BAA ppb w.wt	CHR ppb w.wt	BBF ppb w.wt	BJKF ppb w.wt	BEP ppb w.wt	BAP ppb w.wt	PER ppb w.wt	ICDP ppb w.wt
01/ 1	35:61	45.2	5.99	18	3.85	18.10	.	1.4	3.8	3.1	7.5	<0.5	1.4	4.2	4.3	44.0	45.0	47.0	12.0	280.0	118.0	57.0	81.0	44.0	miss	37.0	8.0	4.9	2.8
02/ 1	31:59	44.9	6.12	18	4.13	19.10	.	1.3	2.9	3.9	7.4	<0.5	1.2	3.7	4.9	51.0	42.0	43.0	12.0	243.0	106.0	44.0	81.0	38.0	miss	34.0	5.9	4.5	2.6
03/ 1	34:62	45.6	6.86	18	3.57	19.00	.	1.3	11.0	39.0	32.0	1.2	1.8	28.0	43.0	204.0	80.0	68.0	30.0	315.0	160.0	97.0	52.0	miss	miss	35.0	13.0	6.1	3.7
Mean		45.2	6.32	18.0	3.85	18.73	.	1.3	5.9	15.3	15.6	<<0.7	1.5	12.0	17.4	99.7	55.7	52.7	18.0	279.3	128.0	66.0	71.3	41.0	.	35.3	9.0	5.2	3.0
Minimum		44.9	5.99	18	3.57	18.10	.	1.3	2.9	3.1	7.4	<0.5	1.2	3.7	4.3	44.0	42.0	43.0	12.0	243.0	106.0	44.0	52.0	38.0	.	34.0	5.9	4.5	2.6
Maximum		45.6	6.86	18	4.13	19.10	.	1.4	11.0	39.0	32.0	1.2	1.8	28.0	43.0	204.0	80.0	68.0	30.0	315.0	160.0	97.0	81.0	44.0	.	37.0	13.0	6.1	3.7
St.dev.		0.4	0.47	0.0	0.28	0.55	.	0.1	4.4	20.5	14.2	~0.4	0.3	13.9	22.2	90.4	21.1	13.4	10.4	36.0	28.4	27.6	16.7	4.2	.	1.5	3.6	0.8	0.6
Count		3	3	3	3	3	.	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	2	.	3	3	3	3

miss(4) ! Missing value.

Tab.width cont'd MYTI EDU, SB, J99, I911 Horvika, 1995-1027.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. =>					309	309	309	309	309	!	!	!	!
Detection Limit. =>					0.20	0.20	0.20	0.20	0.20	!	!	!	!
Samp/ Repl. no.	Shell-length Min:Max mm:mm	Mean mm	-wght mean g	No of shell	DBA3A ppb w.wt	BGHIP ppb w.wt	DBTC 1 ppb w.wt	DBTC 2 ppb w.wt	DBTC 3 ppb w.wt	DI Σn ppb w.wt	P Σn ppb w.wt	PK Σn ppb w.wt	PAHΣΣ ppb w.wt
01/ 1	35:61	45.2	5.99	18	0.7	3.7	2.7	5.4	6.7	<16.3	809.8	127.3	<826.1
02/ 1	31:59	44.9	6.12	18	0.7	3.6	2.3	5.3	7.5	<16.0	736.2	106.3	<752.2
03/ 1	34:62	45.6	6.86	18	0.9	4.1	4.0	4.5	7.2	84.5	1157.3	130.3	1241.8
Mean		45.2	6.32	18.0	0.8	3.8	3.0	5.1	7.1	<<38.9	901.1	121.3	<<940.0
Minimum		44.9	5.99	18	0.7	3.6	2.3	4.5	6.7	<16.0	736.2	106.3	<752.2
Maximum		45.6	6.86	18	0.9	4.1	4.0	5.4	7.5	84.5	1157.3	130.3	1241.8
St.dev.		0.4	0.47	0.0	0.1	0.3	0.9	0.5	0.4	~39.5	224.9	13.1	~263.9
Count		3	3	3	3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : I911 Horvika, Latitude: 62°44.10N, Longitude: 08°31.40E.
Catch,date : 1996-0915, Count: 60, Sample type: Bulked.
Comment : Sample sequence no 9110 and 9120 have changed place. 19980111/NOG

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>					309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309
Detection Limit. =>					0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Samp/ Repl. no.	Shell-length Min:Max mm:mm	Mean mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	NAP ppb w.wt	NAPC1 ppb w.wt	NAPC2 ppb w.wt	NAPC3 ppb w.wt	BIPN ppb w.wt	ACNLE ppb w.wt	ACNE ppb w.wt	FLE ppb w.wt	PA ppb w.wt	PAC1 ppb w.wt	PAC2 ppb w.wt	ANT ppb w.wt	FLU ppb w.wt	PYR ppb w.wt	BAA ppb w.wt	CHR ppb w.wt	BBF ppb w.wt	BJKF ppb w.wt	BEP ppb w.wt	BAP ppb w.wt	PER ppb w.wt	ICDP ppb w.wt
01/ 1	40:54	48.3	4.65	20	4.66	.	.	75.0	8.0	miss	miss	1.9	1.0	2.8	4.9	63.0	133.0	175.0	3.7	85.0	104.0	10.0	30.0	17.0	6.6	12.0	3.2	1.3	2.1
02/ 1	42:56	47.5	4.70	20	4.40	.	.	<1.0	5.5	7.3	13.0	<1.0	<1.0	2.9	4.1	29.0	27.0	<1.0	3.1	74.0	32.0	14.0	41.0	22.0	8.7	14.0	4.0	1.3	2.2
03/ 1	45:59	52.4	5.41	20	5.16	.	.	<1.0	4.7	5.6	7.3	<1.0	<1.0	2.5	4.8	31.0	25.0	<1.0	3.0	80.0	34.0	12.0	40.0	23.0	9.1	14.0	3.8	1.4	2.4
Mean		49.4	4.92	20.0	4.74	.	.	<<25.7	6.1	6.4	10.2	<<1.3	<<1.0	2.7	4.6	41.0	61.7	<<59.0	3.3	79.7	56.7	12.0	37.0	20.7	8.1	13.3	3.7	1.3	2.2
Minimum		47.5	4.65	20	4.40	.	.	<1.0	4.7	5.6	7.3	<1.0	<1.0	2.5	4.1	29.0	25.0	<1.0	3.0	74.0	32.0	10.0	30.0	17.0	6.6	12.0	3.2	1.3	2.1
Maximum		52.4	5.41	20	5.16	.	.	75.0	8.0	7.3	13.0	1.9	1.0	2.9	4.9	63.0	133.0	175.0	3.7	85.0	104.0	14.0	41.0	23.0	9.1	14.0	4.0	1.4	2.4
St.dev.		2.6	0.43	0.0	0.39	.	.	~42.7	1.7	1.2	4.0	~0.5	~0.0	0.2	0.4	19.1	61.8	~100.5	0.4	5.5	41.0	2.0	6.1	3.2	1.3	1.2	0.4	0.1	0.2
Count		3	3	3	3	.	.	3	3	2	2	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

miss(2) ! Missing value.

Tab.width cont'd **MYTI EDU, SB, J99, I911 Horvika, 1996-0915.**

. Analytical Lab. =>				NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. =>				309	309	309	309	309	!	!	!	!
____ Detection Limit.____ =>				0.20	0.20	0.20	0.20	0.20	!	!	!	!
Samp/ Shell-length		-wght	No of	DBA3A	BGHIP	DBTC	DBTC	DBTC	DI_Σn	P_Σn	PK_Σn	PAHΣΣ
Repl. Min:Max,Mean	mean shell			ppb	ppb	1 ppb	2 ppb	3 ppb	ppb	ppb	ppb	ppb
no. mm:mm mm	g			w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 40:54 48.3	4.65		20	<1.0	2.1	94.0	225.0	175.0	84.9	<1151.7	<533.9	<1236.6
02/ 1 42:56 47.5	4.70		20	<1.0	1.9	<1.0	<1.0	<1.0	<26.8	<282.2	<51.9	<308.0
03/ 1 45:59 52.4	5.41		20	1.0	2.0	<1.0	<1.0	<1.0	<18.6	<290.0	<52.3	<307.6
Mean 49.4	4.92		20.0	<<1.0	2.0	<<32.0	<<75.7	<<59.0	<<43.4	<<574.6	<<212.7	<<617.4
Minimum 47.5	4.65		20	<1.0	1.9	<1.0	<1.0	<1.0	<18.6	<282.2	<51.9	<307.6
Maximum 52.4	5.41		20	1.0	2.1	94.0	225.0	175.0	84.9	<1151.7	<533.9	<1236.6
St.dev. 2.6	0.43		0.0	~0.0	0.1	~53.7	~129.3	~100.5	~36.1	~499.8	~278.2	~536.2
Count 3	3		3	3	3	3	3	3	3	3	3	3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J99 Undefined**, Tissue : **Whole SOFT BODY.**
Locality : **I912 Honnhammer**, Latitude: 62°51.20N, Longitude: 08°09.70E.
Catch,date : **1995-1027**, Count: 114, Sample type: **Bulked.**

. Analytical Lab. =>							NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>							309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309
____ Detection Limit.____ =>				Mean			0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Samp/ Shell-length		-wght	No of	Weight	Dry	Fat	NAP	NAPC1	NAPC2	NAPC3	BIPN	ACNLE	ACNE	FLE	PA	PAC1	PAC2	ANT	FLU	PYR	BAA	CHR	BBF	BJKF	BEP	BAP	PER	ICDP
Repl. Min:Max,Mean	mean shell			g	%	%	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm	g						w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 31:44 36.7	2.50		38	1.45	16.80	.	1.3	5.1	2.9	1.1	<0.5	<0.5	1.4	0.8	13.0	12.0	31.0	<0.5	37.0	7.4	5.6	26.0	9.7	miss	3.8	1.2	<0.5	0.8
02/ 1 30:46 37.7	2.62		38	1.43	17.20	.	1.6	4.8	2.3	2.3	<0.5	<0.5	1.3	0.9	14.0	19.0	25.0	<0.5	45.0	10.0	5.5	26.0	11.0	miss	4.7	1.2	<0.5	0.8
03/ 1 27:44 37.2	2.51		38	1.43	17.10	.	1.2	5.0	2.2	2.6	<0.5	<0.5	0.9	0.9	13.0	16.0	22.0	<0.5	40.0	8.5	5.9	27.0	11.0	miss	4.1	1.2	<0.5	0.8
Mean 37.2	2.54		38.0	1.44	17.03	.	1.4	5.0	2.5	2.0	<<0.5	<<0.5	1.2	0.9	13.3	15.7	26.0	<<0.5	40.7	8.6	5.7	26.3	10.6	.	4.2	1.2	<<0.5	0.8
Minimum 36.7	2.50		38	1.43	16.80	.	1.2	4.8	2.2	1.1	<0.5	<0.5	0.9	0.8	13.0	12.0	22.0	<0.5	37.0	7.4	5.5	26.0	9.7	.	3.8	1.2	<0.5	0.8
Maximum 37.7	2.62		38	1.45	17.20	.	1.6	5.1	2.9	2.6	<0.5	<0.5	1.4	0.9	14.0	19.0	31.0	<0.5	45.0	10.0	5.9	27.0	11.0	.	4.7	1.2	<0.5	0.8
St.dev. 0.5	0.07		0.0	0.01	0.21	.	0.2	0.2	0.4	0.8	~0.0	~0.0	0.3	0.1	0.6	3.5	4.6	~0.0	4.0	1.3	0.2	0.6	0.8	.	0.5	0.0	~0.0	0.0
Count 3	3		3	3	3	.	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	.	3	3	3	3

miss(3) ! Missing value.

Tab.width cont'd **MYTI EDU, SB, J99, I912 Honnhammer, 1995-1027.**

. Analytical Lab. =>				NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. =>				309	309	309	309	309	!	!	!	!
____ Detection Limit.____ =>				0.20	0.20	0.20	0.20	0.20	!	!	!	!
Samp/ Shell-length		-wght	No of	DBA3A	BGHIP	DBTC	DBTC	DBTC	DI_Σn	P_Σn	PK_Σn	PAHΣΣ
Repl. Min:Max,Mean	mean shell			ppb	ppb	1 ppb	2 ppb	3 ppb	ppb	ppb	ppb	ppb
no. mm:mm mm	g			w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 31:44 36.7	2.50		38	<0.5	0.9	2.0	6.5	25.0	<10.9	<184.6	<51.3	<195.0
02/ 1 30:46 37.7	2.62		38	<0.5	0.9	0.9	6.2	15.0	<11.5	<187.9	<41.1	<198.9
03/ 1 27:44 37.2	2.51		38	<0.5	0.9	<0.5	2.5	11.0	<11.5	<166.2	<32.9	<177.2
Mean 37.2	2.54		38.0	<<0.5	0.9	<<1.1	5.1	17.0	<<11.3	<<179.6	<<41.8	<<190.4
Minimum 36.7	2.50		38	<0.5	0.9	<0.5	2.5	11.0	<10.9	<166.2	<32.9	<177.2
Maximum 37.7	2.62		38	<0.5	0.9	2.0	6.5	25.0	<11.5	<187.9	<51.3	<198.9
St.dev. 0.5	0.07		0.0	~0.0	0.0	0.8	2.2	7.2	~0.3	~11.7	~9.2	~11.6
Count 3	3		3	3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : I912 Honnhammer, Latitude: 62°51.20N, Longitude: 08°09.70E.
Catch,date : 1996-0915, Count: 60, Sample type: Bulked.
Comment : Sample sequence no 9110 and 9120 have changed place. 19980111/NOG

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>					309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309
Detection Limit. =>				Mean	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Samp/ Repl. no.	Shell-length Min:Max mm:mm	Mean mm	-wght mean g	No of shell	Weight g	Dry %	Fat %	NAP ppb w.wt	NAPC1 ppb w.wt	NAPC2 ppb w.wt	NAPC3 ppb w.wt	BIPN ppb w.wt	ACNLE ppb w.wt	ACNE ppb w.wt	FLE ppb w.wt	PA ppb w.wt	PAC1 ppb w.wt	PAC2 ppb w.wt	ANT ppb w.wt	FLU ppb w.wt	PYR ppb w.wt	BAA ppb w.wt	CHR ppb w.wt	BBF ppb w.wt	BJKF ppb w.wt	BEP ppb w.wt	BAP ppb w.wt	PER ppb w.wt	ICDP ppb w.wt
01/ 1	40:55	48.3	4.43	20	4.03	.	.	<1.0	3.3	2.3	2.2	<1.0	<1.0	<1.0	1.1	12.0	11.0	1.7	<1.0	17.0	5.9	2.5	11.0	8.0	3.5	3.9	2.6	<1.0	2.0
02/ 1	42:55	49.4	4.76	20	4.76	.	.	<1.0	3.3	miss	miss	<1.0	<1.0	<1.0	1.3	12.0	1.5	1.3	<1.0	19.0	8.9	3.1	12.0	11.0	4.7	5.5	3.7	<1.0	2.5
03/ 1	42:54	47.1	4.33	20	3.59	.	.	<1.0	3.8	miss	miss	<1.0	<1.0	<1.0	1.1	11.0	8.4	3.4	<1.0	16.0	7.1	2.6	12.0	9.5	4.3	4.5	3.0	<1.0	2.2
Mean		48.3	4.51	20.0	4.13	.	.	<<1.0	3.5	2.3	2.2	<<1.0	<<1.0	<<1.0	1.2	11.7	7.0	2.1	<<1.0	17.3	7.3	2.7	11.7	9.5	4.2	4.6	3.1	<<1.0	2.2
Minimum		47.1	4.33	20	3.59	.	.	<1.0	3.3	2.3	2.2	<1.0	<1.0	<1.0	1.1	11.0	1.5	1.3	<1.0	16.0	5.9	2.5	11.0	8.0	3.5	3.9	2.6	<1.0	2.0
Maximum		49.4	4.76	20	4.76	.	.	<1.0	3.8	2.3	2.2	<1.0	<1.0	<1.0	1.3	12.0	11.0	3.4	<1.0	19.0	8.9	3.1	12.0	11.0	4.7	5.5	3.7	<1.0	2.5
St.dev.		1.2	0.23	0.0	0.59	.	.	~0.0	0.3	.	.	~0.0	~0.0	~0.0	0.1	0.6	4.9	1.1	~0.0	1.5	1.5	0.3	0.6	1.5	0.6	0.8	0.6	~0.0	0.3
Count		3	3	3	3	.	.	3	3	1	1	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

miss(4) ! Missing value.

Tab.width cont'd MYTI EDU, SB, J99, I912 Honnhammer, 1996-0915.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. =>					309	309	309	309	309	!	!	!	!
Detection Limit. =>					0.20	0.20	0.20	0.20	0.20	!	!	!	!
Samp/ Repl. no.	Shell-length Min:Max mm:mm	Mean mm	-wght mean g	No of shell	DBA3A ppb w.wt	BGHIP ppb w.wt	DBTC 1 ppb w.wt	DBTC 2 ppb w.wt	DBTC 3 ppb w.wt	DI_Σn ppb w.wt	P_Σn ppb w.wt	PK_Σn ppb w.wt	PAHΣΣ ppb w.wt
01/ 1	40:55	48.3	4.43	20	<1.0	1.3	<1.0	<1.0	<1.0	<8.8	<84.5	<19.6	<92.3
02/ 1	42:55	49.4	4.76	20	<1.0	1.9	<1.0	<1.0	<1.0	<4.3	<89.4	<26.0	<92.7
03/ 1	42:54	47.1	4.33	20	<1.0	1.6	<1.0	<1.0	<1.0	<4.8	<87.7	<22.6	<91.5
Mean		48.3	4.51	20.0	<<1.0	1.6	<<1.0	<<1.0	<<1.0	<<6.0	<<87.2	<<22.7	<<92.2
Minimum		47.1	4.33	20	<1.0	1.3	<1.0	<1.0	<1.0	<4.3	<84.5	<19.6	<91.5
Maximum		49.4	4.76	20	<1.0	1.9	<1.0	<1.0	<1.0	<8.8	<89.4	<26.0	<92.7
St.dev.		1.2	0.23	0.0	~0.0	0.3	~0.0	~0.0	~0.0	~2.5	~2.5	~3.2	~0.6
Count		3	3	3	3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : I912 Honnhammer, Latitude: 62°51.20N, Longitude: 08°09.70E.
Catch,date : 1998-0120, Count: 60, Sample type: Bulked.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>					309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309
Detection Limit. =>				Mean	0.20	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.20	0.50	0.50	0.50	0.20	0.20	0.50	0.50	0.20	0.20	0.50	0.50	0.50
Samp/ Repl. no.	Shell-length Min:Max mm:mm	Mean mm	-wght mean g	No of shell	Weight g	Dry %	Fat %	NAP ppb w.wt	NAP2M ppb w.wt	NAP1M ppb w.wt	BIPN ppb w.wt	NAPDI ppb w.wt	NAPIM ppb w.wt	ACNLE ppb w.wt	ACNE ppb w.wt	FLE ppb w.wt	PA ppb w.wt	ANT ppb w.wt	PAM1 ppb w.wt	FLU ppb w.wt	PYR ppb w.wt	BAA ppb w.wt R	CHRT ppb w.wt F	BBJK ppb w.wt	BEP ppb w.wt	BAP ppb w.wt	PER ppb w.wt	ICDP ppb w.wt
01/ 1	30:52	40.8	3.42	20	2.29	14.80	.	2.1	1.5	0.7	0.6	0.5	<0.5	0.7	1.4	2.2	31.0	1.4	2.0	42.0	18.0	17.0	28.0	31.0	7.6	1.4	<0.5	0.9
02/ 1	30:52	40.8	3.41	20	2.17	14.90	.	3.0	2.0	1.1	<0.5	<0.5	<0.5	<0.5	3.6	2.8	36.0	1.7	1.1	60.0	27.0	24.0	36.0	52.0	11.0	2.2	<0.5	1.6
03/ 1	30:52	40.8	3.35	20	2.16	15.50	.	miss	miss	miss	miss	miss	miss	miss	miss	miss	36.0	miss	2.7	63.0	29.0	13.0	31.0	35.0	13.0	0.9	<0.5	2.6
Mean		40.8	3.39	20.0	2.21	15.07	.	2.6	1.8	0.9	<<0.6	<<0.5	<<0.5	<<0.6	2.5	2.5	34.3	1.6	1.9	55.0	24.7	18.0	31.7	39.3	10.5	1.5	<<0.5	1.7
Minimum		40.8	3.35	20	2.16	14.80	.	2.1	1.5	0.7	<0.5	<0.5	<0.5	<0.5	1.4	2.2	31.0	1.4	1.1	42.0	18.0	13.0	28.0	31.0	7.6	0.9	<0.5	0.9
Maximum		40.8	3.42	20	2.29	15.50	.	3.0	2.0	1.1	0.6	0.5	<0.5	0.7	3.6	2.8	36.0	1.7	2.7	63.0	29.0	24.0	36.0	52.0	13.0	2.2	<0.5	2.6
St.dev.		0.0	0.04	0.0	0.07	0.38	.	0.6	0.4	0.3	~0.1	~0.0	~0.0	~0.1	1.6	0.4	2.9	0.2	0.8	11.4	5.9	5.6	4.0	11.2	2.7	0.7	~0.0	0.9
Count		3	3	3	3	3	.	2	2	2	2	2	2	2	2	2	3	2	3	3	3	3	3	3	3	3	3	3

miss(10) ! Missing value.

198

Tab.width cont'd **MYTI EDU, SB, J99, I912 Honnhammer, 1998-0120.**

. Analytical Lab. =>					NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. =>					309	309	!	!	!	!
____ Detection Limit.____ =>					0.50	0.50	!	!	!	!
Samp/ Repl. no.	Shell-length Min:Max, mm:mm	Mean mm	-wght mean g	No of shell	DBA3A ppb w.wt	BGHIP ppb w.wt	DI_Σn ppb w.wt	P_Σn ppb w.wt	PK_Σn ppb w.wt	PAHΣΣ ppb w.wt
01/ 1	30:52	40.8	3.42	20	<0.5	1.8	<5.9	<186.9	<50.8	<192.3
02/ 1	30:52	40.8	3.41	20	0.6	2.9	<6.6	<263.0	80.4	<269.1
03/ 1	30:52	40.8	3.35	20	<0.5	4.7	.	<231.4	<52.0	<231.4
Mean		40.8	3.39	20.0	<<0.5	3.1	<<6.3	<<227.1	<<61.1	<<230.9
Minimum		40.8	3.35	20	<0.5	1.8	<5.9	<186.9	<50.8	<192.3
Maximum		40.8	3.42	20	0.6	4.7	<6.6	<263.0	80.4	<269.1
St.dev.		0.0	0.04	0.0	~0.1	1.5	~0.5	~38.2	~16.8	~38.4
Count		3	3	3	3	3	2	3	3	3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J65 Orkdalsfjorden**, Tissue : **Whole SOFT BODY.**
Locality : **I080 Østmerknes**, Latitude: 63°27.50N, Longitude: 10°27.50E.
Catch,date : **1995-1025**, Count: 90, Sample type: **Bulked.**

. Analytical Lab. =>							NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>							312	312	311	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309
____ Detection Limit.____ =>							0.050	0.030	1.00	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Samp/ Repl. no.	Shell-length Min:Max, mm:mm	Mean mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	Cd ppm w.wt	Pb ppm w.wt	Zn ppm w.wt	NAP ppb w.wt	NAPC1 ppb w.wt	NAPC2 ppb w.wt	NAPC3 ppb w.wt	BIPN ppb w.wt	ACNLE ppb w.wt	ACNE ppb w.wt	FLE ppb w.wt	PA ppb w.wt	PAC1 ppb w.wt	PAC2 ppb w.wt	ANT ppb w.wt	FLU ppb w.wt	PYR ppb w.wt	BAA ppb w.wt	CHR ppb w.wt	BBF ppb w.wt	BJKF ppb w.wt
01/ 1	34:49	40.1	4.88	30	.	16.60	.	0.137	0.370	14.70	0.5	4.9	22.0	47.0	<0.5	<0.5	<0.5	1.3	7.9	50.0	79.0	0.6	13.0	9.8	1.9	5.1	2.2	miss
02/ 1	35:49	40.2	5.09	30	2.11	17.20	.	0.163	0.340	14.20	1.2	4.2	16.0	41.0	<0.5	<0.5	<0.5	1.0	7.0	38.0	65.0	0.5	12.0	9.5	1.7	4.6	2.1	miss
03/ 1	35:46	39.8	5.03	30	2.17	17.70	.	0.157	0.340	15.40	0.6	8.1	23.0	59.0	<0.5	<0.5	<0.5	1.3	8.1	42.0	79.0	0.5	14.0	11.0	1.9	5.1	2.4	miss
Mean		40.0	5.00	30.0	2.14	17.17	.	0.152	0.350	14.77	0.8	5.7	20.3	49.0	<<0.5	<<0.5	<<0.5	1.2	7.7	43.3	74.3	0.5	13.0	10.1	1.8	4.9	2.2	.
Minimum		39.8	4.88	30	2.11	16.60	.	0.137	0.340	14.20	0.5	4.2	16.0	41.0	<0.5	<0.5	<0.5	1.0	7.0	38.0	65.0	0.5	12.0	9.5	1.7	4.6	2.1	.
Maximum		40.2	5.09	30	2.17	17.70	.	0.163	0.370	15.40	1.2	8.1	23.0	59.0	<0.5	<0.5	<0.5	1.3	8.1	50.0	79.0	0.6	14.0	11.0	1.9	5.1	2.4	.
St.dev.		0.2	0.11	0.0	0.04	0.55	.	0.014	0.017	0.60	0.4	2.1	3.8	9.2	~0.0	~0.0	~0.0	0.2	0.6	6.1	8.1	0.1	1.0	0.8	0.1	0.3	0.2	.
Count		3	3	3	2	3	.	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	.

miss(3) ! Missing value.

Tab.width cont'd **MYTI EDU, SB, J65, I080 Østmerknes, 1995-1025.**

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. =>					309	309	309	309	309	309	309	309	309	!	!	!	!
____ Detection Limit.____ =>					0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	!	!	!	!
Samp/ Repl. no.	Shell-length Min:Max, mm:mm	Mean mm	-wght mean g	No of shell	BEP ppb w.wt	BAP ppb w.wt	PER ppb w.wt	ICDP ppb w.wt	DBA3A ppb w.wt	BGHIP ppb w.wt	DBTC 1 ppb w.wt	DBTC 2 ppb w.wt	DBTC 3 ppb w.wt	DI_Σn ppb w.wt	P_Σn ppb w.wt	PK_Σn ppb w.wt	PAHΣΣ ppb w.wt
01/ 1	34:49	40.1	4.88	30	2.7	0.8	0.6	<0.5	<0.5	0.9	5.9	9.5	22.0	<74.9	<213.7	<42.8	<288.1
02/ 1	35:49	40.2	5.09	30	2.7	0.7	0.6	<0.5	<0.5	1.1	3.6	15.0	20.0	<62.9	<185.6	<43.6	<248.0
03/ 1	35:46	39.8	5.03	30	2.8	0.8	0.6	<0.5	<0.5	1.0	4.4	10.0	22.0	<91.2	<207.4	<42.0	<298.1
Mean		40.0	5.00	30.0	2.7	0.8	0.6	<<0.5	<<0.5	1.0	4.6	11.5	21.3	<<76.3	<<202.2	<<42.8	<<278.1
Minimum		39.8	4.88	30	2.7	0.7	0.6	<0.5	<0.5	0.9	3.6	9.5	20.0	<62.9	<185.6	<42.0	<248.0
Maximum		40.2	5.09	30	2.8	0.8	0.6	<0.5	<0.5	1.1	5.9	15.0	22.0	<91.2	<213.7	<43.6	<298.1
St.dev.		0.2	0.11	0.0	0.1	0.1	0.0	~0.0	~0.0	0.1	1.2	3.0	1.2	~14.2	~14.7	~0.8	~26.5
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J65 Orkdalsfjorden, Tissue : Whole SOFT BODY.
Locality : I080 Østmerknes, Latitude: 63°27.50N, Longitude: 10°27.50E.
Catch,date : 1996-0917, Count: 60, Sample type: Bulked.

. Analytical Lab. =>							NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>							312	312	311	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309
____ Detection Limit.____ =>							0.050	0.030	1.00	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Samp/ Shell-length -wght No of					Mean	Dry	Fat	Cd	Pb	Zn	NAP	NAPC1	NAPC2	NAPC3	BIPN	ACNLE	ACNE	FLE	PA	PAC1	PAC2	ANT	FLU	PYR	BAA	CHR	BBF	BJKF
Repl. Min:Max,Mean mean shell					Weight	%	%	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g					g			w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	32:43	36.0	3.25	20	1.68	17.30	.	0.114	0.220	13.20	2.5	6.3	5.4	4.8	<0.5	<0.5	1.9	1.4	4.7	7.7	18.0	<0.5	9.8	5.3	1.1	2.8	1.3	0.5
02/ 1	32:43	36.0	3.05	20	1.60	17.20	.	0.119	0.250	15.50	4.1	8.5	6.2	4.6	<0.5	0.5	2.2	1.4	5.3	10.0	21.0	<0.5	11.0	6.2	1.3	3.3	1.6	0.7
03/ 1	32:45	36.0	3.12	20	1.55	17.10	.	0.117	0.250	13.80	2.3	6.3	6.2	6.3	<0.5	<0.5	1.8	1.5	4.6	11.0	17.0	<0.5	9.5	4.7	1.2	2.8	1.4	0.7
Mean		36.0	3.14	20.0	1.61	17.20	.	0.117	0.240	14.17	3.0	7.0	5.9	5.2	<<0.5	<<0.5	2.0	1.4	4.9	9.6	18.7	<<0.5	10.1	5.4	1.2	3.0	1.4	0.6
Minimum		36.0	3.05	20	1.55	17.10	.	0.114	0.220	13.20	2.3	6.3	5.4	4.6	<0.5	<0.5	1.8	1.4	4.6	7.7	17.0	<0.5	9.5	4.7	1.1	2.8	1.3	0.5
Maximum		36.0	3.25	20	1.68	17.30	.	0.119	0.250	15.50	4.1	8.5	6.2	6.3	<0.5	<0.5	2.2	1.5	5.3	11.0	21.0	<0.5	11.0	6.2	1.3	3.3	1.6	0.7
St.dev.		0.0	0.10	0.0	0.07	0.10	.	0.003	0.017	1.19	1.0	1.3	0.5	0.9	~0.0	~0.0	0.2	0.1	0.4	1.7	2.1	~0.0	0.8	0.8	0.1	0.3	0.2	0.1
Count		3	3	3	3	3	.	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J65, I080 Østmerknes, 1996-0917.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. =>					309	309	309	309	309	309	309	309	309	!	!	!	!
____ Detection Limit.____ =>					0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	!	!	!	!
Samp/ Shell-length -wght No of					BEP	BAP	PER	ICDP	DBA3A	BGHIP	DBTC 1	DBTC 2	DBTC 3	DI_Σn	P_Σn	PK_Σn	PAHΣΣ
Repl. Min:Max,Mean mean shell					ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g					w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	32:43	36.0	3.25	20	2.0	<0.5	<0.5	<0.5	<0.5	0.5	2.0	6.3	5.6	<19.5	<71.4	<17.3	<90.4
02/ 1	32:43	36.0	3.05	20	2.2	0.5	<0.5	<0.5	<0.5	0.7	2.4	6.7	6.8	<23.9	<84.3	<20.5	<107.7
03/ 1	32:45	36.0	3.12	20	1.9	0.5	<0.5	<0.5	<0.5	0.6	2.2	6.2	6.1	<21.6	<74.2	<18.8	<95.3
Mean		36.0	3.14	20.0	2.0	<<0.5	<<0.5	<<0.5	<<0.5	0.6	2.2	6.4	6.2	<<21.7	<<76.6	<<18.9	<<97.8
Minimum		36.0	3.05	20	1.9	<0.5	<0.5	<0.5	<0.5	0.5	2.0	6.2	5.6	<19.5	<71.4	<17.3	<90.4
Maximum		36.0	3.25	20	2.2	0.5	<0.5	<0.5	<0.5	0.7	2.4	6.7	6.8	<23.9	<84.3	<20.5	<107.7
St.dev.		0.0	0.10	0.0	0.2	~0.0	~0.0	~0.0	~0.0	0.1	0.2	0.3	0.6	~2.2	~6.8	~1.6	~8.9
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

200

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : I962 Koksverktomta (B2), Latitude: 66°19.57N, Longitude: 14°08.38E.
Catch,date : 1995-1102, Count: 174, Sample type: Bulked.

. Analytical Lab. =>							NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>							312	312	311	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309
____ Detection Limit.____ =>							0.050	0.030	1.00	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Samp/ Shell-length -wght No of					Mean	Dry	Fat	Cd	Pb	Zn	NAP	NAPC1	NAPC2	NAPC3	BIPN	ACNLE	ACNE	FLE	PA	PAC1	PAC2	ANT	FLU	PYR	BAA	CHR	BBF	BJKF
Repl. Min:Max,Mean mean shell					Weight	%	%	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g					g			w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	14:33	22.9	0.29	58	0.36	14.40	.	0.093	0.550	23.50	11.0	33.0	55.0	44.0	2.7	19.0	9.0	45.0	303.0	107.0	80.0	55.0	296.0	246.0	145.0	154.0	170.0	miss
02/ 1	13:30	21.9	0.26	58	.	12.60	.	0.094	0.560	24.70	7.1	20.0	45.0	52.0	1.3	1.5	2.6	3.8	18.0	48.0	110.0	4.2	59.0	46.0	35.0	48.0	81.0	miss
03/ 1	14:28	23.1	0.30	58	0.30	12.40	.	0.104	0.640	10.40	10.0	27.0	60.0	55.0	1.5	2.1	3.5	3.3	22.0	50.0	140.0	4.5	63.0	48.0	59.0	81.0	77.0	miss
Mean		22.6	0.28	58.0	0.33	13.13	.	0.097	0.583	19.53	9.4	26.7	53.3	50.3	1.8	7.5	5.0	17.4	114.3	68.3	110.0	21.2	139.3	113.3	79.7	94.3	109.3	.
Minimum		21.9	0.26	58	0.30	12.40	.	0.093	0.550	10.40	7.1	20.0	45.0	44.0	1.3	1.5	2.6	3.3	18.0	48.0	80.0	4.2	59.0	46.0	35.0	48.0	77.0	.
Maximum		23.1	0.30	58	0.36	14.40	.	0.104	0.640	24.70	11.0	33.0	60.0	55.0	2.7	19.0	9.0	45.0	303.0	107.0	140.0	55.0	296.0	246.0	145.0	154.0	170.0	.
St.dev.		0.6	0.02	0.0	0.04	1.10	.	0.006	0.049	7.93	2.0	6.5	7.6	5.7	0.8	9.9	3.5	23.9	163.4	33.5	30.0	29.2	135.7	114.9	57.8	54.2	52.6	.
Count		3	3	3	2	3	.	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	.

miss(3) ! Missing value.

Tab.width cont'd **MYTI EDU, SB, J99, I962 Koksverktomta (B2), 1995-1102.**

. Analytical Lab. ⇒				NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. ⇒				309	309	309	309	309	309	309	309	309	!	!	!	!
____ Detection Limit.____ ⇒				0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	!	!	!	!
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	BEP ppb w.wt	BAP ppb w.wt	PER ppb w.wt	ICDP ppb w.wt	DBA3A ppb w.wt	BGHIP ppb w.wt	DBTC 1 ppb w.wt	DBTC 2 ppb w.wt	DBTC 3 ppb w.wt	DI_Σn ppb w.wt	P_Σn ppb w.wt	PK_Σn ppb w.wt	PAHΣΣ ppb w.wt
01/ 1	14:33	22.9	0.29	58	91.0	124.0	36.0	65.0	10.0	63.0	6.7	22.0	48.0	145.7	2094.7	590.7	2240.4
02/ 1	13:30	21.9	0.26	58	50.0	31.0	9.5	12.0	3.7	14.0	13.0	7.1	12.0	125.4	609.4	194.8	734.8
03/ 1	14:28	23.1	0.30	58	46.0	30.0	8.8	11.0	3.2	14.0	3.3	23.0	93.0	153.5	785.7	299.5	939.2
Mean		22.6	0.28	58.0	62.3	61.7	18.1	29.3	5.6	30.3	7.7	17.4	51.0	141.5	1163.3	361.7	1304.8
Minimum		21.9	0.26	58	46.0	30.0	8.8	11.0	3.2	14.0	3.3	7.1	12.0	125.4	609.4	194.8	734.8
Maximum		23.1	0.30	58	91.0	124.0	36.0	65.0	10.0	63.0	13.0	23.0	93.0	153.5	2094.7	590.7	2240.4
St.dev.		0.6	0.02	0.0	24.9	54.0	15.5	30.9	3.8	28.3	4.9	8.9	40.6	14.5	811.4	205.1	816.7
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J99 Undefined**, Tissue : **Whole SOFT BODY.**
Locality : **I962 Koksverktomta (B2)**, Latitude: 66°19.57N, Longitude: 14°08.38E.
Catch,date : **1996-0914**, Count: 60, Sample type: **Bulked.**

. Analytical Lab. ⇒							NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. ⇒							312	312	311	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309
____ Detection Limit.____ ⇒							0.050	0.030	1.00	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	Cd ppm w.wt	Pb ppm w.wt	Zn ppm w.wt	NAP ppb w.wt	NAPC1 ppb w.wt	NAPC2 ppb w.wt	NAPC3 ppb w.wt	BIPN ppb w.wt	ACNLE ppb w.wt	ACNE ppb w.wt	FLE ppb w.wt	PA ppb w.wt	PAC1 ppb w.wt	PAC2 ppb w.wt	ANT ppb w.wt	FLU ppb w.wt	PYR ppb w.wt	BAA ppb w.wt	CHR ppb w.wt	BBJK F ppb w.wt	BEP ppb w.wt
01/ 1	32:47	40.0	1.42	20	2.15	19.30	.	0.150	1.030	44.20	2.5	3.4	17.0	21.0	<0.5	1.1	2.1	5.6	23.0	38.0	54.0	7.4	53.0	33.0	31.0	22.0	20.0	14.0
02/ 1	32:48	40.0	1.44	20	2.08	17.90	.	0.096	0.950	43.90	1.9	9.4	21.0	26.0	0.9	1.2	2.0	4.0	21.0	27.0	48.0	5.2	41.0	26.0	15.0	22.0	22.0	12.0
03/ 1	32:47	40.0	1.52	20	2.16	18.80	.	0.114	1.040	45.10	1.9	7.4	11.0	12.0	0.7	1.2	1.9	3.3	22.0	23.0	43.0	6.0	44.0	27.0	18.0	25.0	21.0	13.0
Mean		40.0	1.46	20.0	2.13	18.67	.	0.120	1.007	44.40	2.1	6.7	16.3	19.7	<<0.7	1.2	2.0	4.3	22.0	29.3	48.3	6.2	46.0	28.7	21.3	23.0	21.0	13.0
Minimum		40.0	1.42	20	2.08	17.90	.	0.096	0.950	43.90	1.9	3.4	11.0	12.0	<0.5	1.1	1.9	3.3	21.0	23.0	43.0	5.2	41.0	26.0	15.0	22.0	20.0	12.0
Maximum		40.0	1.52	20	2.16	19.30	.	0.150	1.040	45.10	2.5	9.4	21.0	26.0	0.9	1.2	2.1	5.6	23.0	38.0	54.0	7.4	53.0	33.0	31.0	25.0	22.0	14.0
St.dev.		0.0	0.05	0.0	0.04	0.71	.	0.027	0.049	0.62	0.3	3.1	5.0	7.1	~0.2	0.1	0.1	1.2	1.0	7.8	5.5	1.1	6.2	3.8	8.5	1.7	1.0	1.0
Count		3	3	3	3	3	.	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd **MYTI EDU, SB, J99, I962 Koksverktomta (B2), 1996-0914.**

. Analytical Lab. ⇒				NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. ⇒				309	309	309	309	309	309	309	309	!	!	!	!
____ Detection Limit.____ ⇒				0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	!	!	!	!
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	BAP ppb w.wt	PER ppb w.wt	ICDP ppb w.wt	DBA3A ppb w.wt	BGHIP ppb w.wt	DBTC 1 ppb w.wt	DBTC 2 ppb w.wt	DBTC 3 ppb w.wt	DI_Σn ppb w.wt	P_Σn ppb w.wt	PK_Σn ppb w.wt	PAHΣΣ ppb w.wt
01/ 1	32:47	40.0	1.42	20	5.8	3.4	3.3	1.4	5.5	7.6	24.0	27.0	<44.4	382.2	120.1	<426.6
02/ 1	32:48	40.0	1.44	20	6.2	2.3	3.1	1.1	4.5	5.3	14.0	19.0	59.2	301.9	85.7	361.1
03/ 1	32:47	40.0	1.52	20	6.3	2.4	3.2	1.0	4.7	2.4	14.0	19.0	33.0	301.4	84.9	334.4
Mean		40.0	1.46	20.0	6.1	2.7	3.2	1.2	4.9	5.1	17.3	21.7	<<45.5	328.5	96.9	<<374.0
Minimum		40.0	1.42	20	5.8	2.3	3.1	1.0	4.5	2.4	14.0	19.0	33.0	301.4	84.9	334.4
Maximum		40.0	1.52	20	6.3	3.4	3.3	1.4	5.5	7.6	24.0	27.0	59.2	382.2	120.1	<426.6
St.dev.		0.0	0.05	0.0	0.3	0.6	0.1	0.2	0.5	2.6	5.8	4.6	~13.1	46.5	20.1	~47.4
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : I962 Koksverktomta (B2), Latitude: 66°19.57N, Longitude: 14°08.38E.
Catch,date : 1997-1113, Count: 354, Sample type: Bulked.

. Analytical Lab. =>							NIVA	NIVA	NIVA
. Analysis Code. =>							312	312	311
____ Detection Limit.____ =>					Mean	___	0.050	0.040	1.00
Samp/ Shell-length -wght No of					Weight	Dry	Cd	Pb	Zn
Repl. Min:Max,Mean mean shell					g	%	ppm	ppm	ppm
no.	mm:mm	mm	g				w.wt	w.wt	w.wt
01/ 1	11:29	14.8	0.10	177	0.09	15.00	0.099	0.540	21.90
02/ 1	11:29	14.8	0.10	177	0.10	14.30	0.090	0.500	21.60
Mean		14.8	0.10	177.0	0.10	14.65	0.095	0.520	21.75
Minimum		14.8	0.10	177	0.09	14.30	0.090	0.500	21.60
Maximum		14.8	0.10	177	0.10	15.00	0.099	0.540	21.90
St.dev.		0.0	0.00	0.0	0.01	0.49	0.006	0.028	0.21
Count		2	2	2	2	2	2	2	2

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : I969 Bjørnbærviken (B9), Latitude: 66°16.79N, Longitude: 14°02.13E.
Catch,date : 1995-1102, Count: 51, Sample type: Bulked.

202

. Analytical Lab. =>							NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>							312	312	311	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309
____ Detection Limit.____ =>					Mean	___	0.050	0.030	1.00	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Samp/ Shell-length -wght No of					Weight	Dry	Cd	Pb	Zn	NAP	NAPC1	NAPC2	NAPC3	BIPN	ACNLE	ACNE	FLE	PA	PAC1	PAC2	ANT	FLU	PYR	BAA	CHR	BBF	BJKF
Repl. Min:Max,Mean mean shell					g	%	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no.	mm:mm	mm	g				w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	35:64	49.2	9.79	17	7.45	20.90	0.113	0.560	20.10	2.4	1.6	1.5	4.6	<0.5	0.5	<0.5	0.5	6.3	14.0	24.0	1.1	51.0	36.0	12.0	18.0	14.0	miss
02/ 1	34:63	50.5	10.61	17	8.29	21.10	0.106	0.480	18.60	<0.5	<0.5	1.6	1.8	<0.5	<0.5	<0.5	0.5	5.9	18.0	24.0	1.0	52.0	37.0	14.0	18.0	11.0	miss
03/ 1	31:63	51.2	10.85	17	8.23	23.10	0.101	0.570	18.30	<0.5	0.7	1.4	3.8	<0.5	<0.5	<0.5	0.5	6.3	20.0	27.0	1.2	50.0	33.0	8.3	15.0	9.9	miss
Mean		50.3	10.42	17.0	7.99	21.70	0.107	0.537	19.00	<<1.1	<<0.9	1.5	3.4	<<0.5	<<0.5	<<0.5	0.5	6.2	17.3	25.0	1.1	51.0	35.3	11.4	17.0	11.6	.
Minimum		49.2	9.79	17	7.45	20.90	0.101	0.480	18.30	<0.5	<0.5	1.4	1.8	<0.5	<0.5	<0.5	0.5	5.9	14.0	24.0	1.0	50.0	33.0	8.3	15.0	9.9	.
Maximum		51.2	10.85	17	8.29	23.10	0.113	0.570	20.10	2.4	1.6	1.6	4.6	<0.5	0.5	<0.5	0.5	6.3	20.0	27.0	1.2	52.0	37.0	14.0	18.0	14.0	.
St.dev.		1.0	0.56	0.0	0.47	1.22	0.006	0.049	0.96	~1.1	~0.6	0.1	1.4	~0.0	~0.0	~0.0	0.0	0.2	3.1	1.7	0.1	1.0	2.1	2.9	1.7	2.1	.
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	.

miss(3) ! Missing value.

Tab.width cont'd MYTI EDU, SB, J99, I969 Bjørnbærviken (B9), 1995-1102.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. =>					309	309	309	309	309	309	309	309	309	309	!	!	!	!
____ Detection Limit.____ =>					0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	!	!	!	!
Samp/ Shell-length -wght No of					BEP	BAP	PER	ICDP	DBA3A	BGHIP	DBTC 1	DBTC 2	DBTC 3	DBTC	DI_Σn	P_Σn	PK_Σn	PAHΣΣ
Repl. Min:Max,Mean mean shell					ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no.	mm:mm	mm	g		w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1	35:64	49.2	9.79	17	18.0	4.7	2.1	1.7	0.6	3.5	1.0	5.3	13.0	<10.6	<227.8	52.3	<237.9
02/ 1	34:63	50.5	10.61	17	15.0	3.0	1.6	1.0	<0.5	2.5	1.8	6.1	9.5	<3.9	<222.4	<46.9	<225.8
03/ 1	31:63	51.2	10.85	17	15.0	2.8	1.6	1.1	<0.5	2.9	1.1	5.0	21.0	<6.4	<222.2	<49.7	<228.1
Mean		50.3	10.42	17.0	16.0	3.5	1.8	1.3	<<0.5	3.0	1.3	5.5	14.5	<<7.0	<<224.1	<<49.6	<<230.6
Minimum		49.2	9.79	17	15.0	2.8	1.6	1.0	<0.5	2.5	1.0	5.0	9.5	<3.9	<222.2	<46.9	<225.8
Maximum		51.2	10.85	17	18.0	4.7	2.1	1.7	0.6	3.5	1.8	6.1	21.0	<10.6	<227.8	52.3	<237.9
St.dev.		1.0	0.56	0.0	1.7	1.0	0.3	0.4	~0.1	0.5	0.4	0.6	5.9	~3.4	~3.2	~2.7	~6.4
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : I969 Bjørnbærviken (B9), Latitude: 66°16.79N, Longitude: 14°02.13E.
Catch,date : 1996-0914, Count: 60, Sample type: Bulked.

Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	NIVA 312 0.050 Cd ppm w.wt	NIVA 312 0.030 Pb ppm w.wt	NIVA 311 1.00 Zn ppm w.wt	NIVA 309 0.20 NAP ppb w.wt	NIVA 309 0.20 NAPC1 ppb w.wt	NIVA 309 0.20 NAPC2 ppb w.wt	NIVA 309 0.20 NAPC3 ppb w.wt	NIVA 309 0.20 BIPN ppb w.wt	NIVA 309 0.20 ACNLE ppb w.wt	NIVA 309 0.20 ACNE ppb w.wt	NIVA 309 0.20 FLE ppb w.wt	NIVA 309 0.20 PA ppb w.wt	NIVA 309 0.20 PAC1 ppb w.wt	NIVA 309 0.20 PAC2 ppb w.wt	NIVA 309 0.20 ANT ppb w.wt	NIVA 309 0.20 FLU ppb w.wt	NIVA 309 0.20 PYR ppb w.wt	NIVA 309 0.20 BAA ppb w.wt	NIVA 309 0.20 CHR ppb w.wt	NIVA 309 0.20 BBF ppb w.wt	NIVA 309 0.20 BJKF ppb w.wt
01/ 1	30:49	43.0	4.78	20	3.63	19.70	.	0.118	0.410	16.30	3.9	10.4	4.2	6.6	<0.5	0.9	3.7	1.3	7.9	7.4	7.5	3.4	75.0	62.0	7.2	9.9	7.5	3.1
02/ 1	32:49	43.0	4.93	20	4.12	17.00	.	0.099	0.350	15.40	2.6	7.4	2.8	3.9	<0.5	0.7	2.4	1.0	6.1	3.2	2.1	2.6	54.0	45.0	4.7	5.8	4.0	1.9
03/ 1	33:49	43.0	5.22	20	4.02	17.30	.	0.141	0.560	23.30	0.6	0.8	2.2	3.6	<0.5	0.5	0.6	1.0	6.5	5.5	9.0	2.8	55.0	41.0	12.0	8.5	.	.
Mean		43.0	4.98	20.0	3.92	18.00	.	0.119	0.440	18.33	2.4	6.2	3.1	4.7	<<0.5	0.7	2.2	1.1	6.8	5.4	6.2	2.9	61.3	49.3	8.0	8.1	5.8	2.5
Minimum		43.0	4.78	20	3.63	17.00	.	0.099	0.350	15.40	0.6	0.8	2.2	3.6	<0.5	0.5	0.6	1.0	6.1	3.2	2.1	2.6	54.0	41.0	4.7	5.8	4.0	1.9
Maximum		43.0	5.22	20	4.12	19.70	.	0.141	0.560	23.30	3.9	10.4	4.2	6.6	<0.5	0.9	3.7	1.3	7.9	7.4	9.0	3.4	75.0	62.0	12.0	9.9	7.5	3.1
St.dev.		0.0	0.22	0.0	0.26	1.48	.	0.021	0.108	4.32	1.7	4.9	1.0	1.7	~0.0	0.2	1.6	0.2	0.9	2.1	3.6	0.4	11.8	11.2	3.7	2.1	2.5	0.8
Count		3	3	3	3	3	.	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	2	2

Tab.width cont'd MYTI EDU, SB, J99, I969 Bjørnbærviken (B9), 1996-0914.

Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	NIVA 309 0.20 BBJK F ppb w.wt	NIVA 309 0.20 BEP ppb w.wt	NIVA 309 0.20 BAP ppb w.wt	NIVA 309 0.20 PER ppb w.wt	NIVA 309 0.20 ICDP ppb w.wt	NIVA 309 0.20 DBA3A ppb w.wt	NIVA 309 0.20 BGHIP ppb w.wt	NIVA 309 0.20 DBTC 1 ppb w.wt	NIVA 309 0.20 DBTC 2 ppb w.wt	NIVA 309 0.20 DBTC 3 ppb w.wt	Σ(*) ! DI_Σn ~ppb w.wt	Σ(*) ! P_Σn ~ppb w.wt	Σ(*) ! PK_Σn ~ppb w.wt	Σ(*) ! PAHΣΣ ppb w.wt
01/ 1	30:49	43.0	4.78	20	.	11.0	2.1	1.0	1.1	<0.5	2.3	1.6	4.5	6.0	<25.6	<226.9	<33.6	<252.0
02/ 1	32:49	43.0	4.93	20	.	7.7	1.3	0.8	0.9	<0.5	2.1	1.1	4.1	5.2	<17.2	<157.2	<23.7	<173.9
03/ 1	33:49	43.0	5.22	20	5.6	6.5	1.9	1.0	1.0	<0.5	2.3	1.3	3.3	5.1	<7.7	<170.9	<30.7	<178.1
Mean		43.0	4.98	20.0	5.6	8.4	1.8	0.9	1.0	<<0.5	2.2	1.3	4.0	5.4	<<16.8	<<185.0	<<29.3	<<201.3
Minimum		43.0	4.78	20	5.6	6.5	1.3	0.8	0.9	<0.5	2.1	1.1	3.3	5.1	<7.7	<157.2	<23.7	<173.9
Maximum		43.0	5.22	20	5.6	11.0	2.1	1.0	1.1	<0.5	2.3	1.6	4.5	6.0	<25.6	<226.9	<33.6	<252.0
St.dev.		0.0	0.22	0.0	.	2.3	0.4	0.1	0.1	~0.0	0.1	0.3	0.6	0.5	~9.0	~36.9	~5.1	~43.9
Count		3	3	3	1	3	3	3	3	3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : I969 Bjørnbærviken (B9), Latitude: 66°16.79N, Longitude: 14°02.13E.
Catch,date : 1997-1113, Count: 60, Sample type: Bulked.

Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	NIVA 312 0.050 Cd ppm w.wt	NIVA 312 0.040 Pb ppm w.wt	NIVA 311 1.00 Zn ppm w.wt	NIVA 309 0.20 NAP ppb w.wt	NIVA 309 0.50 NAP2M ppb w.wt	NIVA 309 0.50 NAP1M ppb w.wt	NIVA 309 0.50 BIPN ppb w.wt	NIVA 309 0.50 NAPDI ppb w.wt	NIVA 309 0.50 NAPIM ppb w.wt	NIVA 309 0.50 ACNLE ppb w.wt	NIVA 309 0.50 ACNE ppb w.wt	NIVA 309 0.20 FLE ppb w.wt	NIVA 309 0.50 PA ppb w.wt	NIVA 309 0.50 ANT ppb w.wt	NIVA 309 0.20 PAM1 ppb w.wt	NIVA 309 0.20 FLU ppb w.wt	NIVA 309 0.20 PYR ppb w.wt	NIVA 309 0.50 BAA ppb w.wt	NIVA 309 0.50 CHRT ppb R w.wt	NIVA 309 0.20 BBJK ppb F w.wt	NIVA 309 0.20 BEP ppb w.wt
01/ 1	34:48	38.9	0.98	20	1.91	17.70	.	0.056	0.410	15.20	1.8	1.9	1.4	1.2	2.2	0.6	1.5	<0.5	1.1	11.0	2.5	0.7	17.0	9.2	7.5	40.0	15.0	8.2
02/ 1	34:48	38.9	1.03	20	1.95	17.60	.	0.056	0.270	15.10	1.3	1.1	0.6	0.8	1.4	0.7	0.9	<0.5	1.2	10.0	2.3	<0.5	13.0	6.5	7.8	37.0	32.0	5.9
03/ 1	34:48	38.9	1.09	20	1.86	17.90	.	0.058	0.290	15.30	1.6	1.5	0.8	0.7	1.4	0.8	0.9	<0.5	0.9	11.0	2.8	<0.5	14.0	6.0	8.4	22.0	27.0	6.5
Mean		38.9	1.03	20.0	1.91	17.73	.	0.057	0.323	15.20	1.6	1.5	0.9	0.9	1.7	0.7	1.1	<<0.5	1.1	10.7	2.5	<<0.6	14.7	7.2	7.9	33.0	24.7	6.9
Minimum		38.9	0.98	20	1.86	17.60	.	0.056	0.270	15.10	1.3	1.1	0.6	0.7	1.4	0.6	0.9	<0.5	0.9	10.0	2.3	<0.5	13.0	6.0	7.5	22.0	15.0	5.9
Maximum		38.9	1.09	20	1.95	17.90	.	0.058	0.410	15.30	1.8	1.9	1.4	1.2	2.2	0.8	1.5	<0.5	1.2	11.0	2.8	0.7	17.0	9.2	8.4	40.0	32.0	8.2
St.dev.		0.0	0.06	0.0	0.05	0.15	.	0.001	0.076	0.10	0.3	0.4	0.4	0.3	0.5	0.1	0.3	~0.0	0.2	0.6	0.3	~0.1	2.1	1.7	0.5	9.6	8.7	1.2
Count		3	3	3	3	3	.	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Tab.width cont'd MYTI EDU, SB, J99, I969 Bjørnbærviken (B9), 1997-1113.

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. =>					309	309	309	309	309	!	!	!	!
____ Detection Limit.____ =>					0.50	0.50	0.50	0.50	0.50	!	!	!	!
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	BAP ppb w.wt	PER ppb w.wt	ICDP ppb w.wt	DBA3A ppb w.wt	BGHIP ppb w.wt	DI_Σn ppb w.wt	P_Σn ppb w.wt	PK_Σn ppb w.wt	PAHΣΣ ppb w.wt
01/ 1	34:48	38.9	0.98	20	2.9	1.9	1.5	<0.5	9.5	9.1	<130.0	<27.4	<139.1
02/ 1	34:48	38.9	1.03	20	3.1	2.0	1.6	<0.5	8.0	5.9	<131.8	<45.0	<137.7
03/ 1	34:48	38.9	1.09	20	3.6	1.7	2.0	<0.5	8.8	6.8	<116.1	<41.5	<122.9
Mean		38.9	1.03	20.0	3.2	1.9	1.7	<<0.5	8.8	7.3	<<126.0	<<38.0	<<133.2
Minimum		38.9	0.98	20	2.9	1.7	1.5	<0.5	8.0	5.9	<116.1	<27.4	<122.9
Maximum		38.9	1.09	20	3.6	2.0	2.0	<0.5	9.5	9.1	<131.8	<45.0	<139.1
St.dev.		0.0	0.06	0.0	0.4	0.2	0.3	~0.0	0.8	1.7	~8.6	~9.3	~9.0
Count		3	3	3	3	3	3	3	3	3	3	3	3

Species : MYTI EDU, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: J99 Undefined, Tissue : Whole SOFT BODY.
Locality : R096 Breiviken, Tomma, Latitude: 66°17.60N, Longitude: 12°50.50E.
Catch,date : 1995-1105, Count: 72, Sample type: Bulked.

204

. Analytical Lab. =>								NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>								312	311	310	312	311	341	341	341	341	341	341	341	341	341	!	!	341	341	!
____ Detection Limit.____ =>								0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	Cd ppm w.wt	Cu ppm w.wt	Hg ppm w.wt	Pb ppm w.wt	Zn ppm w.wt	CB28 ppb w.wt	CB52 ppb w.wt	CB101 ppb w.wt	CB105 ppb w.wt	CB118 ppb w.wt	CB138 ppb w.wt	CB153 ppb w.wt	CB156 ppb w.wt	CB180 ppb w.wt	CB209 ppb w.wt	CB_Σ7 ppb w.wt	CB_ΣΣ ppb w.wt	DDEPP ppb w.wt	TDEPP ppb w.wt	DD_Σn ppb w.wt
01/ 1	36:46	39.6	4.16	24	4.16	15.20	1.61	0.152	0.960	0.011	0.170	15.90	<0.05	0.16	0.08	0.05	0.11	0.17	0.23	<0.05	<0.05	<0.05	<0.8	<0.9	0.1	0.08	0.21
02/ 1	34:48	40.1	4.56	24	2.29	16.50	2.00	0.159	1.190	0.013	0.190	16.20	<0.05	0.15	0.10	0.06	0.13	0.20	0.27	<0.05	<0.05	<0.05	<0.9	<1.0	0.2	<0.05	<0.21
03/ 1	35:50	41.0	4.84	24	2.42	17.30	1.84	0.150	0.910	0.012	0.180	15.60	<0.05	0.29	0.09	0.05	0.11	0.17	0.23	<0.05	<0.05	<0.05	<0.9	<1.0	0.1	0.08	0.21
Mean		40.2	4.52	24.0	2.96	16.33	1.82	0.154	1.020	0.012	0.180	15.90	<<0.05	0.20	0.09	0.05	0.12	0.18	0.24	<<0.05	<<0.05	<<0.05	<<0.9	<<0.9	0.1	<<0.07	<<0.21
Minimum		39.6	4.16	24	2.29	15.20	1.61	0.150	0.910	0.011	0.170	15.60	<0.05	0.15	0.08	0.05	0.11	0.17	0.23	<0.05	<0.05	<0.05	<0.8	<0.9	0.1	<0.05	<0.21
Maximum		41.0	4.84	24	4.16	17.30	2.00	0.159	1.190	0.013	0.190	16.20	<0.05	0.29	0.10	0.06	0.13	0.20	0.27	<0.05	<0.05	<0.05	<0.9	<1.0	0.2	0.08	0.21
St.dev.		0.7	0.34	0.0	1.04	1.06	0.20	0.005	0.149	0.001	0.010	0.30	~0.00	0.08	0.01	0.01	0.01	0.02	0.02	~0.00	~0.00	~0.00	~0.1	~0.1	0.0	~0.02	~0.00
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

miss(3) ! Missing value.

Tab.width cont'd MYTI EDU, SB, J99, R096 Breiviken, Tomma, 1995-1105.

. Analytical Lab. =>					NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA
. Analysis Code. =>					341	341	!	341	341	341	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309
____ Detection Limit.____ =>					0.05	0.05	!	0.05	0.05	0.05	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Samp/ Repl. no.	Shell-length Min:Max,Mean mm:mm	mm	-wght mean g	No of shell	HCHA ppb w.wt	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt	NAP ppb w.wt	NAPC1 ppb w.wt	NAPC2 ppb w.wt	NAPC3 ppb w.wt	BIPN ppb w.wt	ACNLE ppb w.wt	ACNE ppb w.wt	FLE ppb w.wt	PA ppb w.wt	PAC1 ppb w.wt	PAC2 ppb w.wt	ANT ppb w.wt	FLU ppb w.wt	PYR ppb w.wt	BAA ppb w.wt	CHR ppb w.wt	BBF ppb w.wt	BJKF ppb w.wt
01/ 1	36:46	39.6	4.16	24	0.08	0.26	0.34	<0.05	<0.05	<0.05	1.8	2.0	1.0	1.0	<0.5	<0.5	0.9	<0.5	4.0	4.2	3.3	0.2	6.1	3.3	0.8	2.7	1.8	miss
02/ 1	34:48	40.1	4.56	24	0.12	0.28	0.40	<0.05	<0.05	<0.05	1.6	2.2	1.0	1.4	<0.5	<0.5	1.1	<0.5	4.4	4.8	4.9	<0.5	7.8	4.4	0.9	3.0	2.0	miss
03/ 1	35:50	41.0	4.84	24	0.10	0.28	0.38	<0.05	<0.05	<0.05	8.9	1.2	1.3	1.3	<0.5	<0.5	0.8	<0.5	4.7	5.3	3.8	<0.5	8.4	5.2	1.8	3.5	3.0	miss
Mean		40.2	4.52	24.0	0.10	0.27	0.37	<<.05	<<.05	<<.05	4.1	1.8	1.1	1.2	<<0.5	<<0.5	0.9	<<0.5	4.4	4.8	4.0	<<0.4	7.4	4.3	1.2	3.1	2.3	.
Minimum		39.6	4.16	24	0.08	0.26	0.34	<0.05	<0.05	<0.05	1.6	1.2	1.0	1.0	<0.5	<0.5	0.8	<0.5	4.0	4.2	3.3	0.2	6.1	3.3	0.8	2.7	1.8	.
Maximum		41.0	4.84	24	0.12	0.28	0.40	<0.05	<0.05	<0.05	8.9	2.2	1.3	1.4	<0.5	<0.5	1.1	<0.5	4.7	5.3	4.9	<0.5	8.4	5.2	1.8	3.5	3.0	.
St.dev.		0.7	0.34	0.0	0.02	0.01	0.03	~0.00	~0.00	~0.00	4.2	0.5	0.2	0.2	~0.0	~0.0	0.2	~0.0	0.4	0.6	0.8	~0.2	1.2	1.0	0.6	0.4	0.6	.
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	.

Tab.width cont'd **MYTI EDU, SB, J99, R096 Breiviken, Tomma, 1995-1105.**

. Analytical Lab. =>					NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	Σ(*)	Σ(*)
. Analysis Code. =>					309	309	309	309	309	309	309	309	309	!	!	!	!
____ Detection Limit.____ =>					0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	!	!	!	!
Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	BEP ppb w.wt	BAP ppb w.wt	PER ppb w.wt	ICDP ppb w.wt	DBA3A ppb w.wt	BGHIP ppb w.wt	DBTC 1 ppb w.wt	DBTC 2 ppb w.wt	DBTC 3 ppb w.wt	DI_Σn ppb w.wt	P_Σn ppb w.wt	PK_Σn ppb w.wt	PAHΣΣ ppb w.wt
01/ 1	36:46	39.6	4.16	24	1.6	<0.5	<0.5	<0.5	<0.5	0.5	<0.5	0.5	<0.5	<6.3	<30.4	<3.6	<36.2
02/ 1	34:48	40.1	4.56	24	2.0	<0.5	<0.5	<0.5	<0.5	0.5	0.5	0.9	<0.5	<6.7	<37.7	<4.8	<43.9
03/ 1	35:50	41.0	4.84	24	2.3	1.3	<0.5	0.8	<0.5	1.0	0.6	0.8	<0.5	<13.2	<43.8	<8.8	<56.5
Mean		40.2	4.52	24.0	2.0	<<0.8	<<0.5	<<0.6	<<0.5	0.7	<<0.5	0.7	<<0.5	<<8.7	<<37.3	<<5.7	<<45.5
Minimum		39.6	4.16	24	1.6	<0.5	<0.5	<0.5	<0.5	0.5	<0.5	0.5	<0.5	<6.3	<30.4	<3.6	<36.2
Maximum		41.0	4.84	24	2.3	1.3	<0.5	0.8	<0.5	1.0	0.6	0.9	<0.5	<13.2	<43.8	<8.8	<56.5
St.dev.		0.7	0.34	0.0	0.4	~0.5	~0.0	~0.2	~0.0	0.3	~0.1	0.2	~0.0	~3.9	~6.7	~2.7	~10.2
Count		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Species : **MYTI EDU**, Mytilus edulis, GB: Blue mussel, N: Blåskjell.
Sample.area: **J99 Undefined**, Tissue : **Whole SOFT BODY.**
Locality : **R096 Breiviken, Tomma**, Latitude: 66°17.60N, Longitude: 12°50.50E.
Catch,date : **1996-0913**, Count: 60, Sample type: **Bulked.**

. Analytical Lab. =>								NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>								312	311	310	312	311	341	341	341	341	341	341	341	341	341	!	!	341	341	!
____ Detection Limit.____ =>								0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!
Samp/ Repl. no.	Shell-length Min:Max	Mean mm		-wght mean g	No of shell	Mean Weight g	Dry %	Fat %	Cd ppm w.wt	Cu ppm w.wt	Hg ppm w.wt	Pb ppm w.wt	Zn ppm w.wt	CB28 ppb w.wt	CB52 ppb w.wt	CB101 ppb w.wt	CB105 ppb w.wt	CB118 ppb w.wt	CB138 ppb w.wt	CB153 ppb w.wt	CB156 ppb w.wt	CB180 ppb w.wt	CB209 ppb w.wt	CB_Σ7 ppb w.wt	CB_ΣΣ ppb w.wt	DDEPP ppb w.wt	TDEPP ppb w.wt	DD_Σn ppb w.wt
01/ 1	35:49	43.0		4.57	20	3.12	20.00	2.48	0.155	1.400	0.025	0.180	13.70	<0.05	0.08	0.10	<0.05	0.08	0.13	0.18	<0.05	<0.05	<0.05	<0.6	<0.6	0.1	<0.05	<0.12
02/ 1	35:49	44.0		4.43	20	3.11	18.80	2.62	0.159	1.580	0.010	0.170	13.80	<0.05	0.08	0.10	<0.05	0.09	0.13	0.19	<0.05	<0.05	<0.05	<0.6	<0.6	0.1	<0.05	<0.12
03/ 1	36:49	44.0		4.77	20	3.24	19.90	0.21	0.151	1.500	0.009	0.130	15.30	<0.05	miss	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.1	<0.1	<0.1	<0.05	<0.05
Mean		43.7		4.59	20.0	3.16	19.57	1.77	0.155	1.493	0.015	0.160	14.27	<<0.05	0.08	<<0.08	<<0.05	<<0.07	<<0.10	<<0.14	<<0.05	<<0.05	<<0.05	<<0.4	<<0.4	<<0.1	<<0.05	<<0.10
Minimum		43.0		4.43	20	3.11	18.80	0.21	0.151	1.400	0.009	0.130	13.70	<0.05	0.08	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.1	<0.1	<0.1	<0.05	<0.05
Maximum		44.0		4.77	20	3.24	20.00	2.62	0.159	1.580	0.025	0.180	15.30	<0.05	0.08	0.10	<0.05	0.09	0.13	0.19	<0.05	<0.05	<0.05	<0.6	<0.6	0.1	<0.05	<0.12
St.dev.		0.6		0.17	0.0	0.07	0.67	1.35	0.004	0.090	0.009	0.026	0.90	~0.00	0.00	0.03	~0.00	0.02	0.05	0.08	~0.00	~0.00	~0.00	~0.3	~0.3	0.0	~0.00	~0.04
Count		3		3	3	3	3	3	3	3	3	3	3	3	2	3	3	3	3	3	3	3	3	3	3	3	3	3

miss(1) ! Missing value.

Tab.width cont'd **MYTI EDU, SB, J99, R096 Breiviken, Tomma, 1996-0913.**

. Analytical Lab. =>					NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>					341	341	!	341	341	341
____ Detection Limit.____ =>					0.05	0.05	!	0.05	0.05	0.05
Samp/ Repl. no.	Shell-length Min:Max	Mean mm	-wght mean g	No of shell	HCHA ppb w.wt	HCHG ppb w.wt	HC_Σn ppb w.wt	HCB ppb w.wt	QCB ppb w.wt	OCS ppb w.wt
01/ 1	35:49	43.0	4.57	20	0.08	0.13	0.21	<0.05	<0.05	<0.05
02/ 1	35:49	44.0	4.43	20	0.08	0.13	0.21	<0.05	<0.05	<0.05
03/ 1	36:49	44.0	4.77	20	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Mean		43.7	4.59	20.0	<<0.07	<<0.10	<<0.16	<<.05	<<.05	<<.05
Minimum		43.0	4.43	20	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Maximum		44.0	4.77	20	0.08	0.13	0.21	<0.05	<0.05	<0.05
St.dev.		0.6	0.17	0.0	0.02	0.05	0.09	~0.00	~0.00	~0.00
Count		3	3	3	3	3	3	3	3	3

Species : PAND BOR, Pandalus borealis, GB: Prawn, N: Reker.
Sample.area: J26 Oslofjorden, Tissue : TAIL MUSCLE.
Locality : 30G Spro, Latitude: 59°45.80N, Longitude: 10°34.50E.
Catch,date : 1995-1106, Count: 100, Sample type: Homogenate.

. Analytical Lab. =>				NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>				312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!
____ Detection Limit.____ =>	Mean	___	___	0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!
Samp/ Shell-length -wght No of	Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn
Repl. Min:Max,Mean mean shell	g	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g				w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 100	2.12	22.40	1.19	0.023	5.400	0.067	<0.030	11.90	0.04	0.34	1.55	0.82	2.42	2.58	4.10	0.30	1.25	<0.03	12.3	<13.4	0.2	0.04	0.21

Tab.width cont'd PAND BOR, TM, J26, 30G Spro, 1995-1106.

. Analytical Lab. =>	NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>	341	341	!	341	341	341
____ Detection Limit.____ =>	0.05	0.05	!	0.05	0.05	0.05
Samp/ Shell-length -wght No of	HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl. Min:Max,Mean mean shell	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 100	<0.03	0.33	<0.36	0.09	<0.03	<0.03

Sample.No 01 : Length of specimen 75 - 90 mm

206

Species : PAND BOR, Pandalus borealis, GB: Prawn, N: Reker.
Sample.area: J26 Oslofjorden, Tissue : TAIL MUSCLE.
Locality : 30H Storegrunn, Latitude: 59°48.50N, Longitude: 10°33.50E.
Catch,date : 1995-1106, Count: 100, Sample type: Homogenate.

. Analytical Lab. =>				NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	NIVA	Σ(*)	Σ(*)	NIVA	NIVA	Σ(*)
. Analysis Code. =>				312	311	310	312	311	341	341	341	341	341	341	341	341	341	341	341	!	!	341	341	!
____ Detection Limit.____ =>	Mean	___	___	0.050	0.010	0.005	0.030	1.00	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	!	!	0.10	0.05	!
Samp/ Shell-length -wght No of	Weight	Dry	Fat	Cd	Cu	Hg	Pb	Zn	CB28	CB52	CB101	CB105	CB118	CB138	CB153	CB156	CB180	CB209	CB_Σ7	CB_ΣΣ	DDEPP	TDEPP	DD_Σn
Repl. Min:Max,Mean mean shell	g	%	%	ppm	ppm	ppm	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g				w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 100	3.19	22.40	1.37	0.019	4.400	0.094	<0.030	11.90	0.04	0.24	1.32	0.73	2.06	2.14	3.30	0.24	0.90	<0.03	10.0	<11.0	0.2	0.03	0.18

Tab.width cont'd PAND BOR, TM, J26, 30H Storegrunn, 1995-1106.

. Analytical Lab. =>	NIVA	NIVA	Σ(*)	NIVA	NIVA	NIVA
. Analysis Code. =>	341	341	!	341	341	341
____ Detection Limit.____ =>	0.05	0.05	!	0.05	0.05	0.05
Samp/ Shell-length -wght No of	HCHA	HCHG	HC_Σn	HCB	QCB	OCS
Repl. Min:Max,Mean mean shell	ppb	ppb	ppb	ppb	ppb	ppb
no. mm:mm mm g	w.wt	w.wt	w.wt	w.wt	w.wt	w.wt
01/ 1 100	<0.03	0.38	<0.41	0.08	<0.03	<0.03

Sample.No 01 : Length of specimen 80 - 95mm